

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2335	Five Fathom Creek Daybeacon 17	33-02-58.168N 079-28-34.631W				SG on pile.	29/24	
845	<i>NOAA Data Lighted Buoy 41010 (ODAS)</i>	* 28-52-48.000N 078-28-48.000W	Fl (4)Y 20s			Yellow disc-shaped with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	28/24
10260 46715	LAKE WORTH SOUTH LIGHT 1	* 26-45-55.143N 080-02-57.103W	Q G	12	4	SG-SY on pile.	27/24	
39060	MATANZAS RIVER LIGHT 6	* 29-53-57.710N 081-18-24.657W	Fl R 4s	12	5	TR-TY on dolphin.	27/24	
46040	Peck Lake Daybeacon 16	* 27-07-40.638N 080-09-04.935W				TR-TY on pile.	27/24	
46155	Hobe Sound Daybeacon 42	* 27-00-54.085N 080-05-55.605W				TR-TY on pile.	27/24	
46715 10260	LAKE WORTH SOUTH LIGHT 1	* 26-45-55.143N 080-02-57.103W	Q G	12	4	SG-SY on pile.	27/24	
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
15370	Calda Channel Buoy 12	24-37-01.822N 081-48-33.517W				Red nun.	26/24
22520	<i>Port Manatee Channel Lighted Buoy 2</i>	* 27-39-21.264N 082-36-12.623W	Q R		4	Red.	26/24
25585.5	<i>Johns Pass Channel Lighted Buoy 3</i>	27-46-35.996N 082-47-18.921W	Q G		4	* Green.	26/24
59160	Siesta Key-Tampa Bay Daybeacon 28	* 27-25-12.364N 082-39-13.132W				TR-TY on pile.	26/24
	* Add Heading: Sanctuary Cove Channel	*					25/24
22084.05	Sanctuary Cove Channel Daybeacon 1	27-30-30.867N 082-33-08.834W				SG on pile.	Private Aid. 25/24
* 22084.1	* Sanctuary Cove Channel Daybeacon 2	* 27-30-30.804N 082-33-08.005W	* Q R	* 4	* 4	* TR on pile.	* Private Aid. 25/24
* 22084.15	* Sanctuary Cove Channel Daybeacon 3	* 27-30-32.565N 082-33-08.902W	* Q G	* 4	* 4	* SG on pile.	* Private Aid. 25/24
* 22084.2	* Sanctuary Cove Channel Daybeacon 4	* 27-30-32.521N 082-33-08.062W	* Q R	* 4	* 4	* TR on pile.	* Private Aid. 25/24
* 22084.25	* Sanctuary Cove Channel Daybeacon 5	* 27-30-34.568N 082-33-08.908W	* Q G	* 4	* 4	* SG on pile.	* Private Aid. 25/24
* 22084.3	* Sanctuary Cove Channel Daybeacon 6	* 27-30-34.541N 082-33-08.049W	* Q R	* 4	* 4	* TR on pile.	* Private Aid. 25/24
* 22084.35	* Sanctuary Cove Channel Daybeacon 7	* 27-30-36.564N 082-33-08.808W	* Q G	* 4	* 4	* SG on pile.	* Private Aid. 25/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
* 22084.4	* Sanctuary Cove Channel Daybeacon 8	* 27-30-36.482N 082-33-08.077W	*	*	*	TR on pile.	Private Aid.	* 25/24
* 22084.5	* Sanctuary Cove Channel Daybeacon 10	* 27-30-38.486N 082-33-08.078W	*	*	*	TR on pile.	Private Aid.	* 25/24
* 22084.6	* Sanctuary Cove Channel Daybeacon 12	* 27-30-40.466N 082-33-08.111W	*	*	*	TR on pile.	Private Aid.	* 25/24
* 59160	* Siesta Key-Tampa Bay Daybeacon 28	* 27-25-09.594N 082-39-12.426W	*	*	*	TR-TY on pile.		* 25/24
* 59165	* Siesta Key-Tampa Bay Daybeacon 29	* 27-25-09.594N 082-39-12.426W	*			SG-SY on pile.		* 25/24
* 30895	* <i>Puerto Nuevo Channel Lighted Buoy 1</i>	* 18-25-56.385N 066-06-08.620W	Fl G 4s		5	Green.	AIS: MMSI 993672178	* 24/24
* 45200	* <i>Indian River (South Section) Lighted Buoy 188A</i>	* 27-26-53.194N 080-18-50.935W	Fl R 2.5s		4	Red.		* 24/24
* 58190	* Midnight Pass Lagoon Daybeacon 5	* 27-13-07.182N 082-30-42.350W				SG on pile.	Private Aid.	* 24/24
* 58195	* Midnight Pass Lagoon Daybeacon 6	* 27-13-12.382N 082-30-40.350W				TR on pile.	Private Aid.	* 24/24
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23945	TAMPA BAY CUT K CHANNEL OUTBOUND RANGE REAR LIGHT 1,273 yards, 201° from front light.	27-47-58.248N 082-34-54.987W	Iso W 6s (NIGHT) Iso W 6s (DAY)	52		Skeleton tower on piles.	Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). Lighted throughout 24 hours.	23/24
	*							
34305	Winyah Bay-Charleston Harbor Buoy 51	33-02-18.836N 079-33-34.172W				Green can.		23/24
	*							
4770	NEW CHANNEL RANGE FRONT LIGHT	32-02-21.798N 080-55-39.434W	Q G	30		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	22/24
	*							
5585	<i>Wassaw Sound Lighted Buoy 4</i>	31-52-18.521N 080-53-41.458W	Fl R 6s		*	5	Red.	22/24
	*							
5595	<i>Wassaw Sound Lighted Buoy 8</i>	31-53-24.539N 080-53-30.297W	Fl R 2.5s			5	Red.	22/24
	*							
23945	TAMPA BAY CUT K CHANNEL OUTBOUND RANGE REAR LIGHT 1,325 yards, 201° from front light.	27-47-58.248N 082-34-54.987W	Iso W 6s (NIGHT) Iso W 6s (DAY)	52		Skeleton tower on piles.	Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). Lighted throughout 24 hours.	22/24
	*							
23945.2	TAMPA BAY CUT K CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-47-58.248N 082-34-54.987W	Fl W 2.5s	12		On the same structure as Cut K Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.	22/24
	*	*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1778	Murrells Inlet Buoy 4A	33-31-39.781N 079-01-57.191W				Red nun.	21/24	
		*						
10130	St Lucie Inlet Buoy 6	27-10-03.133N 080-09-18.969W				Red nun.	21/24	
		*						
60000	SIESTA KEY-TAMPA BAY LIGHT 51	27-29-14.512N 082-41-56.237W	Fl G 4s	16	5	SG-SY on pile.	21/24	
		*						
845	<i>NOAA Data Lighted Buoy 41010 (ODAS)</i>	28-52-41.000N 078-28-00.000W	Fl (4)Y 20s			Yellow disc-shaped with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	20/24
		*						
1778	Murrells Inlet Buoy 4A	33-31-38.052N 079-01-48.883W				Red nun.	20/24	
		*						
34700	STONO RIVER LIGHT 30	32-46-42.708N 080-05-09.858W	Fl R 4s	16	5	TR-TY on pile.	20/24	
		*						
50640.5	St Lucie River Buoy 3A	27-09-56.271N 080-10-59.602W				Green can with yellow square.	19/24	
		*						
3200	COOPER RIVER LIGHT 104	32-59-02.981N 079-55-13.029W	Q R	16	4	TR on pile.	18/24	
		*						
25585.2	<i>Johns Pass Channel Lighted Buoy 2A</i>	27-46-33.245N 082-47-16.812W	Q R		4	Red.	18/24	
	*	*	*	*	*	*		
25585.5	<i>Johns Pass Channel Lighted Buoy 3</i>	27-46-35.383N 082-47-23.247W	Q G		4	Green.	18/24	
	*	*	*	*	*	*		
61680	THE NARROWS LIGHT 42	27-53-46.335N 082-50-15.230W	Fl R 4s	16	5	TR-TY on pile.	18/24	
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22470.5	TAMPA BAY CUT B CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-36-33.453N 082-38-48.386W	Fl W 2.5s		3	On same structure as Cut B Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the platform.	17/24
	*							
22700	TAMPA BAY CUT D CHANNEL INBOUND RANGE FRONT LIGHT	27-44-27.288N 082-31-21.683W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	21 23		On same structure as Cut F Outbound Range Front Light.	Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline.	17/24
	*							
22715.1	TAMPA BAY CUT D CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-40-14.742N 082-34-25.498W	Fl W 2.5s		3	On the same structure as Tampa Bay Cut D Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SE and NW corners of platform.	17/24
	*							
22803	TAMPA BAY CUT F CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-43-58.343N 082-31-21.425W	Fl W 2.5s	16	5	On the same structure as Cut F Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the lower platform.	17/24
	*							
23787	TAMPA BAY CUT K CHANNEL UPPER RANGE REAR PASSING LIGHT	27-52-58.251N 082-32-40.509W	Fl W 2.5s		5	On the same structure as Cut K Channel Upper Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of the lower platform.	17/24

No corrections this week

16/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14870	KEY WEST MAIN CHANNEL CUT B RANGE FRONT LIGHT	24-33-37.550N 081-48-51.850W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	21		On tower.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	15/24
14875	KEY WEST MAIN CHANNEL CUT B RANGE REAR LIGHT	24-33-46.450N 081-48-51.364W	Iso W 6s (NIGHT) Iso W 6s (DAY)	49		On tower.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	15/24
							*	
	* Add Heading: Palmetto Bay							15/24
22037	Palmetto Bay Daybeacon 1	27-30-32.517N 082-34-11.384W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.1	Palmetto Bay Daybeacon 2	27-30-32.708N 082-34-09.731W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.2	Palmetto Bay Daybeacon 3	27-30-35.060N 082-34-11.685W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.3	Palmetto Bay Daybeacon 4	27-30-35.216N 082-34-10.028W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.4	Palmetto Bay Daybeacon 5	27-30-37.603N 082-34-11.986W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.5	Palmetto Bay Daybeacon 6	27-30-37.760N 082-34-10.329W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.6	Palmetto Bay Daybeacon 7	27-30-40.147N 082-34-12.287W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.7	Palmetto Bay Daybeacon 8	27-30-40.301N 082-34-10.630W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	

No corrections this week

14/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6296	EAST RIVER TURNING BASIN LIGHT A	31-07-39.414N 081-29-42.368W	Fl Y 2.5s	16	4	NY on pile.	13/24	
37405	CUMBERLAND RIVER LIGHT 35	* 30-57-14.700N 081-25-44.460W	Fl G 4s	16	5	SG-SY on pile.	13/24	
38020	SOUTH AMELIA RIVER LIGHT 19A	* 30-35-55.061N 081-28-41.285W	Q G	14	4	SG-SY on dolphin.	13/24	
38025	* KINGSLEY CREEK CUTOFF RANGE REAR LIGHT				*	*	* Remove from list.	13/24
22559	PORT MANATEE CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-41-07.132N 082-38-17.563W	Fl W 2.5s	16		On the same structure as Port Manatee Channel Outbound Range Rear Light.	* Two synchronized passing lights visible all around located on the NE and SW corner of the lower platform.	12/24
22708	* TAMPA BAY CUT D CHANNEL INBOUND RANGE REAR PASSING LIGHT	27-45-12.110N 082-30-49.029W	Fl W 2.5s	16	5	On the same structure as Cut D Inbound Channel Range Rear Light.	* Two synchronized passing lights visible all around located on the SW and NE corners of the platform.	12/24
23246	* ALAFIA RIVER RANGE REAR PASSING LIGHT	27-50-30.157N 082-27-46.749W	Fl W 2.5s		3	On same structure as Alafia River Range Rear Light.	Two synchronized passing lights visible all around on the SE and NW corners of platform.	12/24
23505.5	* HILLSBOROUGH CUT D CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-53-38.418N 082-25-56.233W	Fl W 2.5s		3	On the same structure as Hillsborough Cut D Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.	12/24
37665	* Cumberland Sound Daybeacon 71	30-48-45.624N 081-29-23.770W				SG-SY on pile.	12/24	

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13615	West Turtle Shoal Daybeacon 47	24-42-00.453N 080-58-08.521W				SG on pile.	11/24
18235	MATANZAS PASS CHANNEL LIGHT 15	* 26-27-36.680N 081-57-38.407W	Fl G 2.5s	16	5	SG on pile.	11/24
25650	Big Bird Key Daybeacon 1	*					Remove from list. 10/24
35205.2	Ashepoo-Coosaw Cutoff Daybeacon 185	32-30-43.291N 080-30-02.104W				SG-SY on pile.	* 10/24
60285	TAMPA BAY LIGHT 70	* 27-34-26.049N 082-41-12.546W	Fl R 4s	16	5	TR-TY on pile.	10/24
16965	Capri Pass Daybeacon 5	* 25-58-24.834N 081-45-03.216W				SG on pile.	09/24
21760	Longboat Pass Buoy 3	* 27-26-22.576N 082-41-45.851W				Green can.	08/24
56075	Pine Island Sound Daybeacon 61	* 26-39-23.983N 082-13-05.993W				SG-SY on pile.	07/24
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2935	COOPER RIVER RANGE A FRONT LIGHT	32-54-36.459N 079-55-38.570W	Q W (NIGHT) Q W (DAY)	29		On skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.	06/24
2940	COOPER RIVER RANGE A REAR LIGHT 319 yards, 081.2° from front light.	32-54-37.903N 079-55-27.479W	Iso W 6s (NIGHT) Iso W 6s (DAY)	* 39		On white skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.	06/24
25580	Johns Pass Channel Daybeacon 1	27-46-37.257N 082-47-41.300W	*	*		SG on pile.		06/24
43673	Indian River (South Section) Buoy 65A	* 27-49-20.454N 080-27-45.168W				Green can.		06/24
46240	Jupiter Inlet Buoy 2	* 26-56-51.190N 080-04-48.835W				Red nun with yellow triangle.		06/24
62260	St Joseph Sound Daybeacon 35	* 28-07-23.877N 082-49-18.217W				SG-SY on pile.		05/24
3021	<i>Cooper River Lighted Buoy 72A</i>	* 32-55-59.324N 079-56-06.459W	Q R		4	Red.		04/24
* 7315	* <i>White Shells Cut Lighted Buoy 27</i>	* 30-23-36.020N 081-28-48.770W	* Fl G 4s	* *	* 4	* Green.	* AIS: MMSI 993672521	* 04/24
7316	<i>White Shells Cut Lighted Buoy 29</i>	* 30-23-32.958N 081-29-05.749W	Fl G 4s		4	Green.		04/24
7329	<i>St Johns Bluff Lighted Buoy 30</i>	* 30-23-31.950N 081-29-29.711W	Fl R 2.5s		4	Red.		04/24
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7345	<i>Fulton Cutoff Lighted Buoy 35</i>	30-23-24.183N 081-30-22.221W	Q G		4	Green.	04/24
7385	<i>Blount Island Turning Basin Lighted Buoy 43</i>	* 30-23-13.459N 081-32-05.399W	Fl G 6s		5	Green.	04/24
7395	<i>Blount Island Turning Basin Lighted Buoy 45</i>	* 30-23-08.318N 081-32-35.884W	Fl G 4s		5	Green.	04/24
10135	St Lucie Inlet Buoy 7	* 27-10-00.334N 080-09-36.658W				Green can.	03/24
25585.5	Johns Pass Channel Buoy 3	* 27-46-35.383N 082-47-23.247W				Green can.	03/24

No corrections this week

02/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
25585.2	Johns Pass Channel Buoy 2A	27-46-33.245N 082-47-16.812W				Red nun.	01/24
25585.5	Johns Pass Channel Buoy 3	* 27-46-37.589N 082-47-20.393W				Green can.	01/24
54487	Catalpa Cove Daybeacon 1	* 26-31-19.320N 081-58-34.620W				SG on pile.	Private Aid. 01/24
* 54487.1	* Catalpa Cove Daybeacon 2	* 26-31-19.320N 081-58-35.220W	*	*	*	TR on pile.	Private Aid. 01/24
* 54487.2	* Catalpa Cove Daybeacon 3	* 26-31-12.780N 081-58-34.500W	*	*	*	SG on pile.	Private Aid. 01/24
* 54487.3	* Catalpa Cove Daybeacon 4	* 26-31-12.780N 081-58-35.100W	*	*	*	TR on pile.	Private Aid. 01/24
* 54487.4	* Catalpa Cove Daybeacon 5	* 26-31-08.400N 081-58-34.380W	*	*	*	SG on pile.	Private Aid. 01/24
* 54487.5	* Catalpa Cove Daybeacon 6	* 26-31-08.400N 081-58-34.920W	*	*	*	TR on pile.	Private Aid. 01/24
* 54487.6	* Catalpa Cove Daybeacon 7	* 26-31-04.500N 081-58-34.320W	*	*	*	SG on pile.	Private Aid. 01/24
* 54487.7	* Catalpa Cove Daybeacon 8	* 26-31-04.500N 081-58-34.860W	*	*	*	TR on pile.	Private Aid. 01/24
* 54487.8	* Catalpa Cove Daybeacon 9	* 26-31-00.540N 081-58-34.260W	*	*	*	SG on pile.	Private Aid. 01/24
* 54487.9	* Catalpa Cove Daybeacon 10	* 26-31-00.540N 081-58-34.800W	*	*	*	TR on pile.	Private Aid. 01/24
*	*	*	*	*	*	*	*