

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14970	MCMANOR LIGHT 179 RDB mile 178.5.	30-07-30.270N 091-02-08.634W	Q G		4	SG on skeleton tower on concrete block.	44/24
		*					
20740	Mermentau Channel Buoy 11						Remove from list. 44/24
							*
20745	Mermentau Channel Buoy 8	29-44-46.323N 093-00-35.538W				Red nun.	44/24
	*						
20760	Mermentau Channel Buoy 15						Remove from list. 44/24
							*
20765	Mermentau Channel Buoy 16						Remove from list. 44/24
							*
20770	Mermentau Channel Buoy 9	29-45-12.205N 093-00-41.005W				Green can.	44/24
	*						
20775	Mermentau Channel Buoy 18						Remove from list. 44/24
							*
20780	Mermentau Channel Buoy 21						Remove from list. 44/24
							*
20785	Mermentau Channel Buoy 11	29-45-42.300N 093-01-10.860W				Green can.	44/24
	*						
20790	Mermentau Channel Buoy 10	29-45-31.020N 093-01-11.040W				Red nun.	44/24
	*						
20795	Mermentau Channel Buoy 27						Remove from list. 44/24
							*
25575	San Jacinto River Buoy 8						Remove from list. 44/24
							*

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
20785	Mermentau Channel Buoy 25	29-45-42.300N 093-01-10.860W				Green can.	43/24
20790	Mermentau Channel Buoy 26	* 29-45-31.020N 093-01-11.040W				Red nun.	43/24
1105 22440	SABINE PASS EAST JETTY LIGHT	* 29-38-40.592N 093-49-21.968W	Iso W 2s	42	5	NB on skeleton tower.	AIS: MMSI 993682262 42/24
4705	CAUCUS CHANNEL RANGE FRONT LIGHT	30-19-33.943N 087-18-44.145W	Q G (NIGHT)  Q G (DAY)	18	*	KRW on skeleton tower on piles.	Visible 1.5° each side of range line. Lighted throughout 24 hours. 42/24
4710	CAUCUS CHANNEL RANGE REAR LIGHT  1,195 yards, 341.4° from front light.	* 30-20-07.575N 087-18-57.210W	* Iso G 6s (NIGHT)  Iso G 6s (DAY)	62		KRW on skeleton tower.	* Visible 1.5° each side of range line. Lighted throughout 24 hours. 42/24
4850 33060	PENSACOLA BAY NAVY RANGE FRONT LIGHT	30-20-04.640N 087-18-59.547W	* Fl G 2.5s	* 17		KRW on dolphin.	* Visible all around; higher intensity 1.5° each side of range line. 42/24
13835	INNER HARBOR NAVIGATION CANAL LIGHT 1						* Remove from list. 42/24
13850	GOVERNOR NICHOLLS LIGHT 94						* Remove from list. 42/24  *

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13885	GRETNA LIGHT 97						Remove from list.	42/24
15395	Upper Baton Rouge Anchorage Upper Daybeacon 231.0						* Remove from list.	42/24
22440 1105	SABINE PASS EAST JETTY LIGHT	29-38-40.592N 093-49-21.968W	Iso W 2s	42	5	NB on skeleton tower.	* AIS: MMSI 993682262	42/24
24180	HOUSTON SHIP CHANNEL LIGHT 53	29-30-13.085N 094-52-31.729W	Fl G 2.5s	17	3	* SG on pile.	Ra ref.	42/24
33060 4850	PENSACOLA BAY NAVY RANGE FRONT LIGHT	* 30-20-04.640N 087-18-59.547W	Fl G 2.5s	17		KRW on dolphin.	Visible all around; higher intensity 1.5° each side of range line.	42/24
34760	INNER HARBOR NAVIGATION CANAL LIGHT 1						* Remove from list.	42/24
34765	GOVERNOR NICHOLLS LIGHT 94						* Remove from list.	42/24
34800	GRETNA LIGHT 97						* Remove from list.	42/24
No corrections this week								41/24

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13460	MYRTLE GROVE LIGHT 59						Remove from list.	40/24
15315	Baton Rouge General Anchorage Upper Daybeacon 227.3	30-24-40.996N 091-12-32.042W				NY on tree.	* Ra ref.	40/24
15375	Middle Baton Rouge Anchorage Lower Daybeacon 229.6	*					Remove from list.	40/24
15380	Middle Baton Rouge Anchorage Upper Daybeacon 229.8						* Remove from list.	40/24
24180	HOUSTON SHIP CHANNEL LIGHT 53	29-30-13.683N 094-52-30.567W	Fl G 2.5s	17	3	SG on pile.	* Ra ref.	40/24
27125	MATAGORDA SHIP CHANNEL A RANGE REAR LIGHT  1,239 yards, 316.7° from front light.	28-27-34.032N 096-21-46.170W	Iso W 6s (NIGHT)  Iso W 6s (DAY)	65 65		On skeleton tower on piles.	* Lighted throughout 24 hours.	40/24
					*			

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16050	Shell Reef Daybeacon	29-20-39.868N 089-56-26.928W				NW on pile worded DANGER.	Ra ref.	39/24
16100	BARATARIA WATERWAY ENTRANCE LIGHT 1	29-16-41.950N 089-57-30.941W	Fl G 4s	17	4	SG on pile.	Ra ref.	39/24
17475	Lake Boudreaux Buoy 1					*	Remove from list.	39/24
17480	Lake Boudreaux Buoy 2						*	Remove from list.
17485	Lake Boudreaux Buoy 3						*	Remove from list.
17490	Lake Boudreaux Buoy 4						*	Remove from list.
17495	Lake Boudreaux Buoy 5						*	Remove from list.
17500	<i>Lake Boudreaux Lighted Buoy 7</i>						*	Remove from list.
17505	Lake Boudreaux Buoy 9						*	Remove from list.
17510	Lake Boudreaux Buoy 11						*	Remove from list.
17515	Lake Boudreaux Buoy 13						*	Remove from list.
17520	<i>Lake Boudreaux Lighted Buoy 15</i>						*	Remove from list.
17525	Lake Boudreaux Buoy 17						*	Remove from list.
17530	<i>Lake Boudreaux Lighted Buoy 19</i>						*	Remove from list.
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18715	ATCHAFALAYA CHANNEL LIGHT 36  125 feet outside channel limit.	29-22-59.898N 091-22-17.919W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	39/24
18720	ATCHAFALAYA CHANNEL LIGHT 37  125 feet outside channel limit.	* 29-23-43.624N 091-21-51.085W	Fl G 4s	17	4	SG on pile.	Ra ref.	39/24
42825	Port Isabel Small Boat Harbor Channel Buoy 9	* 26-04-58.058N 097-13-02.487W				Green can.		39/24
* 42825	* Port Isabel Small Boat Harbor Channel Daybeacon 9	* 26-04-54.391N 097-13-05.377W	*	*	*	*	* Remove from list.	39/24
42835	Port Isabel Small Boat Harbor Channel Buoy 11	26-04-54.391N 097-13-05.377W				Green can.		39/24
* 42835	* Port Isabel Small Boat Harbor Channel Daybeacon 11	* 29-36-53.582N 094-59-19.030W	*	*	*	*	* Remove from list.	39/24
24500	BAYPORT SHIP CHANNEL LIGHT 8	29-36-53.582N 094-59-19.030W	Fl R 2.5s	17	4	TR on pile	Ra ref.	38/24
2950	WEST PASS LIGHT	* 29-37-56.904N 085-05-49.794W	Fl W 2.5s	17	5	NB on dolphin.		37/24
12591	SOUTH PASS LIGHT 3B	*					Remove from list.	37/24
12592	SOUTH PASS DANGER LIGHT A						* Remove from list.	37/24
							*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12593	SOUTH PASS DANGER LIGHT B						Remove from list.	37/24
							*	
12595	South Pass Daybeacon 5						Remove from list.	37/24
							*	
12596.01	SOUTH PASS LIGHT 5A						Remove from list.	37/24
							*	
12596.02	South Pass Danger Daybeacon C						Remove from list.	37/24
							*	
12596.03	SOUTH PASS LIGHT 7	28-59-48.795N 089-08-39.230W	Fl G 4s	17	4	SG on pile.	Ra ref.	37/24
		*						
12596.04	SOUTH PASS DANGER LIGHT D						Remove from list.	37/24
							*	
12596.05	South Pass Danger Daybeacon E						Remove from list.	37/24
							*	
23000 35625	SABINE-NECHES CANAL LIGHT 66	29-58-04.526N 093-51-08.157W	Fl R 2.5s	17	4	TR-SY on pile.	Ra ref.	37/24
		*						
25815	HOUSTON SHIP CHANNEL LIGHT 160	29-44-09.882N 095-12-21.810W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	37/24
35625 23000	SABINE-NECHES CANAL LIGHT 66	29-58-04.526N 093-51-08.157W	Fl R 2.5s	17	4	TR-SY on pile.	Ra ref.	37/24
		*						
		*						

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4850 33060	PENSACOLA BAY NAVY RANGE FRONT LIGHT	30-20-04.640N 087-18-59.547W	Fl G 2.5s	17		KRW on dolphin.	Visible 1.5° each side of range line.	36/24
		*		*		*	*	
4852	PENSACOLA BAY NAVY RANGE FRONT PASSING LIGHT						Remove from list.	36/24
17775	HOUMA NAVIGATION CANAL A RANGE REAR LIGHT	29-12-30.656N 090-37-09.315W	Iso W 6s (NIGHT)	57			Visible 1.5° each side of range line. Lighted throughout 24 hours.	36/24
	2,336 yards, 340° from front light.		Iso W 6s (DAY)					
			*			*	*	
33060 4850	PENSACOLA BAY NAVY RANGE FRONT LIGHT	30-20-04.640N 087-18-59.547W	Fl G 2.5s	17		KRW on dolphin.	Visible 1.5° each side of range line.	36/24
		*		*		*	*	
33062	PENSACOLA BAY NAVY RANGE FRONT PASSING LIGHT						Remove from list.	36/24
							*	
877	<i>Scripps Lighted Data Buoy CDIP 255, NDBC 42091</i>	29-05-16.080N 092-30-17.640W	Fl (5)Y 20s			Yellow.	Aid maintained by Scripps Institution of Oceanography. Private Aid.	35/24
*	*	*	*	*	*	*	*	
10785	BAYOU DUPRE LIGHT 1	29-57-15.993N 089-49-22.149W	Fl G 6s	17	5	SG on pile.	Ra Ref.	35/24
						*		
10795	Bayou Dupre Daybeacon 3	29-57-01.690N 089-49-42.486W				SG on pile.	Ra ref.	35/24
							*	
10800	Bayou Dupre Daybeacon 4	29-56-54.364N 089-49-56.384W				TR on pile.	Ra ref.	35/24
							*	



## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30817	USGS Baker Point Lighted Wave Buoy	30-01-29.125N 085-28-38.561W	Fl Y 2.5s			Yellow.	Maintained by the USGS. Private Aid.	35/24
*	*	*	*	*	*	*	*	
33650	Pensacola-Mobile Daybeacon 81	30-18-02.064N 087-35-03.794W				SG-SY on pile.	Ra ref.	35/24
34615	ST JOSEPH ISLAND LIGHT 22	30-11-04.482N 089-25-33.650W	Fl R 4s	17	5	TR-TY on pile.	Ra ref.	35/24
37350	OYSTER LAKE LIGHT 1					*	Remove from list.	35/24
37355	Oyster Lake Buoy 2						*	
							Remove from list.	35/24
37360	OYSTER LAKE LIGHT 3	29-07-34.952N 095-10-44.751W	Fl G 2.5s	17	4	SG-SY on pile.	Ra ref.	35/24
37365	OYSTER LAKE LIGHT 4	29-07-29.695N 095-10-55.484W	Fl R 4s	17	4	TR-TY on pile.	Ra ref.	35/24
37365	Oyster Lake Buoy 4						*	
							Remove from list.	35/24
37370	OYSTER LAKE LIGHT 5						*	
							Remove from list.	35/24
							*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1095	SABINE BANK LIGHT	29-28-21.696N 093-43-21.294W	Q W	30	5	Cylindrical concrete base with 5X5 steel tower. No daybeacon.	34/24
1435	<i>Scripps Lighted Data Buoy CDIP 252, NDBC 42092</i>	27-38-25.368N 097-00-41.580W	Fl (5)Y 20s			Yellow.	Aid maintained by Scripps Institution of Oceanography. Private Aid. 34/24
* 11620	* LAKE MAUREPAS LIGHT 5	* 30-17-40.961N 090-26-00.822W	* Q G	* 17	* 4	* TR on pile.	* Ra ref. 34/24
* 12725.01	* <i>Southwest Pass Lighted Buoy 3A</i>	* 28-54-06.198N 089-26-07.594W	* Q G		4	* Green.	* 34/24
* 20615	* FRESHWATER BAYOU LIGHT 11	* 29-31-57.350N 092-18-33.449W	* Fl G 2.5s	* 17	* 4	* SG on pile.	* Ra ref. 34/24
	50 feet outside channel limit.						
20940	GRAND LAKE LIGHT 8	29-57-40.742N 092-47-23.891W	Fl R 4s	17	4	* TR on pile.	Ra ref. 34/24
20990	Mermentau River Daybeacon 1A	29-58-37.980N 092-48-10.739W				SG on pile.	Ra ref. * 34/24
21005	Mermentau River Daybeacon 5	29-59-30.719N 092-47-20.748W				SG on pile.	Ra ref. * 34/24
21050	Mermentau River Daybeacon 15	30-00-47.566N 092-45-17.342W				SG on pile.	Ra ref. * 34/24
21055	Mermentau River Daybeacon 17	30-01-05.405N 092-45-29.615W				SG on pile.	Ra ref. * 34/24
21075	Lake Arthur Daybeacon 2	30-02-20.194N 092-44-52.834W				TR on pile.	Ra ref. * 34/24
21170	Lake Arthur Daybeacon 28	30-04-02.501N 092-40-46.565W				TR on pile.	Ra ref. * 34/24
							*

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21595	CALCASIEU CHANNEL LIGHT 65  130 feet outside channel limit.	29-53-07.801N 093-20-41.586W	Fl G 4s	17	4	SG on pile.	Ra ref.	34/24
21835 35370	DEVILS ELBOW INDUSTRIAL CANAL RANGE REAR LIGHT  192 yards, 046.4° from front light.	30-06-31.861N 093-18-14.846W	F G	37		* KRW-I on skeleton tower on piles.	* Visible 5.5° each side of range line.	34/24
21875	CALCASIEU RIVER LIGHT 98	30-06-46.670N 093-19-59.698W	Q R	17	4	TR on pile.	Ra ref.	34/24
21880	CALCASIEU RIVER LIGHT 99	30-06-58.355N 093-20-08.032W	Fl G 4s	17	4	SG on pile.	Ra ref.	34/24
29510	South Padre Island Daybeacon 1					*	* Remove from list.	34/24
29510	South Padre Island Buoy 1	26-04-09.173N 097-09-57.858W				Green can.	*	34/24
* 29515	* South Padre Island Daybeacon 2	*	*	*	*	*	* Remove from list.	34/24
29515	South Padre Island Lighted Buoy 2	26-04-11.407N 097-09-54.352W	Fl R 2.5s		4	Red.	*	34/24
* 29522	* South Padre Island Buoy 4	* 26-04-18.690N 097-10-00.538W	*	*	*	*	* Red nun.	34/24
* 35335	* Gibbstown Daybeacon 2	*	*	*	*	*	* Remove from list.	34/24
35340	Gibbstown Daybeacon 4						* Remove from list. *	34/24

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35345	Gibbstown Daybeacon 6						Remove from list.	34/24
							*	
35350	Sweet Lake Daybeacon 2						Remove from list.	34/24
							*	
35355	Sweet Lake Daybeacon 4						Remove from list.	34/24
							*	
35360	Sweet Lake Daybeacon 6						Remove from list.	34/24
							*	
35370 21835	DEVILS ELBOW INDUSTRIAL CANAL RANGE REAR LIGHT	30-06-31.861N 093-18-14.846W	F G	37		KRW-I on skeleton tower on piles.	Visible 5.5° each side of range line.	34/24
	192 yards, 046.4° from front light.							
1200	NOAA Lighted Data Buoy 42035	29-14-06.000N 094-24-36.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	33/24
		*						
22940 35680	SABINE-NECHES CANAL LIGHT 62	29-55-43.922N 093-52-26.869W	Fl R 4s	17	4	TR-SY on pile.	Ra ref.	33/24
							*	
22990	SABINE-NECHES CANAL LEADING LIGHT A	29-57-46.341N 093-51-09.433W	Fl W 4s	17	7	NR on pile.	Ra ref.	33/24
							*	
22995 35640	SABINE-NECHES CANAL LIGHT 65	29-57-57.268N 093-51-25.028W	Fl G 4s	17	4	SG-TY on pile.	Ra ref.	33/24
							*	
23050 35575	SABINE-NECHES CANAL LIGHT 74	29-58-44.148N 093-49-21.354W	Fl R 4s	17	4	TR-SY on pile.	Ra ref.	33/24
							*	
23115 35505	SABINE RIVER LIGHT 5	30-00-51.180N 093-45-36.548W	Fl G 4s	17	4	SG-TY on pile.	Ra ref.	33/24
							*	
23135 35495	Sabine River Daybeacon 10	30-01-13.423N 093-44-35.069W				TR-SY on pile.	Ra ref.	33/24
							*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
23220	SABINE RIVER LIGHT 24	30-03-39.882N 093-42-57.160W	Fl R 4s	17	4	TR on pile.	Ra ref. *
23345	NECHES RIVER LIGHT 14	29-58-58.225N 093-52-47.060W	Fl R 4s	17	4	TR on pile.	Ra ref. *
23360	NECHES RIVER LIGHT 22	29-59-25.904N 093-55-29.614W	Fl R 4s	17	3	TR on pile.	Ra ref. *
23450	NECHES RIVER LIGHT 40	30-00-56.364N 094-00-14.817W	Fl R 4s	17	4	TR on pile.	Ra ref. *
23455	NECHES RIVER LIGHT 40A	30-01-14.129N 094-01-18.689W	Fl R 2.5s	17	3	TR on pile.	Ra ref. *
35495 23135	Sabine River Daybeacon 10	30-01-13.423N 093-44-35.069W				TR-SY on pile.	Ra ref. *
35505 23115	SABINE RIVER LIGHT 5	30-00-51.180N 093-45-36.548W	Fl G 4s	17	4	SG-TY on pile.	Ra ref. *
35575 23050	SABINE-NECHES CANAL LIGHT 74	29-58-44.148N 093-49-21.354W	Fl R 4s	17	4	TR-SY on pile.	Ra ref. *
35640 22995	SABINE-NECHES CANAL LIGHT 65	29-57-57.268N 093-51-25.028W	Fl G 4s	17	4	SG-TY on pile.	Ra ref. *
35680 22940	SABINE-NECHES CANAL LIGHT 62	29-55-43.922N 093-52-26.869W	Fl R 4s	17	4	TR-SY on pile.	Ra ref. *
2935	Two Mile Channel East End Buoy 19	29-42-57.486N 084-59-19.868W				Green can.	*
2935	Two Mile Channel East End Daybeacon 19						Remove from list.
6840	Bon Secour River Daybeacon 9	30-17-43.492N 087-44-55.809W				SG on pile.	Ra ref. *
20145	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 13	29-35-13.619N 092-01-40.587W	Fl G 4s	17	4	SG on pile.	Ra ref. *

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20335	ACADIANA NAVIGATION CHANNEL LIGHT 18	* 29-47-39.875N 091-52-20.467W	Fl R 4s	17	4	TR on pile.	Ra ref.	32/24
20350	Acadiana Navigation Channel Daybeacon 21	* 29-49-40.656N 091-51-04.667W				SG on pile.	Ra ref.	32/24
20480	AVERY CANAL LIGHT 4	* 29-49-51.169N 091-54-24.796W	Fl R 4s	17	4	TR on pile.	Ra ref.	32/24
20658	FRESHWATER BAYOU JUNCTION LIGHT FW	* 29-46-29.276N 092-10-13.699W	Fl (2+1)R 6s	17	2	JR-SY on pile.	Ra ref.	32/24
1030	<i>Mergentau Channel Entrance Lighted Buoy 2</i>						Remove from list.	31/24
17770	HOUMA NAVIGATION CANAL A RANGE FRONT LIGHT	29-11-24.551N 090-36-42.161W	Q W (NIGHT)  Q W (DAY)	18			* Visible all around; higher intensity 1.5° each side of rangeline. Lighted throughout 24 hours.	31/24
20700	<i>Mergentau Channel Entrance Lighted Buoy 2</i>		*	*		*	* Remove from list.	31/24
34495	Marianne Channel Daybeacon 25	30-11-19.752N 089-17-14.155W				SG-SY on pile.	* Ra ref.	31/24
* 34495	* Marianne Channel Buoy 25	*	*	*	*	*	* Remove from list.	31/24
34500	Marianne Channel Daybeacon 26	30-11-00.087N 089-18-01.051W				TR-TY on pile.	* Ra ref.	31/24
* 34500	* Marianne Channel Buoy 26	*	*	*	*	*	* Remove from list.	31/24
25900	Double Bayou Channel Daybeacon 11						* Remove from list.	30/24
25905	DOUBLE BAYOU CHANNEL LIGHT 12						* Remove from list.	30/24
							*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29470	BRAZOS SANTIAGO ENTRANCE RANGE REAR LIGHT  522 yards, 269.8° from front light.	26-03-56.795N 097-10-33.194W	Iso G 6s	55		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	29/24
	*	*		*				
34280	Pass Aux Herons Daybeacon 37A	30-15-46.251N 088-14-49.085W				SG-SY on pile.	Ra ref.	29/24
		*						
39705	Aransas Bay Alternate Route Lighted Danger Buoy B	27-51-49.835N 097-02-58.462W	Fl W 4s		3	White with orange stripe.		29/24
		*						
4730	Massachusetts Wreck Lighted Warning Buoy A	30-17-43.455N 087-18-44.235W	Fl W 2.5s		5	White with orange bands and open face diamond.		28/24
	*	*	*		*	*		
4730.01	Massachusetts Wreck Lighted Warning Buoy B	30-17-50.460N 087-18-38.160W	Fl W 2.5s		5	White with orange bands and open face diamond.		28/24
	*	*	*	*	*	*	*	
4730.02	Massachusetts Wreck Lighted Warning Buoy C	30-17-51.070N 087-18-46.910W	Fl W 2.5s		5	White with orange bands and open face diamond.		28/24
	*	*	*	*	*	*	*	
35770	EAST BAY BAYOU LIGHT 1						Remove from list.	28/24
							*	
35785	EAST BAY BAYOU LIGHT 5						Remove from list.	28/24
							*	
35800	EAST BAY BAYOU LIGHT 8						Remove from list.	28/24
							*	
35805	Rollover Bay Daybeacon 1	29-31-29.702N 094-29-17.953W				SG-SY on pile.	Ra ref.	28/24
	*	*	*	*	*	*	*	
35805	Rollover Bay Buoy 1						Remove from list.	28/24
							*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35810	ROLLOVER BAY LIGHT 2	29-31-32.986N 094-29-18.919W	Q R	17	3	TR-TY on pile.	Ra ref.	28/24
*	*	*	*	*	*	*	*	
35810	<i>Rollover Bay Lighted Buoy 2</i>						Remove from list.	28/24
35825.01	ROLLOVER BAY LIGHT 3						*	
							Remove from list.	28/24
35835	ROLLOVER BAY LIGHT 5	29-31-17.375N 094-29-53.050W	Fl G 4s	17	3	SG-SY on pile.	Ra ref.	28/24
*	*	*	*	*	*	*	*	
35835	<i>Rollover Bay Lighted Buoy 5</i>						Remove from list.	28/24
35840	<i>Rollover Bay Lighted Buoy 6</i>						*	
							Remove from list.	28/24
35845	<i>Rollover Bay Lighted Buoy 7</i>						*	
							Remove from list.	28/24
35850	ROLLOVER BAY LIGHT 8	29-31-14.452N 094-30-08.490W	Fl R 6s	17	3	TR-TY on pile.	Ra ref.	28/24
*	*	*	*	*	*	*	*	
35850	<i>Rollover Bay Lighted Buoy 8</i>						Remove from list.	28/24
35860.01	ROLLOVER BAY LIGHT 10						*	
							Remove from list.	28/24
35865	ROLLOVER BAY LIGHT 11	29-31-00.690N 094-30-38.395W	Fl G 4s	17	3	SG-SY on pile.	Ra ref.	28/24
*	*	*	*	*	*	*	*	
35865	<i>Rollover Bay Lighted Buoy 11</i>						Remove from list.	28/24
35870	ROLLOVER BAY LIGHT 12	29-31-03.306N 094-30-40.129W	Fl R 4s	17	3	TR-TY on pile.	Ra ref.	28/24
*	*	*	*	*	*	*	*	
35870	<i>Rollover Bay Lighted Buoy 12</i>						Remove from list.	28/24
35875	ROLLOVER BAY LIGHT 14						*	
							Remove from list.	28/24
							*	



## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24120	HOUSTON SHIP CHANNEL LIGHT 49	29-29-18.164N 094-51-53.220W	Fl (2)G 6s	17	4	SG on pile.	Ra ref.	27/24
24125	HOUSTON SHIP CHANNEL LIGHT 50	* 29-29-24.539N 094-51-41.341W	Fl (2)R 6s	17	4	TR on pile.	Ra ref.	27/24
29267	POCC Corpus Christi Bay Barge Channel Port Lateral 1 VAIS	* 27-49-02.710N 097-20-17.620W					UYW-418003 3 minute, RATDMA Scheme. A=B=C=D=0. 10 meters. Private Aid.	27/24
* 29267.01	* POCC Corpus Christi Bay Barge Channel Starboard Lateral 2 VAIS	* 27-50-08.040N 097-19-33.050W	*	*	*	*	* UYW-418003 3 minute, RATDMA Scheme. A=B=C=D=0. 10 meters. Private Aid.	27/24
* 29267.02	* POCC Corpus Christi Bay Barge Channel Port Lateral 3 VAIS	* 27-51-15.410N 097-18-52.530W	*	*	*	*	* UYW-418003 3 minute, RATDMA Scheme. A=B=C=D=0. 10 meters. Private Aid.	27/24
* 29267.03	* POCC Corpus Christi Bay Barge Channel Starboard Lateral 4 VAIS	* 27-52-17.800N 097-18-05.250W	*	*	*	*	* UYW-418003 3 minute, RATDMA Scheme. A=B=C=D=0. 10 meters. Private Aid.	27/24
* 29267.04	* POCC Corpus Christi Bay Barge Channel Port Lateral 5 VAIS	* 27-52-20.650N 097-18-07.760W	*	*	*	*	* UYW-418003 3 minute, RATDMA Scheme. A=B=C=D=0. 10 meters. Private Aid.	27/24
*	*	*	*	*	*	*	*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4657.01	U. S. Coast Guard Base Buoy E	30-23-34.675N 086-31-32.235W				White with orange bands.	Restricted Access Area.	26/24
4657.02	U. S. Coast Guard Base Buoy D	* 30-23-34.164N 086-31-29.866W				White with orange bands.	Restricted Access Area.	26/24
4664	U. S. Coast Guard Base Buoy C	* 30-23-33.726N 086-31-27.601W				White with orange bands.	Restricted Access Area.	26/24
4667	U. S. Coast Guard Base Buoy B	* 30-23-33.482N 086-31-25.691W				White with orange bands.	Restricted Access Area.	26/24
31615	LA GRANGE BAYOU LIGHT 14	* 30-27-18.512N 086-09-29.720W	Fl R 4s	17	3	TR on pile.	Ra ref.	26/24
18620	Atchafalaya Channel Daybeacon 20	* 29-17-48.115N 091-26-55.148W				TR on pile.	Ra ref.	25/24
18625.01	Atchafalaya Channel Daybeacon 21	* 29-18-40.373N 091-26-18.351W				SG on pile.	Ra ref.	25/24
32055	BOGGY BAYOU LIGHT 3	* 30-28-44.987N 086-28-28.505W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	25/24
38457	TWDB Lighted Scientific Monitoring Buoy SAB	* 28-20-44.860N 096-44-38.810W	Fl Y 2.5s			Scientific research buoy.	Private Aid.	25/24
* 41660	* TWDB Lighted Scientific Monitoring Buoy LM1	* 26-41-28.500N 097-26-46.380W	* Fl Y 2.5s	* 	* 	* Scientific research buoy.	* Private Aid.	* 25/24
* 41815	* TWDB Lighted Scientific Monitoring Buoy LM2	* 26-36-01.140N 097-24-06.490W	* Fl Y 2.5s	* 	* 	* Scientific research buoy.	* Private Aid.	* 25/24
* No corrections this week	* 	* 	* 	* 	* 	* 	* 	* 24/24

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
15280	RED EYE H RANGE FRONT LIGHT  RDB mile 223.2.	30-21-46.141N 091-14-49.943W	F G			KRW on skeleton tower on mud sills.	23/24
15280.01	RED EYE H LIGHT	* 30-21-46.141N 091-14-49.943W	Fl G 2.5s			On same structure as Red Eye H Range Front Light.	23/24
15285	RED EYE H RANGE REAR LIGHT  233 yards, 226.5° from front light.	* 30-21-41.379N 091-14-55.726W	F G			KRW on skeleton tower.	Visible only on range line. 23/24
19145 35190	LITTLE WAX BAYOU JUNCTION LIGHT A	* 29-39-37.386N 091-14-31.852W	Fl (2+1)G 6s	30	5	JG-TY on dolphin.	Ra ref. * 23/24
33355	Holiday Harbor Marina Channel Buoy 1	*					* Remove from list. 23/24
33360	Holiday Harbor Marina Channel Buoy 2						* Remove from list. 23/24
33365	Holiday Harbor Marina Channel Daybeacon 3						* Remove from list. 23/24
33370	Holiday Harbor Marina Channel Buoy 4						* Remove from list. 23/24
33375	Holiday Harbor Marina Channel Daybeacon 5						* Remove from list. 23/24
33380	Holiday Harbor Marina Channel Buoy 6						* Remove from list. 23/24
33385	Holiday Harbor Marina Channel Daybeacon 7						* Remove from list. 23/24
33390	Holiday Harbor Marina Channel Buoy 8						* Remove from list. 23/24
33395	Holiday Harbor Marina Channel Daybeacon 9						* Remove from list. 23/24
33400	Holiday Harbor Marina Channel Buoy 10						* Remove from list. 23/24
33405	Holiday Harbor Marina Channel Daybeacon 11						* Remove from list. 23/24
35190 19145	LITTLE WAX BAYOU JUNCTION LIGHT A	* 29-39-37.386N 091-14-31.852W	Fl (2+1)G 6s	30	5	JG-TY on dolphin.	Ra ref. * 23/24

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14100	GUY MALLORY LIGHT 114						Remove from list.	22/24
24260	HOUSTON SHIP CHANNEL LIGHT 62	29-32-32.777N 094-54-02.155W	Fl R 2.5s	17	4	TR on pile.	* Ra ref.	22/24
6770	ALABAMA ELECTRIC SOUTH BARGE UNLOADING FACILITY LIGHTS (2)  RDB Mile 89.0.	*  31-29-26.000N 087-54-27.000W	Fl G 2.5s			On mooring cells.	Private Aid.	21/24
6775	ALABAMA ELECTRIC COOP UNLOADING FACILITY LIGHTS (2)  RDB mile 89.5	*  31-29-26.000N 087-54-27.000W	Fl G 6s			On mooring dolphins.	Private Aid.	21/24
24230	HOUSTON SHIP CHANNEL LIGHT 56	* 29-30-52.735N 094-52-45.301W	Fl R 4s	17	4	TR on pile.	Ra ref.	21/24
24235	HOUSTON SHIP CHANNEL LIGHT 57	* 29-31-18.809N 094-53-22.232W	Fl G 2.5s	17	4	SG on pile.	Ra ref.	21/24
24240	HOUSTON SHIP CHANNEL LIGHT 58	* 29-31-25.517N 094-53-10.455W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	21/24
24245	HOUSTON SHIP CHANNEL LIGHT 59  500 feet from the channel centerline.	* 29-31-51.696N 094-53-47.467W	Fl (2)G 6s	17	4	SG on pile.	Ra ref.	21/24
24250	HOUSTON SHIP CHANNEL LIGHT 60	* 29-31-58.431N 094-53-35.718W	Fl (2)R 6s	17	4	TR on pile.	Ra ref.	21/24
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24255	HOUSTON SHIP CHANNEL LIGHT 61	29-32-27.320N 094-54-14.873W	Fl G 2.5s	17	4	SG on pile.	Ra ref.	21/24
24260	HOUSTON SHIP CHANNEL LIGHT 62	* 29-33-32.777N 094-54-02.155W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	21/24
36985	WEST BAY (TEXAS) LIGHT 15	* 29-10-32.645N 095-05-49.981W	Fl G 2.5s	17	3	SG-SY on pile.	Ra ref.	21/24
1200	NOAA Lighted Data Buoy 42035	29-14-04.000N 094-24-20.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	* Aid maintained by National Oceanic and Atmospheric Administration.	20/24
1405	NOAA Lighted Data Buoy 42020	* 26-58-11.000N 096-40-45.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	20/24
24760	UPPER MORGANS POINT INBOUND RANGE FRONT LIGHT	* 29-42-04.794N 095-00-02.435W	Q G	20		KRW on skeleton tower on piles.	Visible only on the rangeline. Range DOES NOT mark channel centerline.	20/24
25240	UPPER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	* 29-42-22.165N 095-01-16.026W	Q R	21		KRW on skeleton tower on piles.	* Visible all around; higher intensity on rangeline. Range DOES NOT mark the channel centerline.	20/24
27922	TWDB Lighted Scientific Monitoring Buoy CB	* 28-36-31.501N 096-32-33.889W	Fl Y 2.5s			Marks data collection location.	* Private Aid.	20/24
						*		

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17855	HOUMA NAVIGATION CANAL B RANGE FRONT LIGHT	29-11-13.310N 090-36-33.663W	Q W (NIGHT)  Q W (DAY)	26			Visible all around; higher intensity 1.5° each side of rangeline. Lighted throughout 24 hours.	19/24
17860	HOUMA NAVIGATION CANAL B RANGE REAR LIGHT  1,333 yards, 129.5° from front light.	29-10-47.928N 090-35-58.994W	*  Iso W 6s (NIGHT)  Iso W 6s (DAY)  *	67		*	*  Visible 1.5° each side of range line. Lighted throughout 24 hours.	19/24
20652.08	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT						*  Remove from list.  *	19/24
20652.08	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT	29-44-19.990N 092-13-39.320W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	19/24
20652.09	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT						*  Remove from list.  *	19/24
20652.09	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT	29-44-16.490N 092-13-45.370W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	19/24
20652.11	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT						*  Remove from list.  *	19/24

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20652.11	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Mark	29-44-12.590N 092-13-51.900W				Marks breakwater structure.	Private Aid.	19/24
*	*	*	*	*	*	*	*	
20652.12	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Mark						Remove from list.	19/24
20652.12	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT	29-44-07.940N 092-13-59.250W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	19/24
*	*	*	*	*	*	*	*	
20652.13	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT						Remove from list.	19/24
20652.13	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Mark	29-44-03.290N 092-14-06.600W				Marks breakwater structure.	Private Aid.	19/24
*	*	*	*	*	*	*	*	
20652.14	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT	29-43-58.640N 092-14-13.940W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	19/24
*	*	*	*	*	*	*	*	
20652.15	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT	29-43-53.710N 092-14-20.930W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	19/24
*	*	*	*	*	*	*	*	
20652.16	VERMILION PARISH POLICE JURY FRESHWATER CANAL DANGER BREAKWATER LIGHT	29-43-47.750N 092-14-27.450W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	19/24
*	*	*	*	*	*	*	*	
36370	Offatts Bayou Entrance Channel Daybeacon 8	29-16-54.957N 094-53-08.104W				TR on pile.	Ra ref.	19/24
33475	Pensacola-Mobile Daybeacon 51	30-18-19.743N 087-28-48.949W				SG-SY on pile.	Ra ref.	18/24
33570	PENSACOLA-MOBILE LIGHT 70	30-18-18.134N 087-32-31.067W	Fl R 4s	17	3	TR-TY on pile.	Ra ref.	18/24
							*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6012	ONO HARBOUR LIGHT 1	30-17-50.070N 087-30-22.090W	Fl G 2.5s	6		SG on pile. Marks starboard side channel entry.	Private Aid.	17/24
* 6012.01	* Ono Harbour Light 2	* 30-17-49.150N 087-30-21.720W	* Fl R 2.5s	* 6	* *	* TR on pile. Marks port side channel entry.	* Private Aid.	* 17/24
* 6012.02	* Ono Harbour Daybeacon 3	* 30-17-49.900N 087-30-17.550W	* *	* *	* *	* SG on pile. Marks starboard side channel.	* Private Aid.	* 17/24
* 6012.03	* Ono Harbour Daybeacon 4	* 30-17-49.160N 087-30-17.840W	* *	* *	* *	* TR on pile. Marks port side channel.	* Private Aid.	* 17/24
* 6012.04	* Ono Harbour Daybeacon 5	* 30-17-49.650N 087-30-15.800W	* *	* *	* *	* SG on pile. Marks starboard side channel.	* Private Aid.	* 17/24
* 6012.05	* Ono Harbour Daybeacon 6	* 30-17-48.820N 087-30-16.500W	* *	* *	* *	* TR on pile. Marks port side channel.	* Private Aid.	* 17/24
* 6012.06	* Ono Harbour Daybeacon 7	* 30-17-49.950N 087-30-11.400W	* *	* *	* *	* SG on pile. Marks starboard side channel.	* Private Aid.	* 17/24
* 6012.07	* Ono Harbour Daybeacon 8	* 30-17-49.450N 087-30-11.340W	* *	* *	* *	* TR on pile. Marks port side channel.	* Private Aid.	* 17/24
* 1365	* <i>Matagorda Ship Channel Approach Lighted Buoy MSC</i>	* *	* *	* *	* *	* *	* Remove from list.	* 16/24
15075	BAYOU GOULA E RANGE FRONT LIGHT	30-13-25.672N 091-09-07.416W	Fl G 2.5s			KRW on skeleton tower.	Visible all around.	16/24
	RDB mile 197.1.							
15080	BAYOU GOULA E RANGE REAR LIGHT	30-13-23.292N 091-09-14.054W	F G			KRW on skeleton tower.	Visible all around.	16/24
	222 yards, 248.8° from front light.							
27100	<i>Matagorda Ship Channel Approach Lighted Buoy MSC</i>		*				* Remove from list.	* 16/24
							*	



## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4705	CAUCUS CHANNEL RANGE FRONT LIGHT	30-19-33.943N 087-18-44.144W	Q G	18		KRW on skeleton tower on piles.		15/24
4710	CAUCUS CHANNEL RANGE REAR LIGHT  1,195 yards, 341.4° from front light.	30-20-07.575N 087-18-57.210W	Iso G 6s	61		KRW on skeleton tower.	Visible 1.5° each side of range line.	15/24
10388	* <i>Little Bayou Pierre Lighted Buoy 1</i>	* 30-07-35.389N 089-13-22.898W	FI G 2.5s	*		Marks starboard side of private channel.	Private Aid.	15/24
10388.01	* <i>Little Bayou Pierre Lighted Buoy 3</i>	* 30-07-37.448N 089-13-22.788W	FI G 2.5s	*	*	Marks starboard side of private channel.	Private Aid.	15/24
10388.02	* <i>Little Bayou Pierre Lighted Buoy 5</i>	* 30-07-39.480N 089-13-23.148W	FI G 2.5s	*	*	Marks starboard side of private channel.	Private Aid.	15/24
10388.03	* <i>Little Bayou Pierre Lighted Buoy 7</i>	* 30-07-41.466N 089-13-24.590W	FI G 2.5s	*	*	Marks starboard side of private channel.	Private Aid.	15/24
10388.04	* <i>Little Bayou Pierre Lighted Buoy 9</i>	* 30-07-42.766N 089-13-26.823W	FI G 2.5s	*	*	Marks starboard side of private channel.	Private Aid.	15/24
10388.05	* <i>Little Bayou Pierre Lighted Buoy 9</i>	* 30-07-43.223N 089-13-30.960W	FI G 2.5s	*	*	Marks starboard side of private channel.	Private Aid.	15/24
10388.05	* <i>Little Bayou Pierre Lighted Buoy 11</i>	* 30-07-43.815N 089-13-34.184W	FI G 2.5s	*	*	Marks starboard side of private channel.	Private Aid.	15/24
10388.06	* <i>Little Bayou Pierre Lighted Buoy 13</i>	* 29-30-19.917N 094-52-20.119W	FI R 2.5s	17	3	TR on pile.	Ra ref.	15/24
24185	HOUSTON SHIP CHANNEL LIGHT 54							
24225	HOUSTON SHIP CHANNEL LIGHT 55	* 29-30-45.945N 094-52-56.959W	FI G 4s	17	4	SG on pile.	Ra ref.	15/24
		*						

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20954 35302	MERMENTAU RIVER CROSSING LIGHT 2	29-58-23.620N 092-47-14.570W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	14/24
23448	Neches River V-AIS 39	* 30-00-48.820N 094-00-09.330W					AIS: MMSI 993682849	14/24
* 35302 20954	* MERMENTAU RIVER CROSSING LIGHT 2	* 29-58-23.620N 092-47-14.570W	* Fl R 2.5s	* 17	* 3	* TR-TY on pile.	* Ra ref.	* 14/24
21450	CALCASIEU CHANNEL LIGHT 56  130 feet outside channel limit.	* 29-49-17.524N 093-20-48.789W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	13/24
21560	CALCASIEU CHANNEL LIGHT 60	29-50-19.496N 093-20-47.042W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	* 13/24
21570	CALCASIEU CHANNEL LIGHT 62  130 feet outside channel limit.	29-51-09.804N 093-20-43.040W	Fl R 4s	17	4	TR on pile.	Ra ref.	* 13/24
21610	CALCASIEU CHANNEL LIGHT 68  130 feet outside channel limit.	29-54-05.657N 093-20-27.738W	Fl R 4s	17	4	TR on pile.	Ra ref.	* 13/24
21645	CALCASIEU CHANNEL LIGHT 75	29-57-39.665N 093-20-16.610W	Fl G 4s	17	4	SG on pile.	Ra ref.	* 13/24
21655	CALCASIEU CHANNEL LIGHT 77  130 feet outside channel limit.	29-58-35.223N 093-20-11.450W	Fl G 4s	17	4	SG on pile.	Ra ref.	* 13/24
21665	CALCASIEU CHANNEL LIGHT 79	29-59-42.615N 093-20-05.125W	Fl G 6s	17	4	* SG on skeleton tower on piles.	Ra ref.	* 13/24  *

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22130	CALCASIEU RIVER LIGHT 117	30-12-26.443N 093-16-18.658W	Q G	17	4	SG on pile.	Ra ref.	13/24
29260	CORPUS CHRISTI BREAKWATER LIGHT 2	27-48-01.031N 097-23-11.301W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	13/24
29965 43075	BROWNSVILLE CHANNEL G RANGE FRONT LIGHT	25-58-43.863N 097-19-22.116W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	13/24
29967 43072	BROWNSVILLE CHANNEL G RANGE FRONT LIGHT PASSING LIGHT	25-58-43.863N 097-19-22.116W	Q G	27	3	On same structure as Brownsville Channel G Range Front Light.	Visible all around.	13/24
35390 21785	DEVILS ELBOW LIGHT 1	30-05-48.822N 093-19-14.371W	Oc G 4s	17	3	SG-TY on pile.	Ra ref.	13/24
36890	JAMAICA BEACH VILLAGE CHANNEL LIGHT 3	29-12-20.000N 094-59-25.000W	Fl G 2.5s			SG on pile.	Private Aid.	13/24
36895	JAMAICA BEACH VILLAGE CHANNEL LIGHT 4	29-12-19.000N 094-59-31.000W	Fl R 2.5s			TR on pile.	Private Aid.	13/24
36900	JAMAICA BEACH VILLAGE CHANNEL LIGHT 5	29-12-12.000N 094-59-19.000W	Fl G 2.5s			SG on pile.	Private Aid.	13/24
36905	JAMAICA BEACH VILLAGE CHANNEL LIGHT 6	29-12-11.000N 094-59-20.000W	Fl R 2.5s			TR on pile.	Private Aid.	13/24
36910	JAMAICA BEACH VILLAGE CHANNEL LIGHT 7	29-12-05.000N 094-59-15.000W	Fl G 2.5s			SG on pile.	Private Aid.	13/24

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
36915	JAMAICA BEACH VILLAGE CHANNEL LIGHT 8	29-12-04.000N 094-59-16.000W	Fl R 2.5s			TR on pile.	Private Aid.	13/24
38700	* ARANSAS BAY LIGHT 9 90 feet outside channel limit.	28-06-07.323N 096-56-18.765W	* Fl G 2.5s	17	4	SG-SY on pile.	Ra ref.	13/24
38800	Fulton Channel Daybeacon 3	28-03-32.858N 097-01-56.297W				SG on pile.	Ra ref.	13/24
43072 29967	BROWNSVILLE CHANNEL G RANGE FRONT LIGHT PASSING LIGHT	25-58-43.863N 097-19-22.116W	Q G	27	3	On same structure as Brownsville Channel G Range Front Light.	Visible all around.	13/24
43075 29965	BROWNSVILLE CHANNEL G RANGE FRONT LIGHT	* 25-58-43.863N 097-19-22.116W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	13/24
4835	<i>Pensacola Bay Lighted Buoy 14</i>	* 30-19-55.587N 087-18-18.666W	Fl R 2.5s		3	Red.		12/24
25380	HOUSTON SHIP CHANNEL LIGHT 114B	* 29-43-57.188N 095-02-37.703W	Fl R 4s	17	4	TR on pile.	Ra ref.	12/24
621	<i>BP Scientific Lighted Monitoring Buoy</i>	* 27-11-56.040N 089-59-25.560W	Fl Y 2.5s			Scientific monitoring buoy.	Private Aid.	11/24
*	*	*	*	*	*	*	*	

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1285	NOAA Lighted Data Buoy 42019	27-54-28.000N 095-20-34.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	11/24
1468	NOAA Data Buoy 42409	* 25-47-57.000N 089-17-28.000W				Yellow DART buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	11/24
4145	North Bay Daybeacon 4	* 30-14-18.575N 085-41-33.031W				TR on pile.	Ra ref.	11/24
30130	East Point Channel Buoy 5	29-44-16.917N 084-52-25.696W				Green can.	*	11/24
4305	GRAND LAGOON CHANNEL LIGHT 2	* 30-07-53.097N 085-43-13.244W	Q R	17	3	TR on pile.	Ra ref.	10/24
4365	Treasure Island Marina Channel Daybeacon 4	* 30-08-44.750N 085-44-51.873W				TR on pile.	Ra ref.	10/24
18835	ATCHAFALAYA CHANNEL LIGHT 53	29-27-07.379N 091-17-45.058W	Fl G 4s	17	4	SG on pile.	Ra ref.	* 10/24
19111	ATCHAFALAYA RIVER LIGHT 29	* 29-37-31.956N 091-15-31.413W	Fl G 4s	17	3	SG on pile.	Ra ref.	10/24
30970	SHOAL POINT BAYOU CHANNEL LIGHT 1	* 30-05-57.650N 085-35-20.904W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	10/24
30995	Shoal Point Bayou Channel Daybeacon 9	30-05-16.108N 085-35-15.149W				* SG on pile.	* Ra ref.	10/24
		*						

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
31045	PEARL BAYOU LIGHT 3	30-06-03.356N 085-36-54.768W	Fl G 4s	17	4	SG on pile.	Ra ref.	10/24
32395	SANTA ROSA SOUND LIGHT 50	30-24-20.053N 086-41-30.152W	Q R	17	3	TR-TY on pile.	Ra ref.	10/24
32640	SANTA ROSA SOUND LIGHT 90	30-23-54.003N 086-51-23.291W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	10/24
35885	Bolivar Peninsula Buoy 2A						Remove from list.	10/24
4705	CAUCUS CHANNEL RANGE FRONT LIGHT	30-19-33.943N 087-18-44.144W	Q G	26		KRW on skeleton tower on piles.		09/24
6020	BAYOU ST JOHN LIGHT 18	30-17-58.621N 087-30-24.359W	Q R	17	3	TR on pile.	Ra ref.	09/24
7340	THEODORE SHIP CHANNEL OUTER RANGE REAR LIGHT	30-28-08.623N 087-59-55.512W	Iso W 6s	67		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.	09/24
6005	Bayou St John Daybeacon 15	30-17-46.847N 087-30-33.804W				SG on pile.	Ra ref.	08/24
25580	San Jacinto River Buoy 10						Remove from list.	07/24
27140	Matagorda Ship Channel Lighted Buoy 2	28-23-41.858N 096-17-31.994W	Fl R 4s		4	Red.		07/24
27150	Matagorda Ship Channel Lighted Buoy 4	28-24-19.102N 096-18-11.856W	Fl R 2.5s		4	Red.		07/24
37985	Espiritu Santo Bay Ferry Channel Daybeacon 23	28-20-35.749N 096-28-14.557W				SG on pile.	Ra ref.	07/24
No corrections this week								
30-Oct-24								

06/24

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6310	<i>Mobile Channel Lighted Buoy 32</i>	30-19-19.691N 088-01-39.166W	Oc R 4s		4	Red.	05/24
	300 feet outside channel limit.						
*	*	*	*	*	*	*	*
6310	MOBILE CHANNEL LIGHT 32						Remove from list. 05/24
							*
732	<i>FR-LA-73 Special Lighted Buoy</i>						Remove from list. 04/24
							*
733	<i>FR-LA-74 Special Lighted Buoy</i>						Remove from list. 04/24
							*
35880	Bolivar Peninsula Daybeacon 2						Remove from list. 03/24
							*
23260	OLD RIVER OBSTRUCTION LIGHT 2						Remove from list. 02/24
							*
23265	<i>Old River Obstruction Lighted Buoy 2</i>	30-04-43.808N 093-43-33.420W	Q R		3	Red.	02/24
	*					*	
No corrections this week							01/24