(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
No.	Name and location	Position	Characteristic	Ht	Rng	Structure	Remarks	

No correcti	ons this week		44/24	
No correcti	ons this week		43/24	
No correcti	ons this week		42/24	
No correcti	ons this week		41/24	
No correcti	ons this week		40/24	
11640	FAIRVIEW LIGHT	Remove from list.		39/24
11645	BLACK HILLS LIGHT	* Remove from list.		39/24
		*		
11650	JOE PIERCE LIGHT	Remove from list.		39/24
		*		
11660	GRAHAM BEND MIDDLE LIGHT	Remove from list.		39/24
		*		
11680	BOB BOLES LIGHT	Remove from list.		39/24
		*		
11753	TUNICA BLUFF LIGHT	Remove from list.		39/24
	DATOLITE LIGHT	*		20/24
11755	RATCLIFF LIGHT	Remove from list.		39/24
44770	SEBASTAPOL LIGHT	*		20/24
11770	SEDASTAPOL LIGHT	Remove from list.		39/24
		*		
	ons this week		38/24	
No correcti	ons this week		37/24	
No correcti	ons this week		36/24	
No correcti	ons this week		35/24	

30-Oct-24 Page 1

(1) No.	(2) Name and location	(3) Position		(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10114	CONSOLIDATED GRAIN AND BARGE LOADING DOCK PILING LIGHTS (2)	783	Right	Fl G 6s	Ma	arks barge	e loading dock.	Private Aid.	34/24
*	*	*	*	*		*		*	
12768	CONSOLIDATED GRAIN							Remove from list.	34/24
	AND BARGE LOADING DOCK PILING LIGHTS (2)							*	
11685	BLACK HAWK LIGHT							Remove from list.	33/24
								*	22/24
11700	FORT ADAMS LIGHT							Remove from list.	33/24
11705	WILKINSON LIGHT							Remove from list.	33/24
								*	
11710	LANGSIDE LIGHT							Remove from list.	33/24
								*	
11715	LUM LIGHT							Remove from list.	33/24
								*	
11740	SMITHLAND LOWER LIGHT							Remove from list.	33/24
								•	

Page 2 30-Oct-24

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
No.	Name and location	Position	Characteristic	Ht	Rng	Structure	Remarks

11760	GREENWOOD LIGHT	R	Remove from list.	:	33/24
			*		
11785	NEW TEXAS LIGHT	R	Remove from list.	:	33/24
			*		
11795	MORGANZA CREVASSE LIGHT	R	Remove from list.	3	33/24
			*		
11800	BOIES POINT LIGHT	R	Remove from list.	:	33/24
			*		
11810	RED STORE LIGHT	R	Remove from list.	:	33/24
			*		
11835	BAYOU SARA BEND LIGHT	R	Remove from list.	:	33/24
	22011		*		
28180	OWENS ISLAND LIGHT	R	Remove from list.	:	33/24
		_	*		
11860	PORT HUDSON LIGHT	R	Remove from list.	3	32/24
			*		
11870	PROFIT ISLAND LIGHT	R	Remove from list.	3	32/24
			*		
11900	DEVILS SWAMP LIGHT	R	Remove from list.	3	32/24
			*		
11915	ALLENDALE LIGHT	R	Remove from list.	3	32/24
			*		
No correction	ons this week			31/24	
2795	Savage Branch	R	temove from list.	3	30/24
	Daybeacon		*		
No correcti	ons this week			29/24	
No correction	ons this week			28/24	
No correcti	ons this week			27/24	
15935	U.S. Route 54 Champ Clark Bridge	4	ELEARANCES: Hori: 06.9 feet; vertical, eet above normal	, 64.4 [°]	26/24

*

No corrections this week 25/24

30-Oct-24 Page 3

(5)

Ht

(6)

Rng

(7)

Structure

(8)

Remarks

(4)

Characteristic

(1) No.

(2)

Name and location

gage.

(3)

Position

No correcti	ions this week		24/24	
25055	ASHLAND OIL &		Remove from list.	23/24
	REFINING LIGHTS (2)		*	
31375	Widows Creek		Remove from list.	22/24
	Daybeacon		*	
No correcti	ions this week		21/24	
NO COTTECU	ons this week		21/24	
24270	Belpre-Parkersburg Highway Bridge	183.4	CLEARANCES: Horizontal, 685.0 feet; vertical, 75.8	20/24
	Decorative lights on the bridge are energized from dusk to dawn. The decorative lights can be extinguished for 20-minutes by setting your VHF-FM radio to Channel 28 and rapidly clicking the mic 3 times when approaching the bridge. If mariners are unable to extinguish the decorative lights, they are advised from		feet above pool at center, 72.8 feet above pool for center 485.0 feet of channel span.	
	report this to U.S. Coast Guard Sector Ohio Valley at (502) 779-5422.			
	*			
No correcti	ons this week		19/24	
No correcti	ons this week		18/24	
No correcti	ions this week		17/24	
25340	Chessie Railroad Bridge	348.8	CLEARANCES: Horizontal, 750.0 feet; vertical, 96.1 feet above normal pool.	16/24
			*	45/04
26800	McAlpine Locks Normal upper pool elevation 420.0 feet MSL, equal to 12.0 feet on upper gage. Normal lower pool elevation 383.0 feet MSL, equal to 9.0 feet on lower	606.8 Left	MAIN LOCK: 1,200 feet long, 110 feet wide. AUXILIARY LOCK: 1,200 feet long, 110 feet wide. PHONE: 502-774-3514	15/24

No corrections this week 14/24

30-Oct-24 Page 4

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2024 edition.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
No.	Name and location	Position	Characteristic	Ht	Rng	Structure	Remarks	

No corrections this week	
No corrections this week	

30-Oct-24 Page 5