

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10252	<i>CMOP Elliot Point Research Lighted Buoy</i>	46-15-33.600N 123-36-30.000W	Fl Y 4s			Yellow foam buoy.	Private Aid.	44/24
16475	Point Wilson Light	* 48-08-38.984N 122-45-17.261W	Al WR 20s 1.0s R fl 2.0s ec. 15.0s W fl 2.0 ec.	51	W 15 R 14	White octagonal tower with a black roof, on top of a white building with a red roof. 49		44/24
			*		*			
No corrections this week								43/24
No corrections this week								42/24
No corrections this week								41/24
19285	<i>Bellingham Bay Rocks Junction Lighted Buoy</i>	48-40-25.169N 122-35-27.691W	Fl (2+1)R 6s		4	Red and green bands.		40/24
	Marks south edge of rocks.							
15210	WILLAPA RIVER JUNCTION LIGHT				*		Remove from list.	39/24
15211	<i>Willapa River Junction Lighted Buoy</i>	46-41-16.241N 123-59-51.946W	Fl (2+1)R 6s		4	Red and green bands.	*	39/24
*	*	*	*	*	*	*	*	
16110	QUILLAYUTE RIVER BOAT BASIN LIGHT 2	47-54-37.400N 124-38-17.249W	Fl R 4s	13	4	TR on multi-pile structure.		39/24
8672	Port of Gold Beach Channel Buoys (8 Total)	42-25-31.350N 124-25-13.100W			*	Red or green can buoys.	Buoys are set to mark best water. Private Aid.	38/24
9887	* Port of Nehalem River Buoys (46 Total)	* 45-40-25.000N 123-55-54.000W				* Red nun and green can buoys.	* Buoys are set to mark best water. Seasonal from 06/01 to 09/30. Private Aid.	38/24
*	*	*	*	*	*	*	*	
13860	Little Goose Reservoir Buoy 32	46-40-57.054N 117-30-33.166W				Red nun.		38/24
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14420	BAKER BAY WEST CHANNEL ENTRANCE JETTY LIGHT 2	46-16-10.961N 124-01-46.068W	Fl R 2.5s	18	4	TR on multi-pile structure.	37/24
14435	Baker Bay West Channel Daybeacon 7	* 46-16-23.278N 124-01-53.424W		*		SG on pile.	37/24
No corrections this week							36/24
No corrections this week							35/24
8726	Port of Bandon Marina Entrance Buoy 1	43-07-16.000N 124-24-39.400W				Green Can.	Private Aid. 34/24
* 10307	* Welch Island Channel Lighted Buoy 22A	* 46-15-43.888N 123-31-37.260W	* Fl R 4s	* *	* 4	* Red.	* 33/24
No corrections this week							32/24
9935	Clatsop Spit Lighted Whistle Buoy 8	46-14-56.995N 124-04-41.046W	Q R		4	Red.	AIS: MMSI 993692367 (21). 31/24
10307	Welch Island Channel Lighted Buoy 22A	* 46-15-43.920N 123-31-38.340W	Fl R 4s		4	Red.	31/24
15925	Grays Harbor North Bay Lighted Buoy 1	* 46-55-48.797N 124-05-51.692W	Fl G 4s		4	Green.	31/24
14834	Sauvie Island Junction Lighted Buoy	* 45-51-38.613N 122-47-25.810W	Fl (2+1)R 6s		4	Red and green.	30/24
No corrections this week							30/24

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
16222	<i>Strait of Juan De Fuca Traffic Separation Lane Lighted Buoy PA</i>	48-12-57.312N 123-28-41.172W	Fl Y 2.5s		5	Yellow.	AIS: MMSI 993692421 (21).
16340	<i>Rosario Strait Traffic Separation Lane Entrance Lighted Buoy R</i>	48-16-25.356N 123-06-34.708W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692422 (21).
16345	<i>Puget Sound Traffic Separation Lane Entrance Lighted Buoy S</i>	48-12-21.353N 123-06-34.705W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692423 (21).
16510	<i>Puget Sound Traffic Separation Lane Lighted Buoy SC</i>	48-01-48.989N 122-38-11.169W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692424 (21). May be submerged during periods of extreme current.
16530	<i>Puget Sound Traffic Separation Lane Lighted Buoy SD</i>	47-57-52.347N 122-34-46.609W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692425 (21).
16540	<i>Puget Sound Traffic Separation Lane Lighted Buoy SE</i>	47-55-24.415N 122-29-31.436W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692426 (21).
16745	<i>Puget Sound Traffic Separation Lane Lighted Buoy SF</i>	47-45-54.532N 122-26-15.447W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692427 (21).
16920	<i>Puget Sound Traffic Separation Lane Lighted Buoy T</i>	47-34-33.367N 122-27-04.530W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692428 (21).
17075	<i>Puget Sound Traffic Separation Lane Lighted Buoy TB</i>	47-23-06.372N 122-21-12.509W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692429 (21).
17085	<i>Puget Sound Traffic Separation Lane Lighted Buoy TC</i>	47-19-29.370N 122-27-23.514W	Fl Y 2.5s		5	Yellow.	* AIS: MMSI 993692430 (21).
17542	PORT TOWNSEND FERRY TERMINAL LIGHT C	48-06-37.759N 122-45-33.898W	Fl Y 4s			On steel Dolphin.	* Private Aid.
*	*	*	*	*	*	*	*

No corrections this week

28/24

30-Oct-24

Page 3

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17535	POINT HUDSON MARINA LIGHT 1	48-06-57.190N 122-44-59.768W	Fl G 4s	24		On seawall.	Private Aid.	27/24
	*	*	*			*		
17535.5	POINT HUDSON MARINA LIGHT 2	48-06-58.174N 122-44-59.651W	Fl R 4s			On seawall.	Private Aid.	27/24
*	*	*	*	*	*	*	*	
17536	Point Hudson Marina Daybeacon 4	48-06-58.210N 122-45-01.074W				On seawall.	Private Aid.	27/24
*	*	*	*	*	*	*	*	
17536.5	Point Hudson Marina Daybeacon 5	48-06-58.576N 122-45-02.729W				On seawall.	Private Aid.	27/24
*	*	*	*	*	*	*	*	
9140	South Slough Lighted Buoy 2	43-21-17.793N 124-19-11.477W	Fl R 2.5s		3	Red.		26/24
		*						
10565	EUREKA CHANNEL LIGHT 70	46-08-54.278N 123-15-41.480W	Fl R 4s	15	4	TR on multi-pile structure.	Ra ref.	26/24
		*						
19800	GOWLLAND POINT LIGHT (C)	48-44-08.340N 123-11-01.680W	Fl W 4s	35	7	White square skeleton tower.		26/24
		*				*	*	
No corrections this week								25/24
15125	Rock Island Channel Buoy 14	45-18-42.004N 122-39-52.632W				Red nun.	Maintained from May 15 to Oct. 15.	24/24
		*						
9590	Yaquina Bay Entrance Lighted Gong Buoy 1	44-36-13.562N 124-06-01.040W	Fl G 2.5s		4	Green.	AIS: MMSI 993696003 (21).	23/24
		*						
9813	Tillamook Bay Entrance Lighted Buoy TN	45-34-15.833N 123-58-23.466W	Fl Y 2.5s		4	Yellow		22/24
*	*	*	*	*	*	*	*	
9815	Tillamook Bay Entrance Lighted Buoy TS	45-34-01.082N 123-58-23.728W	Fl Y 4s		4	Yellow		22/24
*	*	*	*	*	*	*	*	
9817	Tillamook Bay Entrance Lighted Buoy 2						Remove from list.	22/24
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
15640	Grays Harbor South Reach Lighted Buoy 17	46-55-17.274N 124-04-14.495W	Fl G 4s		4	Green.	22/24
15680	Grays Harbor South Reach Lighted Buoy 24	* 46-55-33.497N 124-01-53.689W	Fl R 4s		4	Red.	22/24
15755	Grays Harbor North Channel Lighted Buoy 32	46-57-36.595N 123-58-41.818W	Fl R 2.5s		* 4	Red.	22/24
15795	Grays Harbor North Channel Lighted Buoy 44	* 46-58-02.077N 123-54-09.853W	Fl R 2.5s		* 4	Red.	22/24
19001	Cap Sante Waterway Lighted Buoy WR3	* 48-30-41.034N 122-36-05.679W	Q G		3	Green can.	22/24
19965	Point Roberts Light	* 48-58-17.874N 123-05-01.360W	Fl (2)W 5s	31	14	NR on skeleton tower. 25	22/24
			*		*		
No corrections this week							21/24
19001	Cap Sante Waterway Lighted Buoy WR3	48-30-41.472N 122-36-05.001W	Q G		3	Green can.	20/24
			*		*		
No corrections this week							19/24

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19560	FISHERMAN BAY SECTOR LIGHT	48-31-30.831N 122-55-08.093W	Fl R 4s Fl W 4s	15	W 6 R 5	NR on pile.	Red sector from 152° to 060°.	18/24
10175	HARRINGTON POINT RANGE FRONT LIGHT	46-15-21.280N 123-40-37.227W	* Q W	36	*	KRB on multi-pile structure.	* Visible 6° each side of rangeline.	17/24
19775	<i>Haro Strait Junction Lighted Buoy A</i> Southwest of shoal.	48-38-18.216N 123-11-01.153W	Fl (2+1)G 6s		4	Green and red bands.	*	17/24
9103	Coos River Channel Buoy 1A	* 43-22-39.468N 124-10-48.737W				Green can.	Position may be shifted with changing conditions.	16/24
10195	MILLER SANDS RANGE FRONT LIGHT	* 46-15-44.705N 123-38-11.996W	Q G	30		KRB on multi-pile structure.	Visible 4.5° each side of rangeline.	15/24
19430	<i>Blakely Island Shoal Isolated Danger Lighted Buoy DS</i>	48-34-08.384N 122-50-40.712W	Fl (2)W 5s		5	Black and red bands.	* No topmark will be shown on this aid as required by IALA standards due to weather.	15/24
12040	BONNEVILLE POOL LIGHT 48	45-42-04.479N 121-21-55.375W	Fl R 4s	26	4	* TR on skeleton tower.	*	14/24
16745	<i>Puget Sound Traffic Separation Lane Lighted Buoy SF</i>	47-45-54.532N 122-26-15.447W	Fl Y 2.5s		* 5	Yellow.		14/24
17810	<i>Bangor Explosive Anchorage Lighted Buoy B</i>	47-45-27.015N 122-43-51.064W	Fl Y 6s		4	Yellow.	*	14/24
13125	SNAKE RIVER MILE 4 RANGE REAR LIGHT 92 yards, 066.6° from front light.	46-13-34.717N 118-59-29.461W	Iso R 6s	56	*	KRW on platform on bluff.	* Visible 6° each side of rangeline.	13/24
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9168	South Slough Shoal Buoy Marks southern corner of shoaling.	43-20-48.540N 124-19-17.035W				White can with orange bands and orange diamond.		12/24
*	*	*	*	*	*	*	*	
13050.5	Pasco Wastewater Outfall Pipe Lighted Warning Buoy	46-13-02.312N 119-05-12.987W	Fl W 4s			White with orange bands.	Private Aid.	12/24
*	*	*	*	*	*	*	*	
17126	Tacoma Harbor Regulatory Buoys (3)						Remove from list.	12/24
765.4	DART Tsunami Warning Lighted Buoy 46404	45-52-11.000N 128-45-20.000W	Fl Y 4s			Yellow disc-shaped hull	* Aid maintained by National Oceanic and Atmospheric Administration.	11/24
765.7	DART Tsunami Warning Lighted Buoy 46419	* 48-48-54.000N 129-37-23.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	11/24
11247	Hayden Island Water Monitoring Lighted Buoy A	*					Remove from list. *	11/24
15620	Grays Harbor South Reach Lighted Bell Buoy 14	46-55-12.896N 124-05-54.386W	Q R		4	Red.		11/24
10200	MILLER SANDS RANGE REAR LIGHT 669 yards, 070.6° from front light.	* 46-15-51.295N 123-37-45.043W	Iso G 6s	48		KRB on skeleton tower.	Visible 3° each side of rangeline.	10/24
11055	ST. HELENS DIKE LIGHT 80	45-51-47.787N 122-47-20.616W	Q R	34	4	TR on multi-pile structure.	*	10/24
11110	HENRICI LANDING LIGHT 10	45-48-29.804N 122-47-48.914W	Fl R 4s	24	4	TR on multi-pile structure.		10/24
11175	HUTCHINSON DIKE LIGHT 30	45-42-00.014N 122-46-26.762W	Fl R 4s	37	4	TR on multi-pile structure.		10/24
					*			

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11475	MCGUIRE ISLAND MIDDLE DIKE LIGHT 34	45-33-58.364N 122-27-11.923W	Fl R 4s	40	4	TR on multi-pile structure.	10/24
11725	MCGOWANS LIGHT 88	45-36-42.554N 122-01-40.021W	Fl R 4s	30	4	TR on skeleton tower.	09/24
11749	BONNEVILLE LOCK ENTRANCE LIGHT 94	45-38-03.135N 121-57-37.081W	Fl R 4s	50	4	TR on skeleton tower.	09/24
16362	Hein Bank Lighted Buoy 1	48-22-01.456N 123-02-11.219W	Fl G 6s		4	Green.	AIS: MMSI 993692248 (21). 09/24
17265	Toliva Shoal Isolated Danger Lighted Bell Buoy DTS	47-12-08.765N 122-36-25.323W	Fl (2)W 5s		4	Black and red bands.	No topmark will be shown on this aid as required by IALA standards due to weather. 09/24
19630	Reid Rock Lighted Isolated Danger Buoy DR	48-32-56.426N 122-59-22.372W	Fl (2)W 5s		4	Black and red bands.	No topmark will be shown on this aid as required by IALA standards due to weather. 09/24
15640	Grays Harbor South Reach Lighted Buoy 17	46-55-16.992N 124-04-10.994W	Fl G 4s		4	Green.	08/24
9371	Scholfield Creek Channel Buoy 2	43-42-36.845N 124-06-24.568W				Red nun.	07/24
11645	PRINDLE DIKE LIGHT 73						Remove from list. 06/24
11646	Prindle Dike Lighted Buoy 73	45-34-57.426N 122-09-30.288W	Fl G 6s		4	Green.	06/24
*	*	*	*	*	*	*	*

No corrections this week

05/24

30-Oct-24

Page 8

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17897	QUILCENE BAY FISH PEN LIGHTS (2)						Remove from list. 04/24
							*
17899.1	QUILCENE BAY MUSSEL RAFT LIGHT A						Remove from list. 04/24
							*
17899.2	QUILCENE BAY MUSSEL RAFT LIGHT B						Remove from list. 04/24
							*
17899.3	QUILCENE BAY MUSSEL RAFT LIGHT C						Remove from list. 04/24
							*
17899.4	QUILCENE BAY MUSSEL RAFT LIGHT D						Remove from list. 04/24
							*
17899.5	QUILCENE BAY MUSSEL RAFT LIGHT E						Remove from list. 04/24
							*
17899.6	QUILCENE BAY MUSSEL RAFT LIGHT F						Remove from list. 04/24
							*
11815	BONNEVILLE POOL LIGHT 12	45-40-13.988N 121-53-51.398W	Fl R 4s	25	4	TR on skeleton tower.	03/24
14855	WILLAMETTE RIVER LIGHT 2	45-39-11.767N 122-46-04.392W	Q R	26	4	TR on multi-pile structure.	03/24
					*		
11095	DUCK CLUB LIGHT 8	45-48-57.080N 122-47-55.346W	Fl R 2.5s	23	4	TR on pile.	02/24
					*		
17265	<i>Toliva Shoal Isolated Danger Lighted Bell Buoy DTS</i>	47-12-08.765N 122-36-25.323W	Fl (2)W 5s		4	Black and red bands.	02/24
						*	
No corrections this week							01/24