

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15125	Rock Island Channel Buoy 14	45-18-42.004N 122-39-52.632W				Red nun.	Maintained from May 15 to Oct. 15.	24/24
9590	<i>Yaquina Bay Entrance Lighted Gong Buoy 1</i>	* 44-36-13.562N 124-06-01.040W	Fl G 2.5s		4	Green.	AIS: MMSI 993696003 (21).	23/24
9813	<i>Tillamook Bay Entrance Lighted Buoy TN</i>	* 45-34-15.833N 123-58-23.466W	Fl Y 2.5s		4	Yellow		22/24
* 9815	* <i>Tillamook Bay Entrance Lighted Buoy TS</i>	* 45-34-01.082N 123-58-23.728W	Fl Y 4s	* *	* 4	* Yellow	* *	* 22/24
* 9817	* <i>Tillamook Bay Entrance Lighted Buoy 2</i>	* *	* *	* *	* *	* *	* Remove from list.	* 22/24
15640	<i>Grays Harbor South Reach Lighted Buoy 17</i>	46-55-17.274N 124-04-14.495W	Fl G 4s		4	Green.		22/24
15680	<i>Grays Harbor South Reach Lighted Buoy 24</i>	* 46-55-33.497N 124-01-53.689W	Fl R 4s		4	Red.		22/24
15755	<i>Grays Harbor North Channel Lighted Buoy 32</i>	46-57-36.595N 123-58-41.818W	Fl R 2.5s		4	Red.		22/24
15795	<i>Grays Harbor North Channel Lighted Buoy 44</i>	* 46-58-02.077N 123-54-09.853W	Fl R 2.5s		4	Red.		22/24
19001	<i>Cap Sante Waterway Lighted Buoy WR3</i>	* 48-30-41.034N 122-36-05.679W	Q G		3	Green can.		22/24
19965	Point Roberts Light	* 48-58-17.874N 123-05-01.360W	Fl (2)W 5s	31	14	NR on skeleton tower. 25		22/24
			*		*			

No corrections this week

21/24

12-Jun-24

Page 1

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19001	<i>Cap Sante Waterway Lighted Buoy WR3</i>	48-30-41.472N 122-36-05.001W	Q G		3	Green can.		20/24
	*		*		*			
No corrections this week								19/24
19560	FISHERMAN BAY SECTOR LIGHT	48-31-30.831N 122-55-08.093W	Fl R 4s Fl W 4s	15	W 6 R 5	NR on pile.	Red sector from 152° to 060°.	18/24
10175	HARRINGTON POINT RANGE FRONT LIGHT	46-15-21.280N 123-40-37.227W	Q W	36	*	KRB on multi-pile structure.	Visible 6° each side of rangeline.	17/24
19775	<i>Haro Strait Junction Lighted Buoy A</i>	48-38-18.216N 123-11-01.153W	Fl (2+1)G 6s		4	Green and red bands.		17/24
	Southwest of shoal.							
9103	Coos River Channel Buoy 1A	* 43-22-39.468N 124-10-48.737W				Green can.	Position may be shifted with changing conditions.	16/24
10195	MILLER SANDS RANGE FRONT LIGHT	* 46-15-44.705N 123-38-11.996W	Q G	30		KRB on multi-pile structure.	Visible 4.5° each side of rangeline.	15/24
19430	<i>Blakely Island Shoal Isolated Danger Lighted Buoy DS</i>	48-34-08.384N 122-50-40.712W	Fl (2)W 5s		5	Black and red bands.	No topmark will be shown on this aid as required by IALA standards due to weather.	15/24
12040	BONNEVILLE POOL LIGHT 48	45-42-04.479N 121-21-55.375W	Fl R 4s	26	4	* TR on skeleton tower.	*	14/24
16745	<i>Puget Sound Traffic Separation Lane Lighted Buoy SF</i>	47-45-54.532N 122-26-15.447W	Fl Y 2.5s		5	Yellow.		14/24
17810	<i>Bangor Explosive Anchorage Lighted Buoy B</i>	47-45-27.015N 122-43-51.064W	Fl Y 6s		4	Yellow.	*	14/24

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13125	SNAKE RIVER MILE 4 RANGE REAR LIGHT 92 yards, 066.6° from front light.	46-13-34.717N 118-59-29.461W	Iso R 6s	56		KRW on platform on bluff.	Visible 6° each side of rangeline.	13/24
9168	South Slough Shoal Buoy Marks southern corner of shoaling.	43-20-48.540N 124-19-17.035W				White can with orange bands and orange diamond.	*	12/24
* 13050.5	* <i>Pasco Wastewater Outfall Pipe Lighted Warning Buoy</i>	* 46-13-02.312N 119-05-12.987W	* Fl W 4s	*	*	* White with orange bands.	* Private Aid.	12/24
* 17126	* Tacoma Harbor Regulatory Buoys (3)	* 	* 	*	*	* 	* Remove from list.	12/24
765.4	<i>DART Tsunami Warning Lighted Buoy 46404</i>	45-52-11.000N 128-45-20.000W	Fl Y 4s			Yellow disc-shaped hull	* Aid maintained by National Oceanic and Atmospheric Administration.	11/24
765.7	<i>DART Tsunami Warning Lighted Buoy 46419</i>	* 48-48-54.000N 129-37-23.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	11/24
11247	<i>Hayden Island Water Monitoring Lighted Buoy A</i>	* 					Remove from list. *	11/24
15620	<i>Grays Harbor South Reach Lighted Bell Buoy 14</i>	46-55-12.896N 124-05-54.386W	Q R		4	Red.		11/24
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10200	MILLER SANDS RANGE REAR LIGHT 669 yards, 070.6° from front light.	46-15-51.295N 123-37-45.043W	Iso G 6s	48		KRB on skeleton tower.	Visible 3° each side of rangeline.	10/24
11055	ST. HELENS DIKE LIGHT 80	45-51-47.787N 122-47-20.616W	Q R	34	4	TR on multi-pile structure.	*	10/24
11110	HENRICI LANDING LIGHT 10	45-48-29.804N 122-47-48.914W	Fl R 4s	24	4	TR on multi-pile structure.	*	10/24
11175	HUTCHINSON DIKE LIGHT 30	45-42-00.014N 122-46-26.762W	Fl R 4s	37	4	TR on multi-pile structure.	*	10/24
11475	MCGUIRE ISLAND MIDDLE DIKE LIGHT 34	45-33-58.364N 122-27-11.923W	Fl R 4s	40	4	TR on multi-pile structure.	*	10/24
11725	MCGOWANS LIGHT 88	45-36-42.554N 122-01-40.021W	Fl R 4s	30	4	TR on skeleton tower.	*	09/24
11749	BONNEVILLE LOCK ENTRANCE LIGHT 94	45-38-03.135N 121-57-37.081W	Fl R 4s	50	4	TR on skeleton tower.	*	09/24
16362	<i>Hein Bank Lighted Buoy 1</i>	48-22-01.456N 123-02-11.219W	Fl G 6s		4	Green.	AIS: MMSI 993692248 (21).	09/24
17265	<i>Toliva Shoal Isolated Danger Lighted Bell Buoy DTS</i>	47-12-08.765N 122-36-25.323W	Fl (2)W 5s		4	Black and red bands.	No topmark will be shown on this aid as required by IALA standards due to weather. *	09/24

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19630	<i>Reid Rock Lighted Isolated Danger Buoy DR</i>	48-32-56.426N 122-59-22.372W	Fl (2)W 5s		4	Black and red bands.	No topmark will be shown on this aid as required by IALA standards due to weather.	09/24
	Rock has depth of 2 1/2 fathoms over it.							
	*						*	
15640	<i>Grays Harbor South Reach Lighted Buoy 17</i>	46-55-16.992N 124-04-10.994W	Fl G 4s		4	Green.		08/24
		*						
9371	Scholfield Creek Channel Buoy 2	43-42-36.845N 124-06-24.568W				Red nun.		07/24
		*						
11645	PRINDLE DIKE LIGHT 73						Remove from list.	06/24
		*					*	
11646	<i>Prindle Dike Lighted Buoy 73</i>	45-34-57.426N 122-09-30.288W	Fl G 6s		4	Green.		06/24
*	*	*	*	*	*	*	*	
No corrections this week								05/24

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17897	QUILCENE BAY FISH PEN LIGHTS (2)						Remove from list. 04/24
							*
17899.1	QUILCENE BAY MUSSEL RAFT LIGHT A						Remove from list. 04/24
							*
17899.2	QUILCENE BAY MUSSEL RAFT LIGHT B						Remove from list. 04/24
							*
17899.3	QUILCENE BAY MUSSEL RAFT LIGHT C						Remove from list. 04/24
							*
17899.4	QUILCENE BAY MUSSEL RAFT LIGHT D						Remove from list. 04/24
							*
17899.5	QUILCENE BAY MUSSEL RAFT LIGHT E						Remove from list. 04/24
							*
17899.6	QUILCENE BAY MUSSEL RAFT LIGHT F						Remove from list. 04/24
							*
11815	BONNEVILLE POOL LIGHT 12	45-40-13.988N 121-53-51.398W	Fl R 4s	25	4	TR on skeleton tower.	03/24
14855	WILLAMETTE RIVER LIGHT 2	45-39-11.767N 122-46-04.392W	Q R	26	4	TR on multi-pile structure.	03/24
							*
11095	DUCK CLUB LIGHT 8	45-48-57.080N 122-47-55.346W	Fl R 2.5s	23	4	TR on pile.	02/24
							*
17265	<i>Toliva Shoal Isolated Danger Lighted Bell Buoy DTS</i>	47-12-08.765N 122-36-25.323W	Fl (2)W 5s		4	Black and red bands.	02/24
							*
No corrections this week							01/24