

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
16645	GRAND PORTAGE PIER LIGHT	47-57-41.616N 089-41-01.860W	Fl W 2.5s	12 4		On pile.	Maintained from Apr. 1 to 44/24 Nov. 1. Private Aid.

*

No corrections this week 43/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2343.1	BRADDOCK BAY LIGHT 1	43-18-57.788N 077-42-38.483W	F G			Single Pile, White	Private Aid.	42/24
	*							
2343.2	BRADDOCK BAY LIGHT 2	43-18-59.778N 077-42-39.074W	F R			Single Pile, White	Private Aid.	42/24
	*							
2343.3	BRADDOCK BAY LIGHT 3	43-18-56.772N 077-42-44.460W	F G			Single Pile, White	Private Aid.	42/24
	*							
2343.4	BRADDOCK BAY LIGHT 4	43-18-57.715N 077-42-45.144W	F R			Single Pile, White	Private Aid.	42/24
	*							
2343.5	BRADDOCK BAY LIGHT 5	43-18-54.612N 077-42-50.832W	F G			Single Pile, White	Private Aid.	42/24
	*							
2343.6	BRADDOCK BAY LIGHT 6	43-18-55.630N 077-42-51.433W	F R			Single Pile, White	Private Aid.	42/24
	*							
6783	ODAS Lighted Buoy 45142	42-44-12.032N 079-17-24.022W	FI (5) Y 20s			Yellow disc shaped hull.	Seasonal.	42/24
	*							
12907	Lime Island Lighted Buoy 14	46-03-17.365N 083-57-36.786W	FI R 4s		3	Red.	Replaced by nun from Dec. 7 to May 1.	42/24
	*							
15235	Black River West Breakwater Lighted Buoy 2	46-40-06.446N 090-02-56.068W	FI R 4s (NIGHT)	18 5	3		Lighted Buoy replaced Light on BKW. Maintained from May 28 to Oct. 14.	42/24
	*							
15135	GRAND TRAVERSE BAY HARBOR LIGHT 3	47-11-19.730N 088-14-08.033W	FI G 2.5s (NIGHT)	27 8	4	SG on post.		41/24

No corrections this week

40/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2141.11	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 10</i>	43-20-38.320N 076-43-37.440W	Fl Y 4s				Maintained from Apr.1 to 39/24 Nov.30. Private Aid.
2141.6	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 6</i>	43-20-36.990N 076-43-51.050W	Fl Y 4s				* Maintained from Apr.1 to 39/24 Nov.30. Private Aid.
2142.1	<i>Blind Sodus Bay Breakwater Barrier Green Buoy 1</i>	43-20-35.530N 076-43-44.440W	* Fl G 4s				* Maintained from Apr.1 to 39/24 Nov.30. Private Aid.
* 2142.2	* <i>Blind Sodus Bay Breakwater Barrier Red Buoy 2</i>	* 43-20-34.930N 076-43-47.280W	* Fl R 2.5s	* *	* *	* *	* Maintained from Apr.1 to 39/24 Nov.30. Private Aid.
* 2142.3	* <i>Blind Sodus Bay Breakwater Barrier Green Buoy 3</i>	* 43-20-37.300N 076-43-43.970W	* Fl G 4s	* *	* *	* *	* Maintained from Apr.1 to 39/24 Nov.30. Private Aid.
* 2142.4	* <i>Blind Sodus Bay Breakwater Barrier Red Buoy 4</i>	* 43-20-37.660N 076-43-45.320W	* Fl R 2.5s	* *	* *	* *	* Maintained from Apr.1 to 39/24 Nov.30. Private Aid.
* 2855	* BLACK ROCK CANAL LIGHT 15	* *	* *	* *	* *	* *	* Remove from list. 39/24
3492	Willis Crib Isolated Danger Buoy DW						* Remove from list. 39/24
6580	Monroe Harbor Buoy 3	41-52-51.333N 083-17-58.850W	(NIGHT) (DAY)			Green can.	* 39/24
6600	Monroe Harbor Buoy 7	* 41-53-28.689N 083-20-03.337W				Green can.	39/24
6610	Monroe Harbor Buoy 9	* 41-54-01.761N 083-21-24.759W				Green can.	39/24
		*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1525	<i>St. Lawrence Seaway Lighted Buoy 224</i>	44-15-00.534N 076-05-10.919W	Fl R 4s			Red.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
1545	<i>St. Lawrence Seaway Lighted Buoy 225</i> Marks shoal.	44-14-33.434N 076-06-03.419W	Fl G 4s			Green.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
1555	<i>St. Lawrence Seaway Lighted Buoy 226A</i>	44-14-40.834N 076-06-04.219W	Fl R 4s			Red.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
1565	<i>St. Lawrence Seaway Buoy 228</i> Marks shoal.	44-14-31.634N 076-07-03.519W	Fl R 4s			Red nun.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
1615	<i>St. Lawrence Seaway Lighted Buoy 233</i> Marks north side of shoal.	44-12-02.634N 076-13-36.819W	Fl G 4s			Green.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
1625	<i>St. Lawrence Seaway Lighted Buoy 234</i>	44-12-12.534N 076-15-03.219W	Fl R 4s			Red.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1630	<i>St. Lawrence Seaway Lighted Buoy 235</i>	44-11-40.134N 076-17-55.719W	Q G			Green.	Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C.
1640	<i>St. Lawrence Seaway Lighted Buoy 237</i>	44-11-20.834N 076-18-28.019W	Fl G 4s			Green.	* Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C.
1645	<i>St. Lawrence Seaway Lighted Buoy 236</i>	44-11-21.234N 076-19-06.219W	Fl R 4s			Red.	* Year Round Lighted Buoy 38/24 Aid maintained by GLS Aid maintained by S.L.S.D.C.
2141.1	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 1</i>	43-20-27.550N 076-44-02.680W	Fl Y 4s				* Maintained from Apr.1 to 38/24 Nov.30. Private Aid.
* 2141.11	* <i>Blind Sodus Bay Breakwater Barrier Danger Buoy 10</i>	* 43-20-38.320N 076-43-37.440W	* Fl Y 4s	* *	* *	* *	* Private Aid. 38/24
* 2141.2	* <i>Blind Sodus Bay Breakwater Barrier Danger Buoy 2</i>	* 43-20-29.420N 076-44-00.630W	* Fl Y 4s	* *	* *	* *	* Maintained from Apr.1 to 38/24 Nov.30. Private Aid.
* 2141.3	* <i>Blind Sodus Bay Breakwater Barrier Danger Buoy 3</i>	* 43-20-31.170N 076-43-58.400W	* Fl Y 4s	* *	* *	* *	* Maintained from Apr.1 to 38/24 Nov.30. Private Aid.
* 2141.4	* <i>Blind Sodus Bay Breakwater Barrier Danger Buoy 4</i>	* 43-20-32.990N 076-43-56.370W	* Fl Y 4s	* *	* *	* *	* Maintained from Apr.1 to 38/24 Nov.30. Private Aid.
* 2141.5	* <i>Blind Sodus Bay Breakwater Barrier Danger Buoy 5</i>	* 43-20-34.730N 076-43-54.230W	* Fl Y 4s	* *	* *	* *	* Maintained from Apr.1 to 38/24 Nov.30. Private Aid.
* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2141.6	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 6</i>	43-20-36.990N 076-43-51.050W	Fl (2)W 6s				Private Aid.	38/24
*	*	*	*	*	*	*	*	
2141.7	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 7</i>	43-20-39.130N 076-43-47.720W	Fl Y 4s				Maintained from Apr.1 to Nov.30. Private Aid.	38/24
*	*	*	*	*	*	*	*	
2141.8	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 8</i>	43-20-38.300N 076-43-42.680W	Fl Y 4s				Maintained from Apr.1 to Nov.30. Private Aid.	38/24
*	*	*	*	*	*	*	*	
2141.9	<i>Blind Sodus Bay Breakwater Barrier Danger Buoy 9</i>	43-20-38.310N 076-43-40.060W	Fl Y 4s				Maintained from Apr.1 to Nov.30. Private Aid.	38/24
*	*	*	*	*	*	*	*	
5515	Gem Beach Access Channel Daybeacon 6	41-33-45.623N 082-49-24.119W				TR on pile.		38/24
6885	Detroit River Light	42-00-02.978N 083-08-28.509W	Fl (2)W 6s	55 17	12	White conical tower with black top on hexagonal top.	RACON: X (- . . -) HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.	38/24
7625	Hickory Island Channel Buoy 17	42-06-22.522N 083-07-58.001W				Green can.	*	38/24
14765	* KEWEENAW WATERWAY LOWER ENTRANCE LIGHT	* 46-58-07.896N 088-25-51.906W	Fl W 6s (NIGHT)	68 21	9	White octagonal tower on concrete pierhead.	Standby light of reduced intensity. HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.	38/24
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14795	Keweenaw Waterway Daybeacon 7	46-58-59.973N 088-26-10.446W				SG on skeleton tower.	38/24
14800	Keweenaw Waterway Daybeacon 9	* 46-59-19.813N 088-26-11.621W				SG on skeleton tower.	38/24
14810	KEWEENAW WATERWAY LIGHT 11 Marks northwest end of Middle Ground.	* 46-59-24.016N 088-26-09.570W	Fl G 2.5s (NIGHT)	14 4	4	SG on white pile.	38/24
14815	KEWEENAW WATERWAY LIGHT 13	* 46-59-31.737N 088-26-09.918W	Q G (NIGHT)	14 4	4	SG on white pile.	38/24
14830	KEWEENAW WATERWAY LIGHT 15	* 46-59-43.424N 088-26-17.144W	Fl G 2.5s (NIGHT)	14 4	4	SG on white pile.	38/24
14835	KEWEENAW WATERWAY LIGHT 17	* 47-00-07.666N 088-26-51.103W	Fl G 2.5s (NIGHT)	14 4	4	SG on white pile.	38/24
14845	KEWEENAW WATERWAY LIGHT 19	* 47-00-40.823N 088-27-37.628W	Fl G 2.5s (NIGHT)	14 4	4	SG on post.	38/24
15100	LILY POND NORTH LIGHT 70	* 47-13-00.708N 088-37-09.330W	Q R (NIGHT)	25 8	5	TR on post.	38/24
15105	KEWEENAW UPPER ENTRANCE EAST REVTMENT LIGHT 72	* 47-13-35.766N 088-37-32.946W	Fl R 4s (NIGHT)	25 8	5	TR on post.	38/24
		*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
15110	KEWEENAW UPPER ENTRANCE WEST REVTMENT LIGHT	47-13-34.026N 088-37-38.220W	Fl G 4s (NIGHT)	25 8	5	SG on post.	38/24
15585	CORNUCOPIA EAST PIER LIGHT	* 46-51-34.998N 091-06-17.232W	Fl G 2.5s (NIGHT)	29 9	9	SG on post.	38/24
15590	PORT WING EAST PIER LIGHT	* 46-47-34.608N 091-23-10.740W	Fl G 4s (NIGHT)	27 8	5	SG on post.	38/24
16977	<i>Oak Island Lighted Buoy 2</i>	* 49-18-28.000N 094-49-30.000W	Fl R 4s			Red nun.	38/24
4665	* <i>Sandusky Straight Channel Lighted Buoy 15</i>	* 41-27-54.012N 082-42-21.882W	* Fl G 2.5s (NIGHT) (DAY)			Green can.	37/24
8400	* PECHE ISLAND RANGE FRONT LIGHT	42-21-37.587N 082-54-24.986W	* F W (NIGHT) F W (DAY)	35 11 35 11		KRW on white skeleton tower with round conical foundation.	RACON: G (- - .) Lighted throughout 24 hours.
			*	*			

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9576	<i>St. Clair Flats Lighted Danger Buoy A</i>	42-31-10.987N 082-41-07.650W	Q W (NIGHT)		4 4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	37/24
			(DAY)					
			Q W					
9577	<i>St. Clair Flats Lighted Danger Buoy B</i>	42-31-15.134N 082-41-03.653W	* Q W (NIGHT)		* 4 4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	37/24
			(DAY)					
			Q W					
9578	<i>St. Clair Flats Lighted Danger Buoy C</i>	42-31-19.108N 082-40-57.718W	* Q W (NIGHT)		* 4 4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	37/24
			(DAY)					
			Q W					
14030	<i>Lake Nicolet Lighted Buoy 89</i>	46-26-53.832N 084-16-21.635W	* Fl G 4s		* 4	Green.	Replaced by can from Nov. 21 to Apr. 14. AIS MMSI: 993686014	37/24
22073	<i>WDNR Lower Green Bay Long Tail Point Water Quality Monitoring Buoy 1</i>	44-36-51.004N 088-00-32.795W	Fl Y 4s				* Maintained from Sep.1 to Dec.1. Private Aid.	36/24
* 22103	* <i>WDNR Lower Green Bay Long Tail Point Water Quality Monitoring Buoy 2</i>	* 44-35-57.480N 087-59-41.820W	* Fl Y 4s	* *	* *	* *	* Maintained from Sep.1 to Dec.1. Private Aid.	* 36/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4925	<i>East Bay Channel Lighted Buoy 23</i>	41-26-51.799N 082-40-01.905W	Fl G 4s			Green.	Maintained from May.1 to 35/24 Nov.1. Private Aid.
4930	<i>East Bay Channel Lighted Buoy 24</i>	* 41-26-52.822N 082-40-01.995W	Fl R 4s			Red.	* Maintained from May.1 to 35/24 Nov.1. Private Aid.
4935	<i>East Bay Channel Lighted Buoy 25</i>	* 41-26-49.899N 082-40-10.348W	Fl G 4s			Green.	* Maintained from May.1 to 35/24 Nov.1. Private Aid.
4940	<i>East Bay Channel Lighted Buoy 26</i>	* 41-26-50.849N 082-40-10.697W	Fl R 4s			Red.	* Maintained from May.1 to 35/24 Nov.1. Private Aid.
11365	PARTRIDGE POINT MARINA LIGHT	*					* Remove from list. 35/24
11693	POLYCHROME LEADING LIGHT						* Remove from list. 35/24
18186	<i>West Grand Traverse Bay Research Lighted Buoy</i>						* Remove from list. 35/24
18280	ZEPHYR COMPANY LIGHT						* Remove from list. 35/24
18285	TOTAL PETRO LIGHT						* Remove from list. 35/24
4010	<i>Limno Tech Rocky River Weather Buoy 1</i>	41-31-15.440N 081-52-49.030W	Fl Y 4s				* Maintained from May.1 to 34/24 Nov.30. Private Aid.
4247	* <i>Limno Tech Euclid Weather Buoy 1</i>	41-37-09.940N 081-37-03.430W	Fl Y 4s				* Maintained from May.1 to 34/24 Nov.30. Private Aid.
	*						

No corrections this week

33/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8025	<i>Trenton Channel Lighted Buoy 11</i>	42-09-23.548N 083-09-57.970W	Fl G 2.5s (NIGHT)		4	Green can.	32/24
			Fl G 2.5s				
			*				
11348	<i>TBNMS Wreck Mooring "Montana" Lighted Buoy</i>	44-59-03.800N 083-15-11.000W	Q W				Maintained from May.1 to 32/24 Oct.31. Private Aid.
	*					*	*
11349	<i>TBNMS Wreck Subsurface "Florida" Buoy</i>	45-17-48.710N 083-16-58.771W					Maintained from May.1 to 32/24 Oct.31. Sub Surface Buoy 40FT below Surface Private Aid.
	*						*
11350	<i>TBNMS Wreck Subsurface "Audubon" Buoy</i>	45-17-19.860N 083-20-21.048W					Maintained from May.1 to 32/24 Oct.31. Sub Surface Buoy 40FT below Surface Private Aid.
	*						*
11353	<i>TBNMS Wreck Mooring "William P. Rend" Lighted Buoy</i>	45-03-46.000N 083-23-34.000W	Q W				Maintained from May.1 to 32/24 Oct.31. Private Aid.
	*					*	*
20817	<i>WSCNMS Wreck Mooring "Robert Pringle" Lighted Buoy 11</i>	43-41-28.201N 087-33-17.759W	Fl W 4s				Maintained from May.1 to 32/24 Nov.1. Private Aid.
	*					*	*
20817.1	<i>WSCNMS Wreck Mooring "Advance" Lighted Buoy 1</i>	43-36-42.901N 087-42-57.179W	Fl W 4s	*	*	*	Maintained from May.1 to 32/24 Nov.1. Private Aid.
	*					*	*
20817.2	<i>WSCNMS Wreck Mooring "Niagara" Lighted Buoy 9</i>	43-29-13.801N 087-46-38.579W	Fl W 4s	*	*	*	Maintained from May.1 to 32/24 Nov.1. Private Aid.
	*					*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
* 20817.3	* WSCNMS Wreck Mooring "Mahoning" Lighted Buoy 8	* 43-20-25.919N 087-51-12.898W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20817.4	* WSCNMS Wreck Mooring "Northerner" Lighted Buoy 10	* 43-19-01.081N 087-49-24.481W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20844	* WSCNMS Wreck Mooring "Floretta" Lighted Buoy 4	* 43-57-06.181N 087-32-05.939W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20844.1	* WSCNMS Wreck Mooring "Home" Lighted Buoy 7	* 43-56-55.140N 087-33-13.079W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20844.2	* WSCNMS Wreck Mooring "Gallinipper" Lighted Buoy 5	* 43-54-47.041N 087-29-03.599W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20844.3	* WSCNMS Wreck Mooring "Algoma" Lighted Buoy 2	* 43-53-31.081N 087-40-18.120W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20844.4	* WSCNMS Wreck Mooring "Walter B. Allen" Subsurface Buoy 18	* 43-49-48.961N 087-36-31.381W	*	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Sub Surface Buoy 40 FT below Surface Private Aid.
* 20844.5	* WSCNMS Wreck Mooring "Silver Lake" Lighted Buoy 15	* 43-48-21.240N 087-34-41.700W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20844.6	* WSCNMS Wreck Mooring "Helvetia" Lighted Buoy 6	* 43-47-24.061N 087-36-24.779W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
* 20844.7	* WSCNMS Wreck Mooring "Selah Chamberlain" Lighted Buoy 14	* 43-46-11.701N 087-39-27.834W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20931	* WSCNMS Wreck Mooring "America" Lighted Buoy 3	* 44-21-02.880N 087-26-51.000W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20931.1	* WSCNMS Wreck Mooring "Rouse Simmons" Lighted Buoy 12	* 44-16-39.119N 087-24-52.679W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20931.2	* WSCNMS Wreck "Vernon" Subsurface Buoy 17	* 44-12-05.400N 087-24-46.141W	*	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Sub Surface Buoy 40 FT below Surface Private Aid.
* 20931.3	* WSCNMS Wreck "S. C. Baldwin" Lighted Buoy 13	* 44-10-52.381N 087-29-10.799W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
* 20931.4	* WSCNMS Wreck "Henry Gust" Subsurface Buoy 16	* 44-08-39.541N 087-29-29.339W	*	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Sub Surface Buoy 40 FT below Surface Private Aid.
* 20931.5	* WSCNMS Wreck Mooring "Crawler Crane" Lighted Buoy 19	* 44-10-36.777N 087-26-52.920W	* Fl W 4s	*	*	*	* Maintained from May.1 to 32/24 Nov.1. Private Aid.
*	*	*	*	*	*	*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12915	Lime Island Safe Water V-AIS	46-04-21.896N 084-00-59.236W					Vessels are required to leave buoy to port when passing. AIS MMSI: 993686001	31/24
14567	UCSD CDIP - 268 Weather Wave Buoy 1	46-58-21.720N 086-34-05.500W	Fl Y 5s		*		Maintained from May.1 to Nov.30. Private Aid.	31/24
18396	* Frankfort Harbor Buoy 1	* 44-37-47.477N 086-14-28.844W				Green Can	Maintained from 14 May to 14 Oct.	31/24
18397	Frankfort Harbor Buoy 2	44-37-44.991N 086-14-28.777W				* Red Can	* Maintained from 14 May to 14 Oct.	31/24
18398	Frankfort Harbor Buoy 3	44-37-48.323N 086-14-24.383W				* Green Can	* Maintained from 14 May to 14 Oct.	31/24
18399	Frankfort Harbor Buoy 4	44-37-45.055N 086-14-24.677W				* Red Can	* Maintained from 14 May to 14 Oct.	31/24
6025.1	* Limno Tech Toledo Water Quality Buoy A	* 41-42-13.110N 083-15-50.430W	* Fl W 4s				* Maintained from May.1 to Nov.1. Private Aid.	31/24 30/24
* 12835	* FRYING PAN ISLAND LIGHT 7	* 45-59-07.634N 083-53-40.973W	* Q G	* 28 9	* 6	* SG on post.	* *	30/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15785	<i>Superior Front Channel Lighted Buoy 9</i>	46-43-35.243N 092-03-50.724W	Fl G 6s (NIGHT)		4	Green	Maintained from April 28 to December 1.	30/24
			(DAY)					
18396	Frankfort Harbor Buoy 1	44-37-47.477N 086-14-28.844W						30/24
*	*	*	*	*	*	*	*	
18397	Frankfort Harbor Buoy 2	44-37-44.991N 086-14-28.777W						30/24
*	*	*	*	*	*	*	*	
18398	Frankfort Harbor Buoy 3	44-37-48.323N 086-14-24.383W						30/24
*	*	*	*	*	*	*	*	
18399	Frankfort Harbor Buoy 4						Remove from list.	30/24
18399	Frankfort Harbor Buoy 4						* Remove from list.	30/24
18399	Frankfort Harbor Buoy 4	44-37-45.055N 086-14-24.677W					*	30/24
*	*	*	*	*	*	*	*	
19790	<i>Chicago Lake Front Northeast Shoal Lighted Buoy 2</i>	41-45-36.296N 087-28-02.048W	Fl R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993672228	30/24
	Marks east side of shoal.							

No corrections this week

29/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17509	Joe's Point Buoy 19	48-27-09.840N 092-43-41.580W				Green can.	28/24
17544	Lake Kabetogama Buoy 30	48-26-19.860N 092-50-56.880W				Red nun.	28/24
5	<i>St. Lawrence Seaway Lighted Buoy 1</i>	45-00-13.875N 074-40-05.688W	Fl G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.
15	<i>St. Lawrence Seaway Lighted Buoy 3</i>	44-59-57.615N 074-40-28.278W	Q G			Green.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.
25	<i>St. Lawrence Seaway Lighted Buoy 5</i>	44-59-53.735N 074-40-58.418W	Fl G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.
30	<i>St. Lawrence Seaway Lighted Buoy 5A</i>	44-59-56.135N 074-41-21.818W	Fl G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.
35	<i>St. Lawrence Seaway Lighted Buoy 5B</i>	44-59-58.435N 074-41-44.718W	Fl G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.
40	<i>St. Lawrence Seaway Lighted Buoy 6</i>	45-00-00.435N 074-41-20.818W	Fl R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.
45	<i>St. Lawrence Seaway Lighted Buoy 6A</i>	45-00-02.835N 074-41-43.718W	Fl R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS Aid maintained by S.L.S.D.C.

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
50	<i>St. Lawrence Seaway Lighted Buoy 7</i>	45-00-00.735N 074-42-07.318W	Fl G 4s			Green.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
55	<i>St. Lawrence Seaway Lighted Buoy 8</i>	45-00-05.135N 074-42-06.618W	Fl R 4s			Red.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
60	<i>St. Lawrence Seaway Lighted Buoy 9</i>	44-59-58.935N 074-42-38.718W	Fl G 4s			Green.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
80	<i>St. Lawrence Seaway Lighted Buoy 14</i>	44-59-25.435N 074-44-19.218W	Fl R 4s			Red.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
85	<i>St. Lawrence Seaway Lighted Buoy 15</i>	44-59-23.635N 074-43-42.418W	Q G			Green.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
95	<i>St. Lawrence Seaway Lighted Buoy 16</i>	44-59-27.135N 074-45-25.618W	Fl R 4s			Red.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
100	<i>St. Lawrence Seaway Lighted Buoy 17</i>	44-59-16.535N 074-45-16.318W	Fl G 4s			Green.	Year Round Lighted Buoy 27/24 Aid maintained by GLS Aid maintained by S.L.S.D.C. *
17509	Joe's Point Buoy 19	48-27-09.840N 092-43-41.580W					Maintained from 07 May 27/24 to 14 Oct. *
*	*	*	*	*	*	*	*
17544	Lake Kabetogama Buoy 30	48-26-19.860N 092-50-56.880W					Maintained from 07 May 27/24 to 14 Oct. *
*	*	*	*	*	*	*	*

No corrections this week

26/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15355	Ashland Harbor Lighted Buoy 1						Remove from list.	25/24
							*	
15370	Ashland Harbor Lighted Buoy 4						Remove from list.	25/24
							*	
2396	OLCOTT HARBOR DETACHED BREAKWATER WEST LIGHT	43-20-32.340N 078-43-12.014W	Fl W 4s			Single Pile,White Light,19.2 FT	Maintained Year round. Private Aid.	24/24
	Detached breakwater							
	*	*						
2397	OLCOTT HARBOR DETACHED BREAKWATER EAST LIGHT	43-20-32.840N 078-43-07.600W	Fl W 4s			Single Pile,White Light,19.2 FT	Maintained Year round. Private Aid.	24/24
	*	*						
9576	St. Clair Flats Lighted Danger Buoy A	42-31-10.987N 082-41-07.650W	Q W		4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	24/24
	*	*					*	
9577	St. Clair Flats Lighted Danger Buoy B	42-31-15.134N 082-41-03.653W	Q W		4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	24/24
	*	*					*	
9578	St. Clair Flats Lighted Danger Buoy C	42-31-19.108N 082-40-57.718W	Q W		4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	24/24
	*	*					*	
15256	WISC Apostle Island MSC Wave Buoy 1	46-54-31.979N 091-02-12.059W	Fl Y 4s				Private Aid.	24/24
	*	*					*	
15273	WISC Apostle Island Presque ISD PT Wave Buoy 4	46-54-17.856N 090-32-36.024W	Fl Y 4s				Private Aid.	24/24
	*	*					*	
	*	*	*	*	*	*	*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15293	WISC Apostle Island Long ISD PT Wave Buoy 5	46-43-57.000N 090-48-45.000W	Fl Y 4s				Private Aid.	24/24
*	*	*	*	*	*	*	*	
15360	Ashland Harbor Buoy 2						Remove from list.	24/24
15365	Ashland Harbor Buoy 3						*	
							Remove from list.	24/24
15370	Ashland Harbor Lighted Buoy 4	46-35-56.433N 090-53-35.312W				Red.	*	
							Maintained from May 21 to Nov 21	24/24
15375	Ashland Harbor Buoy 5		*		*			
							Remove from list.	24/24
15566	WISC Apostle Island DI Wave Buoy 3	46-05-02.832N 090-43-32.664W	Fl Y 4s				*	
							Private Aid.	24/24
*	*	*	*	*	*	*	*	
15583	WISC Apostle Island LSB Wave Buoy 2	46-57-18.000N 090-54-45.961W	Fl Y 4s				Private Aid.	24/24
*	*	*	*	*	*	*	*	
20763	MAST Yacht Club Race Buoy	43-02-25.000N 087-50-01.360W	Fl W 3s					
							Maintained from May 1 to Nov. 1. Private Aid.	24/24
21798	* YACHT WORKS MARINA BREAKWATER LIGHT 1	* 45-12-08.460N 087-07-15.300W	* Fl G 2.5s	27 8			Private Aid.	24/24
21799	YACHT WORKS MARINA BREAKWATER LIGHT 2	45-12-08.340N 087-07-13.740W	Fl R 2.5s	31 9		*	Private Aid.	24/24
14790	KEWEENAW WATERWAY LIGHT 5	46-58-54.907N 088-26-08.706W	Fl G 2.5s	14 4	4	* SG on white pile.		23/24
14840	* KEWEENAW WATERWAY LIGHT 16	* 47-00-10.369N 088-26-46.919W	* Fl R 2.5s	14 4	4	TR on white pile.		23/24
14855	* KEWEENAW WATERWAY LIGHT 20	* 47-01-13.645N 088-28-15.747W	* Q R	14 4	4	TR on white pile.		23/24
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14870	KEWEENAW WATERWAY LIGHT 22	47-01-34.785N 088-28-33.282W	Fl R 2.5s	13 4	4	TR on white pile.	23/24
14880	KEWEENAW WATERWAY LIGHT 25	* 47-01-50.233N 088-28-46.046W	Fl G 2.5s	15 5	4	SG on white pile.	23/24
14925	Lake Linden Harbor Buoy 1	* 47-10-35.784N 088-24-32.038W				Green can.	23/24
14937	Keweenaw Waterway Buoy 30A	* 47-06-05.350N 088-30-02.612W				Red nun.	Maintained from May 14 to Oct 14. 23/24
15085	LILY POND LEADING LIGHT	* 47-12-00.679N 088-37-05.064W	Fl R 2.5s	25 8	6	TR on post.	23/24
15095	LILY POND SOUTH LIGHT 68	* 47-12-30.082N 088-37-06.379W	Fl R 4s	25 8	5	TR on post.	23/24
15240	Black River Buoy 3	* 46-40-06.165N 090-02-54.180W				Green can.	Maintained from May 21 to Oct. 21. 23/24
No corrections this week							22/24
3961	NOAA / GLERL North of Euclid Harbor CHP 5 Weather Wave Buoy	41-45-47.279N 081-25-42.480W	Fl Y 4s			Yellow Spar Buoy	Maintained from June.1 to Dec.1. Private Aid. 21/24
3987	NOAA / GLERL North of Cleveland Harbor CHP 3 Weather Wave Buoy	* 41-36-51.480N 081-38-31.559W	* Fl Y 4s	* *	* *	* Yellow Spar Buoy	* Maintained from June.1 to Dec.1. Private Aid. 21/24
No corrections this week							20/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2850	<i>Black Rock Canal Lighted Buoy 14</i>	42-53-49.823N 078-54-08.743W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 21 to Apr. 14.	19/24
6590	<i>Monroe Harbor Lighted Buoy 5</i>	* 41-53-10.925N 083-19-05.296W	Fl G 4s		4	Green.	Year round buoy unlighted from Dec 7 to Apr 7.	19/24
6595	<i>Monroe Harbor Lighted Buoy 6</i>	* 41-53-14.036N 083-19-05.415W	Fl R 4s		4	Red.	Year round buoy unlighted from Dec 7 to Apr 7.	19/24
14785	<i>Keweenaw Waterway Lighted Buoy 4</i>	* 46-58-56.672N 088-26-03.682W	Fl R 4s		3	Red.	Year round buoy unlighted from Nov 14 to May 14.	19/24
14875	<i>Keweenaw Waterway Buoy 24</i>	* 47-01-50.874N 088-28-40.282W				Red nun.	Maintained from May 14 to Oct 14.	19/24
14890	<i>Keweenaw Waterway Lighted Buoy 27</i>	* 47-02-18.972N 088-28-55.909W	Q G		4	Green.	Year round buoy unlighted from Nov 14 to May 14.	19/24
14900	<i>Keweenaw Waterway Junction Lighted Buoy "KW"</i>	* 47-04-19.020N 088-29-25.110W	Fl (2+1)R 6s		4	Red and green bands.	Year round buoy unlighted from Nov 14 to May 14.	19/24
14945	<i>Keweenaw Waterway Lighted Buoy 31</i>	* 47-06-32.445N 088-30-19.870W	Q G		3	Green.	Year round buoy unlighted from Nov 14 to May 14.	19/24
14960	<i>Keweenaw Waterway Lighted Buoy 35</i>	* 47-07-17.594N 088-32-48.563W	Fl G 4s		4	Green.	Year round buoy unlighted from Nov 14 to May 14.	19/24
14975	<i>Atlantic Point Lighted Buoy 37</i>	* 47-07-30.008N 088-36-28.160W	Fl G 4s		4	Green.	Year round buoy unlighted from Nov 14 to May 14.	19/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14990	<i>Keweenaw Waterway Lighted Buoy 42</i>	47-07-49.237N 088-37-11.303W	Fl R 4s		4	Red.	* Year round buoy unlighted from Nov 14 to May 14. 19/24
15015	<i>Keweenaw Waterway Lighted Buoy 49</i>	47-09-28.531N 088-37-58.946W	Fl G 4s		3	Green.	* Year round buoy unlighted from Nov 14 to May 14. 19/24
15025	<i>Keweenaw Waterway Lighted Buoy 50</i>	47-09-59.816N 088-38-19.967W	Fl R 4s		3	Red.	* Year round buoy unlighted from Nov 14 to May 14. 19/24
15030	<i>Keweenaw Waterway Lighted Buoy 51</i>	47-10-13.750N 088-38-28.654W	Fl G 2.5s		3	Green.	* Year round buoy unlighted from Nov 14 to May 14. 19/24
15080	<i>Keweenaw Waterway Lighted Buoy 61</i>	47-11-28.053N 088-37-18.273W	Fl G 2.5s		3	Green.	* Year round buoy unlighted from Nov 14 to May 14. 19/24
4026	<i>Canada Weather Spar Buoy 957 (C)</i>	41-41-41.340N 081-45-07.870W	Fl Y 4s				* Maintained from Apr.15 to Nov.1. 18/24 Private Aid.
* 20305	* WAUKEGAN SOUTH HARBOR MARINA LIGHT 2	* 42-21-20.574N 087-49-13.542W	* Q R	* 26 8	* On pile.	* On pile.	* Maintained from Apr. 1 to Nov. 1. 18/24 Private Aid.
20940	* NOAA Wisconsin Shipwreck Pathfinder NMS Shallow Water Unlighted Buoy	44-14-43.980N 087-30-41.260W					* Maintained from May.1 to Nov.1. 18/24 Private Aid.
* 20940.1	* NOAA Wisconsin Shipwreck Continental NMS Shallow Water Unlighted Buoy 1	* 44-13-55.920N 087-30-27.720W	* Q R	* 26 8	* On pile.	* On pile.	* Maintained from May.1 to Nov.1. 18/24 Private Aid.
*	*	*	*	*	*	*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
20940.2	NOAA Wisconsin Shipwreck Lookout NMS Shallow Water Unlighted Buoy 2	44-11-42.420N 087-30-35.760W					Maintained from May.1 to 18/24 Nov.1. Private Aid.
*	*	*	*	*	*	*	*
20940.3	NOAA Wisconsin Shipwreck LaSalle NMS Shallow Water Unlighted Buoy 3	44-11-31.440N 087-30-35.460W					Maintained from May.1 to 18/24 Nov.1. Private Aid.
*	*	*	*	*	*	*	*
20940.4	NOAA Wisconsin Shipwreck Major Anderson NMS Shallow Water Unlighted Buoy 4	44-10-55.680N 087-30-58.680W					Maintained from May.1 to 18/24 Nov.1. Private Aid.
*	*	*	*	*	*	*	*
20940.5	NOAA Wisconsin Shipwreck Tubal Cain NMS Shallow Water Unlighted Buoy 5	44-09-20.990N 087-32-30.300W					Maintained from May.1 to 18/24 Nov.1. Private Aid.
*	*	*	*	*	*	*	*
12654	<i>Michigan Tech Weather South Buoy</i>	45-48-12.211N 084-47-30.594W	Q Y				Maintained from Apr.1 to 17/24 Dec.15. Private Aid.
10278	<i>NOAA GLERL OB-26 North Saginaw Bay Water Quality Wave buoy</i>	44-04-22.740N 083-03-37.464W	Fl Y 4s				Maintained from May.1 to 16/24 Dec.1. Private Aid.
*	*	*	*	*	*	*	*
2128	<i>USSD CDIP 274 Weather Wave Buoy 1</i>	43-30-02.754N 076-32-18.326W	Fl Y 5s				Maintained from Apr.1 to 15/24 Nov.30. Private Aid.
*	*	*	*	*	*	*	*
15620	<i>Duluth LSNE Water Quality Buoy 1</i>	46-42-21.090N 091-59-05.000W	Fl Y 4s				Maintained from Apr.22 15/24 to Oct.31. Private Aid.
*	*	*	*	*	*	*	*
21608	<i>MTU Northern Green Bay Weather Wave Buoy 1</i>	45-32-59.454N 086-53-46.120W	Fl Y 2.5s				Maintained from May.1 to 15/24 Dec.1. Private Aid.
		*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6030	Toledo Harbor Light	41-45-42.710N 083-19-44.496W	Iso W 6s	72 22	13		HORN: 1 blast ev 30s (3s bl). Operates from Apr. 1 to Dec. 1. Operates by keying microphone five times on VHF-FM Ch. 83A	14/24
19955	BURNHAM PARK HARBOR LIGHT	41-51-06.750N 087-36-35.720W	Fl G 3s	60 18		On a pole	* Red from 135° to 255°. Maintained from Apr. 15 to Dec. 1. Private Aid.	14/24
19956.2	<i>Northerly Island Danger Lighted Buoy C</i>	* 41-51-45.000N 087-36-21.000W	Fl W 2s			* White with orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct 31. Private Aid.	14/24
No corrections this week								13/24
14455	Round Island Traffic (RI) V-AIS	46-27-07.055N 084-32-47.477W					AIS MMSI: 993683016	12/24
21423	* Rock Island Passage Traffic (RI) V-AIS	45-26-06.043N 086-44-32.048W					AIS MMSI# 993682124	12/24
11355	* <i>Thunder Bay Traffic Lighted Bell Buoy TB</i>	44-58-41.080N 083-15-17.310W	Mo (A) W		4	Red and white stripes.	Maintained from Apr. 28 to Dec. 1. AIS MMSI: 993682098	11/24
12180	Cheboygan Traffic V-AIS	45-42-14.542N 084-28-18.272W	Mo (A) W (NIGHT)		4		* Vessels are requested to leave buoy on port hand in passing. AIS MMSI: 993682099	11/24
21793	* Cedar River Buoy 3					*	* Remove from list.	11/24
21793	Cedar River Buoy 3	45-24-10.242N 087-20-59.636W				Green can.	* Maintained from May 14 to Nov. 14	11/24
No corrections this week								10/24
No corrections this week								09/24
No corrections this week								08/24

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18875	MUSKEGON HARTSHORN LIGHT Marks north side of shoal.	43-14-05.080N 086-16-32.857W	Fl R 4s	15 5	3	TR on column.	07/24
*							
No corrections this week							06/24
No corrections this week							05/24
4760	<i>Sandusky Bay Exit Channel Lighted Buoy 2</i>	41-28-23.608N 082-42-22.144W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14. 04/24
*							
14135	<i>Little Rapids Cut Junction Lighted Buoy LR</i>	46-29-25.710N 084-18-07.162W	Fl (2+1)R 6s		4	Red with green band.	Year round buoy unlighted from Dec. 7 to Apr. 14. 04/24
*							
14150	<i>Little Rapids Cut Lighted Buoy 104</i>	46-29-34.907N 084-18-14.313W	Q R		3	Red.	Year round buoy unlighted from Dec. 7 to Apr. 14. 04/24
*							
14340	<i>Pointe Aux Pins Channel Lighted Buoy 10</i>	46-29-14.397N 084-26-18.745W	Fl R 4s		4	Red.	Year round buoy unlighted from Nov. 21 to May 1. 04/24
*							
14350	<i>Brush Point Lighted Buoy 13</i>	46-28-23.625N 084-27-28.645W	Q G		4	Green.	Year round buoy unlighted from Dec. 21 to May 1. 04/24
*							
14375	<i>Brush Point Lighted Buoy 17</i>	46-27-43.509N 084-28-04.592W	Q G		4	Green.	Year round buoy unlighted from Dec. 21 to May 1. 04/24
*							
No corrections this week							03/24
No corrections this week							02/24
No corrections this week							01/24