

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS

District: 9 Week: 50/23

> Issued by: Commander (dpw) Ninth Coast Guard District 1240 East Ninth Street, Cleveland, OH 44199-2060 Telephone: (571) 608-1683

Direct questions about this LNM to the above address.

All distances in this publication are STATUTE MILES unless otherwise noted.*

District Nine Internet Address https://www.atlanticarea.uscg.mil/Our-Organization/District-9/ *District Nine Local Notice to Mariners email Address* D09-DG-District-D9-LocalNoticetoMariners@uscg.mil
** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** https://www.navcen.uscg.gov/ Light List Reference: Commandant Publication P16502.7, VOL VII, 2023 Edition Coast Pilot Reference: 2022 U.S. Coast Pilot 6 Great Lakes 52nd Edition

Coast Pilots, along with corrections are available at: https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html The Local Notice to Mariners is available on the Internet at https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district You will also have links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

The Ninth District and all Sector offices for their areas of responsibility issue a BROADCAST NOTICE TO MARINERS. The following Broadcast Notice to Mariners have been incorporated into this week's Local Notice to Mariners:9 Sector Buffalo, NY - B244-23 through B247-23 Ninth District - C193-23 through C193-23 Sector Detroit, MI - D137-22 through D139-23 Sector Lake Michigan, WI - M296-23 through M298-23 Sector Sault Ste Marie, MI - S110-23 through S110-23

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: https://cgls.uscg.mil/mailman/listinfo/nanu. In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: webmaster@smtp.navcen.uscg.mil, or on the internet at: https://www.navcen.uscg.gov

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway Al - Alternating B - Buoy BKW - Breakwater bl - Blast BNM - Broadcast Notice to Mariner

bu - Blue C - Canadian CHAN - Channel

CGD - Coast Guard District

C/O - Cut Off CONT - Contour CRK - Creek CONST - Construction DAYMK/Daymk - Daymark DBN/Dbn - Daybeacon DBD/DAYBD - Dayboard DEFAC - Defaced DEST - Destroyed

I through O I - Interrupted

ICW - Intracoastal Waterway IMCH - Improper Characteristic INL - Inlet INOP - Not Operating
INT - Intensity ISL - Islet Iso - Isophase kHz - Kilohertz LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude LNM - Local Notice to Mariners LT - Liaht

LT CONT - Light Continuous LTR - Letter

LWB - Lighted Whistle Buoy

P through Z PRIV - Private Aid

Q - Quick R - Red RACON - Radar Transponder Beacon Ra ref - Radar reflector RBN - Radio Beacon REBUILT - Aid Rebuilt RECOVERED - Aid Recovered RED - Red Buoy

REFL - Reflective RRL - Range Rear Light RELIGHTED - Aid Relit RELOC - Relocated

RESET ON STATION - Aid Reset on Station RFL - Range Front Light RIV - River

RRASS - Remote Radio Activated Sound Signal s - seconds

SEC - Section SHL - Shoaling

DISCON - Discontinued DMGD/DAMGD - Damaged

ec - eclipse

EST - Established Aid ev - every

EVAL - Evaluation EXT - Extinguished

F - Fixed fl - flash Fl - Flashing G - Green

GIWW - Gulf Intracoastal Waterway

HAZ - Hazard to Navigation

HBR - Harbor

HOR - Horizontal Clearance

HT - Height

LWP - Left Watching Properly

MHz - Megahertz MISS/MSNG - Missing Mo - Morse Code

MRASS - Marine Radio Activated Sound Signal

MSLD - Misleading N/C - Not Charted

NGA - National Geospatial-Intelligence Agency

NO/NUM - Number

NOS - National Ocean Service NW - Notice Writer

OBSCU - Obscured OBST - Obstruction OBSTR - Obstruction Oc - Occulting

ODAS - Anchored Oceanographic Data Buoy

si - silent SIG - Signal SND - Sound

SPM - Single Point Mooring Buoy

SS - Sound Signal STA - Station STRUCT - Structure St M - Statute Mile

TEMP - Temporary Aid Change

TMK - Topmark

TRLB - Temporarily Replaced by Lighted Buoy TRLT - Temporarily Replaced by Light TRUB - Temporarily Replaced by Unlighted Buoy

USACE - Army Corps of Engineers

W - White Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

LIB - Lighted Ice Buoy

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

Cancellation of NOAA Paper and Raster Nautical Charts

The National Oceanic and Atmospheric Administration (NOAA) is undertaking a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months notice of the intent to cancel a specific chart is provided in a "Last Edition" notice. The final cancellation of a chart is made in a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction." A comprehensive list of all canceled NOAA charts is available at: http://www.charts.noaa.gov/MCD/Dole.shtml.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html

An online NOAA Custom Chart application at: https://devgis.charttools.noaa.gov/pod is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

LNM: 04/20

SAFETY NOTICE - NAVIGATIONAL RANGE AND SECTOR LIGHTS ON ELECTRONIC CHARTS

The U.S. Coast Guard has become aware that the Range and Sector Light Characteristic labels are not displayed on Electronic Navigational Charts (ENCs) when used in an Electronic Chart Display and Information System (ECDIS) due to limitations of the S-52 ECDIS display specification. Mariners may query the ENC data directly within ECDIS or refer to the Light List for complete information on Range and Sector Light Characteristics.

LNM: 39/22

PUBLICATION OF NVIC 03-23 GUIDANCE ON NAVIGATIONAL SAFETY IN AND AROUND OFFSHORE RENEWABLE ENERGY INSTALLATIONS (OREI)

The Coast Guard has published Navigation and Vessel Inspection Circular (NVIC) 03-23: Guidance on Navigational Safety In and Around Offshore Renewable Energy Installations (OREI) to highlight considerations when planning and undertaking voyages in the vicinity of offshore renewable energy installations (OREI) in U.S. waters. The prudent mariner should review and utilize this NVIC to make an informed risk assessment prior to navigating within or in the vicinity of an OREI. Important Maritime Safety Information (MSI) relating to OREIs is distributed by Local or Broadcast Notices to Mariners (LNM or BNM) promulgated by Coast Guard Districts. Marine Safety Information Bulletins (MSIB) released by the local Captain of the Port (COTP) may be issued to provide supplemental information. Interested parties should contact the Office of Navigation Systems at CGNAV@uscq.mil with any questions or feedback.

LNM: 47/23

2023 Light List

2023 Light Lists are now available on the USCG Navigation Center's website at: https://www.navcen.uscg.gov/light-list-annual-publication. Coast Guard Light Lists are a means for communicating aids to navigation information to the maritime public. Local Notice to Mariners will continue to advise Light List corrections and NAVCEN will continue to publish a compilation of corrections. Complete versions of the 2023 Light Lists are updated weekly on the NAVCEN website and mariners should download applicable copies and updates as needed at:

https://www.navcen.uscg.gov/weekly-light-lists. A summary of weekly 2023 Light List corrections are available at: https://www.navcen.uscg.gov/light-list-summary-of-corrections.

LNM: 05/23

USACE NOTICE TO NAVIGATION INTERESTS

Current Federal Channel conditions, shoaling, and the most recent channel surveys are available at the following Army Corps of Engineers web sites:

Buffalo: http://www.lrb.usace.army.mil/ Detroit: http://www.lre.usace.army.mil/ Chicago: http://www.lrc.usace.army.mil/ Rock Island: http://www.mvr.usace.army.mil/ St. Paul: https://www.mvp.usace.army.mil/

LNM: 28/12

GREAT LAKES - Great Lakes Water Levels

See Enclosure 1

The current and four week expected water level table for the Great Lakes, Connecting Channels and the St. Lawrence River, will be published in Enclosure 1 following SECTION VIII - LIGHT LIST CORRECTIONS of the Local Notice to Mariner or by visiting the link below:

https://www.lre.usace.army.mil/Missions/Great-Lakes-Information/Great-Lakes-Water-Levels/Water-Level-Forecast/Connecting-Channels-Forecast/

LNM: 32/20

GREAT LAKES - NOAA Winter Data Buoys

The National Oceanic and Atmospheric Administration, in coordination with the U.S. Coast Guard, has deployed a number of small winter data buoys at the permanent positions of the following weather buoys:

NOAA Lighted Weather Buoy 45003 (LLNR 45003), in Northern Lake Huron. NOAA Lighted Weather Buoy 45004 (LLNR 16850), in Eastern Lake Superior NOAA Lighted Weather Buoy 45007 (LLNR 20595), in Southern Lake Michigan

The yellow data buoys are 15" in diameter and exhibit a yellow flashing light (FI Y 2.5s) with a visible range of just over one nautical mile. The data buoys will remain on station until the seasonal weather buoys are reestablished in the spring.

LNM: 50/23

2023-2024 Icebreaking Operations

The Coast Guard will be conducting icebreaking operations during the upcoming winter throughout the Great Lakes, connecting waterways, and adjacent rivers and harbors. Owners of vessels and structures which may be affected are advised to take precautions to protect their property.

LNM: 42/23

LAKE ERIE - Fairport Harbor - Chart 14829

The Coast Guard has established a virtual AIS aid to navigation at the entrance of Fairport Harbor to assist in identifying recent shoaling within the channel. The aid (MMSI: 993682815) is labeled W SHOAL 2 and identifies the encroachment of shoaling on the western side of the channel less than 18.5ft water depth. The aid is for reference only and is positioned based on most recent survey data, and does not account for periodic variations in the position of the shoal. Mariners are urged to use caution while transiting the area.

LNM: 21/23

LAKE ERIE - Portage River - Chart 14829

Low power lines have been reported in the Portage River west of the Monroe Street Bridge in the vicinity of the draw bridge marina. The power lines are lower than the charted height of 83 feet above the low water datum of 1985. All mariners are requested to use caution when transiting the area.

LNM: 29/23

ST. MARYS RIVER - Lake Nicolet To Sault Ste. Marie- Chart 14884

The U.S. Army Corps of Engineers has commissioned Little Rapids Cut Lighted Ice Buoy 98B (LLNR 14105). The buoy marks the upstream end of the ice boom in place on the eastern side of the St. Marys River. The available channel width for navigation is restricted to 385ft. Due to the channel restrictions, VTS St Marys River directs no meeting or overtaking in Little Rapids Cut from Light 98 (LLNR 14100) to Mission PT Obstruction LT C (LLNR 14145).

LNM: 46/23

ST. MARYS RIVER - American Canal - Chart 14884

Northeast Pierhead Light (LLNR 14205) The U. S. Army Corps of Engineers will be relocating this light to the top of their new camera tower. As soon as the position and height of the light's new location is confirmed it will be advertised in Section VIII - Light List Corrections of the LNM.

LNM: 10/21

LAKE MICHIGAN - Muskegon Channel - Chart 14906

The Coast Guard has established a pair of virtual AIS aids to navigation at the entrance of Muskegon Harbor to assist in identifying recent shoaling within the approaches. V-AIS (MMSI: 993682821) identifies the encroachment of shoaling on the northern side of the channel less than 25ft water depth. Similarly, V-AIS (MMSI: 993682842) identifies shoaling on the south side of the channel less than 25ft. The aids are for reference only and are positioned based on most recent survey data and do not account for periodic variations in the position of the shoaling. Mariners are urged to use caution while transiting the area.

LNM: 24/23

LAKE SUPERIOR - Keweenaw - Chart 14972

Keweenaw Upper Entrance West Breakwater Light (LLNR 15115) was reported damaged and swept from its location on the breakwall. The approximately 20' metal tower is submerged in vicinity of the breakwater at an unknown position. All mariners are urged to use caution when transiting the area.

LNM: 12/23

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No. BNM R	ef. LNM St	LNM End
2855	Black Rock Canal Light 15	LT EXT	B233-23	46/23	
3760	Ashtabula Harbor Entrance Light 2	REDUCED INT	B235-23	46/23	
4575	Moseley Channel Range Rear Light	DAYMK MISSING	D095-23	32/23	
6565	Monroe Harbor Range Rear Light	LT EXT		50/23	
10575	Saginaw Bay Channel Lighted Buoy 2	LT EXT	D120-23	37/23	
13125	Sailors Encampment Channel Lighted Buoy 21	LT EXT	S117-23	50/23	
13475	West Neebish Channel (Downbound) Upper Range Rear Light	DAYMK MISSING		36/23	
13960	Upper Nicolet Range Rear Light	DAYMK MISSING	S064-23	26/23	
14050	Six Mile Point Range Rear Light	DAYMK MISSING	S079-23	10/21	
15115	Keweenaw Upper Entrance West Breakwater Light	STRUCT DEST	S015-23	02/23	
15770	Superior Front Channel Lighted Buoy 6	LT EXT	S113-23	50/23	
15790	Superior Front Channel Lighted Buoy 10	LT EXT	S114-23	50/23	
15805	Superior Front Channel Lighted Buoy 14	LT EXT	S115-23	50/23	
15820	Superior Front Channel Lighted Buoy 18	LT EXT	S116-23	50/23	
17210	Canoe Channel Daybeacon 8	STRUCT DEST/TRUB		23/22	
17550	Kabetogama Lake Warning Daybeacon	STRUCT DEST	S114-22	34/22	
19790	Chicago Lake Front Northeast Shoal Lighted Buoy 2	RAC INOP	M098-23	20/23	
20430	Kenosha Breakwater Light	REDUCED INT	M123-23	22/23	
22180	Green Bay Harbor Entrance Channel Range Front Light	DAYMK DMGD	M327-22	24/21	
22185	Green Bay Harbor Entrance Channel Range Rear Light	DAYMK MISSING	M157-23	44/20	

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

360	Wilson Hill Range Front Light	WATCHING PROPERLY			50/23	50/23
14165	Bayfield Rock Range Rear Light	RELIGHTED			50/23	50/23
DISCREPANCIES	(DDIVATE AIDS)					
		Chahua	Chaut Na	DNM D of	LNM C+	I NIM End
LLNR 4190	Aid Name Whiskey Island Marina Entrance Light 1	Status LT EXT	Chart No.	BNM Ref.	23/23	LNM End
12585	Old Round Island Point Light	LT EXT		S006-23	01/23	
DISCREPANCIES	(PRIVATE AIDS) CORRECTED					
LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
3955	Eastlake Intake Breakwater Light	WATCHING PROPERLY	14820		50/23	50/23
5305	East Harbor Entrance Light 1	WATCHING PROPERLY			21/23	
PLATFORM DISC	CREPANCIES					
Name	Status		Position	BNM Ref.	LNM St	LNM End
None						
PLATFORM DISC	CREPANCIES CORRECTED					
Name	Status		Position	BNM Ref.	LNM St	LNM End
This section cont	SECTION III - TEMPORARY CHANGE ains temporary changes and corrections to Aids lging, testing, evaluation, or marking an obstrunew	to Navigation for this ed	lition. When charted ai	ds are tempora	arily	
This section cont	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstru new	s to Navigation for this ed ction, a temporary correc	lition. When charted ai	ds are tempora	arily	
This section cont relocated for drec	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstru new	s to Navigation for this ed ction, a temporary correct position. Status	lition. When charted ai tion shall be listed in Si Chart No.	ds are tempora	arily	LNM End
This section cont relocated for drec	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstru new	s to Navigation for this ed ction, a temporary correc position.	lition. When charted ai tion shall be listed in S	ds are tempora ection IV giving	arily g the	LNM End
This section cont relocated for drece	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstru new NGES Aid Name	s to Navigation for this ed ction, a temporary correct position. Status	lition. When charted ai tion shall be listed in Si Chart No.	ds are tempora ection IV giving	arily g the LNM St	LNM End
This section cont relocated for drece EMPORARY CHAIN LLNR 2105	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstru new NGES Aid Name Oswego Harbor West Channel Light 2	s to Navigation for this ed ction, a temporary correct position. Status TRLB	lition. When charted ai tion shall be listed in Si Chart No.	ds are tempora ection IV giving	LNM St	LNM End
This section contrelocated for drece EMPORARY CHAIN LLNR 2105 8240	ains temporary changes and corrections to Aids lging, testing, evaluation, or marking an obstru new NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light	s to Navigation for this ection, a temporary correction. Status TRLB Reduced Intensity	lition. When charted ai tion shall be listed in Si Chart No.	ds are tempora ection IV giving	LNM St 17/19 33/21	LNM End
This section contrelocated for dred EMPORARY CHAI LLNR 2105 8240 9690	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstru new NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23	s to Navigation for this ediction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING	lition. When charted ai tion shall be listed in So Chart No. 14786	ds are tempora ection IV giving	LNM St 17/19 33/21 47/20	LNM End
This section contrelocated for drece EMPORARY CHAIN LLNR 2105 8240 9690 14540	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2	s to Navigation for this ediction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING	lition. When charted ai tion shall be listed in So Chart No. 14786	ds are tempora ection IV giving	LNM St 17/19 33/21 47/20 47/22	LNM End
This section contrelocated for drece EMPORARY CHAIN LLNR 2105 8240 9690 14540 15220 16963	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED	lition. When charted ai tion shall be listed in So Chart No. 14786	ds are tempora ection IV giving	LNM St 17/19 33/21 47/20 47/22 02/22	LNM End
This section contrelocated for drece EMPORARY CHAIN LLNR 2105 8240 9690 14540 15220 16963	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED	lition. When charted ai tion shall be listed in So Chart No. 14786	ds are tempora ection IV giving	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	LNM End
This section contrelocated for drecent relocated for drecent reloc	Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light NGES CORRECTED	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14786	ds are tempora ection IV giving BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	
This section contrelocated for drece relocated	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light NGES CORRECTED Aid Name	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14786	ds are tempora ection IV giving BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	
This section contrelocated for drece relocated	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light NGES CORRECTED Aid Name	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14961 Chart No.	BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	LNM End
This section contrelocated for drece relocated	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light NGES CORRECTED Aid Name	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14786	ds are tempora ection IV giving BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	LNM End
This section contrelocated for drece EMPORARY CHAIN LLNR 2105 8240 9690 14540 15220 16963 EMPORARY CHAIN LLNR DIRE Name Name	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light NGES CORRECTED Aid Name	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14961 Chart No.	BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	LNM End
This section contrelocated for drece EMPORARY CHAIN LLNR 2105 8240 9690 14540 15220 16963 EMPORARY CHAIN LLNR DIRE Name Name	ains temporary changes and corrections to Aids Iging, testing, evaluation, or marking an obstrunew NGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light NGES CORRECTED Aid Name RARY CHANGES Status	s to Navigation for this ection, a temporary correction, a temporary correction. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14961 Chart No.	BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Last Local Notice Source of Chart Chart Edition Horizontal Current Local Number Edition Date to Mariners Datum Reference Correction Notice to Mariners 12327 19-APR-97 Last LNM: 26/97 91st Ed. **NAD 83** 27/97 Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER Main Panel 2245 NEW YORK HARBOR CGD01 NATIONAL DOCK CHANNEL BUOY 3 (Temp) ADD at 40-41-09.001N 074-02-48.001W - 1 Green can Object of Corrective Corrective Position Action Action

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

NAD 83

NOS

12348 34th Ed. 01-JUN-10
ChartTitle: Hudson River Coxsackie to Troy

Main Panel 2223 HUDSON RIVER COXSACKIE TO TROY NY. Page/Side: N/A

LAST EDITION No new editions of chart 12348 will be published. It will be canceled on 31-Jan-24. Comparable or larger scale Electronic Navigational Chart

(ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

Last LNM: 38/20

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s)
None

Project Date
Ref. LNM

Advance Notice(s)

LAKE ERIE - Toledo Harbor - CHART 14845

The Coast Guard is considering changing the operation of the sound signal on Toledo Harbor Light (LLNR 6030) from seasonally operating continuously April 1st to December 1st, to Mariner Radio Activated Sound Signal (MRASS) year-round. The sound signal would be activated by keying the microphone five or more times on VHF FM channel 83A / 157.175MHz.

LNM: 50/23

50/23

LAKE ERIE - Detroit - CHART 14854

The Coast Guard is considering changing the operation of the sound signal on Detroit River Light (LLNR 6885) from operating continuously, to Mariner Radio Activated Sound Signal (MRASS) year-round. The sound signal would be activated by keying the microphone five or more times on VHF FM channel 83A / 157.175MHz.

LNM: 50/23

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s) <u>Closing</u> <u>Docket No.</u> <u>Ref. LNM</u>

None

Proposed Change Notice(s)

ST CLAIR RIVER - St Clair Flats Canal

The Coast Guard is considering permanently establishing three danger buoys within the St. Clair Flats Canal, in the St. Clair River, to assist mariners in marking the partially submerged earthen dike along the southeast edge of the channel. The lighted buoys will be evenly spaced along the dike, extending from the lower point of Seaway Island to the St. Clair Flats Danger Light (LLNR 9575). The buoy characteristics will be white and orange in color and display the text "DANGER ROCKS" across the buoy.

Page 6 of 10 Coast Guard District 9

LNM: 50/23

LNM: 46/23

LAKE SUPERIOR - Ashland Harbor

The Coast Guard is evaluating the permanent disestablishment of the following floating aids to navigation in the Ashland Harbor Western Channel in Ashland, WI.

Ashland Harbor Lighted Buoy 1 (LLNR 15355) Ashland Harbor Buoy 2 (LLNR 15360) Ashland Harbor Buoy 3 (LLNR 15365) Ashland Harbor Lighted Buoy 4 (LLNR 15370) Ashland Harbor Buoy 5 (LLNR 15375)

LNM: 46/23

For any comments or questions on these proposed changes please contact:

The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.

LNM: 30/13

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

Waterways Analysis and Management System

The Ninth Coast Guard District is currently recategorizing regional waterways to prioritize areas that require more frequent review and analysis. These studies focus primarily on the aids to navigation in the waterway, and are set to resume in 2024. Selected waterways will be listed below. Public comments are an important tool in this process so that we can provide the adequate markings and the right mix of signals to a waterway for safe navigation. Comments on the listed waterways can be sent to Brian.D.Hawkins2@uscg.mil or by calling (206) 815-0913. You may also complete the survey attached to the Local Notice to Mariner and either email it or mail it to: Commander (dpw), Ninth Coast Guard District, 1240 East Ninth St., Cleveland, Ohio 44199.

LNM: 09/20

GREAT LAKES - Marine Events

Marine events such as races, parades, regattas, and fireworks displays are frequently held in the Great Lakes region. Advance information on specific events is contained in enclosure (2) of this publication. The public is reminded to listen to the local broadcast notice to mariners for the most up-to-date information on a marine event. Mariners are advised that some events may require temporary aids to navigation that are not displayed on a chart or in the Light List, and that they should exercise additional caution while operating in the vicinity of a scheduled marine event.

LNM: 24/13

LAKE ONTARIO - Little Sodus Bay - Chart 14800

There is an uncharted breakwall along the shore extending from the west side of Little Sodus Bay entrance to the boat ramp of West Barrier Bar County Park. The breakwall is unmarked and unlit. Visibility of the breakwall may be impacted due to high water. All mariners are requested to transit the area with caution.

LNM: 19/23

LAKE ERIE - Buffalo - Chart 14838

From 1 July 2023 to 15 December 2023 Ryba Marine Construction will be conducting repairs to the Buffalo north breakwater. Hours of operation are 24 hours a day 7 days a week. Tug Thomas R. Morrish can be contacted on VHF channels 13 and 16. All mariners are requested to transit the area with caution.

LNM: 22/23

LAKE ERIE - OH - Ashtabula Harbor - Chart 14836

A submerged breakwater is being constructed in Ashtabula Harbor, to be connected to the existing East Breakwater. The submerged breakwater will be connected to the East Breakwater at the first angle point of the East Breakwater, as entering the harbor, from the lake. All elevations referenced

are referred to Low Water Datum (LWD), IGLD 1985.

The center line of the submerged breakwater approximately follows the same azimuth as the first segment of the East Breakwater, in a south easterly direction, for approximately 1000', then slightly bends to the east for another two segments, for approximately 500'.

The first 1000' (Area "A") has a crest design height of -2.0' with a crest width of 9', and a footprint of approximately 150', with the next 100' transitioning to the dimensions in the next item.

The final 400 (Area "B") has a crest height of -5.0', with a crest width of 9', and a footprint of approximately 50'.

The coordinates, in decimal degrees, are as follows:

- 1. 41.918447801N 80.790362308W
- 2. 41.916367139N 80.788014301W
- 3. 41.916189406N 80.787730327W
- 4. 41.916026216N 80.787424318W
- 5. 41.915640784N 80.786454826W
- 6. 41.916242815N 80.783904852W

LAKE ERIE - OH - Ashtabula Harbor - Chart 14836

All mariners are requested to transit the area with caution.

LNM: 17/23

LAKE ERIE - OH - Ashtabula Harbor - Chart 14836

From 17 November 2023 to 01 December 2024, Frontier Industrial Corp. will be deconstructing all of the old Ashtabula Power Plant's breakwater armor stone located at 2133 lake road east, Ashtabula, Ohio. Hours of operation are 0700 to 1900 normally 7 days a week, with a possibility of 24 hours when needed. Company representatives can be contact at 716-447-7587. A safety zone has been established for this project with a 350-yard radius safety zone centered on coordinates 41° 54′43″ N, 080° 46′09″ W (NAD83). This rule making can be found on the Federal Register's web site under Docket Number: USCG-2023-0662. All mariners are advised to proceed with extreme caution in the area.

_NM: 48/23

LAKE ERIE - OH - Cleveland Harbor - Chart 14839

The Great Lakes Construction Co. will be conducting bulkhead replacement operations in the Cuyahoga River in the vicinity of the Shelly Liquids Dock. A shoreside crane will be used to install new steel sheeting and a small in-water float will be used to facilitate waterside access. Operations are expected to commence on or around 27NOV23 and will conclude on or around 15MAR24. During work hours the on station crew will monitor VHF channel 16 from 0700- 1700 HRS M-F.

LNM: 47/23

LAKE HURON - Saginaw Bay - Chart 14860

From 30 Oct 2023 to 15 Dec 2023 Great Lakes Dock and Materials will be conducting structure demo and rebuild at the NW shore of shelter and Channel Island in Saginaw Bay. Hours of operation are 24 hours a day 7 days a week. Barge Hanna Avery and Jacquelyn, Tug George F Bailey and Fischer Hayden can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 41/23

LAKE MICHIGAN - New Buffalo Harbor - Chart 14905

Shoaling has been reported near the middle of the channel immediately inside the break wall in New Buffalo Harbor, MI. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/22

LAKE MICHIGAN - Port Sheldon - Chart 14932

Shoaling has been reported near Pigeon Lake at the Port Sheldon entrance. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/23

LAKE MICHIGAN - Port Sheldon - Chart 14932

From 01 Dec 2023 to 31 Dec 2023 the King Company will be Dredging the Port Sheldon channel. The submerged pipe is lying on the lake floor, marked by orange round buoys every 500 feet. (2) white buoys will be seen North and South of the dredge. The white buoys indicate winch anchor locations. The disposal area starts south of the channel 5,000' and runs for an additional 2,500' North. The main contact will be the Superintendent Joseph Martin. Cell # is listed below. During rough seas, our pipe pontoon will float inside the channel. It is bright yellow, 25'x8'x6' and has (2) flashing lights on each end that come on at night.

LNM: 48/23

LAKE MICHIGAN - Muskegon Channel - Chart 14906

The Coast Guard has received reports that the depths at the entrance to Muskegon Lake are less than the charted depths. All mariners are requested to transit the area with caution.

LNM: 17/23

LAKE MICHIGAN - Sheboygan River - Chart 14922

Shoaling has been reported in entrance of the Sheboygan River in the vicinity of 43-44.928N, 087-42.170W AND 43-44.936N, 087-42.110W. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 24/22

LAKE MICHIGAN - Sheboygan - Chart 14924

From 12 Aug 2023 to 31 Jan 2024 the Kokosing Industrial Inc will be conducting pipeline installation, dredging and diving operations at the Sheboygan Water Utility in Sheboygan, WI. Hours of operation from 0700 to 1900 7 days a week. Tug Nancy Anne and Tug WM Boyd can be contacted on VHF channels 13 and 16. All mariners are requested to transit the area with caution.

LNM: 33/23

LAKE MICHIGAN - Sheboygan - Chart 14924

From 6 July 2023 to 31 Jan 2024 Kokosing Industrial will be conducting pipeline installation dredging and diving. Hours of operation are 0700 to 1900 normally 7 days a week with a possibility of 24 hours when needed. Tug Nancy Anne and Tug WM Boyd can be contacted on VHF channels 13 and 16. Mooring buoys will be located 1500 ft due north of the Sheboygan Water Utility. All mariners are requested to transit the area with caution.

LNM: 28/23

LAKE MICHIGAN – Green Bay – Chart 14902

From 07 Sep 2023 to 31 Dec 2023 Roen Salvage Company will be conducting mooring dolphin installation and grudging at the Holcim Green Bay Terminal. Hours of operation are 24 hours a day 7 days a week. Tug David R Schanock can be contacted on VHF channels 7 and 16. All mariners are

Page 8 of 10 Coast Guard District 9

LNM: 50/23

LAKE MICHIGAN - Green Bay - Chart 14902

requested to transit the area with caution.

LNM: 30/23

LAKE MICHIGAN -Milwaukee Harbor - Chart 14902

From 10 Nov 2023 to 30 Dec 2023 Great Lakes Dock and Material will be dredging in the main entrance and south entrance channels of Milwaukee Harbor. Hours of operation are 7 days a week 24 hours a day. Barge Justin Avery, Tug Defiance and Tug George F. Bailey can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 45/23

LAKE SUPERIOR – Little Lake Harbor – Chart 14961

Shoaling has been reported in the entrance of Little Lake Harbor exceeding 5 feet above low water datum near the channel edges. Some cross sections of the channel are shoaled nearly the full width to 2 feet or more above low datum. The harbor should not be considered as a functional harbor or refuge. All mariners are requested to transit the area with caution.

LNM: 47/22

	An As		TION VIII - LIGI the column in which				mation	
Na	(2) ame and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure		(8) Remarks
ne					-			
			ENCLO	SURES				
	(1) LNM Section I	- Special Notices	•					
1-Great	Lakes Water Levels						LNM:	06/22
	(2) LNM Section I	I - Discrepancies						
N/A							,	10/10
							LNM:	19/19
	(3) LNM Section I	II - Temporary Ch	anges and Tempor	ary Change	s Correcte	d		
N/A							LNM:	19/19
	(4) I NIM O	V. Obert Orner 1						,
N/A	(4) LNM Section I	v - Chart Correcti	ions					
, .							LNM:	19/19
	(5) LNM Section \	/ - Advance Notic	es					
N/A								
							LNM:	19/19
	(6) LNM Section \	/I - Proposed Cha	anges					
N/A							LNM:	19/19
								•
1-Marin	(7) LNM Section \ e Events	/II - General						
	nt Ninth District Bridge	Maintenance/Activ	vities					
	way Analysis and Mana							
	. , ,	. 5 3 2 7 0.0 0	- - /				LNM:	19/19
	(8) LNM Section \	/III - Light List Co	rrections					
N/A								10/10

LNM:

19/19

J. P. Hickey, RADM U. S. Coast Guard Commander, Ninth Coast Guard District

GREAT LAKES, CONNECTING CHANNELS AND ST. LAWRENCE RIVER WATER LEVELS AND DEPTHS

Expected water levels on the Great Lakes, Connecting Channels and the St. Lawrence River are given in inches above (+,0) or below (-,0) Low-Water Datum (LWD,0). LWD is a plane of reference on a navigation chart, also known as Chart Datum. LWD elevations shown below are given in International Great Lakes Datum, 1985 (IGLD 1985,0).

		Low Water Expected Levels (inches above or below Low Wate					
	Forecast Point	Datum	Current	Week 1	Week 2	Week 3	Week 4
	Polit	IGLD 1985	8-Dec	15-Dec	22-Dec	29-Dec	5-Jan
GREAT LAKES							
Lake Ontario		243.3	12	12	12	12	12
Lake Erie		569.2	30	30	30	30	30
Lake St. Clair		572.3	27	27	27	27	27
Lake Michigan-Huron		577.5	17	16	16	16	15
Lake Superior		601.1	6	5	4	3	2
ST. LAWRENCE RIVER							
Above Long Sault Dam	0	237.9	20	12	12	12	13
Above Iroquois Dam	1	240.3	12	7	7	7	7
Ogdensburg	2	242.4	9	6	6	5	6
Alexandria Bay	2.1	243.0	12	12	12	11	11
Head of river at Cape Vincent	3	243.3	12	12	12	12	12
DETROIT RIVER							
Lake Erie at Pelee Passage	4	569.2	30	30	30	30	30
Mouth of River at Gibraltar	5	569.5	30	30	30	30	30
Fort Wayne	5.1	571.1	31	31	31	31	31
Head of River above Belle Isle	6	572.0	28	28	28	28	28
ST. CLAIR RIVER							
Mouth of River at St. Clair Flats	7	572.3	27	27	27	27	27
Algonac	8	572.8	30	30	30	30	29
St. Clair	9	574.4	25	25	25	24	24
Blue Water Bridge	10	576.2	23	23	22	22	21
Head of River at Fort Gratiot	11	577.2	19	19	18	18	17
Lake Huron Approach Channel	12	577.5	17	16	16	16	15
ST. MARYS RIVER							
Mouth of River at Detour	13	577.5	17	16	16	16	15
West and Middle Neebish	14	577.8	17	17	17	16	16
Head of Little Rapids	15	578.4	13	13	12	12	11
U.S. Slip	16	578.7	12	12	11	11	10
Above Locks	17	600.4	8	7	6	5	4
Head of River at Point Iroquois	18	601.1	6	5	4	3	2


UNDERSTANDING THE FORECAST

Available water depth is determined for a location by adding (if+) or subtracting (if-) the amount from the above table to the appropriate channel depth shown in the profile Connecting Channel Depths Graphic or to water depths shown on National Oceanic and Atmospheric Administration (NOAA) navigational charts.

CAUTION

Depths so determined are representative of a still water surface elevation, disturbed by neither wind nor other causes. Depths, however, may be reduced or increased as much as several feet for short periods due to these disturbances, or when sections of channels develop shoals. Vessel masters should refer to "Local Notice to Mariners" for extent of shoaling and scattered bedrock projections in all channels. Ice conditions can have a dramatic impact on actual channel depth and can lead to large short-term water level fluctuations. Ice information can be found at the National Ice Center's website.

FOR FURTHER INFORMATION CONTACT:	FOR MORE INFORMATION VISIT:	WATER LEVEL INFORMATION SUPPLIED BY:
Detroit District Corps of Engineers	Detroit District Great Lakes Homepage	NOAA, National Ocean Service
477 Michigan Avenue	International Joint Commission	SSMC4, STATION 7523
Detroit MI, 48226	Great Lakes Information Network	1305 East-West Hwy
1-888-694-8318 ex. 1	NOAA Tides and Currents	Silver Spring, MD 20910-3233
email: hhpm@usace.army.mil	U.S. Coast Guard - District 9	(301) 713-2902




Detroit & St. Clair Rivers NOAA Gauge Locations: 1. Fermi, 2. Gibraltar, 3. Wyandotte, 4. Fort Wayne, 5. Windmill Point, 6. St. Clair Shores, 7. Algonac, 8. St. Clair State Police, 9. Mouth of Black River, 10. Fort Gratiot

This Chart is for general information only.

Vessel masters should refer to <u>Local Notice to Mariners</u>

for extent of shoaling and scattered bedrock projections in all channels.

The connecting channels, as authorized, provide depths varying from 27 to 30 feet below Low Water Datum (LWD), depending on exposure of channel, hardness of bottom material and vessel squat in each reach. These depths are designed to permit maximum draft of 25'6" for lake vessels when the water level is at LWD. However, the individual vessel master should give further consideration to the characteristics peculiar to his vessel and to his individual clearance and safety requirements in determining the safe draft to which to load his



300 ft. easterly width has 21 ft. design depth. In upper section depths are for full 600 ft. width.

CURRENT NINTH DISTRICT BRIDGE MAINTENANCE/ACTIVITIES Local Notice to Mariner Week [50/23]

Note: Short-term bridge maintenance closures and various activities may only be published through Broadcast Notice to Mariners and may not be included in the Local Notice to Mariners. Mariners should both *listen* to Broadcast Notice to Mariners (BNM) and *read* Coast Guard Local Notice to Mariners (LNM) available by clicking <u>HERE</u> for the most recent and complete marine information.

There is a Microsoft Teams meeting with the US Coast Guard, Mariners, and Bridge Owners being held on the last Wednesday of every month, and **YOU** are welcome to join in.

Join on your computer or mobile app

Click here to join the meeting

Or call in (audio only)

+1 410-874-6742,,515305017#

Phone Conference ID: 515 305 017#

PUBLIC NOTICES FOR 9th District BRIDGES: https://www.navcen.uscg.gov/D9BN

Please contact us with any questions or concerns:

Blair Stanifer (216) 902-6086 or William.B.Stanifer@uscg.mil

Lee Soule (216) 902-6085 or Lee.D.Soule@uscg.mil

Michael Walker (216) 902-6087 or Michael.O.Walker2@uscg.mil

FAX: (216) 902-6088

Commander (dpb) Ninth Coast Guard District 1240 E. 9th St. Room 2047B Cleveland, Ohio 44199-2001

NOTES:

For the rest of the month (due to the holidays) please remember to email michael.o.walker2@uscg.mil and lee.d.soule@uscg.mil as we will be alternating our work days over the rest of December to cover for leave and liberty days.

The Anthony J. Celebrezze Federal Building (where the bridge office is located) will be closed on December 25th in observance of **Christmas Day**, a Federal Holiday; but, the District and Sector Command Centers will be open 24/7. If you have urgent bridge issues on these days call 216-902-6118 for the D9 Command Center who will contact one of us for you.

The Anthony J. Celebrezze Federal Building (where the bridge office is located) will be closed on January 1st in observance of **New Year's Day**, a Federal Holiday; but, the District and Sector Command Centers will be open 24/7. If you have urgent bridge issues on these days call 216-902-6118 for the D9 Command Center who will contact one of us for you.

```
USCG-2023-0183 - FR - River Rouge - to Legal Review and Command Approval USCG-2023-0184 - FR - Maumee River - to Legal Review and Command Approval USCG-2023-0185 - FR - Sandusky Bay - to Legal Review and Command Approval USCG-2023-0186 - FR - Portage River - to Legal Review and Command Approval USCG-2023-0187 - FR - Black River - to Legal Review and Command Approval USCG-2023-0188 - FR - Cuyahoga River - to Legal Review and Command Approval USCG-2023-0189 - FR - Ashtabula River - to Legal Review and Command Approval USCG-2023-0912 - NPRM - Independence Bridge Rehab - to District Commander for approval
```

GREAT LAKES REGION

GREAT LAKES, Drawbridge Delay Reports, Chart 14500

Mariners are requested to submit Reports of Drawbridge Signal/Operations Delays directly to the Ninth Coast Guard District Bridge Branch using the attached form. Reports of signal or drawbridge delays have been processed by Coast Guard Marine Safety Offices in recent years but will now be processed and traced by the Bridge Branch. Reports may be sent by mail, e-mail, or by fax. The mailing address and fax number are on the form. The updated form is printed and attached on the last page of this list.

[08/05] [34/12]

ST. LAWRENCE SEAWAY

NY STATE CANAL SYSTEM

(Everything West of St. Johnsville, NY)

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From April 1, 2023, through **July 1, 2024**, snooper trucks will be working under the E-182 Main Street Bridge, mile 278.93, over the Erie Canal to rehabilitate the bridge in the fully open position. The permitted navigation lights will be removed and temporarily replaced with steady burning yellow lights on the bottom and four-corners of the drawspan. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass.

[12/22]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From March 15, 2024, through **January 31, 2025**, daily, contractors will utilize scaffolding and man lifts above low steel of the E144C I-390 Bridge at mile 258.65 and the E144D I-390 Bridge at mile 258.68 over the Erie Canal.

[42/23]

LAKE ONTARIO

LAKE ERIE - MAHONING RIVER - NIAGARA RIVER- ALLEGHENY RIVER

*****REVISED****

OH - LAKE ERIE - Toledo Harbor - Chart 14847

From July 1, 2019, through April 14, 2024, a temporary causeway will be constructed between mile 6.73 and

6.76 for the construction of the new and demolition of the old Michael V. DiSalle Memorial (I-75) Bridge at Mile 6.73 over the Maumee River. The causeway will be marked with flashing yellow lights spaced approximately 10 meters apart with red over red lights marking the ends of the causeway. A 100-foot-wide channel will be provided for vessels to pass through the construction area. Mariners are encouraged to pass through the area at a slow speed.

[26/19] [21/20] [14/23] [37/23] [49/23]

NY - LAKE ERIE - Buffalo Harbor - Chart 14833

From January 1 through **March 31, 2024**, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.

[30/23]

NY - LAKE ERIE - Buffalo Harbor - Chart 14833

From January 1 through March 31, 2025, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.

[30/23]

NY - LAKE ERIE - Niagara River - Chart 14833

From August 28, 2023, through **July 26, 2026**, scaffolding that extends approximately 3-feet below low steel will be installed under the South Grand Island Bridge at Mile 3.40 and the North Grand Island Bridge at Mile 18, both over the Niagara River. A 16-foot by 32-foot materials barge and a 4-foot by 40-foot temporary dock will be used under the bridges.

[32/23]

OH - LAKE ERIE - Otter Creek - Chart 14846

The Coast Guard has received a report that back fill extending approximately 14-feet has been added to the Norfolk Southern Railroad Bridge at mile 1.8 over Otter Creek. Steady burning red lights will warn mariners of the temporary reduction in horizontal clearance. The temporary reduction may last until **March 31, 2024**, before permanent repairs can be made.

[36/23]

OH - LAKE ERIE - Cuyahoga River - Chart 14839

From June 1, 2024, through September 30, 2026, daily scaffolding will be installed under the I-490 Bridge at mile 4.79 over the Cuyahoga River that hangs approximately 4-feet below low steel. Snooper vehicles and manlifts will be used. Spotters will warn workers of approaching vessels and move the manlift to allow vessels to pass.

[43/23]

*****REVISED****

OH - LAKE ERIE - Toledo Harbor - Chart 14847

From November 3 through **December 21, 2023**, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will require a 2-hour advance notice for openings due to a destroyed traffic gate. Mariners should provide advance notice directly to the drawtender. [45/23] [49/23]

OH - LAKE ERIE – Cuyahoga River – Chart 14839

From December 18, 2023, through **March 20, 2024**, all city of Cleveland operated bridges over the Cuyahoga River including the North Coast Harbor will require a 12-hour advance notice for openings. Mariners should provide advance notice directly to the Carter Road drawtender by calling 216-664-4767 or by email to rscott@clevelandohio.gov.

[46/23]

DETROIT RIVER - LAKE ST. CLAIR - ST. CLAIR RIVER - RIVER ROUGE

*****REVISED****

MI - DETROIT RIVER - Main Channel - Chart 14848

From November 1, 2022, through **August 30, 2024**, contractors will be constructing the Gordie Howe International Bridge at mile 16.7 over the Detroit River. No equipment will be placed in the water. Overhead work will have temporary steady burning yellow lights to mark new construction. A moving platform with quick flashing red lights and orange or red ball fenders on the bottom four corners with a safety net that hangs approximately 15-feet below low steel will be constructing the bridge. Mariners should avoid passing directly under the platform at any time. Snooper type vehicles will be utilized on the bridge throughout construction. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. When construction is completed and all equipment removed, the final vertical clearances for the bridge will be 152-feet for the center 100-feet of the navigation channel. No less than 137-feet of vertical clearance will be available at the channel limits. Vertical clearances are based on IGLD85.

[47/20] [07/22]

MI - DETROIT RIVER - Trenton Channel - Chart 14848

From November 27 through **December 23, 2023**, the Grosse Ile Toll Bridge at Mile 8.80 over the Trenton Channel of the Detroit River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. A 110-foot by 45-foot barge will be working under the bridge between the hours of 0700 to 1700, Monday through Saturday and will move if the drawtender is provided a 2-hour advance notice of arrival.

[45/23]

LAKE HURON

MI - LAKE HURON - Saginaw River - Chart 14867

From December 18, 2023, through **April 19, 2024**, the Independence Street Bridge at Mile 3.88, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Two barges 80-foot by 40-foot or smaller will be working under the bridge. The barges will move with a 2-hour advance notice. Mariners should provide advance notice for the barges by calling 608-425-0171.

[17/23] [47/23]

MI - LAKE HURON - Port Huron - Chart 14865

From March 25 through **March 31, 2024**, the 7th Street Bridge at mile 0.50 over the Black River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. [49/23]

LAKE MICHIGAN – EAST

*****REVISED****

MI - LAKE MICHIGAN - Charlevoix Harbor - Chart 14942

From 0700 on January 1, 2024, through 0700 on March 31, 2024, the US 31 Bridge Street Bridge, over the Pine River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[32/22] [33/22]

*****REVISED****

MI - LAKE MICHIGAN - Manistee Harbor - Chart 14938

From December 1, 2023, through **April 1, 2024**, the US 31 Bridge at Mile 1.4 over the Manistee River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

From June 26 through December 1, 2023, between the hours of 0700 and 1930 Monday through Saturday, two 30-foot by 40-foot barges will be working under the bridge. The barges will move to accommodate large vessels will a 30-minute advance notice provided directly to the barge by calling 269-720-5424 or 269-941-3431. From December 1 through April 1, 2024, scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge.

[25/23] [26/23]

LAKE MICHIGAN – MICHIGAN CITY & INDIANA HARBOR & GARY HARBOR

IL - LAKE MICHIGAN - Michigan City - Chart 14926

From December 1, 2023, through **March 15, 2024**, the Franklin Street Bridge at Mile 0.50 over Trail Creek will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[37/23]

LAKE MICHIGAN - CALUMET RIVER & LITTLE CALUMET RIVER

IL - LAKE MICHIGAN - Calumet Harbor - Chart 14927

From September 7, 2023, through **May 22, 2024**, scaffolding will be installed under the Indiana Avenue Bridge at Mile 10.80 (CORPS MILE 322.3) over the Little Calumet River that hangs approximately 1-foot below low steel.

[34/23]

IL - LAKE MICHIGAN - Calumet Harbor - Chart 14927

From November 17, 2023, through **December 22, 2023**, between the hours of 0600 and 1800, Monday through Friday, contractor will utilize a 30-foot by 90-foot barge under the Chicago Skyway Bridge at Mile 1.50 (CORPS MILE 331.7) over the Calumet River. The barge will monitor VHF-FM marine Channel 16 and will move to accommodate vessels if a 2-hour advance notice is provided. [47/23]

IL - LAKE MICHIGAN - Calumet Harbor - Chart 14927

On **December 11 and again on December 14, 2023**, between the hours of 0900 and 1300, the 92nd Street Bridge at Mile 0.76 (CORPS MILE 332.4) over Calumet River will have one leaf secured to masted navigation while the other leaf works normally. Vessels able to pass under the bridge without an opening may do so at any time.

[49/23]

<u>CHICAGO RIVER – MAIN RIVER CHANNEL, NORTH BRANCH, NORTH SHORE CHANNEL, AND SOUTH BRANCH AND SOUTH FORK OF SOUTH BRANCH</u>

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

From October 16 through **January 15, 2023**, between the hours of 0700 and 1730 daily, a 125-foot by 35-foot barge will be working under the Michigan Street Bridge at Mile 0.85 (CORPS MILE 326.3) over the Main Branch of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and move if a 1-hour advance notice is provided.

[42/23]

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

From November 20, 2023, through **February 16, 2023**, between the hours of 0600 and 1800 Monday through Friday an 80-foot by 20-foot barge will be working under the Division Street Bridge at Mile 2.99 (CORPS

MILE 326.8) over the North Branch Canal of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and move to accommodate vessels traffic with a 1-hour advance notice. [43/23]

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

On **December 8, 9, 15, and 16, 2023** between the hours of 2200 and 0600 each day, the Amtrak Railroad Bridge at Mile 3.44 (CORPS MILE 323.5) over the South Branch of the Chicago River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. [48/23]

CALUMET SAG CHANNEL

IL - LAKE MICHIGAN - Calumet-SAG Channel - Chart 14927

From October 15 through **December 15, 2023**, scaffolding will be installed under the Southwest Highway Bridge at Mile 22.25 (CORPS MILE 310.7) over the Calumet-SAG Channel that hangs approximately 2-feet below low steel.

[37/23]

CHICAGO SANITARY AND SHIP CANAL, KANKAKEE RIVER & ROCK RIVER

(Lake Michigan to Mile 36.2/291.1)

IL - LAKE MICHIGAN - Chicago Sanitary and Ship Canal - Chart 14927

From September 15, 2023, through **January 5, 2024**, between the hours of 0600 and 1600, Monday through Saturday, a 20-foot by 80-foot barge will be working under the South California Avenue Bridge at Mile 7.3 (CORPS MILE 320.0) over the Chicago Sanitary and Ship Canal. The barge will monitor VHF-Fm Marine Channel 16 and will move if a 1-hour advance notice is provided. [38/23]

LAKE MICHIGAN – WEST

WI - LAKE MICHIGAN - Racine Harbor - Chart 14925

From December 1, 2023, through **April 1, 2024**, the State Street Bridge at Mile 0.53 over the Root River will be secured to masted navigation and scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge. Vessels that can safely pass under the bridge without an opening may do so at any time. [43/22]

*****REVISED****

WI - LAKE MICHIGAN - Milwaukee Harbor - Chart 14924

from May 1 through **December 23, 2023**, two barges 70-feet by 50-feet or smaller will be working under the bridge, A 20-foor channel will be maintained through the project but larger vessel may call 262-366-5121 and request the barges to move with a 2-hour advance notice. [17/23] [33/23] [49/23]

LAKE MICHIGAN - Sturgeon Bay Ship Canal - Green Bay - Fox River - Wolf River

WI - LAKE MICHIGAN - Green Bay - Chart 14918

From December 1, 2026, through March 31, 2027, the Tilleman Memorial Bridge at mile 2.27 over the Fox River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. [49/23]

LAKE SUPERIOR

RAINY LAKE, RAINY RIVER, LAKE OF THE WOODS, WISCONSIN RIVER, MISSISSIPPI RIVER, & RED RIVER OF THE NORTH

Authorized Winter Hours for Great Lakes Bridges October 15, 2023 - April 30, 2024

					OCCODE: 1	3, 2023 1	(prii 30, 20	= '		Last Op	dated: 0 1 DEC 202
Chart Number	Port Name	Bridge Name	Mile	Waterway	Start Date	End Date	Advance Notice	Primary Phone Number	Secondary Phone Number	Alternate Phone	Alternate Phone
14815	Rochester	O' Rorke	1.2	Genesee	16-Dec	31-Mar	12-hours	585-753-7750	585-753-7780		
14832	Black Rock	Ferry Street	2.6	Black Rock	1-Dec	14-Apr	4-hours	716-866-4323			
14832	Black Rock	Canadian Natl	3.8	Black Rock	1-Dec	14-Apr	4-hours	289-683-6000	905-788-7502	905-351-3708	416-580-3320
14833	Buffalo	Michigan Ave	1.3	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14833	Buffalo	Ohio St	2.1	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14836	Ashtabula	5th Street	1.4	Ashtabula	15-Dec	31-Mar	12-Hours	440-576-2816	440-813-8229	440-228-2168	440-645-9041
14839	Cleveland	All City Bridges		Cuyahoga	19-Dec	20-Mar	12-Hours	VHF-FM 16	216-664-4767	Rscott@clevelan dohio.gov	
14836	Ashtabula	NS RR	1.4	Ashtabula	30-Nov	1-Apr	24-hours	800-214-3609	470-463-1001	404-520-4138	
14841	Lorain	Charles Berry	0.6	Black River	1-Jan	31-Mar	12-hours	VHF-FM 16	440-244-2137		
14844	Port Clinton	Monroe St	0.4	Portage River	1-Dec	30-Apr	24-hours	419-409-0147	419-373-7050		
14844	Port Clinton	NS RR	1.5	Portage River	1-Dec	30-Apr	24-hours	419-254-1539			
14844	Sandusky	NS RR	3.5	Sandusky	1-Dec	31-Mar	24-hours	419-254-1539			
14846	Toledo	CSX RR	1.07	Maumee	21-Dec	31-Dec	04-hours	419-729-4321	419-697-2307		
14846	Toledo	CSX RR	1.07	Maumee	31-Dec	31-Mar	12-hours	419-729-4321	419-697-2307		
14846	Toledo	W&LE	1.8	Maumee	21-Dec	31-Dec	04-hours	330-767-7211	330-767-7215		
14846	Toledo	W&LE	1.8	Maumee	31-Dec	31-Mar	12-hours	330-767-7211	330-767-7215		
14846	Toledo	Craig Mem	3.3	Maumee	21-Dec	31-Dec	04-hours	419-409-0147	419-373-7050		
14846	Toledo	MLK	4.3	Maumee	21-Dec	31-Dec	04-hours	419-467-3558	419-346-8653	567-970-0508	
14846	Toledo	MLK	4.3	Maumee	1-Jan	31-Mar		419-467-3558	419-346-8653	567-970-0508	
14846	Toledo	NS RR	5.76	Maumee	21-Dec	31-Mar		419-254-1539			
14848	St. Clair	M29	0.1	Pine River	1-Dec	31-Mar		810-941-7819			
14848	Detroit	Grosse Ile Free	5.6	Detroit River	15-Dec	15-Mar	12-hours	734-955-2172	888-762-3273	313-737-9837	
14848	Detroit	Grosse Ile Toll	8.8	Detroit River	15-Dec			734-282-2914			
14864	Alpena	2nd Ave	0.3	Thunder Bay	1-Jan	31-Dec		989-464-3416			
14865	Port Huron	Canadian Natl	1.56	Black River	1-Nov	30-Apr		708-332-3002		810-240-6390	
14865	Port Huron	Military St	0.3	Black River	1-Nov	30-Apr	12-hours	810-984-9730	810-985-8115		

Last Updated: 04 DEC 2023

14924

Milwaukee

All City Owned

1.28

Milwaukee

2-Nov

15-Apr 12-Hours

VHF-FM 16

414-286-2575

VHF-174-1411

Authorized Winter Hours for Great Lakes Bridges October 15, 2023 - April 30, 2024

Last Updated: 04 DEC 2023 **Black River** 14865 **Port Huron** Seventh St 0.5 1-Nov 30-Apr 12-hours 810-984-9730 810-985-8115 14865 **Tenth St** 0.9 **Black River** 1-Nov 30-Apr 12-hours 810-984-9730 810-985-8115 **Port Huron** 14867 Lake State RR 3.1 31-Mar 12-hours 989-393-9815 989-387-3941 **Emergency: Bay City** Saginaw 1-Jan 989-393-2988 14867 Cen. Mich. RR 4.94 31-Mar 12-hours 989-274-1381 989-439-3251 989-717-0013 **Bay City** Saginaw 1-Jan 14867 12-hours 989-737-3793 **Bay City** Independence 3.88 Saginaw 1-Jan 31-Mar 14867 4.99 12-hours 989-737-3793 **Bay City** Liberty Saginaw 1-Jan 31-Mar 14867 **Bay City Veterans Mem** 5.6 Saginaw 1-Jan 31-Mar 12-hours 989-737-3793 14867 6.78 12-hours 989-737-3793 **Bay City** Lafavette Saginaw 1-Jan 31-Mar 14884 SOO **Canadian Natl** 1 **SOO LOCKS** Special Special Special 708-332-3002 708-332-3160 920-539-2043 0.9 14886 Cheboygan **US23** Cheboygan 1-Dec 31-Apr 12-hours 231-238-7775 231-420-1153 231-420-1157 14906 1.9 South Haven **Dyckman Ave Black River** 15-Oct 30-Apr 12-hours 269-637-0737 269-637-5151 14916 Gills Landing **Canadian Natl** 27.8 **Wolf River** 15-Oct 12-hours 708-332-3002 708-332-3160 920-539-2043 15-Apr 14916 Menasha **HWY Bridges** XX **Fox River** 8-Oct 26-Apr 12-hours 920-209-4032 14916 Oshkosh 55.72 Fox River 8-Oct 12-hours 708-332-3002 708-332-3160 **Canadian Natl** 26-Apr 920-539-2043 14916 Oshkosh **HWY Bridges** Fox River 8-Oct 12-hours 920-420-2146 XX 26-Apr 14917 Marinette 0.4 Menominee 1-Nov 12-hours 715-923-0999 **Ogden-First** 30-Apr 14918 **Green Bay** Fox Valley & 1.03 Fox River 1-Dec 31-Mar 12-hours 414-750-5676 Superior **Fox River** 14918 **Green Bay** Main Street 1.58 1-Dec 31-Mar 12-hours 920-655-0339 920-448-3321 920-764-2964 14918 **Fox River** 12-hours 920-655-0339 **Green Bay** Walnut Street 1.81 1-Dec 31-Mar 920-448-3321 920-764-2964 14918 **Green Bay** Tillman Mem. 2.27 **Fox River** 1-Dec 31-Mar 12-hours 920-655-0339 920-448-3321 920-764-2964 14918 **Green Bay** Fox Valley & 3.31 **Fox River** 1-Dec 31-Mar 12-hours 414-750-5676 **Lake Superior** 14919 14-Mar 12-hours 920-746-0187 920-493-8518 **Sturgeon Bay** Bayview 42/57 3 **Sturgeon Bay** 1-Dec 14919 Maple-Oregon 14-Mar 12-hours 920-746-0187 920-493-8518 **Sturgeon Bay** 4.17 **Sturgeon Bay** 1-Jan 14919 **Sturgeon Bay** 4.3 **Sturgeon Bay** 12-hours 920-746-0187 Michigan St. 1-Jan 14-Mar 920-493-8518 14922 Manitowoc **Eighth Street** 0.29 Manitowoc 1-Nov 31-Mar 12-hours 920-686-6910 920-683-4470 920-374-0403 14922 **Manitowoc Tenth Street** 0.43 Manitowoc 1-Nov 31-Mar 12-hours 920-686-6910 920-683-4470 920-374-0403 14922 Sheboygan **Eighth Street** 0.69 Sheboygan 1-Nov 30-Apr 12-hours 920-207-9742

Authorized Winter Hours for Great Lakes Bridges October 15, 2023 - April 30, 2024

Last Updated: 04 DEC 2023

					Octobel 1	J, 2023 - F	April 30, 20.	24		Last Op	dated. 04 DEC 202
14924	Milwaukee	Canadian Pac	1.05	Menominee	2-Nov	16-Apr	12-Hours	414-389-3772			
14924	Milwaukee	Canadian Pac	1.67	Kinnickinnic	2-Nov	16-Apr	12-Hours	414-389-3772			
14924	Milwaukee	All City Owned	1.08	Menominee	2-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	VHF-174-1411	
14924	Milwaukee	All City Owned	1.96	Burnham	2-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	VHF-174-1411	
14924	Milwaukee	All City Owned	1.67	Kinnickinnic	2-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	VHF-174-1411	
14925	Racine	Main	.31/.5	Root River	1-Dec	1-Apr	2-Hours	262-886-2300			
14925	Racine	State	0.53	Root River	16-Oct	30-Apr	2-Hours	262-886-2300			
14926	Michigan City	Franklin St	0.5	Trail Creek	1-Dec	15-Mar	12-hours	219-362-6205			
14926	Michigan City	Amtrak RR	0.9	Trail Creek	1-Dec	15-Mar	12-hours	517-581-3340	269-687-2205	312-656-9111	269-985-3680
14927	Chicago	All City Owned		Chicago	1-Dec	31-Mar	48- hours*	312-744-4200	312-747-2470	312-744-4280	
14929	Indiana Harbor	Indianapolis	2.59	Ind Hbr C.	1-Jan	31-Dec	12-hours	317-899-8690, Option 1			
14930	St. Joe	CSX RR	0.67	St. Joe	16-Dec	28-Feb	12-hours	260-409-4420			
14930	St. Joe	Blossomland	0.9	St. Joe	16-Dec	28-Feb	12-hours	231-884-5211			
14930	St. Joe	Bicentennial	1.3	St. Joe	16-Dec	28-Feb	12-hours	231-884-5211			
14933	Grand Haven	CSX RR	2.8	Grand River	2-Dec	15-Mar	12-hours	616-293-0564	231-830-7706		
14933	Grand Haven	US 31	2.9	Grand River	15-Dec	15-Mar	12-hours	989-233-1053			
14938	Manistee	Maple St	1.1	Manistee	1-Nov	30-Apr	24-hours	231-723-6241			
14938	Manistee	US 31	1.4	Manistee	1-Nov	30-Apr	24-hours	231-723-6241	SEE LNM	SEE LNM	SEE LNM
14938	Manistee	CSX RR	1.5	Manistee	1-Nov	30-Apr		231-794-7679	616-293-0564		
14942	Charlevoix	Bridge Street	0.3	Pine River	1-Jan	31-Mar	12-hours	231-342-8713			
14972	Keweenaw	US 41	16	Keweenaw	14-Dec	14-Apr		906-482-7552			
14975	Duluth	Aerial	0.25	Ship Canal	1-Jan	15-Mar		218-723-3387		218-194-0401	
14975	Duluth	BNSF\Grassy PT	5.44	St. Louis	15-Dec	15-Mar	12-hours	715-394-1259	715-394-1257	715-154-5451	
14998	Rainer	Canadian Natl	85	Rainy River	16-Oct	30-Apr	12-hours	708-332-3002 ****	708-332-3160 Hours not	218-348-5338 requested	
								Note 1	0800-1600	Open On Signal	
								Note 2	0700-2300	Open On Signal	

Authorized Winter Hours for Great Lakes Bridges

October 15, 2023 - April 30, 2024

*	12-Hours	Commercial
Special		See Lock
		Schedule
See LNM		Maintenance
		Scheduled
**	Cell Phone	You can TEXT

Last Updated: 04 DEC 2023

(Revised 04/23) NINTH DISTRICT DRAWBRIDGE SIGNALS OR OPERATIONAL DELAYS FORM

Ninth Coast Guard District	NOTE: Reports of Delay will be processed only when all items
1240 E. 9 th Street – Room 2047b	are fully addressed and reports submitted within 15
Cleveland, Ohio 44199-2060	days of reported delay / difficulty. Attach additional
Phone: (216) 902-6087	sheets if necessary.
Fax: (216) 902-6088 E-Mail: William.B.Stanifer@uscg.mil, _ I	Lee.D.Soule@uscg.mil, and Michael.O.Walker2@uscg.mil
CONFIDENTIALITY, Places should be as if you	
	u wish to keep names of vessels and persons confidential
	ESSEL NAME: 3INBOUNDOUTBOUND
·	You must provide the following from Coast Pilot 6.***)
	5. WATERWAY
6. MILE MARKER	
	DGE? 8. DID YOU SIGNAL FOR AN OPENING AT THAT TIME?
9. HOW DID YOU SIGNAL?	Sound signal (Whistle, horn, megaphone, hailer, etc.)
(Check all that apply)	Uisual signal (Flag or Light)
	Radio telephone (Specify Frequency)
10. WHEN DID THE BRIDGE REPLY?	11. WHAT DID THE DRAWTENDER SAY?
	IDGE AFTER YOUR ARRIVAL? PLEASE PROVIDE DETAILS INCLUDING TIMES, WHAT YOU
SAID, AND WHAT THE BRIDGE SAID?	
13. WHAT TIME DID THE BRIDGE OPEN?	14. WHAT TIME DID YOU START THROUGH?
	16. WHAT ACTIONS DID YOU TAKE WHILE YOU WAITED FOR THE BRIDGE TO
	ers, return to dock)?
or EN (e.g. tie up, noid position, use timuste	.is, recuir to docky:
17 DESCRIBE ANY WEATHER OR WATER CO	DNDITIONS THAT AFFECTED MANUEVERABILITY WHILE YOU WAITED?
18. DESCRIBE WHETHER ANY PEDESTRIANS	, VEHICLES, OR TRAINS WERE STOPPED ON THE BRIDGE OR CROSSING THE BRIDGE?
	,
19. PROVIDE ANY ADDITIONAL INFORMATION	ON YOU THINK WOULD BE HELPFUL?
20. YOUR NAME, E-MAIL, PHONE NUMBER,	, AND ADDRESS:
· · ·	

(Revised 04/23) NINTH DISTRICT DRAWBRIDGE SIG	NALS OR OPERATIONAL DELAYS FORM – ADDITIONAL INFORMATIION PAGE
TO: Commander (dpb) Ninth Coast Guard District 1240 E. 9 th Street – Room 2047b Cleveland, Ohio 44199-2060 Phone: (216) 902-6087 Fax: (216) 902-6088 E-Mail: William.B.Stanifer@uscg.mil, Lee.D.So	DATE: NOTE: Reports of Delay will be processed only when all items are fully addressed and reports submitted within 15 days of reported delay / difficulty. Attach additional sheets if necessary. Sulle@uscg.mil, and Michael.O.Walker2@uscg.mil
PLEASE USE THIS FORM TO PROVIDE ANY ADDITION	NAL INFORMATION?
YOUR NAME, E-MAIL, PHONE NUMBER, AND ADDRI	ESS:

Waterway Analysis and Management System Survey Name of Waterway: User Information Commercial User Recreational User Number of years in the maritime industry or number of years using this waterway: Number of transits in the waterway per year: _____ Number of night transits of waterway: _____ Start: _____End:____ Seasonal Dates: Name of Vessel: Net Tons: Bridge Height of Eye: Cargo Carried: Navigational tools used: (ECDIS/ECPINS, GPS, DGPS, VISUAL, RADAR)_____ What area do you believe is the most dangerous or difficult to navigate:_____ Are the floating aids to navigation (lighted and unlighted buoys) adequate for this waterway:

Are the fixed aids to navigation (lights, ranges, lighthouses, daybeace adequate for this waterway:	
Are the year round and lighted ice buoys adequate:	
Are there buoys that you feel should be changed to fixed aids to navi	gation?
Are there any buoys that could be eliminated from this waterway:	
Are there any buoys with sound signals that the bell or gong could be removed:	2
Are there any areas that require additional aids to navigation in this waterway:	
Do the nautical charts, Coast Pilot, and Light List meet your needs for waterway:	or this

Any addition comments on this waterway:	

Thank you for taking time to comment on this waterway. Your input as a mariner very valuable to the U. S. Coast Guard in evaluating waterways to make them safe and as easily navigable as possible. Please feel free to contact D09-DG-District-D9-ATON-Support@uscg.mil with any other questions or concerns about any aids to navigation in the Great Lakes. The survey can be mailed to:

Commander (dpw-2) Ninth Coast Guard District 1240 East Ninth Street Cleveland, Ohio 44199