Local Notice to Mariners for District 1 09/10/2025

Ambrose Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ambrose Channel Lighted Whistle Buoy A	34785	AIS INOP	FD
Ambrose Channel Lighted Buoy 4	34799	AIS INOP	FD
Ambrose Channel Lighted Buoy 7	34815	AIS INOP	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New York, Submerged Lands Act (SLA) - Ambrose	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-08-14 To: 2025-09-30 Location: 40.57122° N / 74.02011° W Deployment of up to 2 export cable tone buoys to support temporary connection of survey equipment to submarine export cables for lease area OCS-A 0512. The buoys will be	Lat:
Channel/General/Hazards To Navigation/Hazards	Navigation	deployed within the submarine export cable corridor, approximately 2500 feet West of Coney Island. The vessel completing the initial deployment of these buoys will be Enterprise II. Once deployed, the buoys will remain on site until they are retrieved. Buoys will be retrieved periodically for servicing and then redeployed in the same location.	
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-08-06 To: 2025-09-30 Location: 40.57109° N / 74.01953° W Deployment of up to 2 export cable tone buoys to support temporary connection of survey equipment to submarine export cables for lease area OCS-A 0512. The buoys will be deployed within the submarine export cable corridor, approximately 2500 feet West of Coney Island. The vessel completing the initial deployment of these buoys will be Enterprise II. Once deployed, the buoys will remain on site until they are retrieved. Buoys will be retrieved periodically for servicing and then redeployed in the same location.	
Sector New York, Submerged	Hazards To	General/Hazards To Navigation/Wrecks From: 2025-08-19 To: 2026-02-15 Location: 40.5058° N / 73.95065° W NEW YORK - LOWER BAY -	Lat:
Lands Act (SLA) - Ambrose Channel/General/Hazards To Navigation/Wrecks	Navigation	AMBROSE CHANNEL BUOY #8 - MARINERS ARE ADVISED THAT A VESSEL IS SUBMERGED IN THE VICINITY OF AMBROSE CHANNEL BUOY #8. THE VESSEL IS REPORTED TO BE 195 FEET OUTSIDE OF THE CHANNEL IN APPROXIMATE POSITION 40 30' 20.88" N, 73 57' 02.35" W AND IS MARKED WITH A FLASHING STROBE AND TWO WHITE FENDERS. ALL MARINERS ARE ADVISED TO TRANSIT THE AREA WITH CAUTION.	40° 30' 21" Lon: -073° 57' 02"
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-09-08 To: 2025-10-26 OEG Group will be wet storing 8 anchors in the vicinity of KP28 within the anchorage corridor in position 40-34-22.20N, 074-01-08.25W, from Septer 9, 2025, to September 26, 2025.	
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.55325° N / 74.02385° W Aid Name: Ambrose Channel Lighted Buoy 20 LLNR: 34895 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lat: 40° 33' 12" Lon: -074° 01' 26"
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.52428° N / 73.9997° W Aid Name: Ambrose Channel Lighted Buoy 12A LLNR: 34855 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 40° 31' 27" Lon: -073° 59' 59"

https://www.navcen.uscg.gov/msi

1/129

		· · ·	
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.51938° N / 74.00282° W Aid Name: Ambrose Channel Lighted Buoy 11A LLNR: 34845 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 40° 31' 10" Lon: -074° 00' 10"
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.48994° N / 73.92724° W Aid Name: Ambrose Channel Lighted Buoy 5 LLNR: 34800 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -073° 55' 38"
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.47293° N / 73.86755° W Aid Name: Ambrose Channel Lighted Bell Buoy 2 LLNR: 34797 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 40° 28' 23" Lon: -073° 52' 03"
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.46876° N / 73.87223° W Aid Name: Ambrose Channel Lighted Buoy 1 LLNR: 34796 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 40° 28' 08" Lon: -073° 52' 20"
Sector New York, Submerged Lands Act (SLA) - Ambrose Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.45778° N / 73.83673° W Aid Name: Ambrose Channel Lighted Whistle Buoy A LLNR: 34785 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

https://www.navcen.uscg.gov/msi 2/129

Annisquam River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Portsmouth To Cape Ann - Annisquam River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Severe shoaling has been reported in the Annisquam River. Annisquam River channel buoy 24 (LLNR 9690) has been relocated due to recent shoaling in the area to mark best water. Mariners should proceed with caution while transiting the area	
Sector Boston, Submerged Land Act (SLA) - Annisquam River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.67906° N / 70.66837° W Aid Name: Plum Cove Ledge Buoy 1 LLNR: 9590 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage versel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience saginsts AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 40' 45" Lon: -070° 40' 06"
Sector Boston, Submerged Land Act (SLA) - Annisquam River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.67306° N / 70.68288° W Aid Name: Annisquam River Entrance Lighted Bell Buoy AR LLNR: 9595 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 40' 23" Lon: -070° 40' 58"

Arthur Kill

Additional MSI Categories

- Tuanional mer entegener						
TITLE	SUBCATEGORY	DESCRIPTION				
Raritan River Cutoff Channel - Arthur Kill/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-09-11 To: 2026-01-01 Location: 40.63585° N / 74.19695278° W Bridge Name: Goethals Bridge From September 11, 2025, to December 31, 2025, between 7:00 a.m. and 4:00 p.m., a bridge traveler will be operated under the Goethals Bridge over Arthur Kill at mile 11.5 to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 848-231-3359. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 38' 09' Lon: -074° 11' 49"			
Raritan River Cutoff Channel - Arthur Kill/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-11-29 Location: 40.59778° N / 74.19924° W 40.59752° N / 74.19868° W 40.59178° N / 74.20379° W 40.59178° N / 74.20452° W 40.59778° N / 74.19924° W NJ - ARTHUR KILL – TREMLEY POINT REACH Shoaling has been identified in the Arthur Kill, between Tremley Point Reach and Rahway River on the New Jersey side in the area between buoys Channel Lighted Buoy 34 and Channel Lighted Buoy 32. Mariners are urged to maintain a sharp lookout and transit the area with extreme caution.				

Barnstable Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Harbor/General/Hazards To Navigation/Shoaling	Navigation	MA – BARNSTABLE HARBOR – SHOALING Mariners be advised that shoaling exists in the Barnstable Harbor Entrance channel. Shoaling extends approximately 200 feet into the channel north of Barnstable Harbor Entrance Lighted Buoy 6, in the vicinity of position 4143.5 N, 070-16.3W. Water depth is estimated to be 2 feet at low tide in this area. All mariners are requested to use caution while transiting the area.	
Reported			

https://www.navcen.uscg.gov/msi 3/129

Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.75456° N / 70.2738° W Aid Name: Barnstable Harbor Entrance	Lat:
England, Submerged Lands	Notice of	Lighted Bell Buoy BH LLNR: 13090 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed	41° 45' 16"
Act (SLA) - Barnstable	Change	below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems	Lon:
Harbor/ATON/Proposed		(GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result	-070° 16'
Notice of Change		in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability	26"
		and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Barrington River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barrington River Buoy 8	18780	MISSING	PA

Bass Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bass Harbor Head Gong Buoy WB	2345	OFF STATION	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bass Harbor Head Bell Buoy EB	2340	WATCHING PROPERLY	FD	2025-09-08

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Blue Hill Bay Approach - Bass Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	LLNR: 2340 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	Lat: 44° 13' 14" Lon: -068° 20'
Notice of Change		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	01"
Blue Hill Bay Approach - Bass Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.21804° N / 68.34125° W Aid Name: Bass Harbor Head Gong Buoy WB LLNR: 2345 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Blue Hill Bay Approach -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.22772° N / 68.35616° W Aid Name: Weaver Ledge Buoy 2 LLNR:	Lat:
Bass	Notice of	2355 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing	44° 13' 40'
Harbor/ATON/Proposed	Change	and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC),	Lon:
Notice of Change		and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk	-068° 21'
		reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	22"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk	
		reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Bass River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
,	Hazards To Navigation	MA-SALEM AND LYNN HARBORS (CHART 13275)-BASS RIVER Severe shoaling has been reported between Bass River Channel Buoy 2 (LLNR 10325)-Bass River Channel Buoy 9 (LLNR 10355) and there is a severe decrease in the channel's width. Mariners should proceed with caution while transiting the area.	
England, Submerged Lands	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.62642° N / 70.19175° W Aid Name: Bass River Entrance Lighted Buoy 2 LLNR: 14205 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lon: -070° 11' 30"

Bay Ridge Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Bay Ridge Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection NEW YORK – GOWANUS CANAL – Bridge Inspection – Inspection to Interstate 278 also known as the Brooklyn Queens Expressway- along Hamilton Avenue (BIN2240231/3 (2781278IXM24058) over the Gowanus Canal, Brooklyn, NY. The inspection operation is from 9 a.m. to 3 p.m. Monday through Friday from August 4 through November 30, 2025. A 40-foot barge (SM1) and Tug Jerry (NY 3780AA) length 25.5-feet will be operating under Interstate -278. Mariners can contact Jan Pawluczuk via (646) 872-2967 or by marine radio VHF-FM CH 13/16. This inspection will be completed by November 30, 2025. Mariners are advised to use caution and reduce wake when transiting the area. From: 2025-08-04 To: 2025-11-30 Location: 40.60694° N / 74.0449° W Bridge Name: Gowanus Expressway Bridge	Lat: 40° 40' 18" Lon: -073° 59' 55"
Main Channel - Bay Ridge Channel/General/Other	Miscellaneous	General/Other NY-GOWANUS CANAL From: 2024-09-30 To: 2028-12-31 Location: 40.67208° N / 73.99839° W 40.67178° N / 73.99816° W The Gowanus Canal is closed to all recreational boating between 9th Street and Butler Street, including use of the 2nd Street public boat launch, at the direction of the U.S. Environmental Protection Agency (USEPA), the lead federal agency for the Gowanus Canal Superfund Site, due to the ongoing construction of the dredging and capping remedy of the canal until further notice unless specific advance written authorization is granted by USEPA. Contact: (212) 637-3639. For further information: https://gowanussuperfund.com.	

Black Rock Harbor

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ash Creek Lighted Buoy 5	24755	OFF STA	PA

Block Island Sound And Gardiners Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Approaches To New York	Hazards To	General/Hazards To Navigation/Hazards From: 2024-10-01 To: 2039-12-31 Location: 40.97581° N / 71.1889° W	Lat:
Nantucket Shoals To Five	Navigation		40° 58' 33'
Fathom Bank - Block Island			Lon:
Sound And Gardiners			-071° 11'
Bay/General/Hazards To			20"
Navigation/Hazards			

https://www.navcen.uscg.gov/msi 5/129

9/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Block Island Sound And Gardiners Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.24603° N / 72.04092° W Aid Name: Race Point Buoy 2 LLNR: 19820 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Block Island Sound And Gardiners Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.11584° N / 71.71842° W Aid Name: Block Island Sound South Entrance Obstruction Lighted Buoy BIS LLNR: 19845 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	06"
Block Island Sound And Gardiners Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.10164° N / 71.7727° W Aid Name: Endeavor Shoals Lighted Gong Buoy 1 LLNR: 19850 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), *Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 06' 06" Lon: -071° 46' 22"
Block Island Sound And Gardiners Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.08223° N / 71.88253° W Aid Name: Blackfish Rock Buoy 3 LLNR: 19855 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Blue Hill Bay Approach

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.13907° N / 68.34201° W Aid Name: Long Island Lighted Gong	Lat:
Submerged Lands Act (SLA) -	Notice of	Buoy LI LLNR: 2315 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast	44° 08' 21
Blue Hill Bay	Change	Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Approach/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-068° 20'
Notice of Change		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	31"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-	
		SMB-DPWPublicComments@uscq.mil	

Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.16945° N / 68.33584° W Aid Name: Black Island Buoy 2 LLNR:	Lat:
Submerged Lands Act (SLA) -	Notice of	2325 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 10' 10"
Blue Hill Bay	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Approach/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 20'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	09"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-	
		SMB-DPWPublicComments@uscg.mil	

Booth Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
McFarland Island Daybeacon	5545	STRUCT DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA) - Booth Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.77303° N / 69.65018° W Aid Name: Cuckolds Bell Buoy 1C LLNR: 5480 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	Lat: 43° 46' 23' Lon:
J		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	
Sector Northern New England, Submerged Lands Act (SLA) - Booth Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.78163° N / 69.66389° W Aid Name: Cape Harbor Buoy 2 LLNR: 5610 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SM8-DPWPublicComments@uscq.mil.	43° 46' 54' Lon:

Boston North Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Boston South Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.36083° N / 70.92971° W Aid Name: Boston North Channel	Lat:
oston North	Notice of	Lighted Buoy 4 LLNR: 10695 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below.	42° 21' 39
hannel/ATON/Proposed	Change	Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
lotice of Change		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-070° 55'
		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	

7/129

https://www.navcen.uscg.gov/msi

Boston South Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.34907° N / 70.93806° W Aid Name: Boston North Channel	Lat:
Boston South Channel - Boston North Channel/ATON/Proposed Notice of Change	Notice of Change	Lighted Buoy 8 LLNR: 10715 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	42° 20' 5' Lon: -070° 56' 17"
Boston South Channel - Boston North Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.34684° N / 70.93356° W Aid Name: Boston North Channel Lighted Buoy 9 LLNR: 10720 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -070° 56' 01"

Boston South Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.36462° N / 70.89717° W Aid Name: Boston South Channel	Lat:
Land Act (SLA) - Boston	Notice of	Entrance Lighted Buoy 1 LLNR: 10740 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	42° 21' 53"
outh	Change	Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite	Lon:
Channel/ATON/Proposed		Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort	-070° 53'
Notice of Change		will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system	50"
		availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The	
		Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th	
		century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to	
		acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN	
		discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or	
		through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most	
		effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel,	
		recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast	
		Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent	
		to: D01-SMB-DPWPublicComments@uscq.mil .	

Bridgeport Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Eastern Part - Bridgeport Harbor/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-05-20 To: 2025-10-29 Location: 41.17926944° N / 73.18579444° W Bridge Name: Stratford Ave Bridge CONNECTICUT – PEQUONNOCK RIVER – Bridge Rehab – Contractor will continue performing bridge rehab at the Stratford Avenue Bridge across Pequonnock River at mile 0.1. A barge will be in the waterway that will reduce the navigational channel to 75 feet. The schedule for the barge placement is as follows: Close West side of navigation channel June 25, 2025 to July 1, 2025 Close East side of navigation channel October 22, 2025 to October 28, 2025 Questions may be directed to Superintendent Wesley Sousa Santos at (860) 622-8410. Mariners are advised to exercise caution when transiting the area.	
Long Island Sound Eastern Part - Bridgeport Harbor/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-05-22 To: 2026-12-01 Location: 41.17926944° N / 73.18579444° W Bridge Name: Stratford Ave Bridge CONNECTICUT – PEQUONNOCK RIVER – Bridge Rehab – From June 2, 2025 through November 30, 2026 contractors will install a work platform to perform abrasive blasting and painting at the Stratford Avenue Bridge across Pequonnock River at mile 0.1.The temporary work platform will also be across 3 spans including the navigational channel. The vertical clearance will be reduced from 8' to 5'. Questions may be directed to Superintendent Wesley Sousa Santos at (860) 622-8410. Mariners are advised to exercise caution when transiting the area.	Lat: 41° 10' 45" Lon: -073° 11' 09"

Long Island Sound Eastern Part - Bridgeport Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-09-30 Location: 41.15359° N / 73.1789° W Aid Name: Bridgeport Harbor Entrance Channel Buoy 6 LLNR: 24600 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	41° 09' 13" Lon: -073° 10'
Long Island Sound Eastern Part - Bridgeport Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.15385° N / 73.18028° W Aid Name: Bridgeport Harbor Entrance Channel Buoy 5 LLNR: 24595 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 09' 14" Lon: -073° 10' 49"
Long Island Sound Eastern Part - Bridgeport Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.1416° N / 73.18263° W Aid Name: Bridgeport Harbor Entrance Channel Lighted Buoy 2 LLNR: 24580 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SM8-DPWPublicComments@uscg.mil .	41° 08' 30" Lon: -073° 10'
Long Island Sound Eastern Part - Bridgeport Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.14186° N / 73.18408° W Aid Name: Bridgeport Harbor Entrance Channel Lighted Buoy 1 LLNR: 24575 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 08' 31" Lon: -073° 11' 03"

Bristol Harbor

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bristol Harbor East Channel Buoy 9	18194.2	OFF STA/HAZ NAV	PA
Bristol Harbor West Channel Buoy 3	18196.2	OFF STA	PA

Broad Sound

Additional MSI Categories

	TITLE SUBCATEGORY		LOCATION	
--	-------------------	--	----------	--

https://www.navcen.uscg.gov/msi 9/129

Portland Harbor Approach - Broad Sound/General/Marine Events/Regatta (Race)	Marine Events	MA – BROAD SOUND – NAHANT BAY – KING OF CLUBS – REGATTA The Nahant Dory Club is hosting the King of Clubs Regatta in and around Nahant Bay and Borad Sound September 07, 2025 from 12:00 PM to 6:00 PM. Rain date is September 14, 2025. The event will consist of approximately 25 vessels ranging from 20' to 38' in length. The person responsible for on-scene safety can be reached at 508-878-1203. For more information, please contact Scott Bradley at 508-878-1203. Chart 13267	
Portland Harbor Approach	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.69551° N / 70.05738° W Aid Name: Broad Sound Entrance Bell	Lat:
- Broad	Notice of	Buoy BS LLNR: 6800 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	43° 41' 44'
Sound/ATON/Proposed	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 03'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	27"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Broadway

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Woods Hole Passage -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.51905° N / 70.67754° W Aid Name: Broadway Buoy 4 LLNR:	Lat:
Broadway/ATON/Proposed	Notice of	15770 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 31' 09"
Notice of Change	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 40'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	39"
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil.	

Buttermilk Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Buttermilk Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-05-27 To: 2025-12-25 Location: 40.68558° N / 74.00986° W Reicon Group will be conducting fender repair operations at Red Hook Pier 10, from June 4, 2025, to December 25, 2025, Thursday through Tuesday, between 7:00am to 3:30pm. Equipment on scene will be the CB SUSSEX, monitoring VHF-FM CH 13 and will require a 24-hour notice for any vessel movement requests.	Lat: 40° 41' 08" Lon: -074° 00' 35"
Main Channel - Buttermilk Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	(Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-07-14 To: 2026-01-10 Be advised of ongoing construction at Red Hook Terminal, Pier 10 in Brooklyn, NY. Crane barges and material barges will be in place at the pier performing construction activities from 0600 – 1800, Monday through Friday through September 30, 2025. Mariners are requested to proceed at slow, no wake speeds while transiting through the area.	

Buzzards Bay Main Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Southeastern New England, Submerged Lands Act (SLA) - Buzzards Bay Main Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-08-23 MA – CUTTYHUNK HARBOR – ENTRY CHANNEL Mariners are advised that the navigable width of the entry channel into Cuttyhunk Harbor has decreased to approximately 15 feet wide. This may cause navigability issues and restrict movement for two-way traffic. Mariners are urged to maintain a proper lookout and use extreme caution while transiting the area. You may contact the local harbormaster by phone at (508) 990-7578.	
Sector Southeastern New England, Submerged Lands Act (SLA) - Buzzards Bay Main Channel/General/Marine Events/Regatta (Race)	Marine Events	MA – BUZZARDS BAY– US SAILING CHAMPIONSHIP OF CHAMPIONS – RACE/REGATTA Mariners are advised that the US Sailing Championship of Champions is scheduled to be held in the vicinity of Padanaram Harbor, Buzzards Bay, MA. The event will take place from Wednesday, September 10, through Saturday, September 13, 2025, from 9:00 a.m. to 5:00 p.m. each day. Expect up to 25 vessels, 15 ft in length. Mariners are advised to transit the area with extreme caution. Mariners may contact the person in charge by phone at (508) 843-4426.	

https://www.navcen.uscg.gov/msi 10/129

Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.50918° N / 70.83167° W Aid Name: Buzzards Bay Midchannel	Lat:
England, Submerged Lands Act	Notice of	Lighted Buoy BB LLNR: 16055 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed.	41° 30' 33"
(SLA) - Buzzards Bay Main	Change	Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Channel/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-070° 49'
Notice of Change		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	54"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS,	
		AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Camden Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Penobscot Bay - Camden Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.20006° N / 69.04029° W Aid Name: Camden Harbor Entrance Bell Buoy 2 LLNR: 4315 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 12' 00' Lon: -069° 02' 25"
West Penobscot Bay - Camden Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.21139° N / 69.03783° W Aid Name: Camden Harbor Bell Buoy CH LLNR: 4335 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 12' 41' Lon: -069° 02' 16"
West Penobscot Bay - Camden Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.20759° N / 69.04336° W Aid Name: Northeast Passage Ledge Buoy 1 LLNR: 4345 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 12' 27' Lon: -069° 02' 36"

Canapitsit Channel

Additional Wish Categories			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Canapitsit Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Mariners are advised of shoaling in the Cuttyhunk Inner Harbor Entrance Channel. The shoaling is reported to extend across the entirety of the entrance channel with an approximate depth at mean low water of 5 feet. Mariners are urged to exercise extreme caution while transiting this area.	
Main Channel - Canapitsit Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-06-11 To: 2025-12-08 Shoaling has been reported in Canapitsit Channel near Cuttyhunk Island, Massachusetts. Water depths in the vicinity of Canapitsit Channel between Canapitsit Channel Buoys 3 and 5 have been reported as low as 5.5 feet in the channel	

Cape Cod Canal Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cape Cod Canal Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.91851° N / 70.50615° W Aid Name: Mary Ann Rocks Lighted Whistle Buoy 12 LLNR: 13035 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 55' 07" Lon: -070° 30' 22"
Cape Cod Canal Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.8147° N / 70.46078° W Aid Name: Cape Cod Canal Approach Lighted Bell Buoy CC LLNR: 13040 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 48' 53" Lon: -070° 27' 39"
Cape Cod Canal Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.78495° N / 70.46847° W Aid Name: Cape Cod Canal Approach Lighted Buoy 1 LLNR: 13045 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: . 41° 47' 06" Lon: -070° 28' 06"

Cape Cod Canal Eastern Entrance

Additional MSI Categories

TITLE SUBCATEGORY		DESCRIPTION		
Hog Island Channel - Cape	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.78048° N / 70.48814° W Aid Name: Cape Cod Canal Eastern	Lat:	
Cod Canal Eastern	Notice of	Entrance Lighted Buoy 4 LLNR: 13065 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	41° 46' 50'	
Intrance/ATON/Proposed	Change	Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite	Lon:	
Notice of Change		Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort	-070° 29'	
		will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system	17"	
		availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The		
		Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century	y	
		(pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable		
		levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN		
		discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or		
		through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most		
		effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel,		
		recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast		
		Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent		
		to: D01-SMB-DPWPublicComments@uscq.mil .		

Cape Neddick Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi 12/129

Sector Northern New England, Submerged Lands Act (SLA) - Cape Neddick Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.18195° N / 70.59639° W Aid Name: Weare Point Bell Buoy 2 LLNR: 8250 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 10' 55 Lon: -070° 35' 47"
Sector Northern New England, Submerged Lands Act (SLA) - Cape Neddick Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.18319° N / 70.5995° W Aid Name: Barn Point Buoy 1 LLNR: 8255 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	43° 10' 59 Lon: -070° 35' 58"

Cape Porpoise Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
England, Submerged Lands	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-01 Location: 43.35204° N / 70.41844° W Aid Name: Old Prince Bell Buoy 2 LLNR: 8090 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 21' 07' Lon: -070° 25' 06"
England, Submerged Lands	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.34° N / 70.4533° W Aid Name: Presidential Security Zone East Buoy LLNR: 8141 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 20' 24" Lon: -070° 27' 12"

Sector Northern New England, Submerged Lands Act (SLA) - Cape Porpoise Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	South Buoy LLNR: 8142 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	Lat: 43° 20' 06" Lon: -070° 27' 36"
Sector Northern New England, Submerged Lands Act (SLA) - Cape Porpoise Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	West Buoy LLNR: 8143 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	Lat: 43° 20' 12" Lon: -070° 27' 54"

Carvers Harbor From Eastward

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.02749° N / 68.79031° W Aid Name: Sheep Island Ledge Buoy 2	Lat:
Submerged Lands Act (SLA) -	Notice of	LLNR: 3695 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard	44° 01' 39
Carvers Harbor From	Change	is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Eastward/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 47'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	25"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS,	
		AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	
Sector Northern New England, Submerged Lands Act (SLA) -	Proposed Notice of	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.03146° N / 68.79693° W Aid Name: Old Duke Ledges Buoy 6 LLNR: 3700 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard	Lat: 44° 01' 53'
Carvers Harbor From Eastward/ATON/Proposed	Change	is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	Lon: -068° 47'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	49"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-	
		SMB-DPWPublicComments@uscq.mil .	

		, c	
Sector Northern New England, Submerged Lands Act (SLA) - Carvers Harbor From Eastward/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.02499° N / 68.81433° W Aid Name: Bunker Ledge Buoy 8 LLNR: 3705 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 01' 30" Lon: -068° 48' 52"
Sector Northern New England, Submerged Lands Act (SLA) - Carvers Harbor From Eastward/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.02784° N / 68.82878° W Aid Name: Point Ledge Buoy 10 LLNR 3710 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 01' 40" Lon: -068° 49' 44"
Sector Northern New England, Submerged Lands Act (SLA) - Carvers Harbor From Eastward/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.03798° N / 68.78368° W Aid Name: Crosby Ledge Buoy 4 LLNR: 3690 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment in his in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 02' 17" Lon: -068° 47' 01"
Sector Northern New England, Submerged Lands Act (SLA) - Carvers Harbor From Eastward/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.04453° N / 68.77306° W Aid Name: Halibut Ledge Buoy 2 LLNR: 3685 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 02' 40" Lon: -068° 46' 23"

Carvers Harbor From South

dutional MSI Categories				
TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO	

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.01234° N / 68.837° W Aid Name: Colt Ledge Buoy 2 LLNR: 3730	Lat:
England, Submerged Lands	Notice of	Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	44° 00' 44"
Act (SLA) - Carvers Harbor	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
From South/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 50'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	13"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Casco Bay Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Portland Harbor - Casco Bay	Marine Events	General/Marine Events/Regatta (Race) From: 2025-06-26 To: 2025-09-18 Location: 43.77185° N / 70.11329° W 43.71629° N / 70.1284° W	
Channel/General/Marine Events/Regatta (Race)		43.66863° N / 70.19569° W 43.69296° N / 70.22384° W 43.76689° N / 70.1847° W 43.77185° N / 70.11329° W LNM ME – CASCO BAY – Boat Race Mariners are advised that the Portland Yacht Club Thursday Night Races are scheduled to be held in Casco Bay in the vicinity of Falmouth, ME.	
Events/Negatta (Nace)		The event will be held every Thursday from June 19, 2025 through September 18, 2025 from 6:00 p.m. to 9:00 p.m. Approximately twenty-five 15′-50′ sailboats will be participating. Chart number: 13290. For event information contact: Club Manager, 207-781-9820.	
Portland Harbor - Casco Bay	Marine Events	General/Marine Events/Regatta (Race) From: 2025-06-20 To: 2025-09-14 Location: 43.81522° N / 70.0848° W 43.80431° N / 70.04635° W	
Channel/General/Marine		43.77457° N / 70.11364° W 43.70115° N / 70.15346° W 43.69221° N / 70.21389° W 43.76565° N / 70.18367° W 43.79341° N / 70.126° W	
Events/Regatta (Race)		43.81522° N / 70.0848° W ME – CASCO BAY – CLAPBOARD ISLAND – Boat Race Mariners are advised the Portland Yacht Club Tuesday Night	
		Racing and Lobster Bowl Regatta is scheduled to be held in Casco Bay in the vicinity of Clapboard Island, ME. The event will be held every	
		Tuesday from June 24, 2025 to September 9th and the Lobster Bowl Regatta portion will be held on September 13 and 14, 2025 from 18:00 a.m.	
		to 21:00 p.m. Approximately 20, 30' sailboats will be participating. Chart number: 13290. For event information contact: Club Manager, 207-781-9120.	

Castine Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East Penobscot Bay - Castine Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-22 To: 2025-10-29 Location: 44.3548° N / 68.80946° W J.F. Brennan will be conducting dredging operations in Goose Cove, from September 22, 2025, to October 29, 2025, Monday through Saturday, between 7:00am to 7:00pm. Equipment on scene will be an excavator barge, support barge, and a survey vessel, monitoring VHF-FM CH 13 and 16.	Lat: 44° 21' 17' Lon: -068° 48'
East Penobscot Bay - Castine Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-07-08 To: 2027-03-31 Location: 44.38878° N / 68.7951° W 44.38861° N / 68.79472° W 44.38587° N / 68.79678° W 44.38605° N / 68.79699° W 44.38878° N / 68.7951° W ME-PENOBSCOT BAY-CASTINE HARBOR Redd & Amp; Reed will be conducting marine construction and pier replacement and expansion operations at the Maine Maritime Academy, in Castine, in position 44-23-10.8N, 068-47-47.9W, from July 8, 2024, to the winter of 2027. Work will be conducted between 7:00am to 7:00pm, by deck barges, tugboats, push boats, and work skiffs, who will monitoring VHF-FM CH 11 for any concerned traffic. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	
East Penobscot Bay - Castine Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.37495° N / 68.81759° W Aid Name: Castine Harbor Entrance Bell Buoy CH LLNR: 3540 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -068° 49' 03"

Chandler Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Middle Back Rock Daybeacon	1210	DAYMK MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi 16/129

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.53652° N / 67.52877° W Aid Name: Mark Island Lighted Bell Buoy 1	Lat:
England, Submerged	Notice of	LLNR: 1225 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 32' 11"
Lands Act (SLA) -	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
Chandler		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-067° 31'
Bay/ATON/Proposed		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	44"
Notice of Change		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved	
		radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk	
		reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Chapel Hill South Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.50249° N / 74.04269° W Aid Name: Chapel Hill South Channel/ATON/Proposed Notice of Change Change ATON/Proposed Notice of Change Change Change ATON/Proposed Notice of Change Buoy 8 LLNR: 35230 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below Constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the mos sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed below constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-Ge-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels a acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancie disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their org All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider via feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or comme distance from aid that you start looking for it, and if and how you use		-074° 02' 34"	
Swash Channel - Chapel Hill South Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.49457° N / 74.04743° W Aid Name: Chapel Hill South Channel Buoy 5 LLNR: 35215 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 40° 29' 40" Lon: -074° 02' 51"

Chatham Harbor Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.65334° N / 69.92501° W Aid Name: Chatham Beach Lighted	Lat:
England, Submerged Lands Act	Notice of	Whistle Buoy C LLNR: 520 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed.	41° 39' 12
(SLA) - Chatham Harbor	Change	Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Approach/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-069° 55'
Notice of Change		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	30"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS,	
		AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-	
		SMB-DPWPublicComments@uscg.mil	

Cheesequake Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi 17/129

Raritan Bay - Cheesequake Bridges		From September 29, 2025-November 25, 2025, between 07:00 a.m. and 03:00 p.m., substructure repairs of the Garden State			
Creek/General/Bridges/Repairs, Painting, Or Parl		Parkway Bridges at miles 1.0 and 1.6 over the Cheesequake and Mattawan Creeks respectively shall take place. Repairs will take			
Fender Replacement		place from a work platform alongside each pier, not impacting the navigable channel. Mariners can contact the contractor via			
		marine radio VHF-FM Ch. 13/16 or call (201) 772-0276. Mariners are advised to exercise caution when transiting the area.	-074° 16'		
			24"		

Claremont Terminal Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Claremont Terminal Channel/General/Hazards To Navigation/Shoaling Reported	3	General/Hazards To Navigation/Shoaling Reported From: 2025-02-12 To: 2026-01-01 Location: 40° 41'11"N, 074° 4' 41"W 40° 41' 17"N, 074° 4' 33"W 40° 40' 14"N, 074° 03' 06"W 40° 40' 10"N, 074° 03' 13"W Based on the latest available surveys conducted by the Army Corps of Engineers, November 4, 2024, shoaling has occurred in Claremont Terminal Channel. The shoaling has minimized the available depth of water to 15 feet near the centerline of the channel. Based on this data, vessels will be restricted to a draft of 13 feet, plus the rise in tide, with a maximum draft of 18 feet.	

Cleveland Ledge Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Buzzards Bay Main Channel - Cleveland Ledge Channel/ATON/Proposed Notice of Change Ch		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	Lat: 41° 37' 18' Lon: -070° 41' 57"
Buzzards Bay Main Channel - Cleveland Ledge Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.65157° N / 70.68811° W Aid Name: Cleveland Ledge Channel Lighted Buoy 8 LLNR: 16125 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 39' 06' Lon: -070° 41' 17"

Cobscook Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
	1013	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Brunswick Grand	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.89292° N / 67.00756° W Aid Name: Shackford Ledge Buoy 4 LLNR:	Lat:
Manan Channel Northern	Notice of	1000 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and	44° 53' 35"
art - Cobscook	Change	rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and	Lon:
ay/ATON/Proposed		Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to	-067° 00'
Notice of Change		support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation	27"
		subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the	
		navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.),	
		Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing	
		buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

New Brunswick Grand	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.91128° N / 67.05887° W Aid Name: Cobscook Bay Buoy 8 LLNR:	Lat:
Manan Channel Northern		1015 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and	44° 54' 41'
Part - Cobscook	Change	rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and	Lon:
Bay/ATON/Proposed Notice of Change		Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	-067° 03' 32"
New Brunswick Grand	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.90681° N / 67.10344° W Aid Name: Cobscook Bay Buoy 9 LLNR:	Lat:
Manan Channel Northern Part - Cobscook Bay/ATON/Proposed Notice of Change	Notice of Change	1020 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015, E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	Lon: -067° 06'

Cohasset Western Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cohasset Western Channel Daybeacon 5		MISSING	FD

Coney Island Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ambrose Channel - Coney Island		ATON/ATON Changes From: 2025-09-02 To: 2025-11-01 Location: 40.569° N / 73.983° W Aid Name: MEG Coney Island	Lat:
Channel/ATON/ATON Changes		Channel Research Lighted Buoy LLNR: 35307 Action: ESTABLISH WITH FI Y 2.5s.	40° 34' 08"
			Lon: -073° 58' 59"
			-075 50 59

Connecticut River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Connecticut River Light 25	22610	DAYMK DMGD	FD
Connecticut River Light 42	22915	LT EXT	FD
Connecticut River Light 42	22915	DAYMK MISSING	FD
Connecticut River Light 102	23165	OFF STATION	FD
Connecticut River Range F Front Light 110	23200	Status Unreported	FD
Connecticut River Range F Rear Light	23205	LT IMCH	FD
Connecticut River Light 116	23220	LT IMCH	FD
Connecticut River Light 122	23245	LT IMCH	FD
Connecticut River Light 125	23260	LT IMCH	FD
Connecticut River Light 135	23300	STRUCT DMGD	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
North Channel Saybrook To New Haven - Connecticut River/General/Bridges/Construction		General/Bridges/Construction From: 2025-05-08 To: 2029-12-31 Location: 41.31087778° N / 72.34920833° W Bridge Name: Amtrak Railroad Bridge CONNECTICUT – CONNECTICUT RIVER – Moored Barge – AMTRAK will have a moored barge placed during the construction and demolition of the Amtrak Connecticut River Bridge. Beginning July 7, 2025 through December 30, 2029. The crane barge 120' x 300' will be moored outside of the navigational channel used for stationary material barges to support the installation of new bridge components and removal of the existing structure towards the end of the project. Starting on September 15, 2025 the	Lat: 41° 18' 39" Lon: -072° 20' 57"
		navigable channel will be reduced to 115 feet due to work on the existing bridge's fender system. Mariners are advised to exercise caution and reduce wake when transiting the area. Mariners with questions or concerns can contact the contractor via marine radio VHF-FM Ch 13/16 or call Patrick Finley at (860) 806-2365 or Bob Nardi at (203) 496-7353.	

North Channel Saybrook To New Haven -	Bridges	Due to an electrical system malfunction, the Route 82/East Haddam Swing Bridge will only open to 75 degrees unless mariners	Lat:
Connecticut River/General/Bridges/Temp		specifically request a 90-degree opening. The bridge owner is making efforts to expeditiously correct the electrical system malfunction.	41° 27' 06"
Deviation			Lon:
			-072° 27'
			52"

Cuttyhunk

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Buzzards Bay Main Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.44281° N / 70.88939° W Aid Name: Cuttyhunk East Entrance	Lat:
Cuttyhunk/ATON/Proposed	Notice of	Lighted Bell Buoy CH LLNR: 16315 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	41° 26' 34"
Notice of Change	Change	Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems	Lon:
		(GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result	-070° 53'
		in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability	22"
		and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	,
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-	
		SMB-DPWPublicComments@uscq.mil.	

Damariscotta River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hypocrite Ledge Daybeacon H	5260	DAYMK DMGD	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA) - Damariscotta River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.80665° N / 69.57993° W Aid Name: Hypocrite Ledge Lighted Bell Buoy HL LLNR: 5270 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@usca.mil.	-069° 34' 48"
Sector Northern New England, Submerged Lands Act (SLA) - Damariscotta River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.85712° N / 69.56709° W Aid Name: Damariscotta River Buoy 6 LLNR: 5320 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Sector Northern New England, Submerged Lands Act (SLA) - Damariscotta River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.86971° N / 69.58264° W Aid Name: Damariscotta River Buoy 9 LLNR: 5340 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reduction buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 43° 52' 11" Lon: -069° 34' 58"
Sector Northern New England, Submerged Lands Act (SLA) - Damariscotta River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.88373° N / 69.58311° W Aid Name: Damariscotta River Buoy 11 LLNR: 5345 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 53' 01" Lon: -069° 34' 59"
Sector Northern New England, Submerged Lands Act (SLA) - Damariscotta River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.8869° N / 69.58241° W Aid Name: Damariscotta River Buoy 12 LLNR: 5350 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved ardar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 53' 13" Lon: -069° 34' 57"

Danvers River

Additional MSI Categories

	_		
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Beverly Channel - Danvers River/General/Bridges/Temp	Bridges	MASSACHUSETTS – DANVERS RIVER – KERNWOOD BRIDGE – Notice of Temporary Deviation The Coast Guard has issued a temporary deviation from the drawbridge operating regulation that governs the Kernwood Swing Bridge across the Danvers River between Salem and Beverly, MA.	Lat: 42° 32' 35"
Deviation		The deviation is needed to conduct maintenance. Under this temporary deviation, the Massachusetts Department of Transportation (MassDOT) is authorized to not open for vessels on an as-needed basis from 9 p.m. to 5 a.m. on June 1, 2025, through October 31, 2025. These bridge closures will occur on Sunday(s) night through Thursday(s) night; there will be no interruption to services on weekends. During each bridge closure, a 100-yard Safety Zone will be established to close the channel. MassDOT shall notify Coast Guard Sector Boston, and the Salem, Danvers, and Beverly Harbormasters at least 72 hours prior to any closure and at the beginning and end of each closure period. Questions may be directed to Mr. Elias Demissie of MassDOT at (781) 570-6051 or Mr. Alex MacDonald of SPS New England at (978) 992-1704.	Lon: -070° 53' 54"

Deer Island Thorofare

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

East Penobscot Bay - Deer	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.1765° N / 68.55072° W Aid Name: Potato Ledge Buoy 5 LLNR:	Lat:
Island	Notice of	2995 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing	44° 10' 35
Thorofare/ATON/Proposed	Change	and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts	Lon:
Notice of Change		(ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-068° 33'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	03"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device	
		apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain	
		the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures.	
		Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be	
		carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the	
		data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that	
		you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses	
		to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Derby Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Derby Wharf Light	10129	REDUCED INT	FD

Dorchester Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Western Way - Dorchester	Marine Events	MA – DORCHESTER BAY – THUNDERBIRD TWILIGHT SERIES – REGATTA – The Thunderbird Fleet 5 is hosting the Thunderbird Twilight Series	
Bay/General/Marine		Regatta every Thursday evening from June 5, 2025, to September 11, 2025, from 6:30 PM to 8:30 PM in the vicinity of Dorchester Bay, South	
Events/Regatta (Race)		Boston, MA. There will be no race on July 3, 2025. The event will consist of approximately 15 vessels, 26' in length. The vessel responsible for on	
		scene safety can be reached on VHF Ch. 72. For more information please contact Steve Kavanagh at 617-773-4936. Chart 13270	

Duxbury Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Plymouth Bay - Duxbury	Advanced Notice	ATON/Advanced Notice of Change From: 2025-07-08 To: 2026-01-04 Location: 41.98743° N / 70.64855° W Aid Name: Duxbury Pier Light	Lat:
Bay/ATON/Advanced Notice of	of Change	LLNR: 12580 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard will be making the following change to the following	41° 59' 15"
Change		Aid to Navigation; Duxbury Pier Light (Bug Light) (LLNR 12580) Remove the Light List Remarks "Higher Intensity Beam seaward" This change	Lon:
		incorporates a modern LED lantern. Previously advertised as a proposal for Project 01-23-068 in LNM 35/23.	-070° 38'
			55"

Eagle Island Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Salem Channel - Eagle sland Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.53366° N / 70.79516° W Aid Name: Eagle Island Channel Buoy 3 LLNR: 10365 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -070° 47' 43"

https://www.navcen.uscg.gov/msi

Salem Channel - Eagle	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.52812° N / 70.79942° W Aid Name: Eagle Island Channel Buoy 5	Lat:
Island	Notice of	LLNR: 10375 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	42° 31' 41"
Channel/ATON/Proposed	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 47'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	58"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

East Passage

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Newport - Pell Bridge Sound Signal	17911	SS INOP	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Eastern Approach - East Passage/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-05-16 To: 2025-12-31 Sevenson Environmental Services will be conducting mechanical dredging in East Passage Rhode Island Sound to Narragansett Bay adjacent to Carr Point, in position 41-34-06.3N, 071-17-49.4W, from May 16, 2025, to December 31, 2025, Monday through Friday between 7:00am to 7:00pm. Equipment on scene will be two dredge barges with three hoppers scows and a boat for transits.	
Eastern Approach - East Passage/General/MSIB	MSIB	General/MSIB From: 2025-08-25 To: 2026-02-21 The Naval Undersea Warfare Center is alerting mariners on a missing Underwater Unmanned Vehicle (UUV) from 8/21/2025. UUV last seen operating inside Stillwater Basin. UUV was small sized, about 5-6 ft long and painted bright orange. UUV has the name "Hammerhead" printed on both sides. UUV is positively buoyant. UUV has a top mast red in color with a blinking green/red light (if still powered). There is a blue LED light array on the bottom of the UUV. There are no hazardous or dangerous items or characteristics to the UUV. If notified or discovered, please reach out directly to me or call the NUWC SMC at 401 832 2706.	
Eastern Approach - East Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.45754° N / 71.36639° W Aid Name: East Passage Bell Buoy 6 LLNR: 17790 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 27' 27" Lon: -071° 21' 59"
Eastern Approach - East Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.49451° N / 71.34468° W Aid Name: East Passage Lighted Bell Buoy 12 LLNR: 17855 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 29' 40" Lon: -071° 20' 41"

10/25, 12.20 FIVI		Manuffle Safety Information Products Navigation Center	
Eastern Approach - East Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.49992° N / 71.34582° W Aid Name: East Passage Buoy 12A LLNR: 17905 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 29' 60" Lon: -071° 20' 45"
Eastern Approach - East Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.52968° N / 71.33537° W Aid Name: East Passage Lighted Buoy 17 LLNR: 17965 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 31' 47" Lon: -071° 20' 07"
Eastern Approach - East Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.57638° N / 71.32781° W Aid Name: Prudence Island Southend Buoy PI LLNR: 18080 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015, E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lon: -071° 19' 40"
astern Approach - East assage/ATON/Proposed lotice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.60015° N / 71.30237° W Aid Name: East Passage Lighted Buoy 25 LLNR: 18100 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lat: 41° 36′ 01′ Lon: -071° 18′ 09″
astern Approach - East assage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.61539° N / 71.29321° W Aid Name: Sandy Point Junction Lighted Bell Buoy SP LLNR: 18130 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 36' 55' Lon: -071° 17' 36"

https://www.navcen.uscg.gov/msi 24/129

East Penobscot Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Isle Au Haut Bay - East Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.28709° N / 68.8333° W Aid Name: Green Ledge Bell Buoy 2 LLNR: 3505 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat; 44° 17' 14" Lon: -068° 49' 60"
Isle Au Haut Bay - East Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.11222° N / 68.73083° W Aid Name: Brown Cow Ledge Whistle Buoy 2BC LLNR: 3440 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.). Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	Lat: 44° 06' 44" Lon: -068° 43' 51"
Isle Au Haut Bay - East Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-30 Location: 44.21854° N / 68.76449° W Aid Name: Eagle Island Gong Buoy 3A LLNR: 3460 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, Als, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 13' 07" Lon: -068° 45' 52"

East River Main Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
East River Regulatory Light C	27246.2	STRUCT DEST	PA
East River Regulatory Light E	27246.4	OFF STA/HAZ NAV	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - East River Main Channel/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-07-01 To: 2027-12-31 Location: 40.77988889° N / 73.92682778° W Bridge Name: Triboro Bridge Structural Rehabilitation – Construction at the RFK Bridge across East River at mile 7.8 will commence on July 1, 2024. Hours of operation are during daylight hours. A temporary platform will be installed under the entire length and width of suspended span. The platform will reduce the vertical clearance by 4 feet plus 2 feet sag allowance (6 feet total). There will hot work/welding during construction. Any questions regarding this project can contact Andre Markarian via marine radio VHF-FM Ch. 13/16 or 510-774-2198. This project is to be completed by December 31, 2027. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 46' 48 Lon: -073° 55' 37"
Main Channel - East River Main Channel/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs From: 2024-10-18 To: 2025-11-02 Location: 40.80166667° N / 73.82953889° W Bridge Name: Bronx Whitestone Bridge Electrical Conduit Installation – Repairs to the Bronx Whitestone Bridge over East River at mile 13.8 is in progress. Hours of operation are from 7 a.m. to 3:30 p.m. A traveler will be operating under the main span and will reduce vertical clearance by approximately 13ft-6in. A safety boat will be operating IVO the bridge. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Tom Ginnane at 646-243-7274 or Sean Goberdhan at 914-513-7603 with one hour in advance notice. This project is to be completed by November 2, 2025. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 48' 06' Lon: -073° 49' 46"

Main Channel - East River Main Channel/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Painting From: 2024-04-08 To: 2025-12-30 Location: 40.79931111° N / 73.79358889° W Bridge Name: Throgs Neck Bridge Interior Painting of the Towers – Painting to the Bronx and Queens Towers of the Throgs Neck Bridge across East River at mile 15.8 will commence on April 8, 2024. Hours of operation are from 7 a.m. to 3:30 p.m. daily. A 150ft by 50ft barge will be staged alongside of the Queens fender, non-channel side from April 8, 2024 to December 21, 2024, and at the Bronx fender, non-channel side from April 1, 2025 to December 30, 2025. Any questions regarding this project can contact Steve Mejia via marine radio VHF-FM Ch. 13/16 or 732-522-1238. This project is to be completed by December 30, 2025. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 47' 58" Lon: -073° 47' 37"
Main Channel - East River Main Channel/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-05-13 To: 2026-12-31 Location: 40.79931111° N / 73.79358889° W Bridge Name: Throgs Neck Bridge Pier Protection Fender System Replacement – Exploratory Indicator Pile Program/Design/construction of fender system to the Bronx and Queens Towers of the Throgs Neck Bridge across East River at mile 15.8 is in progress. Hours of operation are from 7 a.m. to 5:30 p.m. daily. Crane and material barges will be operating along the perimeter of the Bronx and Queens Towers. Any questions regarding this project can contact Steve Mejia via marine radio VHF-FM Ch. 13/16 or 732-522-1238. This project is to be completed by December 31, 2026. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 47' 58" Lon: -073° 47' 37"
Main Channel - East River Main Channel/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2022-03-30 To: 2025-10-13 Location: 40.873675° N / 73.91116944° W Bridge Name: Broadway Bridge Bridge Rehabilitation – Construction to the Broadway Bridge across Harlem River at mile 6.8 is in progress. A temporary shielding is installed under the Broadway Bridge temporary shielding will reduce vertical clearance in the navigation channel by approximately 3ft 9in. A one half of navigation channel will be free of obstruction at all times. A 210ft by 50ft barge will be operating IVO the bridge to set the machinery on top of the north/south piers on or about November 25, 2024. Mariners have questions regarding temporary shielding information or requiring full horizontal clearance can contact Bharat Patel or Steven Nastro via marine radio VHF-FM CH 13/16 or 718-440-6272. This project is to be completed by October 13, 2025/516-805-5291. Mariners are advised to reduce wake and exercise caution when transiting the area.	Lat: 40° 52' 25" Lon: -073° 54' 40"
Main Channel - East River Main Channel/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Emergency) From: 2024-10-30 To: 2025-10-13 Location: 40.873675° N / 73.91116944° W Bridge Name: Broadway Bridge Emergency Bridge Closure – Broadway Bridge, mile 6.8, over across Harlem River was not able to open for marine traffic due to damaged electrical control system. New York City DOT is working diligently to repair the bridge. The bridge will be unable to open to marine traffic until repairs are completed. The vertical clearance in the closed position is approx. 24 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners have questions regarding bridge operation information can contact Dennis Biegel at 646-689-6110. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.	Lat: 40° 52' 25" Lon: -073° 54' 40"
Main Channel - East River Main Channel/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-10-30 To: 2024-11-27 Location: 40.81413611° N / 73.9331° W Bridge Name: Madison Ave Bridge Electrical/Mechanical Rehabilitation – Construction to the Madison Ave Bridge across Harlem River at mile 2.3 is in progress. Any questions to this project can contact Kambiz Riazi at 646-246-6666 or Steve Koch at 908-723-4355. This project is to be completed by October 8, 2025. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 48' 51" Lon: -073° 55' 59"
Main Channel - East River Main Channel/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Scheduled Or Emergency) From: 2024-11-06 To: 2026-12-25 Location: 40.73905278° N / 73.94273056° W Bridge Name: Borden Ave Bridge NEW YORK – EAST RIVER NEWTOWN CREEK – DUTCH KILLS – Bridge Closure – The Borden Ave Bridge, mile 1.2, is closed due to vandalism. Vessels able to pass under the bridge in the closed position may do so. Mariners with questions may contact Keith Burrows at (212) 839-3741, NYCDOT Director of Bridge & Derations. Mariners are advised to plan their transits accordingly.	Lat: 40° 44' 21" Lon: -073° 56' 34"
Main Channel - East River Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-06-16 To: 2025-12-31 Location: 40.70607° N / 73.99675° W Bridge Name: Brooklyn Bridge From June 16, 2025-December 31, 2025, between 8:00 a.m. and 4:00 p.m., Monday through Friday, bridge travelers and rigging will be operated under the Brooklyn Bridge over East River at mile 0.8 to perform bridge inspections. One half of the main span will remain open at all times. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 631-891-9721, 201-290-1259 or 863-326-3750. One-hour notice is requested to move equipment for full vertical clearance. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 42' 22" Lon: -073° 59' 48"
Main Channel - East River Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-07-07 To: 2025-10-02 Location: 40.71374722° N / 73.97221111° W Bridge Name: Williamsburg Bridge Kelly Davis Bridge Management Specialist First Coast Guard District 1 South Street Battery Bldg, Room 307 New York, NY 10004-1466 571-608-5020 From July 7, 2025-October 1, 2025, between 7:00 a.m. and 3:00 p.m., Monday through Friday, bridge travelers will be operated under the Williamsburg Bridge over East River at mile 2.3 to perform bridge inspections. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 646-773-3352, 347-865-3180 or 646-544-8575. One-hour notice is requested to move equipment for full vertical clearance. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.	
Main Channel - East River Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-08-01 To: 2025-12-31 Location: 40.79931111° N / 73.79358889° W Bridge Name: Throgs Neck Bridge Inspection to the Throgs Neck Bridge across the East River at mile 15.8 will commence on August 1, 2025. Hours of operation are from 7:00 a.m. to 3:00 p.m. daily. A barge with an 80-foot manlift will be operating underdeck areas of spans outside the main channel. Any questions regarding this project can contact Kaushil Patel (732) 585-3737 or via marine radio VHE-FM CH 13/16. This project is to be completed by December 31. 2025 Mariners are advised to exercise caution and reduce wake when transiting the area.	40° 47' 58" Lon: -073° 47'
Main Channel - East River Main Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-08-18 To: 2025-10-02 Location: 40.71651111° N / 73.92268056° W Bridge Name: Grand St Bridge From August 18, 2025 through October 1, 2025, fender and pier repair work will take place at the Grand Street Bridge over Newtown Creek at mile 3.1 in New York. One work barge will be deployed and moored adjacent to the fendering system. A 25' push boat and a work boat will be on site during working hours (6:00 a.m. – 2:30 p.m. Monday-Friday.) Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (201) 417-4115. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 42' 59" Lon: -073° 55' 22"
Main Channel - East River Main Channel/General/Bridges/Maintenance	Bridges	From August 4, 2025, through December 31, 2025, fender and pier repair work will take place at the Brooklyn Bridge over the East River at mile 0.8 in New York. Two work barges will be deployed and moored adjacent to Pier 1 (Manhattan). Marine traffic will have access through the main channel while the barges are moored and performing repairs. Mariners are requested to proceed by the work area at a slow bell during work hours (6:00 a.m. – 2:30 p.m. Monday-Friday.) Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (201) 417-4115. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 42' 22" Lon: -073° 59' 48"
Main Channel - East River Main Channel/General/Bridges/Inspection	Bridges	A general bridge inspection of the Kosciuszko Bridge across Newtown Creek at mile 2.1, using an under-bridge inspection unit (UBIU) will commence on August 11, 2025. Hours of operation are 9:00 a.m. to 3:00 p.m. Mariners requiring full vertical clearance should contact project team leaders at (646) 872-2967, (917) 306-0152, or on VHF-FM channels 13/16. This project will be completed by December 12, 2025. Mariners are advised to use caution when transiting the area.	Lat: 40° 43' 39" Lon: -073° 55' 44"

https://www.navcen.uscg.gov/msi 26/129

Main Channel - East River Main Channel/General/Bridges/Closure (Scheduled Or Emergency) Bridges The Coast Guard has issued a temporary deviation from the regulation governing the operation of the MTA Metro North Park Avenue Railroad Bridge across the Harlem River at mile 2.1. The deviation is to allow for emergency repairs to the bridge elevators. Under this temporary deviation, the MNR Park Avenue Railroad Bridge may remain in the closed position until 8:00 a.m. on September 22, 2025. Mariners are advised to exercise caution when transiting the area. Main Channel - East River Main Channel/General/Bridges/Construction Bridges General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.739224° N / 73.952567° W Bridge Name: Pulaski Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area. Main Channel/General/Bridges/Construction Bridges General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.733216° N / 73.940405° W Bridge Name: Greenpoint Ave Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One wor barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area. Bridges General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.783216° N / 73.93733889° W Bridge Name: Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.78615556° N / 73.937333889° W Bridge Name: Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.7861555	Lon: -073° 56' 25" Lat: 40° 47' 10" Lon: -073° 56' 14" Lat:
Channel/General/Bridges/Construction Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area. Bridges General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.733216° N / 73.940405° W Bridge Name: Greenpoint Ave Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One wor barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area. Main Channel - East River Main Channel/General/Bridges/Construction Bridges General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.78615556° N / 73.93733889° W Bridge Name: 103rd St Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise	40° 44' 21" Lon: -073° 57' 09" Lat: k 40° 43' 60" Lon: -073° 56' 25" Lat: 40° 47' 10" Lon: -073° 56' 14" Lat: 40° 45' 48" Lon:
Channel/General/Bridges/Construction Greenpoint Ave Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One wor barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area. Main Channel - East River Main Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.78615556° N / 73.93733889° W Bridge Name: 103rd St Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise	k 40° 43' 60" Lon: -073° 56' 25" Lat: 40° 47' 10" Lon: -073° 56' 14" Lat: 40° 45' 48" Lon:
Channel/General/Bridges/Construction 103rd St Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise	40° 47' 10" Lon: -073° 56' 14" Lat: 40° 45' 48" Lon:
caution when transiting the area.	k 40° 45' 48" Lon:
Main Channel - East River Main Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.76346944° N / 73.94583333° W Bridge Name: Roosevelt Island Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One wo barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	45"
Main Channel - East River Main Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.82809444° N / 73.9338° W Bridge Name: Macombs Dam Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 49' 41" Lon: -073° 56' 02"
Main Channel - East River Main Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.81958333° N / 73.93305556° W Bridge Name: 145th St Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 49' 10" Lon: -073° 55' 59"
Main Channel - East River Main Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.80349° N / 73.92901° W Bridge Name: Willis Ave Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 48' 13" Lon: -073° 55' 44"
Main Channel - East River Main Channel/General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.80833333° N / 73.93222222° W Bridge Name: Third Ave Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barg and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	Lat: e 40° 48' 30" Lon: -073° 55' 56"
Main Channel - East River Main Channel/General/Bridges/Maintenance Bridges General/Bridges From: 2025-09-11 To: 2025-09-12 Location: 40.75693056° N / 73.95459722° W Bridge Name: Queensboro Bridge On September 11, 2025 between 9:00 a.m. and 2:00 p.m., a bridge traveler will be operated under the Queensboro Bridge over East River at mile 5.5 to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856 or 917-471-2257. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the are	Lat: 40° 45' 25" Lon: -073° 57' a. 17"
Main Channel - East River Main Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes NY-NEW YORK CITY THE BATTERY From: 2024-03-11 To: 2026-01-06 Location: 40.70267° N / 74.01714° W Walsh Construction Co. will be conducting demolition and construction operations at the Battery in New York City, NY, in position 40-42-10.958N 074-1-2.902W, from March 11, 2024, to January 6, 2026, between 6:00am to 6:00pm. Equipment on scene will be three equipment decks barges, supported by up to 5 material barges, 24' push boat and two work skiffs, moored at bulkhead not in navigational channels, monitoring VHF-FM CH 16. Mariners are urged to transit at their slowest safe speed to produce no wake and proceed with caution.	
Marine Channel - East River Main Channel - East River Maine Channel - East River Mainel Channel - East	0
Main Channel - East River Main Channel/General/Marine Construction Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-05-01 To 2026-06-30 Location: 40.80937° N / 73.9343° W 40.80628° N / 73.93212° W 40.80336° N / 73.92984° W 40.80213° N / 73.92906 (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes W 40.80203° N / 73.92928° W 40.80336° N / 73.93006° W 40.80625° N / 73.93237° W 40.80752° N / 73.93345° W 40.80862° N / 73.9343° W 40.80937° N / 73.9343° W	3°

https://www.navcen.uscg.gov/msi 27/129

Main Channel - East River Main	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes NY-NYC-EAST RIVER-	
Channel/General/Marine Construction	Construction	MONGOMERY STREET TO E 14 STREET From: 2022-01-03 To: 2026-12-30 Location: 40.72676° N / 73.97142° W 40.72541° N /	
(Excluding Bridges)/Facilities, Barriers,	(Excluding	73.97174° W 40.7188° N / 73.97335° W 40.71435° N / 73.97513° W 40.71142° N / 73.97659° W 40.71049° N / 73.97783° W	
Manmade Reefs, Riprap, Jetties/Dikes	Bridges)	40.71014° N / 73.98107° W 40.70978° N / 73.98106° W 40.70947° N / 73.98421° W 40.70955° N / 73.98423° W 40.70981° N /	
		73.98122° W 40.71022° N / 73.98129° W 40.71057° N / 73.97787° W 40.71144° N / 73.97672° W 40.71435° N / 73.97526° W	
		40.7188° N / 73.97348° W 40.72541° N / 73.97187° W 40.72676° N / 73.97157° W 40.72676° N / 73.97142° W IPCP will be	
		conducting esplanade, bulkhead, and park reconstruction, on the East River, Montgomery St to East 14th Street, from January	
		2022 to December 2026, 5-7 days a week, between 6:00am to 6:00pm. Equipment on scene will be Tugboat DEBRA QUINN,	
		Inspection Boat, 290 x 40 Mooring Barges, 250 x 62 Gantry Crane Barge, Crawler Crane Barge, 150 x 60 Deck Barges, 140 x 40	
		Hopper Barges All moving of vessels to occur by tugboat; vessels will be moved at all times of day and night and will be	
		monitoring VHF-CH 13 and 66. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with	
		caution after passing arrangements have been made.	
Main Channel - East River Main	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-01-27 To:	
Channel/General/Marine Construction	Construction	2025-09-30 Con Edison will be conducting marine construction operations on the East River, at East 14th Street, along the wharf	
(Excluding Bridges)/Facilities, Barriers,	(Excluding	on FDR, adjacent to the Con Edison plant, from January 27, 2025, to September 30, 2025, Monday through Friday, between	
Manmade Reefs, Riprap, Jetties/Dikes	Bridges)	6:00am to 2:30pm. The project includes mobilization and demobilization of barge and wharf repair activities using divers. Diving	
		stations/equipment and building materials stored on deck. 165T crawler crane will remain tied down in cradle when not	
		setting/lifting spud piles or offloading equipment and materials. Request slow bell within 100 ft during work hours. Equipment	
		on scene will be the Mia Forte Elsa" spudded flat deck crane barge, 267'x50' Susan Miller and Johnathan Miller tugs, monitoring	
		VHF-FM CH 16 and the 24-hour point of contact, Andrew Arthur, can be reached at 908-623-6300.	
Main Channel - East River Main	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-22 To:	
Channel/General/Marine Construction	Construction	2025-12-05 Reicon Group, LLC will be conducting pile encapsulation work at the Andrew Haswell Greenway Esplanade, on the	
(Excluding Bridges)/Facilities, Barriers,	(Excluding	East River, NY, from October 22, 2024, to December 5, 2025, Monday through Friday, between 7:00am to 3:30pm. Please	
Manmade Reefs, Riprap, Jetties/Dikes	Bridges)	contact the work site POC, at 917-560-6100, for additional inquires. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	
Main Channel - East River Main	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-09-01 To:	
Channel/General/Marine Construction	Construction	2027-07-05 Location: 40.7427° N / 73.97198° W 40.74265° N / 73.97148° W 40.73988° N / 73.97216° W 40.73999° N / 73.97258°	
(Excluding Bridges)/Facilities, Barriers,	(Excluding	W 40.7427° N / 73.97198° W Phoenix Marine Co. will be conducting divery operations in the East River at the Marginal Wharf	
Manmade Reefs, Riprap, Jetties/Dikes	Bridges)	Platforms at The Water Club and E. 34th St. Heliport, in position 40*44′36″N-73*58′16″ W through 40*44′22″N-73*58′20″W. Work will be conducted between 6:00am-2:00pm, from September 15, 2025 to July 5, 2027. Equipment on scene will be (1)	
		crane barge, (1) material barge and (1) work platform barge monitoring VHF-CH 9. Mariners transiting the work area are urged	
		to exercise extreme caution, travel at the slowest safe speed to minimize wake, and proceed with caution	
Main Channel - East River Main	MSIB	General/MSIB From: 2025-08-01 To: 2026-01-28 The Hammond Creek East Entrance Fixed Marker in (pa) 40-48-42.88"N, 073-	
Channel/General/MSIB	IVIOID	48-06.42"W has been reported missing. The Hammond Creek West Entrance Fixed Marker in (pa) 40-48-42.65"N, 073-58-	
		TO 00.72 W has been reported missing. The Hamiltonia Creek West Littratice fixed Walker in (pa) 40-40-42.03 N, 0/3-30-	

East Rockaway Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Rockaway Inlet Buoy 8	31545	MISSING	FD
East Rockaway Inlet Lighted Buoy 9	31550	OFF STA	FD
East Rockaway Inlet Buoy 12	31560	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New York, Submerged Lands Act (SLA) - East Rockaway Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported in vicinity of buoy five heading outbound of East Rockaway Inlet.	
Sector New York, Submerged Lands Act (SLA) - East Rockaway Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-11-25 To: 2025-10-10 NY- EAST ROCKAWAY CHANNEL-BROAD CHANNEL-HOG ISLAND CHANNEL-REYNOLDS CHANNEL Posillico Civil will be conducting marine construction operations in the East Rockaway Channel, Broad Channel, Hog Island Channel & Broad Channel, From December 2, 2024, to October 10, 2025, seven days a week, between 7:00am to 7:00pm, I the following positions: 40-36.702N, 073-40.038W, 40-36.168N, 073-40.306W, 40-36.518N, 073-40.258W, 40-35.813N, 073-40.667W. Equipment on scene will be the 38' x 100' Dredge "Joseph D'Arco, 38' x 110' Flat Deck Crane Barge "#16", 56' x 17' Tugboat "Dana Alexa", 25' x 14' Clydesdale Pushboat "Pushillico" & Damp; Aluminum Work Skiffs, monitoring VHF-FM CH 13, 16, and 66, and will require a 30-minute notice, for all vessel movement requests. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	
Sector New York, Submerged Lands Act (SLA) - East Rockaway Inlet/ATON/Proposed Notice of Change		ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.5714° N / 73.76362° W Aid Name: East Rockaway Inlet Lighted Bell Buoy ER LLNR: 31495 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 40° 34' 17" Lon: -073° 45' 49"

https://www.navcen.uscg.gov/msi 28/129

Eastern Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2025-09-30 Location: 41.38334° N / 71.3893° W Aid Name: Narragansett Bay Entrance	Lat:
England, Submerged Lands Act	Notice of	Lighted Whistle Buoy NB LLNR: 17675 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	41° 23' 00'
(SLA) - Eastern	Change	Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems	Lon:
Approach/ATON/Proposed		(GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will	-071° 23'
Notice of Change		result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system	21"
		availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The	
		Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th	
		century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to	
		acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against	
		AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally	
		or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To	
		most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of	
		vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the	
		Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Eastern Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Frenchman Bay - Eastern	Marine Events	Mariners are advised that the Harraseeket Youth Regatta is scheduled to be held around Harraseeket River to Bustins Island, near the	
Bay/General/Marine Events/Regatta		vicinity of Freeport, ME. The event will be held from 08:00 a.m. to 05:00 p.m. on July 16-17, 2025. Chart number: 13260. For event	
(Race)		information contact: Regatta POC Henry Bliss III, (207) 650-7381.	

Eastern Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.49507° N / 67.73299° W Aid Name: Eastern Harbor Buoy 1 LLNR:	Lat:
England, Submerged Lands	Notice of	1490 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing	44° 29' 42
Act (SLA) - Eastern	Change	and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts	Lon:
Harbor/ATON/Proposed		(ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk	-067° 43'
Notice of Change		reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	59"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device	
		apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain	
		the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures.	
		Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be	
		carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the	
		data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that	
		you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses	
		to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

Eastern Passage

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hardwood Island Aquaculture Buoy A	2426	MSLD SIG	PA
Hardwood Island Aquaculture Buoy B	2427	MSLD SIG	PA
Hardwood Island Aquaculture Buoy C	2428	MSLD SIG	PA
Hardwood Island Aquaculture Buoy D	2429	MSLD SIG	PA

Eggemoggin Reach

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Jericho Bay - Eggemoggin Reach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.2125° N / 68.53843° W Aid Name: Eggemoggin Eastern Bell Buoy EE LLNR: 2825 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 12' 45" Lon:
Jericho Bay - Eggemoggin Reach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.31322° N / 68.73843° W Aid Name: The Triangles Buoy 25 LLNR: 2920 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lon: -068° 44'
Jericho Bay - Eggemoggin Reach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.30004° N / 68.77467° W Aid Name: Eggemoggin Reach Bell Buoy ER LLNR: 2990 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 18' 00" Lon:
Jericho Bay - Eggemoggin Reach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.32035° N / 68.74286° W Aid Name: Eggemoggin Lighted Bell Buoy EG LLNR: 2925 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 19' 13" Lon: -068° 44' 34"

Englishman Bay

Federal Discrepancies

•			
NAME	LLNR	STATUS	AID TYPE
Codhead Ledge Buoy 2	1190	MISSING	FD

aditional iv	isi Categories		
TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO

Sector Northern New England, Submerged Lands Act (SLA) - Englishman Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.56064° N / 67.43082° W Aid Name: Brothers Passage Bell Buoy 1 LLNR: 1180 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 33' 38" Lon: -067° 25' 51"
Sector Northern New England, Submerged Lands Act (SLA) - Englishman Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.56269° N / 67.43556° W Aid Name: Brothers Passage Buoy 2 LLNR: 1185 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 33' 46" Lon: -067° 26' 08"
Sector Northern New England, Submerged Lands Act (SLA) - Englishman Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.58516° N / 67.43802° W Aid Name: Codhead Ledge Buoy 2 LLNR: 1190 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 35' 07" Lon: -067° 26' 17"

Erie Basin

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Erie Basin Entrance Light 2	36895	LT EXT	FD

Essex Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE	
Essex Bay Channel Buoy 16	9530	OFF STATION	FD	

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston,	Hazards To	Essex Bay entrance has experienced increased shoaling from Essex Bay Buoy 3 in approximate position 42-40.4N 070-42.7W to Essex Bay Buoy 3A in	
Submerged Land Act (SLA) - Essex Bay/General/Hazards To Navigation/Shoaling Reported	Navigation	approximate position 42-40.3N 070-43.3W. Mariners are advised that shoaling has been identified and extends the entire width of the channel to a least depth of 2 feet mean low water (MLW). Mariners without local knowledge are advised to transit with extreme caution and only during plus tides. Essex Bay Channel Buoy 16 has been reported having increased shoaling. Mariners are urged to use caution while transiting the area.	
Sector Boston, Submerged Land Act (SLA) - Essex Bay/General/Marine Events/Regatta (Race)	Marine Events	MA – IPSWICH BAY – IPSWICH RIVER – LABOR IN VAIN, IPSWICH ILLUMINATION FESTIVAL PADDLE – PADDLE RACE – The Town of Ipswich MA is hosting the 2025 Ipswich illuminations Festival and the Labor in Vain Paddle Race on November 1, 2025, from 11:00 AM to 4:00 PM from Pavilion Beach to the Ipswich Town Wharf on the Ipswich River. The event will consist of a paddle race with approximately 50 kayak, canoe and Stand Up Paddle Boards ranging from 5'-14' feet in length. The person responsible for on scene safety can be reached at 978-356-4343. For more information, please contact LT Jon Hubbard at 978-356-4343.	

31/129

https://www.navcen.uscg.gov/msi

Sector Boston,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.68006° N / 70.70482° W Aid Name: Essex Bay Entrance Lighted Bell	Lat:
Submerged Land Act	Notice of	Buoy 1 LLNR: 9480 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	42° 40' 48"
(SLA) - Essex	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Bay/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 42'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	17"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil .	

Fire Island Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fire Island Inlet Lighted Buoy 3	29130	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Approaches To New York Nantucket Shoals To Five Fathom Bank - Fire Island Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-11-14 Location: 40.63186° N / 73.3053° W 40.63094° N / 73.29678° W 40.62873° N / 73.29154° W 40.6278° N / 73.27761° W 40.62674° N / 73.27757° W 40.62762° N / 73.29276° W 40.62948° N / 73.29692° W 40.63016° N / 73.30538° W 40.62915° N / 73.3204° W 40.62306° N / 73.3237° W 40.62391° N / 73.33134° W 40.63165° N / 73.32152° W 40.63186° N / 73.30538° W N/FIRE ISLAND INLET Shoaling has been identified in Fire Island Inlet in the area between buoys 3, 7, 13, and 15. Mariners are urged to use caution while transiting the area.	
Fire Island Inlet/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.60225° N / 73.3314° W Aid Name: Fire Island Inlet Lighted Whistle Buoy FI LLNR: 29110 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	40° 36' 08" : Lon: -073° 19' 53"

Flanders Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Flanders Bay Lighted Buoy 8	28925	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Peconic River Lighted Buoy 4	28980	LT EXT	PA

Flushing Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East River Main Channel - Flushing	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-06-06 To:	Lat:
Bay/General/Marine Construction	Construction	2025-12-31 Location: 40.76539° N / 73.84061° W J.T. Clerary Inc. will be conducting floating crane repair in Flushing Creek from	40° 45' 55"
(Excluding Bridges)/Facilities, Barriers,	(Excluding Bridges)	June 5, 2025, to December 31, 2025, Monday through Friday, 7:00am to 3:30pm. Equipment on scene will be a crane barge,	Lon:
Manmade Reefs, Riprap, Jetties/Dikes		monitoring VHF-FM CH 13 and 69. The barge will be along the shoreline and will not interfere with passing marine traffic. Corners	-073° 50'
		of barge will have USCG approved lights. If needed, barge can be repositioned with 24hr notice. Please call (201) 417-4115 for	26"
		such requests.	

Fox Island Thorofare

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi 32/129

/ 10/23, 12.20 1 W		Manufile Safety Information Floudicts Navigation Center	
West Penobscot Bay - Fox Island Thorofare/General/Marine Events/Regatta (Race)	Marine Events	Mariners are advised that the Camden Classics Cup Regatta is scheduled to be held around Western Penobscot Bay near the vicinity of Camden, ME. The event will be held from 12:00 p.m. to 17:00 p.m. on July 25, 2025, July 26, 2025, and July 27, 2025. Chart number: 13260. For event information contact: Peter Gerard (214) 244-4955.	
West Penobscot Bay - Fox Island Thorofare/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.1319° N / 68.77809° W Aid Name: Fox Island Thorofare Buoy 2A LLNR: 3860 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	
West Penobscot Bay - Fox Island	Proposed Notice of	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.13082° N / 68.80183° W Aid Name: Fox Island Thorofare Buoy 2 LLNR: 3865 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	
Thorofare/ATON/Proposed Notice of Change	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -068° 48' 07"
West Penobscot Bay - Fox Island	Proposed Notice of	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.1007° N / 68.92766° W Aid Name: Fox Island Thorofare Junction Buoy LLNR: 3975 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	Lat: 44° 06' 03"
Thorofare/ATON/Proposed Notice of Change	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.). • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -068° 55' 40"
West Penobscot Bay - Fox Island	Proposed Notice of	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.18626° N / 68.88743° W Aid Name: Egg Rock Ledge Buoy LLNR: 4020 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	Lat: 44° 11' 11"
Thorofare/ATON/Proposed Notice of Change	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lon: -068° 53' 15"

<u>Frenchman Bay</u>

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Otter Cliff Ledge Bell Buoy 1	1840	WATCHING PROPERLY	FD	2025-09-08

TITLE	SUBCATEGORY	OCATION

Sector Northern New England, Submerged Lands Act (SLA) - Frenchman Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.30857° N / 68.18184° W Aid Name: Otter Cliff Ledge Bell Buoy 1 LLNR: 1840 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 18' 31" Lon: -068° 10' 55"
Sector Northern New England, Submerged Lands Act (SLA) - Frenchman Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.32259° N / 68.12334° W Aid Name: Frenchman Bay Lighted Buoy FB LLNR: 1860 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	44° 19' 21" Lon:
Sector Northern New England, Submerged Lands Act (SLA) - Frenchman Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.35453° N / 68.17612° W Aid Name: Newport Ledge Buoy 5 LLNR: 1870 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepances, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 21' 16" Lon: -068° 10' 34"

Gardiners Bay South Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE			
Gardiners Bay South Entrance Buoy 2	27735	MISSING	FD			
Crow Shoal Buoy 14	27770	MISSING	FD			

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Block Island Sound And	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-12-27 NY-BLOCK ISLAND SOUND AND GARDINERS BAY-	
Gardiners Bay - Gardiners Bay South	Navigation	GARDINERS BAY SOUTH ENRANCE-ACABONACK HARBOR Mariners are advised that dangerous shoaling conditions exist in Acabonack Harbor and vicinity which cause dangerous conditions when transiting the channel. Acabonack Harbor Buoys 1-4 (Private aids have been temporarily	
Entrance/General/Hazards To Navigation/Shoaling Reported		discontinued until the harbor is dredged. Mariners should exercise extreme caution when navigating the channel.	
Block Island Sound And	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.03651° N / 72.05148° W Aid Name: Gardiners Bay South	Lat:
Gardiners Bay - Gardiners Bay South	Notice of Change	Entrance Lighted Bell Buoy S LLNR: 27730 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite	
Entrance/ATON/Proposed		Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort	-072° 03'
Notice of Change		will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Gilkey Harbor

Additional MSI Categories

https://www.navcen.uscg.gov/msi 34/129

9/10/25, 12:26 PM

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Penobscot Bay -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.27972° N / 68.95158° W Aid Name: Grindel Point Lighted Bell Buoy	Lat:
Gilkey	Notice of	2 LLNR: 4390 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	44° 16' 47"
Harbor/ATON/Proposed	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 57'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	06"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Goodwives River Approach

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Goodwives River Mid-Channel Buoy A	25121	LT EXT	PA

Grassy Bay

Additional MSI Categories

	_		
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Winhole Channel - Grassy	Marine	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-04-15 To: 2025-12-31 Location: 40.66072° N / 73.82175° W	Lat:
Bay/General/Marine	Construction	The New York City Department of Environmental Protection, with support from the Science and Resilience Institute at Jamaica Bay, will be	40° 39' 39"
Construction (Excluding	(Excluding Bridges)	conducting in-water research in Bergen Basin, Jamaica Bay, in position 40-39-38.600N 073-49-18.300W from April 15, 2025, to December 31,	Lon:
Bridges)/Survey Operations		2025, seven days a week 24 hours a day. Equipment on scene will be a 56-foot X 19-foot series of cage systems, suspended under plastic	-073° 49'
		buoys and secured in place by anchors, and an adjacent 28-foot X 27-foot in-situ flow through system. The area will be clearly demarcated	18"
		and marked with four white and orange regulatory buoys. Mariners are advised to use caution and transit at slow speed to minimize wake	
		when transiting the area.	

Great Kills Harbor

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Great Kills Harbor Channel Buoy 2	35460	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 3	35465	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 4	35470	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 5	35475	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 6	35480	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 8	35485	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 9	35488	DISCONTINUED FOR DREDGING	FD
Great Kills Harbor Channel Buoy 10	35490	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Raritan Bay - Great Kills	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-10-27 Location: 40.53315° N / 74.14062° W 40.52984°	
Harbor/General/Hazards To	Navigation	$N / 74.13963^{\circ} \ W \ 40.52957^{\circ} \ N / 74.1409^{\circ} \ W \ 40.53297^{\circ} \ N / 74.14193^{\circ} \ W \ 40.53315^{\circ} \ N / 74.14062^{\circ} \ W \ NY-GREAT \ KILLS \ HARBOR \ Shoaling$	
Navigation/Shoaling Reported		has been reported in in the vicinity of Great Kills Harbor, between buoys 6 and 8. Mariners are advised to proceed with caution while transiting the area.	

Great South Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fox Creek Channel Lighted Buoy 9	29640	OFF STA	PA
Barrett Beach Lighted Buoy 4	29925	OFF STA/HAZ NAV	PA
Watch Hill Channel Range Front Light	30050	MISSING	PA
Watch Hill Channel Range Rear Light	30055	MISSING	PA

1	TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
---	-------	-------------	-------------	----------	--

East Channel - Great South	Marine	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-09-16 To: 2025-09-24 Inspire Environmental will be conducting
Bay/General/Marine	Construction	bottom trawl fisheries surveys in the Empire Wind Lease Area (Between 40° 20' 50.7834", -73° 32' 0.3618" & 20' 38.7798", -73° 20'
Construction (Excluding	(Excluding	1.053") and Reference Area (40° 33' 32.4282", -72° 51' 45.2736") from September 16, 2025, to September 24, 2025. The survey will run 2 times in
Bridges)/Survey Operations	Bridges)	September and target the dates above, but exact dates are subject to change; an update will be sent if either leg is shifted. Each survey leg will
		last approximately 3 days, with the second leg being a few days after the first leg has been completed. Equipment on scene will be the F/V Susan
		L; Bottom Trawl Net, monitoring VHF-FM CH 13 and 16 and will be towing bottom trawl gear at 4 stations within the Lease Area, as well as 4
		times at the adjacent reference site (see Figure 1); these stations are not yet determined. Each tow will last 20 minutes in duration. During these
		times, the vessel will be moving at 4kts or less and have decreased maneuverability.

Green Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Green Harbor Buoy 9	12525	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Green Harbor Approach -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.07247° N / 70.63921° W Aid Name: Green Harbor Entrance Lighted	Lat:
Green	Notice of	Buoy 3 LLNR: 12510 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	42° 04' 21"
Harbor/ATON/Proposed	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 38'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	21"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Green Island Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
TITLE Portland Harbor Approach - Green Island Passage/ATON/Proposed Notice of Change		ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.65452° N / 70.11507° W Aid Name: Green Island Reef Buoy 2 LLNR: 6990 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	Lat: 43° 39' 16 Lon: -070° 06' 54"
Portland Harbor Approach - Green Island Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil . ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-02 Location: 43.65432° N / 70.11979° W Aid Name: Green Island Passage Buoy 3 LLNR: 6995 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this pr	

Greenwich Bay

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	

Greenwich Bay Approach -	Marine Events	RI – GREENWICH BAY – WARWICK INDEPENDENCE DAY FIREWORKS – FIREWORKS Mariners are advised that the Warwick Independence Day	
Greenwich Bay/General/Marine		Firework Display is scheduled to be held from a barge in Greenwich Bay in the vicinity of Oakland Beach, Warwick, RI. The event will take place	
Events/Fireworks		on July 3, 2025, from 9:00 p.m. to 9:45 p.m. Mariners are advised to transit the area with extreme caution and to maintain a minimum distance	
		of two hundred ten (210) feet from the fireworks launching platform. Interested parties may contact the person in charge by VHF Channel 16.	

Greenwich Bay Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Passage - Greenwich	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.66094° N / 71.3728° W Aid Name: Patience Island Lighted Bell	Lat:
Зау	Notice of	Buoy 8 LLNR: 19340 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard	41° 39' 39'
Approach/ATON/Proposed	Change	is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-071° 22'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	22"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Hackensack River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Newark Bay - Hackensack River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-09-25 To: 2025-03-24 Location: 40.82286667° N / 74.03445556° W Bridge Name: Westerly Hackensack River Bridge Replacement of Two Waterway Piers and Bridge Washing – Installation of temporary trestle at the New Jersey Turnpike Bridge across the Hackensack River at mile 11.8 will commence on July 1, 2024. Hours of operation are from 6 am to 4 pm. 6	Lat: 40° 49' 22" Lon:
		Shugart sectional barges will be installed at piers 15 and 18 outside navigation channel. A barge will be operating in the navigation channel for bridge washing during month of January in 2026, 2027 and 2028 (tentative). Mariners requiring full horizontal clearance can contact Albert Parker via marine radio VHF-FM Ch 13/16 or 215-495-2140. Mariners are advised to exercise caution when transiting the area. This project is to be completed by January 20, 2028.	-074° 02' 04"
Newark Bay - Hackensack River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-10-25 To: 2025-04-23 Location: 40.82286667° N / 74.03445556° W Bridge Name: Westerly Hackensack River Bridge Replacement of Two Waterway Piers and Bridge Washing – Installation of temporary trestle at the New Jersey Turnpike Bridge across the Hackensack River at mile 11.8 will commence on July 1, 2024. Hours of operation are from 6 am to 4 pm. 6 Shugart sectional barges will be installed at piers 15 and 18 outside navigation channel. A barge will be operating in the navigation channel for bridge washing during month of January in 2016, 2017 and 2018 (tentative). Mariners requiring full horizontal clearance can contact Albert Parker via marine radio VHF-FM Ch 13/16 or 215-495-2140. Mariners are advised to exercise caution when transiting the area. This project is to be completed by January 20, 2028.	Lat: 40° 49' 22" Lon: -074° 02' 04"
Newark Bay - Hackensack River/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2024-12-10 To: 2027-02-08 Location: 40.79992778° N / 74.07591389° W Bridge Name: Berry's Creek Canal New Jersey Turnpike Bridge Bridge Replacement – Installation of temporary trestle to the New Jersey Turnpike Bridge (W112.72B) over Berry's Creek Canal at mile .05 will commence on or about December 16, 2024. Hours of operation are from 6 a.m. to 4 p.m. weekdays. There will be a safety boat operating IVO the bridge. A 84ft navigation channel free of obstruction will be maintained at all times. For construction details please contact Jed Fitz, superintendent at 267-907-5932 or via marine radio VHF-FM 13/16. This project is to be completed by February 8, 2027. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 47' 60" Lon: -074° 04' 33"
Newark Bay - Hackensack River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-05-24 To: 2027-10-22 Location: 40.75346° N / 74.095153° W Bridge Name: Portal (N) Bridge Portal (N) Bridge Bridge replacement to the Portal Bridge North, across Hackensack River at mile 5.04 is in progress. Hours of operations are from Monday to Friday between 6:30 a.m. to midnight. There will be waterborne equipment blocking one draw of a swing bridge at a time and the other draw will be free and clear of any equipment for the passage of vessels. Mariners can contact one of the three (3) provided telephone numbers/emails or via marine radio VHF-FM CH 13/16 advising of travel through the channel (including possible return trips): 1. Martir Ortez – Main Span Project Manager – (562) 307- 4916, mortez@traylor.com 2. Jack Phillips – Main Span Superintendent – (347) 924-5635, john.h.phillips@skanska.com 3. Jim Hummel – Main Span Area Lead - (917) 417- 4885, Jim.Hummel@skanska.com Skanska Traylor PNB JV has been awarded the construction of the New Portal North Bridge Project (NJT Contract No. 20-083X, WBS No. GC.02) with a Notice to Proceed of April 7, 2022. Specific to the Hackensack River work, mile 5.0, the project consists of constructing two bridge piers, demolition of the existing center pier north fender, erecting three tied-arch spans of approximately 400 LF (1,200 LF overall), and demolition of the existing bridge once railroad traffic is switched to the new bridge. The current status of the channels: East Channel – Open West Channel – Close The Coast Guard is modifying the operating schedule that governs the Amtrak Portal Bridge across the Hackensack River, mile 5.0, at Little Snake Hill, New Jersey. This action is necessary to facilitate the construction of the new replacement Portal Bridge North, as designed by Amtrak as the owner of the bridge, adjacent to the current Amtrak Portal Bridge. This final rulemaking limits the extent of the opening of the Amtrak Portal Bridge in the horizontal position to prevent the swing span from striking the new Portal Bridge North	Lat: 40° 45' 12" Lon: -074° 05' 43"

Hamburg Cove

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hamburg Cove Entrance Buoy 4	22710	OFF STA	PA
Hamburg Cove Entrance Buoy 6	22720	OFF STA	PA
Hamburg Cove Daybeacon 15	22745	OFF STA	PA
Hamburg Cove Daybeacon 17	22750	OFF STA	PA
Hamburg Cove Daybeacon 19	22755	OFF STA	PA

Hampton Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA) - Hampton Harbor/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-04-29 To: 2026-04-29 Location: 42.899° N / 70.8203° W 42.89746° N / 70.81608° W 42.89488° N / 70.80814° W 42.89251° N / 70.81105° W 42.89471° N / 70.817° W 42.8953° N / 70.82135° W 42.8999° N / 70.8203° W Bridge Name: Hampton River New Hampshire 1A State Route Bridge Mariners are urged to exercise extreme caution when exiting or entering Hampton Harbor. All vessel traffic is restricted to the center span of the bridge due to work trestles which have been constructed alongside the existing Hampton Harbor Bridge, blocking the side channels. Mariners should anticipate strong currents in the marked navigation channel coupled with very shallow water just outside the marked channel and plan their transits accordingly. One way vessel traffic is strongly recommended with vessels transiting with the tidal current having priority. Larger vessels will be limited in their maneuverability and once committed to the passage will not be able to stop. Mariners unfamiliar with the area are encouraged to contact the Harbor Master on VHF-FM Channel 16 for transit guidance, as well as making a radio broadcast of their transit to facilitate safest passage.	
Sector Northern New England, Submerged Lands Act (SLA) - Hampton Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-09-30 Location: 42.90162° N / 70.78377° W Aid Name: Outer Sunk Rocks Buoy 2 LLNR: 8905 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 54' 06" Lon: -070° 47' 02"
Sector Northern New England, Submerged Lands Act (SLA) - Hampton Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.88361° N / 70.788° W Aid Name: Hampton Harbor Channel Approach Lighted Bell Buoy 2 LLNR: 8920 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 53' 01" Lon: -070° 47' 17"

,		, ,
Sector Northern New England,	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-07-08 To: 2030-12-31 The Coast Guard is establishing a
Submerged Lands Act (SLA) - Hampton		temporary regulated navigation area (RNA) and a safety zone on the Hampton River at the inlet to Hampton Harbor, Hampton, NH, in
Harbor/General/Safety		response to hazardous conditions created by construction activities for the Neil R. Underwood Seabrook-Hampton Harbor Bridge
Zones/Temporary Regulated Navigation		replacement project. This rule is necessary to provide for the safety of life in the areas undergoing demolition and construction. The RNA
Zones		will be enforced from July 1, 2025, through December 31, 2030, and will establish the following operating restrictions on vessels:
		Nothing in this regulation relieves any vessel, owner, operator, charterer, master, or person directing the movement of a vessel, from the
		consequences of any neglect to comply with this part or any other applicable law or regulation (i.e. the International Regulations for
		Prevention of Collisions at Sea, 1972 (72 COLREGS) or 33 CFR part 84—Subchapter E, Inland Navigation Rules) or of the neglect of any
		precaution which may be required by the ordinary practice of seamen, or by the special circumstances of the case. Entry and movement
		within the RNA is subject to a "Slow-No Wake" speed limit. All vessels may not produce a wake and may not attain speeds greater than
		five (5) knots unless a higher minimum speed is necessary to maintain bare steerageway. Any vessel transiting through the RNA must
		make a direct passage. No vessel may stop, fish, moor, anchor, or loiter within the RNA at any time. Vessels may not pass (overtake)
		another vessel within the RNA. Only one vessel is permitted to pass through the center span navigational channel at any given time.
		Except when transiting through the center span navigation channel, no vessel or craft may operate within 20 feet of the bridge(s). The
		operator of any vessel transiting in the RNA must comply with all lawful directions given to them by the COTP or the COTP's on-scene
		representative. viii) One-way traffic will flow northbound between the eastern side of the shallow waters and the Seabrook-Hampton
		Harbor Bridge. The northern side of the shallow area will accommodate one-way traffic moving west. The Safety Zone, includes all
		navigable waters within a 50-yard radius of the center point of the bridge, will be effective from July 1, 2025, through Decmember 31,
		2030, but will only be enforced during active construction within the main span navigational channel or other instances which may cause
		a hazard to navigation as determined by the COTP. The COTP will make notification of the exact dates and times in advance of each
		closure period of the safety zone to the local maritime community through the Local Notice to Mariners and will issue a Broadcast
		Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. The complete rulemaking is
		available under Federal Register docket number USCG-2025-0389 and can be accessed through the federal portal at
		https://www.regulations.gov/document/USCG-2025-0389-0001 We invite your comments on this rulemaking. To submit your comment
		online, go to https://www.regulations.gov, and insert "USCG-2025-0389" in the "search box". Click "Search" and then click "Comment."
		We will consider all comments received on or before October 6, 2025. If the project is completed before December 31, 2030,
		enforcement of the safety zones will be suspended, and notice given via Local Notice to Mariners. The First Coast Guard District Local
		Notice to Mariners can be found at: https://www.navcen.uscg.gov/msi. For questions regarding this Marine Safety Information Bulletin

Herring River

contact Mr. Craig Lapiejko, Waterways Management at First Coast Guard District, telephone (571) 607-6314, e-mail: craig.d.lapiejko@uscg.mil. Matthew B. Stuck, First Coast Guard District Chief of Waterways Management, sends

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Herring River Entrance Buoy 6	14165	OFF STATION	PA

Hingham Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Weymouth Fore River - Hingham Bay/General/Marine Events/Regatta (Race)	Marine Events	MA – HINGHAM – HINGHAM BAY – HINGHAM BAY WEDNESDAY NIGHT RACES – REGATTA – The Hingham Bay Racing is hosting the Hingham Bay Wednesday Night Races every Wednesday night, from May 14, 2025, to October 1, 2025, in and around the vicinity of Hingham Bay. The event will consist of approximately 30 sailing vessels varying in length between 24'-50'. The person responsible for on scene safety can be reached at 617-312-7200. For more information, please contact Ted Matthews at 617-312-7200. Chart 13275	
Weymouth Fore River - Hingham Bay/General/Marine Events/Regatta (Race)	Marine Events	MA – HINGHAM – HINGHAM BAY – HINGHAM CHOWDER CUP – REGATTA – Hingham Bay Racing is hosting the Hingham Chowder Cup, September 20, 2025 in and around the vicinity of Hingham Bay. The event will consist of approximately 25 sailing vessels varying in length between 22'-55'. The person responsible for on scene safety can be reached at 617-312-7200 or VHF Ch 68. For more information, please contact Ted Matthews at 617-312-7200. Chart 13275	
Weymouth Fore River - Hingham Bay/General/Marine Events/Regatta (Race)	Marine Events	MA – HINGHAM BAY / NANTASKET ROADS – THE GREAT CHASE – REGATTA – The Hull Yacht Club is hosting The Great Chase Regatta on September 13, 2025, from 1:00 PM to 4:30 PM in the vicinity of Hingham Bay and Nantasket Roads. The event will consist of approximately 100 vessels ranging from 20' to 50' in length. The person responsible for on scene safety can be reached at 781-820-4414. For more information, please contact Kevin Logue at 781-820-4800. Chart 13267	

Hog Island Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hog Island Channel Lighted Bell Buoy 15	16200	LT EXT	FD
Hog Island Channel Lighted Buoy 19	16215	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi

Buzzards Bay Main Channel - Hog Island Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.69334° N / 70.66656° W Aid Name: Hog Island Channel Lighted Buoy 6 LLNR: 16155 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Buzzards Bay Main Channel - Hog Island Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.6942° N / 70.66817° W Aid Name: Hog Island Channel Lighted Buoy 7 LLNR: 16160 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Buzzards Bay Main Channel - Hog Island Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.70276° N / 70.65784° W Aid Name: Hog Island Channel Lighted Buoy 10 LLNR: 16175 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Buzzards Bay Main Channel - Hog Island Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.70357° N / 70.65939° W Aid Name: Hog Island Channel Lighted Buoy 11 LLNR: 16180 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 42' 13 Lon: -070° 39' 34"
uzzards Bay Main Channel Hog Island Channel/ATON/Proposed Jotice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.71209° N / 70.64913° W Aid Name: Hog Island Channel Lighted Buoy 16 LLNR: 16210 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost. • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lat: 41° 42' 44 Lon: -070° 38' 57"

https://www.navcen.uscg.gov/msi 40/129

Buzzards Bay Main Channel - Hog Island	Proposed Notice of	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.72126° N / 70.64281° W Aid Name: Hog Island Channel Lighted Buoy 19 LLNR: 16215 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard	Lat: 41° 43' 17"
Channel/ATON/Proposed	Change	is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 38'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	34"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Housatonic River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Eastern Part - Housatonic River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-03-07 To: 2026-06-30 2) 40' x 60' Dredge Plant Spud Barges and 6) 30' x 40' Material Barges and 2) 24' push boats. Work area is the East and West Bay Tidal Flat at the former Stratford Army Engine Plant	
Long Island Sound Eastern Part - Housatonic River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.15669° N / 73.09067° W Aid Name: Housatonic River Entrance Channel Lighted Bell Buoy 1 LLNR: 24355 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	26"

Hudson River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Haverstraw Bay North Reach Range Front Light	37900	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Greens Cove Channel Lighted Buoy 1	37910	OFF STA/HAZ NAV	PA

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Hudson River Lighted Buoy 3	37669	Returned to Assigned Position	FD	2025-09-09

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Hudson River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-09-03 To: 2026-06-30 Location: 42.5094° N / 73.77315° W Bridge Name: Castleton Highway Bridge Bridge Rehabilitation – Construction to the Castleton on Hudson Bridge across Hudson River at mile 135.7 will commence on September 3, 2024. Hours of operation are from 7 a.m. and 7 p.m. Temporary safe span platforms will be installed under the tram rail steel (over navigation channel) which will reduce vertical clearance by approximately 6 feet. A minimum of 210 feet east side of navigation channel (between L24' and L17') will be cleared of obstruction at all times for safe passage of vessels. In addition, a 25 feet of buffer will be maintained each side of the channel marker. A safety boat will be operated IVO the bridge. Hot work will be performed during construction. Mariners requiring full horizontal clearance can contact the contractor/operator via marine radio VHF-FM CH 13 or call 518-657-9215. For all construction related questions, please contact Tim Mastro at 518-337-7231. This project is to be completed by June 30, 2026. Mariners are advised to exercise caution when transiting the area.	Lat: 42° 30' 34" Lon: -073° 46' 23"
Main Channel - Hudson River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-10-18 To: 2026-02-15 Location: 40.851559° N / 73.9522° W Bridge Name: George Washington Bridge Main Cable Rehabilitation and Sidewalk Modification – Construction to the main cable rehabilitation and sidewalk modification at the George Washington Bridge across the Hudson River at mile 11.0 is in progress. There will not be any obstruction in the Channel. Welding (hot work) may be performed during working hours. The resident engineer or contractor will be equipped with a VHF-FM marine radio and will be monitoring Channel 13/16 during hours of operation. Mariners can contact Marc Helman at 212-435-6112 for construction details. This project is to be completed by February 15, 2026. Mariners are advised to exercise extreme caution when transiting the area.	

https://www.navcen.uscg.gov/msi

·		Manufine Galety Information 1 Todades Navigation Genter	
Main Channel - Hudson River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-05-01 To: 2029-12-31 Location: 40.851559° N / 73.9522° W Bridge Name: George Washington Bridge Rehabilitation of Lower Level Structural Steel, Painting and Replacement of Maintenance Travelers – Construction to the rehabilitation at the George Washington Bridge across the Hudson River at mile 11.0 will commence on May 1, 2024. Temporary work platform will be installed under the entire length of the bridge. The temporary work platform will reduce the vertical clearance by 3ft 9in plus 2ft sag max. below the low steel. Welding (hot work) may be performed during working hours. A 26 ft safety boat will be operating in the vicinity of the bridge. Mariners requiring full horizontal clearance can contact Michael Androsiglio 914-447-7513 or via marine radio. The resident engineer or contractor will be equipped with a VHF-FM marine radio and will be monitoring Channel 13/16 during hours of operation. Mariners can contact Marc Helman at 212-435-6112 or 551-220-8853 or Henry Chiang at 201-346-8921 for construction details. This project is to be completed by December 31, 2029. Mariners are advised to exercise extreme caution when transiting the area.	Lat: 40° 51' 06" Lon: -073° 57' 08"
Main Channel - Hudson River/General/Bridges/Construction	Bridges	General/Bridges From: 2025-08-18 To: 2025-11-30 Location: 42.65434° N / 73.74177° W Bridge Name: Livingston Avenue Railroad Bridge Bridge Replacement – Construction and demolition of existing railroad structures and facilities of the Livingston Avenue Railroad Bridge over the Hudson River at mile 146.2 between Albany and Rensselaer. Mobilization of barges and equipment will commence on 18 August 2025. Work hours are Monday through Saturday between 6a.m. and 6 p.m. through November 30, 2025. There will be a safety boat operating IVO the bridge. For construction details please contact Jack Phillips at 347 924-5635 or via marine radio VHF-FM 13/16. Mariners are advised to exercise caution when transiting the area.	42° 39' 16"
Main Channel - Hudson River/General/Bridges/Maintenance	Bridges	Navigation light repairs the Macombs Dam Bridge across the Harlem River at mile 3.2 will commence on August 11, 2025. Hours of operation are from 9 a.m. to 2 p.m. A barge with a manlift will be operated in the navigational channel. Mariners requiring full horizontal clearance can contact the site supervisor at 929-687-2807 and via marine radio VHF-FM CH 13 / 16. This project will be completed by September 30, 2025. Mariners are advised to use caution and reduce wake when transiting the area.	Lat: 40° 49' 41" Lon: -073° 56' 02"
Main Channel - Hudson River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.86277778° N / 73.915° W Bridge Name: University Heights Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 51' 46" Lon: -073° 54' 54"
Main Channel - Hudson River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	The Coast Guard has issued a temporary deviation from the regulation governing the operation of the University Heights Bridge across the Harlem River at mile 6.0 to allow for emergency repairs. Under this temporary deviation, the University Heights Bridge may remain in the closed position until 8:00 a.m. on October 1, 2025. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 51' 46" Lon: -073° 54' 54"
Main Channel - Hudson River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-12-01 Location: 42.07223° N / 73.92927° W 42.07103° N / 73.92916° W 42.07132° N / 73.93048° W 42.07204° N / 73.92998° W 42.07223° N / 73.92927° W NY-HUDSON RIVER-CATSKILL CREEK-ESOPUS CREEK-ROUNDOUT CREEK Significant shoaling has been reported at the mouth of Catskill Creek, that may impact commercial traffic, along the southern portion of the channel. In Esopus Creek, shoaling has occurred faster than anticipated at the mouth of the creek when passing between Saugerties Lighthouse and Hudson River Lighted Buoy 93. In Roundout Creek, there is shoaling at the mouth of the creek. Mariners should exercise caution when navigating these areas.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-06-25 To: 2025-09-30 Asso. Subsea Group will be conducting cable location surveys and repairs on the Hudson River, in positions 41-58-44.154N, 073-57-01.092W and 41-55-52.295N, 073-57.34.7680W, from June 25, 2025, to September 30, 2025, during daylight hours. Equipment on scene will be the Walker Diving Barge 2 (90ft length x 54ft beam); Walker Diving Barge 1(108ft length x 54ft beam); Support Tug: 'BRIDGE BUILDER 125' (25ft 3" length x 14ft beam) Crew Transfer Vessel: "DELTA SPRINTER" (42ft length x 15ft beam), monitoring VHF-FM CH 73 and is requesting a wide berth and no wake while divers are down and while operations are being conducted	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-08-25 To: 2025-09-15 Asso. Subsea Group will be conducting cable joint and installation operations on the Hudson River, from position 41-14-57.563N, 073-58-29.630W (Stony Point) to 41-14-45.386N, 073-58-26.624W (Stony Point) from August 25, 2025, to September 15, 2025, 24 hours a day, seven days a week. Equipment on scene will be the ARIADNE – for cable joint and installation & Samp; Triton XLX WROV, monitoring VHF-FM CH 6,13,16, 18A and, 22A. Pilots will be involved for the entire evolution.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-09-01 To: 2025-09-30 Asso. Subsea Group will be conducting cable joint and installation operations on the Hudson River, from position 41-49- 05.301N, 073-57-03.820W (Hyde Park) to 41-43-58.800N, 073-56-26.143W (Hyde Park from September 1-30, 2025, 24 hours a day, seven days a week. Equipment on scene will be the ARIADNE – for cable joint and installation & Camp; Triton XLX WROV, monitoring VHF-FM CH 6,13,16, 18A and, 22A. Pilots will be involved for the entire evolution	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-01 To: 2025-10-30 Asso Subsea Group will be conducting remedial cable burial operations for the Champlain Hudson Power Express Project (CHPEE) on the Hudson River, September 1, 2025, to October 30, 2025, 24 hours a day, seven days a week. Equipment on scene will be the ARGO and JETTING ROV (AssoJetIII), monitoring VHF-FM CH 6,13,16, 18A, and 22A and pilots will be on scene for the entirety of the project.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-20 To: 2025-10-30 Asso Subsea Group will be conducting fiber optic cable works operations for the Champlain Hudson Power Express Project (CHPEE) on the Hudson River, September 20, 2025, to October 30, 2025, 24 hours a day, seven days a week. Equipment on scene will be the ARGO and JETTING ROV (AssoJetIII), NORTHSTAR MARINE monitoring VHF-FM CH 6,13,16, 18A, and 22A and pilots will be on scene for the entirety of the project.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-07-25 To: 2025-10-30 Asso.subsea Group will be conducting survey operations for the Champlain Hudson Power Express Project on the Hudson River, between Cementon and Spuyten Duyvil, from August 1, 2025, to October 30, 2025, 24 hours a day, seven days a week. Equipment on scene will be the ARIADNE and TRITON XLX WROV, monitoring VHF-FM CH 6, 13, 16, 18A, and 22A. Pilots will be on scene throughout the survey.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes NY-UPPER BAY-BATTERY PARK From: 2024-03-11 To: 2026-01-26 Location: 40.70317° N / 74.01738° W Walsh Construction Company will be conducting wharf demolition off Battery Park, in position 40-42-10.958N, 074-1-2.902W, from March 11. 2024, to January 6, 2026, between 6:00am to 11:00pm. Equipment on scene will be three equipment decks barges, supported by up to 5 material barges, 24' push boat and two work skiffs. Three (3) "NO WAKE" 28-inch regulatory buoys with fixed white solar lights and 250lb moorings will be installed approximately 250' off the face of the wharf between Pier A and the East Coast Memorial. These buoys will be removed at the completion of the project. Barges will be moored alongside Battery Park wharf, outside Navigable Channel and will be monitoring VHF-FM CH 16 for any concerned traffic. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	40° 42' 11" Lon: -074° 01' 03"

https://www.navcen.uscg.gov/msi 42/129

Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-06-16 To: 2027-06-25 Location: 40.77075° N / 73.99841° W Reicon Group, LLC will be conducting pile repairs at Pier 94 from June 16, 2025, to June 25, 2027, Monday through Friday, between 7:00am to 3:30pm. Equipment on scene will be the RTC 330, monitoring VHF-FM CH 13 and will require a 24-hour notice for all vessel movement requests.	40° 46' 15"
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-07-07 To: 2025-09-30 Location: 40.75519° N / 74.007° W Normandeau Associates, Inc. will be conducting marine construction operations on the Hudson River along the Manhattan shoreline between W 29th and W33rd St., in the vicinity of position 40-45-18.7N, 074-00-25.2W, from July 7, 2025, to September 30, 2025, between 7:00am to 7:00pm. Equipment on scene will be a 25' Survey Vessel, monitoring VHF-FM CH 13 and 16 and is requesting a ¼ mile closest point of approach while operations are being conducted.	Lat: 40° 45' 19" Lon: -074° 00' 25"
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-11-24 To: 2027-01-20 Weeks Marine will conduct soil mixing within a 110' Wide x 600' Long cofferdam for the Hudson River Ground Stabilization Program located West of Pier 66 from October 10th, 2024, to January 20th, 2027. The four corners of the cofferdam structures will be marked with flashing white lights at 4S. Additional white flashing lights will be added at every 30 feet of the structure. White reflective tape 6' Wide x 4' Long Minimum will be installed above the MHHW marker every 50 feet on the structure. Hours of operation are currently 20 HRS x 5 Days a week Monday through Friday and 12 hours on Saturday. The Weeks 263 barge will be on the southern side outside of the cofferdam to support drilling operations within. Hours of operation are 20 HRS x 5 Days a week Monday through Friday. The Weeks 263 barge has limited maneuverability and requires a tugboat to move the vessel. 24 Hour Minimum notice is required to facilitate the barge move. Marine VHF Channel 13 / 16 / 67 will be monitored while onsite. Class A AIS will be set up on the Weeks Marine 263 Barge: AIS Vessel Name (WEEKS 263). 2 Material barges - the Weeks 244 and the Weeks 295/2900 - will be onsite tied up alongside the Weeks 263. The 263 Barge and Material Barges will be marked with Steady White Lights on all four corners of the barge. The Weeks 61 barge will be digging obstructions onsite. The Weeks 61 barge has limited maneuverability and requires a tugboat to move the vessel. 24 Hour Minimum notice is required to facilitate the barge move. Weeks Marine is requesting all Mariners to use extreme caution and transit the working area at their slowest safe speed and use the western side of the navigable channel. Marine VHF Channel 13 / 16 / 68 will be monitored while onsite. Class A AIS will be set up on the Weeks Marine is requested with Steady White Lights on all four corners of the barge: The Weeks 283 deck barge is onsite on the east of the cofferdam to extract timber piles	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-07-07 To: 2025-09-30 CD Perry LLC will be conducting marine construction operations on Hudson River outside of the navigation channel on the eastern shoreline starting approximately 50-foot south of the Menands Bridge and carrying on to approximately 1400-foot South of the Menands Bridge, in position 42-41-57N, 073-42-06W, from July 7, 2025, to September 30, 2025, Monday through Saturday. Equipment	
		on scene will be a 120'x40' crane barge with 218 Link Belt crane, tug boat, monitoring VHF-FM CH 19. Mariners are advised to transit the area with caution and minimize their wake while operations are being conducted.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-07-22 To: 2025-10-31 Walker Diving will be conducting diving and marine construction operations in the Harlem River.st bank, south and north of Macombs Dam Bridge, bounded by the following positions: 40-49.722N, 073-56.067W to 40-49.602N, 073-56.085W, from August 19, 2024, to, October 31, 2025 between 7:00am to 3:00pm. Equipment on scene will be a 30'x 115' Spud Barge, 30' x 90' Material Barge, 27' Boat, monitoring VHF-FM CH 13, for any concerned traffic. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2025-08-14 To: 2027-01-20 Location: 40.75485° N / 74.01421° W 40.75461° N / 74.00842° W 40.75182° N / 74.00859° W 40.75206° N / 74.01402° W 40.75485° N / 74.01421° W Weeks Marine will conduct soil mixing within a 110′ Wide x 600′ Long cofferdam for the Hudson River Ground Stabilization Program located West of Pier 66 from October 10th, 2024, to January 20th, 2027. The four corners of the cofferdam structures will be marked with flashing white lights at 4S. Additional white flashing lights will be added at every 30 feet of the structure. White reflective tape 6° Wide x 4′ Long Minimum will be installed above the MHHW marker every 50 feet on the structure. Hours of operation are currently 20 HRS x 5 Days a week Monday through Friday and 12 hours on Saturday. The Weeks 263 barge will be on the southern side outside of the cofferdam to support drilling operations within. Hours of operation are 20 HRS x 5 Days a week Monday through Friday. The Weeks 263 barge has limited maneuverability and requires a tugboat to move the vessel. 24 Hour Minimum notice is required to facilitate the barge move. Marine VHF Channel 13 / 16 / 67 will be monitored while onsite. Class A AlS will be set up on the Weeks Marine 263 Barge: AlS Vessel Name (WEEKS 263). 2 Material barges will be marked with Steady White Lights on all four corners of the barge. The Weeks 233 barge will be on the north side outside of the cofferdam pull piles from the west, lay them on a deck barge, and then shift to the east to reinstall them. Hours of operations are 12 HRS x 6 Days a week Monday through Saturday. The Weeks 533 Crane Barge has limited maneuverability and will require a Tugboat to move the vessel. A 24-Hour Minimum notice is required to facilitate the barge moves. Class A AlS is set up on the Weeks 533. The Weeks 533. Crane Barge: AlS Vessel Name (WEEKS 533). 2 Material barges will be marked with Steady White Lights on all four corners of the barge. AlS Vessel Name (WEEK	

https://www.navcen.uscg.gov/msi 43/129

Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-08 To: 2025-10-12 Donjon Marine Co. will be conducting 2025 Fall maintenance dredging at the NY, Manhattan Cruise Terminal, in position 40-45-57.938N, 073-59-57.03W, from September 8, 2025, to October 12, 2025, 24 hours a day, seven days a week. Equipment on scene will be the Dredge – Oyster Bay or Delaware Bay, (3) Dump Scows, (1) tending tug, and (2) towing to sea tugs, monitoring VHF-FM CH 13 and 16 and will be able to conduct vessel movements, on demand.	
Main Channel - Hudson River/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2025-09-04 To: 2025-09-16 Aquifer Drilling and Testing will be conducting marine soil borings on the Hudson River, from September 4, 2025, to September 16, 2025. Equipment on scene will be (1) Millers Launch Spud Barge 110'x32' (1) Millers Launch Tugboat, monitoring VHF-FM CH 13 and 16.	
Main Channel - Hudson River/General/Marine Events/Swim	Marine Events	NY/NJ – HUDSON RIVER - UPPER BAY – Swim Mariners are advised that the Liberty to Freedom Swim event is scheduled for Saturday, September 13, 2025 from 7:30 a.m. to 11:00 a.m. approximately 36 swimmers, assisted by three power driven vessels and kayaks will transit from the Hudson River through the Upper Bay to the Statue of Liberty. The first group of swimmers will begin at South Cove, Manhattan crossing into the New Jersey side of the Hudson River, and south through the Upper Bay to the Statue of Liberty where swimmers will egress. Another group of 18 swimmers will start at Liberty Island and swim north through the Upper Bay, crossing the Hudson River to South Cove, Manhattan. Interested mariners may contact the Swim Organizer on marine band radio channel 6 VHF-FM.	
Main Channel - Hudson River/General/Marine Events/Swim	Marine Events	NY – HUDSON RIVER- SOUTH NYACK-TARRYTOWN – Swim Mariners are advised that the Lighthouse Swim is scheduled for September 14, 2025 from 9 a.m. to 12 p.m. and a safety zone will be enforced within the waters of the Hudson River between Nyack, New York and the Tarrytown Lighthouse bound by the following coordinates: 42°00'03.7" N, 073°56'43.1" W, thence to 41°59'52.5" N, 073°56'34.2" W, to 42°00'15.1" N, 073°56'25.2" W, to 42°00'05.4" N, 073°56'41.9" W, thence along the shoreline to the point of origin. Approximately 200 swimmers, assisted by kayakers, power-driven vessels, and local law enforcement will transit from the western portion of the Village of Nyack Memorial Park, NY, proceeding eastward to Kingsland Park, Sleepy Hollow, NY, where the swimmers will egress. No vessel or person shall enter the safety zone without authorization from the Captain of the Port. The Captain of the Port can be contacted on VHF-FM channel 16.	
Main Channel - Hudson River/General/Marine Events/Regatta (Race)	Marine Events	NY – HUDSON RIVER – CHELSEA – Boat Regatta Mariners are advised that a boat regatta of approximately 30 sailboats of various sizes is scheduled to occur every Sunday afternoon, Wednesday evening, and most Saturdays and holidays from May 17, 2025, through October 12, 2025, between 6:00 p.m. and sunset on Wednesdays and 1:00 p.m. and 4:00 p.m. on weekends and holidays in the vicinity of Chelsea, NY. Interested mariners may contact the Event Coordinator on marine band radio channel 16/72 VHF-FM	

Hudson River Above Troy Lock

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Troy Dam - Hudson River	MSIB	General/MSIB From: 2025-08-13 To: 2025-10-12 Location: 43.26002° N / 73.58058° W 43.25974° N / 73.58015° W 43.25792° N / 73.58179° W 43.25838°	
Above Troy		N / 73.58218° W 43.26002° N / 73.58058° W Champlain Canal – Fort Edward to Smith's Basin August 10, 2025 Mariners are advised that Champlain	
Lock/General/MSIB		Canal Lock C-7 in Fort Edward to Lock C-9 in Smith's Basin is closed to navigation until further notice due to low water levels. Updates will follow.	
		Boaters should plan their itineraries accordingly. For general news, please visit www.canals.ny.gov or follow the Canal Corporation on Facebook,	
		Instagram, Twitter, or LinkedIn. To report an issue or incident along the Canal system, please call the Canal Corporation's Emergency Call Center at 833-	
		538-1042.	

Huntington Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
ong Island Sound	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.931° N / 73.42337° W Aid Name: Huntington Bay Lighted Bell Buoy 8	Lat:
Vestern Part -	Notice of	LLNR: 26485 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	40° 55' 52"
untington	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
ay/ATON/Proposed		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-073° 25'
otice of Change		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	24"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical	
		risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are	
		strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding	
		to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how	
		you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to	
		Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Huntington Harbor

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Huntington Harbor Channel Lighted Buoy 9	26565	LT EXT	PA

Hutchinson River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hutchinson	Bridges	General/Bridges From: 2025-08-18 To: 2025-09-15 Location: 40.868975° N / 73.82109167° W Bridge Name: Hutchinson River Pkwy Bridge	Lat:
River/General/Bridges/Construction		From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be	40° 52' 08"
		deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM	Lon:
		Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	-073° 49'
			16"

Hutchinson	Bridges	General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.86217222° N / 73.81576667° W Bridge Name: Pelham Bay	Lat:
River/General/Bridges/Construction		Pkwy Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug	40° 51' 44"
		will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio	Lon:
		VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	-073° 48'
			57"

Inner Bay Ledges

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Penobscot Bay - Inner Bay Ledges/General/Marine Events/Regatta (Race)	Marine Events	General/Marine Events/Regatta (Race) From: 2025-09-13 To: 2025-09-14 Mariners are advised that the RYC Maine Rocks Sailboat Race is scheduled to be held in the South Penobscot Bay Rockland Harbor to Matinicus Rock, Mt Desert Rock and back to Rockland Harbor. The event will be held from 10:00 a.m. on September 13, 2025 to 4:00 p.m. on September 14, 2025. Chart number: 13260. For event information contact: Race Officer Laura Shields-Haas, (504) 957-6140.	1
West Penobscot Bay - Inner Bay Ledges/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.09822° N / 69.00331° W Aid Name: West Penobscot Bay Entrance Lighted Gong Buoy PB LLNR: 4120 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Isle Au Haut Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.00557° N / 68.67489° W Aid Name: The Washers Buoy 2 LLNR: 3320	Lat:
England, Submerged	Notice of	Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and	44° 00' 20
Lands Act (SLA) - Isle Au	Change	rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and	Lon:
Haut Bay/ATON/Proposed		Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to	-068° 40'
Notice of Change		support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	30"

Jericho Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Ledge Daybeacon LL	2790	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
ector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.15056° N / 68.5712° W Aid Name: Saddleback Island Bell Buoy SI	Lat:
ngland, Submerged	Notice of	LLNR: 2760 Action: DISCONTINUEThe Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 09' 02
ands Act (SLA) - Jericho	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
ay/ATON/Proposed		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-068° 34'
otice of Change		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	16"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk	
		reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

https://www.navcen.uscg.gov/msi

Sector Northern New England, Submerged Lands Act (SLA) - Jericho Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.17785° N / 68.54658° W Aid Name: Long Ledge Bell Buoy 2 LLNR: 2785 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lon: -068° 32'
Sector Northern New England, Submerged Lands Act (SLA) - Jericho Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.01793° N / 68.5651° W Aid Name: Colt Ledge Buoy 2A LLNR: 3180 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, Alcs, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 01' 05" Lon: -068° 33' 54"

Jones Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jones Inlet Lighted Whistle Buoy JI	30900	OFF STA	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Approaches To New York Nantucket Shoals To Five Fathom Bank - Jones Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	NY- JONES BEACH-Update 5/15/2024 Shoaling has been identified in between Jones Beach Inlet Lighted Buoy 3 (LLNR 30920) and Jones Beach Inlet Lighted Buoy 6 (LLNR 30935). Mariners are urged to maintain a sharp lookout and transit the area with extreme caution, when navigating this area.	
Jones Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	NY-EAST ROCKAWAY INLET-SLOOP CHANNEL Shoaling has been identified in East Rockaway Inlet between buoys 3 and buoy 9. Mariners are urged to maintain a sharp lookout and transit the area with extreme caution, when navigating this area.	
Jones Inlet/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.56043° N / 73.58697° W Aid Name: Jones Inlet Lighted Whistle Buoy JI LLNR: 30900 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	-073° 35' 13"

Kennebec River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kennebec River Lighted Buoy 8	6055	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi 46/129

Kennebec River Approach - Kennebec River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-18 To: 2025-10-03 Location: 43.90783° N / 69.81298° W 43.90774° N / 69.81268° W 43.90661° N / 69.8134° W 43.90672° N / 69.81369° W 43.90783° N / 69.81298° W Bath Iron Works will be conducting maintenance dredging at Pier #2 using a barge-mounted crane with a clamshell bucket. The bucket will deposit the dredge material into a contained area on the barge. The contained area will be lined with filter fabric allowing the dredge material to be dewatered. When full, the barge will travel across the river slightly north of BIW to the contractor's site for off-loading. The off-load location is a minimal distance from the dredge site. The material will be loaded into dump trucks and transported to one of BIW's three permitted upland disposal sites. Dredging will be occurring during weekday daylight hours with one or two off-loads per day expected. Dredge spoils will then be barged north through the Sagadahoc Bridge to the Reed & mp; Reed laydown area on the west bank of the river. Hours of operation will be weekday daylight hours. Equipment on scene will be 1 spoil barge, 1 crane barge and 1 to 2 tugboats and can be contacted on VHF-FM 13.	
Kennebec River Approach - Kennebec River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-08-26 To: 2025-09-18 Location: 43.90282° N / 69.8093° W 43.90091° N / 69.80895° W 43.90054° N / 69.81187° W 43.90245° N / 69.81222° W 43.90282° N / 69.8093° W Bath Iron Works will be conducting maintenance dredging on the BIW Drydock Submergence Basin using a barge-mounted crane with a clamshell bucket. When full, the barge will travel 3.25 miles downriver by dredge scow and be deposited at the approved disposal site at Bluff Head. Hours of operation will be daylight hours. EQUIPMENT ON SCENE: Crane/Clamshell bucket dredge on barge, with tugboat and small workboat in support and can be contacted on VHF-FM 13.	

Kennebunkport

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fishing Rock Daybeacon F	8155	DAYMK MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.32508° N / 70.46718° W Aid Name: Kennebunkport	Lat:
Submerged Lands Act (SLA) -	Notice of	Approach Lighted Bell Buoy 1 LLNR: 8145 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN	43° 19' 30'
Kennebunkport/ATON/Proposed	Change	changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global	Lon:
Notice of Change		Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015, E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	-070° 28'

Keyport Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Raritan Bay - Keyport Harbor/General/Bridges/Repairs, Painting, Or Fender Replacement		From September 29, 2025-November 25, 2025, between 07:00 a.m. and 03:00 p.m., substructure repairs of the Garden State Parkway Bridges at miles 1.0 and 1.6 over the Cheesequake and Mattawan Creeks respectively shall take place. Repairs will take place from a work platform alongside each pier, not impacting the navigable channel. Mariners can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (201) 772-0276. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 25' 31" Lon: -074° 13' 16"

Kickamuit River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mount Hope Bay - Kickamuit		General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-11-07 RI-NARRAGANSETT BAT (CHART 13221)-	
River/General/Hazards To	Navigation	MOUNT HOPE BAY-KICKAMUIT RIVER Shoaling has been reported in the Kickamuit River in the vicinity of Kickamuit River Buoy 2.	
Navigation/Shoaling Reported		Mariners are advised to proceed with caution while transiting the area.	

Kill Van Kull

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION		
Main Channel - Kill Van Kull/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-07-21 To: 2025-09-19 Location: 47.51607° N / 69.3035° W Bridge Name: Bayonne Bridge Biennial Inspection including diving inspection of the tower bases of the Bayonne Bridge, mile 1.5, across the Kill Van Kull will commence on July 21, 2025. Hours of operation are from 7 a.m. to 5 p.m. Furthermore, an under-bridge inspection unit (UBIU) will be utilized to inspect the underside of the roadway deck and the lower portions of the arches below roadway level. The bridge clearance will not be reduced by more than five feet below the low steel during this work and the UBIU can move on demand. An #NJ5879HR Empire 38ft Munson will be operating at the base of the towers and IVO the channel. Mariners requiring full horizontal clearances can contact Rudy Baliga 315-212-2390 or via VHF CH13/16. Alternate vessel NJ#1179862 35ft Munson. Northeast Safety Vessel #CT 3349BM will be on-scene. Completion of the diving inspection will be September 8th, 2025. Completion of the biennial inspection will be September 19, 2025. Mariners are	40° 38' 30' Lon: -074° 08'	
		advised to exercise caution when transiting the area.		

https://www.navcen.uscg.gov/msi 47/129

Main Channel - Kill Van Kull/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-02 To: 2029-01-29 Trevcon Construction Company, LLC will be conducting dredging operations and wharf construction in Arthur Kill, Elizabeth, NJ, in position 40-38-37N, 074-11-24W, from October 2, 2024, to January 29, 2029, Monday through Friday, between 6:00am to 3:00pm. Equipment on scene will be a crane and material barges. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	
Main Channel - Kill Van Kull/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-05 To: 2025-10-31 On or about September 5th, 2025, Cashman Dredging and Marine Contracting Co., LLC will begin maintenance dredging operations in the Arthur Kill 50' Reach New York & Dredging and Marine Contracting Co., LLC will begin maintenance dredging operations in the Arthur Kill 50' Reach New York & Dredging September 5th, 2025, Cashman Dredging and Marine Contracting Co., LLC will begin maintenance dredging operations in the Arthur Kill 50' Reach New York & Dredging September 5th, 2025 Cashman Dredging September 5th, 20	

Lighthouse Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mill Cove Daybeacon 2	7745	DAYMK IMCH	PA
Mill Cove Daybeacon 4	7755	DAYMK IMCH	PA
Mill Cove Daybeacon 6	7765	DAYMK IMCH	PA
Mill Cove Daybeacon 8	7775	DAYMK IMCH	PA
Mill Cove Daybeacon 11	7790	DAYMK IMCH	PA

Little Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Little Harbor/General/MSIB		General/MSIB From: 2025-06-02 To: 2025-11-30 Effective June 1, 2025, The Sector Southeastern New England Command Center has fully transferred all	
Harbor/General/IVISIB		phone communications to (866) 819-9128. The old telephone number, (508) 457-3211, will not be in service after August 1, 2025. Please ensure your contact information has been updated. We will continue to monitor VHF Channel 16. If you have any questions, please contact the command center at (866) 819-9128 or SECSENE@uscg.mil. Waterway restrictions and other decisions affecting the port are based upon weather forecasts, risk assessments,	
		and preparations being made by port partners. In most cases, given ample warning of an approaching hurricane or tropical storm, vessels may be advised to put to sea or directed to an appropriate anchorage. In addition, cargo or fuel oil transfers are likely also to be suspended for brief periods. As	
		necessary, Sector Southeastern New England will contact port partners to share information regarding pre-storm preparedness and post-storm response. As your organization reviews its plans, please feel free to contact the Waterways Management Division at SENEWWM@uscg.mil if there are questions	
		about the Coast Guard's role, plans, or policies regarding navigation restrictions or port closures during hurricanes and heavy weather. Near-real-time information regarding tropical weather, storms, and hurricanes can be obtained through the National Hurricane Center's (NHC's) Facebook page, Twitter	
		account, and official website. Visit https://www.nhc.noaa.gov/ for more information and periodical updates. For immediate assistance during an actual hurricane, severe weather event, or other maritime emergency, contact the Sector Southeastern New England Command Center at (866) 819-9128.	

Little Narragansett Bay

Additional MSI Categories

3			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Approaches To New York Nantucket Shoals To Five Fathom Bank - Little Narragansett Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	CT-STONINGTON-SANDY POINT-Update 5/29/2023 Shoaling has been reported in the vicinity of the western tip of Sandy Point Island, Stonington, CT in vicinity of little Narragansett Bay Entrance Lighted Buoy 5 (LLNR 20210) and Buoy 7 (LLNR 20215). Stonington Police Department's Marine Unit have observed significant narrowing of the channel, which may impact vessels transiting the area. Mariners should exercise extreme caution when navigating the channel.	
Little Narragansett Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-18 To: 2026-01-14 Shoaling has been reported on the west end of Sandy Point, Stonington Harbor. Mariners are advised to transit the are with extreme caution and safe speed.	
Little Narragansett Bay/General/Marine Events/Regatta (Race)	Marine Events	RI – NARRAGANSETT BAY – 2025 ILYC SHIELDS CLASS WEDNESAY NIGHT SERIES – RACE/REGATTA Mariners are advised that the 2025 Ida Lewis Yacht Club Shields Class Wednesday Night Series is scheduled to be held in the vicinity of the Newport Bridge in Narragansett Bay, RI. The event will take place every Wednesday from May 14 through October 1, 2025, from 5:30 p.m. to 8:00 p.m. each day. Expect up to 25 vessels, 30ft in length. Mariners are advised to transit to the area with extreme caution. Mariners may contact the person in charge by phone at (401) 486-5318.	Lat: 41° 30' 09" Lon: -071° 20' 37"

Little Peconic Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
North Race Buoy 4	28705	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Corey Creek Entrance Buoy 6	28530	MISSING/HAZ NAV	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
IIILE	SUBCATEGORY	DESCRIPTION	LUCATION	

https://www.navcen.uscg.gov/msi 48/129

Shelter Island Sound South Channel - Little Peconic	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-28 NY-LONG ISLAND SOUND (Eastern	
Bay/General/Hazards To Navigation/Shoaling	Navigation	Part) (Chart 12354)-SOUTH SIDE-MATTITUCK INLET Shoaling has been reported in the Mattituck Inlet. Mariners are	
Reported		advised to proceed with caution while transiting the area.	

Little River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little River Ledge Buoy 2	1085	HAZ NAV/SINKING/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA) - Little River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.65313° N / 67.1815° W Aid Name: Little River Entrance Bell Buoy LR LLNR: 1080 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 39' 11"
Sector Northern New England, Submerged Lands Act (SLA) - Little River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.65342° N / 67.19776° W Aid Name: Little River Ledge Buoy 2 LLNR: 1085 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 39' 12"

Logan Airport Security Zone

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Logan Airport Security Zone Lighted Buoy 24	10909	LT IMCH	PA
Logan Airport Security Zone Buoy 29	10923	LT IMCH	PA
Logan Airport Security Zone Lighted Buoy 17	11056	MISSING	PA
Logan Airport Security Zone Buoy 9	11119	MISSING	PA
Logan Airport Security Zone Lighted Buoy 8	11125.1	MISSING	PA

Long Island Sound Eastern Part

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Plum Island Lighted Whistle Buoy Pl	21080	MISSING	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-08-28 To: 2025-10-27 Location: 41.24564° N / 72.71083° W Aid Name: Sachem Head Breakwater Light LLNR: 21180 Action: RELOCATE TO: 41-14-44.300N 072-42-39.000W.	Lat: 41° 14' 44" Lon: -072° 42' 39"
Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-04-16 To: 2026-12-01 Location: 41.176728° N / 73.176352° W Bridge Name: Stratford Ave Bridge CONNECTICUT – PEQUONNOCK RIVER – Bridge Rehab – From April 21, 2025 through November 30, 2026 contractors will be utilizing a under bridge work platform truck to access the Stratford Avenue Bridge across Pequonnock River at mile 0.1. This truck is required for rehabilitation of the bridge. The work platform will not be in the navigational channel. Questions may be directed to Superintendent Wesley Sousa Santos at (860) 622-8410. Mariners are advised to exercise caution when transiting the area.	Lat: 41° 10' 36" Lon: -073° 10' 35"

Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-01 To: 2025-12-31 Location: 41.26501° N / 72.75344° W Patriot Marine will be conducting maintenance dredging of Stony Creek, Bradford CT, in position 41-15-44.06N, 072-4-12.41W, from October 1, 2025, to December 31, 2025, seven days a week, 24 hours a day. Equipment on scene will be the Dredge #410, Scow #143, Scow #144, Pushboat Miss Sarah, Tugboat Mulberry, monitoring VHF-FM CH 13 for any concerned traffic.	Lat: 41° 15' 54' Lon: -072° 45' 12"
Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-01 To: 2026-02-15 Cashman Dredging and Marine Contracting Co., LLC will begin dredging operations in New Haven Harbor, New Haven CT. The project will utilize the Dredge Dale Pyatt, and dump scows Kurt Schulte and M.E.R.C Shevlin. Loaded scows will be transported to the Central Long Island Sound Disposal Site (CLDS), located approximately 10 nautical miles South from the New Haven Harbor FNP. Loaded scows will be transported by the tugboats Stasinos Boys and Mary Emma. The marine equipment will be supported by the survey vessel "Cape Elizabeth." All vessels will monitor VHF channels 14, 13, and 67. Marine operations will be conducted 24 hours a day, Monday through Sunday, from October 1, 2025, and will be completed on or before February 15, 2026. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.	
Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-09-05 To: 2025-09-15 University of Connecticut Avery Point, will be deploying 4 surface drifters for marine science data collection of Rocky Neck State Park in East Lyme CT from September 5, 2025, to September 15, 2025. The drifters will be deployed near the following position: 41 18.032 N, 072 14.238. The drifters are wood construction with metal down-weight (screw and washers) approximate dimensions: 29" long vertically and 8" max horizontal width, weight (out of water) less than 10 lbs, with a reflective red/silver or yellow/black tape at top, GPS (battery-powered) on top of drifter approximately 6" above still-waterline. Mariners are advised to keep a sharp lookout while transiting the area.	
Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.2595° N / 72.13924° W Aid Name: Bartlett Reef Lighted Buoy 4 LLNR: 21065 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Block Island Sound And Gardiners Bay - Long Island Sound Eastern Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.2215° N / 72.18008° W Aid Name: Plum Island Lighted Whistle Buoy PI LLNR: 21080 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	48"

Long Island Sound Western Part

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gangway Rock Light 27A	21480	LT IMCH	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nissequogue River Lighted Buoy 4	26325	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Eastern Part - Long Island Sound Western Part/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-06-10 To: 2025-10-30 Location: 40.986° N / 73.152° W The University of Connecticut will be deploying a subsurface yellow buoy at 8 m depth (relative to MLLW). The buoy will be conical subsurface buoy 3.8′ long with a maximum outer diameter of 1.6′. There will be no surface expression.	Lat: 40° 59' 06 Lon: -073° 30' 37"
Part - Long Island Sound	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-08-10 To: 2025-10-01 The University of Connecticut, Department of Marine Sciences will be conducting water quality monitoring operations in Western Long Island Sound, 1.5 miles northwest of Matinecock Point, in position 40-55-24.449N, 073-39-17.790W. The operations will run from August 10, 2025, to October 1, 2025. Equipment on scene will be 18-inch diameter, 20-inch height yellow buoy with Y 6s light, two equipment moorings marked by hi-flyers/ lobster buoy floats, and Yellow pontoon platform connected at each end to 20-inch diameter 24-inch height plastic floats. Platform marked with Y 4s light. Mariners are advised not to traverse between floats, or to approach any equipment on scene. For information contact carson.hill@uconn.edu.	

/ 10/23, 12.20 1 W		Manume Galety Information Froducts Navigation Genter	
Long Island Sound Eastern Part - Long Island Sound Western Part/General/Marine Events/Regatta (Race)	Marine Events	CT – LONG SILAND SOUND – DARIEN – REGATTA Mariners advised that the Noroton YC Saturday Racing scheduled on Long Island Sound near Darien, CT. The event occurs every Saturday from May 24, 2025 until October 4, 2025 from 11:30 a.m. to 5:30 p.m. Approximately (30) boats will be participating. Chart number: 12364. For event information contact: Morgan Connor: morgan.connor@gavial.com	
Long Island Sound Eastern Part - Long Island Sound Western Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.92428° N / 73.56992° W Aid Name: Oak Neck Point Buoy 19 LLNR: 21390 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 40° 55' 27' Lon: -073° 34' 12"
Long Island Sound Eastern Part - Long Island Sound Western Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.87969° N / 73.73513° W Aid Name: Execution Rocks Shoal East Side Buoy 44 LLNR: 21455 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	40° 52' 47' Lon: -073° 44' 06"
Long Island Sound Eastern Part - Long Island Sound Western Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.85828° N / 73.7468° W Aid Name: Gangway Rock Gong Buoy 27 LLNR: 21485 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 40° 51' 30' Lon: -073° 44' 48"

Lubec Channel

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
ubec	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.83767° N / 66.97377° W Aid Name: Lubec Channel Buoy 1 LLNR:	Lat:
Channel/ATON/Proposed Notice of Change	Notice of Change	855 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	Lon: -066° 58' 26"

https://www.navcen.uscg.gov/msi

		manuscript and the second seco	
Lubec Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.84297° N / 66.97671° W Aid Name: Lubec Channel Buoy 3 LLNR: 865 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Lubec Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.84273° N / 66.97551° W Aid Name: Lubec Channel Buoy 4 LLNR: 870 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 50' 34" Lon: -066° 58' 32"
Lubec Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.85133° N / 66.97466° W Aid Name: Lubec Channel Buoy 5 LLNR: 875 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable costs, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 51' 05" Lon: -066° 58' 29"
Lubec Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.85072° N / 66.97303° W Aid Name: Lubec Channel Buoy 6 LLNR: 880 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable costs, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 51' 03" Lon: -066° 58' 23"
Lubec Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.86572° N / 66.98201° W Aid Name: Lubec Channel Buoy 8 LLNR: 885 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 51' 57" Lon: -066° 58' 55"

Luckse Sound

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Portland Harbor Approach	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.69839° N / 70.12441° W Aid Name: Hope Island Lighted Bell Buoy 2	Lat:
- Luckse	Notice of	LLNR: 7010 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	43° 41' 54"
Sound/ATON/Proposed	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 07'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	28"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Lynn Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Nahant Harbor - Lynn Harbor/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-30 To: 2039-12-31	

Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sow and Pigs Lighted Bell Buoy 36	15618	OFF STA	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Tashmoo Buoy 5	15547	MISSING	PA
Ellis Island Security Zone Buoy ELSZ1	35006	MISSING	PA
Ellis Island Security Zone Buoy ELSZ2	35006.1	MISSING	PA
Ellis Island Security Zone Buoy ELSZ7	35006.6	MISSING	PA
Ellis Island Security Zone Buoy ELSZ10	35006.9	MISSING	PA
Liberty Island Security Zone Buoy LISZ1	37247	OFF STA	PA
Liberty Island Security Zone Buoy LISZ2	37247.1	MISSING	PA
Liberty Island Security Zone Buoy LISZ3	37247.20000000004	MISSING	PA
Pier 9 Northeast Lighted Hazard Buoy	null	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ambrose Channel - Main Channel/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2023-09-11 To: 2025-12-30 Location: 40.60625° N / 74.045444444° W Bridge Name: Verrazano Narrows Bridge Lower – Level Deck Rehab – Repairs to the Verrazzano Narrows Bridge over New York Harbor at mile 0.0 will commence on September 11, 2023. This project includes milling, paving, cleaning, painting, steel repairs/replacement, and miscellaneous drainage/utility work throughout the bridge. From April 1, 2024 and November 30, 2024, a bridge traveler will be operated under the main span to perform repairs (weekends from 11 pm Friday night to 5 am Monday morning) and weekdays for inspection. The traveler will be moved out of the navigable channel after work hours or when not in use. Installation of safespan shielding will be installing under the approach span between Brooklyn Tower and Brooklyn Anchorage on or about February 29, 2024 through November 30, 2024. The safespan shielding will not reduce the vertical clearance by more than 5ft below the low steel or below the existing catwalks. Mariners requiring full vertical clearance in the main navigation channel with one hour advance notice can contact Scott Valente via marine radio VHF-FM Ch. 13/16 or call 732-337-7576. Any questions regarding the construction can contact resident engineer Jeff Sawyer at 317-439-0978. This project is to be completed by December 30, 2025. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 36' 22" Lon: -074° 02' 44"
Ambrose Channel - Main Channel/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Painting From: 2024-04-01 To: 2025-04-30 Location: 40.60625° N / 74.04544444° W Bridge Name: Verrazano Narrows Bridge Tower Painting — Painting to the Staten Island and Brooklyn Towers of the Verrazzano Narrows Bridge over New York Harbor at mile 0.0 will commence on April 1, 2024. From April 1, 2024 to April 30, 2025, a 165ft by 54ft barge and a 120ft by 55ft barge bridge will be operating IVO Staten Island Tower. From May 1, 2025 to March 31, 2026, a 165ft by 54ft barge and a 120ft by 55ft barge will be operating IVO Brooklyn Tower. No equipment will be in the navigation channel at any times. Any questions regarding the barge placement can contact resident engineer Abdi Hedayati at 347-885-8613. This project is to be completed by March 31, 2026. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 36' 22" Lon: -074° 02' 44"
Ambrose Channel - Main Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-04-01 To: 2026-05-06 Location: 40.60625° N / 74.04544444° W Bridge Name: Verrazano Narrows Bridge Preventive maintenance (inspection, maintenance and repairs) to the Verrazzano Crossing Bridge at mile 0.0 across New York Harbor (Narrows Bay) will commence on April 1, 2025. Hours of operation are during daylight hours. A bridge traveler will be operated under the Verrazzano Narrows Bridge to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-806-5874 or 973-390-9770 or 731-500-6177. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by May 6, 2026. Mariners are advised to exercise caution when transiting the area.	
Ambrose Channel - Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-05-15 To: 2025-11-11 Location: 40.60625° N / 74.045444444° W Bridge Name: Verrazano Narrows Bridge On May 16, 2025 between 6 a.m. and 2 p.m., a bridge traveler will be operated under the Verrazzano Bridge over New York Harbor at mile 0.0 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Marc Tainow at 908-339-1354. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 36' 22" Lon: -074° 02' 44"

10/20, 12:20 1 W		Maname safety information i roudete Navigation Contest	
Ambrose Channel - Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From June 16, 2025-October 31, 2025, between 7:00 a.m. and 5:00 p.m., the biennial inspection of the Verrazano Narrows Bridge over New York Harbor at mile 0 shall take place. A diving inspection and fathometric survey shall take place at both bridge tower bases within the fender rip rap and the main channel. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 646-996-0634 or 646-634-3390. Mariners are advised to exercise caution when transiting the area. From: 2025-06-16 To: 2025-10-31 Location: 40.60625° N / 74.045444444° W Bridge Name: Verrazano Narrows Bridge	Lat: 40° 36' 22' Lon: -074° 02' 44"
Ambrose Channel - Main Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-08-18 To: 2025-09-15 Location: 40.67160833° N / 73.99848889° W Bridge Name: Gowanus Expressway Bridge From August 18, 2025, until September 15, 2025, NYCDOT will be performing bridge washing. One work barge and one tug will be deployed and mounted with a man-lift. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (917) 597-5821 or (917) 417-4949. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 40' 18' Lon: -073° 59' 55"
Ambrose Channel - Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-09-08 To: 2025-12-01 Location: 40.67818889° N / 73.9892° W Bridge Name: Carroll St Bridge From September 8, 2025, to November 30, 2025, between 9:00 a.m. and 3:00 p.m., a motorboat with scaffolding will be operated under Carroll Street Bridge over Gowanus Canal at mile 2.0 to perform inspections. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 646-872-2967 or 917-306-0215. The motorboat will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 40' 41' Lon: -073° 59' 21"
Ambrose Channel - Main Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-09-08 To: 2025-12-01 Location: 40.679475° N / 73.98835833° W Bridge Name: Union St Bridge From September 8, 2025, to November 30, 2025, between 9:00 a.m. and 3:00 p.m., a motorboat with scaffolding will be operated under Union Street Bridge over Gowanus Canal at mile 2.1 to perform inspections. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 646-872-2967 or 917-306-0215. The motorboat will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 40' 46' Lon: -073° 59' 18"
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-05-30 To: 2025-09-30 RPS/Tetra Tech will be conducting water quality monitoring studies from approximately May 30, 2025, through September 30, 2025, along the New York harbor Export Cable corridor in the Lower Hudson River and the Raritan Bay. Equipment on scene will be the R/V STREAK, monitoring VHF-FM CH 16 throughout the survey. During the current survey the vessel will be operating at slow speeds along a specified survey line and will have limited ability to alter course. When the vessel is stationary deploying tethered equipment to collect water samples below the vessel, it will not be able to move off station with the equipment deployed. Mariners are advised to use caution when transiting near the survey vessel and give a wide berth and slow bell.	
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-06-24 To: 2025-09-30 RPS/Tetra Tech will be conducting water quality monitoring studies from approximately June 24, 2025, through September 30, 2025, along the Empire Wind 1 Export Cable corridor in the Lower Hudson River and the Raritan Bay area. Equipment on scene will be the WESTERLY, monitoring VHF-FM CH 16 throughout the survey. The Westerly is a 48 ft aluminum hulled catamaran style vessel equipped with an A-frame. As part of the work, the vessel will be conducting current measurements along survey lines near the equipment involved in the cable lay operations. In addition, the Westerly will periodically be stopping and deploying equipment directly below the vessel to collect measurements and water samples. During these sampling events the Westerly will be limited in ability to maneuver. Mariners are advised to use caution when transiting near the Westerly and give a wide berth and slow bell.	
Ambrose Channel - Main Channel/General/Marine Construction Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-06-24 To: 2025-09-30 Installation of submarine export cables and seabed route preparation. K10031 (cable lay barge with mooring system) will be conducting cable installation operations from the State water boundary, North of the Ambrose Chanel to Lower New York Bay, from June 24, 2025, to September 30, 2025, seven days a week, 24 hours a day. The cable corridor will start in position, 40° 29' 29.29'N, 73° 53' 43.08"W and end at, 40° 34' 22.20"N, 74° 01' 08.25"W. K10031 will also perform cable jointing operations at approximately the cable corridor end location where it will be stationary on anchors for approximately 1 week. TSM TEXEL will perform pre-survey work and seabed route preparation along export cable corridor ahead of the arrival of K10031 and other supporting vessel. K10031 will be supported by KOOLE 53 (long distance tug), NEPTUN FURY (anchor handling tug), and TSM TEXEL (anchor handling tug). K10031 (cable lay barge with mooring system) will be restricted in its ability to maneuver and will have anchor lines extending up to 3300 feet (1000m) meters from the barge within the 3000 feet (915m) anchoring corridor as illustrated in Figure 1. Anchor lines may utilize mid-line buoyancies. Mariners are advised to use caution when transiting near K10031 and supporting vessels and give a wide berth and slow bell.	è
Ambrose Channel - Main Channel/General/Marine Construction Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-08-04 To: 2025-12-31 The vessels DEEP CYGNUS and ENTERPRISE II will be conducting jet trenching of submarine export cables with remotely operated jet trencher vehicles, survey operations, and concrete mattress installation. The work will be performed along the entire Lease Area OCS-A 0512 submarine export cable corridor between Gowanus Bay in New York Harbor and the lease area in the New York/New Jersey Bight. A portion of the work will be performed in the Narrows east of the Ambrose/Anchorage channel in proximity to the Verrazano-Narrows bridge tower. Outside of New York Harbor, the work is performed adjacent to the Ambrose channel, within the precautionary area for traffic, within a traffic separation zone, and crossing the Ambrose to Nantucket Traffic Lane. Operations will commence on or about August 4, 2025, until approximately December 31, 2025 and will be conducted 7 days per week, 24 hours per day. The vessels will be restricted/limited in their ability to maneuver. During jet trenching operations, the remotely operated jet trencher vehicles may operate as far as 150m (500 feet) away from their host vessel with a power and communications umbilical running between the vessel and the remote vehicle.	
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-08-04 To: 2025-12-31 The vessels DEEP CYGNUS and ENTERPRISE II will be conducting jet trenching of submarine export cables with remotely operated jet trencher vehicles, survey operations, and concrete mattress installation. The work will be performed along the entire Lease Area OCS-A 0512 submarine export cable corridor between Gowanus Bay in New York Harbor and the lease area in the New York/New Jersey Bight. A portion of the work will be performed in the Narrows east of the Ambrose/Anchorage channel in proximity to the Verrazano-Narrows bridge tower. Outside of New York Harbor, the work is performed adjacent to the Ambrose channel, within the precautionary area for traffic, within a traffic separation zone, and crossing the Ambrose to Nantucket Traffic Lane. Operations will commence on or about August 4, 2025, until approximately December 31, 2025, and will be conducted 7 days per week, 24 hours per day. The vessels will be restricted/limited in their ability to maneuver. During jet trenching operations, the remotely operated jet trencher vehicles may operate as far as 150m (500 feet) away from their host vessel with a power and communications umbilical running between the vessel and the remote vehicle	

https://www.navcen.uscg.gov/msi 54/129

10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-03-10 To: 2025-12-31 Location: 40.63944° N / 74.0725° W JT Cleary Inc. will be conducting demolition and reconstruction operations at the Bay Street Landing Esplanade, New York Harbor, Upper Bay, Tompkinsville, Staten Island, from March 10, 2025, to December 31, 2025, Monday through Friday, between 7:00am to 3:30pm. Equipment on scene will be a Crane Barge #1- 50' x 140', Crane Barge #2- 54' x 250', Material Barge #1- 40' x 120', Material Barge #2- 35' x 195', monitoring VHF-FM CH 13 and 69 for any concerned traffic. Push boat will be on site and can move the barges within 2-3 hours during the work week and within 12hrs of notice on weekends.	Lat: 40° 38' 22 Lon: -074° 04' 21"
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-07-01 To: 2026-03-31 Location: 40.70569° N / 74.03438° W PKF-Mark III, Inc. will conducting marine construction at Liberty State Park, Jersey City, NJ, in position 40-42-20.51N, 074-2-3.77W, from July 1, 2025, to March 31, 2027, Monday through Friday, between 6:00am to 5:00pm. Equipment on scene will be multiple floating barges, crane barges, and material barges. Mariners are advised to transit the area with caution and minimize their wake while operations are present.	Lat: 40° 42' 20 Lon: -074° 02' 04"
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes NY-SOUTH BROOKLYN MARINE TERMINAL From: 2024-09-30 To: 2025-03-29 Location: 40.66146° N / 74.01411° W 40.6596° N / 74.01114° W 40.6589° N / 74.0119° W 40.66° N / 74.0137° W 40.6598° N / 74.01393° W 40.66074° N / 74.01548° W 40.66146° N / 74.01411° W Skanska SBMT Builders will be conducting marine construction at the South Brookly Marine Terminal in position 40-39-33.48N, 074-0-41.356W, from May 15, 2024, to March 31, 2026, seven days a week, between 5:00am to 6:00pm. Equipment on scene will consist of up to 6 Crane Barges, 8 Deck Barges, 1 Dive Barge, 6 small work boats, 1 dredge, variable hopper scows. The large majority of barge positions will not interfere with navigation/federal channels/associated vessel traffic. Regardless, all vessels will be moved via tugboats and are subject to be moved on demand at any time of day. A 20-minute warning/notification is requested for any requested/required vessel relocations to safely relocate vessels from the channel. Dredged material will be towed to the Donjon Marine Berth 36 facility in Port Newark, NJ. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	
Ambrose Channel - Main Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-08-15 To: 2025-09-30 Great Lakes Dredge and Dock Company will be conducting cable backfill operations at the South Brookly Marine Terminal, Gowanus Bay, from August 15, 2025, to September 30, 2025, seven days a week, 24 hours a day. Equipment on scene will be the Tug Pike / Caroline, Carver E-Crane on Barge, Crew boat Cooper River, Hopper barges, monitoring VHF-FM CH 13 and 16. Mariners are urged to proceed with caution and make passing arrangements with GLDD crew, then transit at their slowest safe speed to minimize wake.	
Ambrose Channel - Main Channel/General/Marine Events/Swim	Marine Events	General/Marine Events/Swim From: 2025-06-14 To: 2025-10-10 NY - EAST RIVER - HARLEM RIVER - HUDSON RIVER – Swim Mariners are advised that multiple swim events are scheduled from June 20, 2025, through October 10, 2025, navigating around Manhattan, NY. Approximately two to five participating swimmers will be assisted by a power-driven vessel and a kayak assigned to each swimmer. The swim events will begin at Pier A in Battery Park and Mill Rock, Manhattan, proceed up the East River, Harlem River down the Hudson River and end their perspective start positions. Interested mariners may contact the Principal Swim Safety Officer on marine band radio channels 6 VHF-FM. See list of dates and times below: Date Start Time Finish Time Location A. 6/21/2025 4:01 PM 12:01 AM Pier A B. 6/23/2025 5:58 PM 1:58 AM Pier A C. 6/24/2025 11:00 PM 7:00 AM Mill Rock D. 6/28/2025 10:13 AM 6:13 PM Pier A E. 6/29/2025 11:02 AM 7:02 PM Pier A F. 7/11/2025 8:28 PM 4:28 AM Pier A G. 7/12/2025 9:14 PM 5:14 AM Pier A H. 7/15/2025 10:55 AM 6:55 PM Pier A I. 7/16/2025 11:44 AM 7:44 PM Pier A J. 7/17/2025 12:37 PM 8:37 PM Pier A K. 7/19/2025 2:39 PM 10:39 PM Pier A L. 7/20/2025 3:45 PM 11:45 PM Pier A M. 7/26/2025 9:00 AM 5:00 PM Pier A N. 7/27/2025 9:44 AM 5:44 PM Pier A O. 8/9/2025 7:33 AM 3:33 PM Pier A P. 8/10/2025 8:14 AM 4:14 PM Pier A Q. 8/11/2025 8:56 AM 4:56 PM Pier A R. 8/12/2025 9:39 AM 5:39 PM Pier A S. 8/13/2025 10:26 AM 6:26 PM Pier A T. 8/15/2025 12:16 PM 8:16 PM Pier A U. 8/16/2025 1:18 PM 9:18 PM Pier A V. 8/17/2025 2:23 PM 10:23 PM Pier A W. 8/23/25 7:48 AM 3:48 PM Pier A X. 8/24/25 8:32 AM 4:32 PM Pier A Y. 9/7/2025 9:29 AM 5:29 PM Mill Rock Z. 9/10/2025 9:15 AM 5:15 PM Pier A A. 9/11/2025 1:03 PM 9:03 PM Pier A BB. 9/12/2025 11:01 AM 7:01 PM Pier A CC. 9/13/2025 12:01 PM 8:01 PM Pier A DD. 9/14/2025 1:03 PM 9:03 PM Pier A EE. 9/20/2025 9:03 AM 5:03 PM Pier A HI. 10/8/2025 8:06 AM 4:06 PM Pier A II. 10/09/2025 8:57 AM 4:57 PM Pier A JJ. 10/10/2025 9:50 AM 5:50 PM Pier A	
Ambrose Channel - Main Channel/General/Marine Events/Regatta (Race)	Marine Events	NY/NJ – UPPER BAY – Sailing Regatta Mariners are advised that a weekly reoccurring regatta is scheduled on the Upper Bay of New York Harbor, every Tuesday, Wednesday and Thursday from May 13, 2025, until October 16, 2025, at 6:30 pm until 8:30 pm. Approximately 15 sailing vessels will maneuver on various courses on the Upper Bay, between Ellis Island and Governors Island. Interested mariners may contact the race coordinator on VHF-FM Channel 68 during the scheduled regattas for further information.	
Sector Southeastern New England, Submerged Lands Act (SLA) - Main Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.50539° N / 70.64529° W Aid Name: Nobska Point Lighted Bell Buoy 26 LLNR: 15555 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 30' 19 Lon: -070° 38' 43"

https://www.navcen.uscg.gov/msi 55/129

9/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Southeastern New England, Submerged Lands Act (SLA) - Main Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.40003° N / 70.83639° W Aid Name: Vineyard Sound Entrance Lighted Buoy 30 LLNR: 15597 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 24' 00" Lon: -070° 50' 11"
Sector Southeastern New England, Submerged Lands Act (SLA) - Main Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.36804° N / 70.95697° W Aid Name: Vineyard Sound Entrance Lighted Whistle Buoy 32 LLNR: 15613 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 22' 05" Lon: -070° 57' 25"
Sector Southeastern New England, Submerged Lands Act (SLA) - Main Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.39605° N / 70.96288° W Aid Name: Sow and Pigs Buoy 34 LLNR: 15617 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 23' 46" Lon: -070° 57' 46"
Sector Southeastern New England, Submerged Lands Act (SLA) - Main Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.39678° N / 70.98448° W Aid Name: Sow and Pigs Lighted Bell Buoy 36 LLNR: 15618 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 23' 48" Lon: -070° 59' 04"

	a ca.c.,	
Long Island Sound Eastern Part - Main Channel/ATON/Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29822° N / 71.86111° W Aid Name: Watch Hill Passage Buoy WH LLNR: 20035 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 17' 54' Lon: -071° 51' 40"
Long Island Sound Eastern Part - Main Channel/ATON/Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.2966° N / 71.90572° W Aid Name: Wicopesset Rock Buoy 7 LLNR: 20050 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to	Lat: 41° 17' 48' Lon: -071° 54' 21"
Long Island Sound Eastern Part - Main Channel/ATON/Proposed Notice of Change	Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil. ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29793° N / 71.91079° W Aid Name: Wicopesset Ledge Buoy 9 LLNR: 20055 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to:	Lat: 41° 17' 53 Lon: -071° 54' 39"

Main Passage

Federal Discrepancies

•			
NAME	LLNR	STATUS	AID TYPE
Windmill Point Light	39130	MSLD SIG	FD
Isle La Motte Light	39165	VEGETATION	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Whitehall Narrows - Main Passage/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-09-09 To: 2026-03-31 Location: 44.62111° N / 73.34972° W Uncharted rocks and shoaling have been reported in the vicinity of Phelps Point, Rock Ledge, and South of Garden Island. Mariners are advised to transit the area with caution.	Lat: 44° 37' 16" Lon: -073° 20' 59"
Whitehall Narrows - Main Passage/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-15 To: 2025-09-15 Caldwell Marine International, LLC will be conducting a submarine cable recovery and cable installation (for the Champlain Hudson Power Express Project) on July 15, 2025, to September 15, 2025. The cable installation barge will recover two submarine cables and a fiber optic cable on the Lake bottom from winter storage at 44-11.447N, 073-23.650W and, thereafter, continue the submarine cable installation operating on Dynamic Propulsion (DP) to Putnam Station at 43-44.089N, 073-22.351W. Mooring will be by spuds and/or anchors where necessary. The installation will be continuous between the date periods listed herein. The barges cannot move from the coordinates provided in the RPL. Wide berth is requested as the operations will have divers in the water throughout the installation process and adjacent to the barge. The operation will also have multiple sentry boats present for control of recreational vessel traffic. The barge platform will be illuminated from dusk to dawn with fixed white lights with a visible range of 2 nautical miles.	

Whitehall Narrows - Main Passage/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-07 To: 2025-09-14 Caldwell Marine International, LLC will be conducting Post-Lay and Remedial Mattress Installation, Cable Installation Route Clearance, and Cable Installation Support (for the Champlain Hudson Power Express Project) on July 7, 2025, to September 14, 2025. The work/operational barge will operate on spuds and anchors for mooring, between 44-44.125N, 073-21.646W, and travel throughout the mattress installation to 43-44.089N, 073-22.351W. The installation will be continuous between the date periods listed herein. A forty-five-minute notice is requested to pause operations for movement. Wide berth is requested and passing vessels should take notice of the Diver Down flag and exercise caution throughout the area. The barge platform will be illuminated from dusk to dawn with fixed white lights with a visible range of 2 nautical miles	
Whitehall Narrows - Main Passage/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-08-12 To: 2025-12-01 J.F. Brennan Company will be conducting marine construction and support work for submarine cable operations on Lake Champlain, in position 45° 0'38.56"N, 73°20'38.14"W northwards to 45° 7'39.74"N, 73°16'8.13"W, from August 12, 2025, to December 1, 2025, between 6:00am to 6:00pm. Submarine cable installation will be conducted at a point from the US/CA border immediately to the north of Fort Montgomery on the Richelieu river, northwards. Boaters in the immediate vicinity of or transiting to the north from the border should be aware of slowly moving support vessels and barges, extended anchor lines and stationary monitoring buoys. Equipment on scene will be a 50FT x 160FT non-motorized sectional construction barge with day shapes and lights, 58FT x 182FT non-motorized sectional cable lay barge with day shapes and lights, 80FT by 100FT Cable transportation barge with day shapes and lights, 20FT x 40FT non-motorized sectional anchor handling barge, 56FT Tug Boat, 60FT Tug Boat, 8FTRib, Rescue Boat, 18FT Rescue Boat, multiple work and crew skiffs. Construction vessels will move slowly within the noted area. No movements of vessels are planned outside daylight hours. Vessels should not impede navigation.	
Whitehall Narrows - Main Passage/General/Marine Events/Other	Marine Events	Mariners are advised that the Major League Fishing-BFL is scheduled to be held in Lake Champlain in vicinity of Plattsburgh, NY. The tournament will be held on August 2, 2025 from 6:00 a.m. to 2:00 p.m. Mariners are advised to exercise caution when transiting the area Chart number: 5161. For event information contact: Tournament Point of Contact, (270) 293-0060.	

Marblehead Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged Land Act (SLA) - Marblehead Channel/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – MARBLEHEAD RACING FALL SERIES 2025 – REGATTA – The Marblehead Racing Association and the Boston Yacht Club are hosting the Marblehead Racing Fall Series every Saturday from September 06th to September 20th, 2024, from 1:00 PM to 4:00 PM in the waters off Marblehead Harbor, including Children's Island Channel, Eagle Island Channel, Tinker's Gong, Satan Rock including the Brimbles and Halfway Rock. The event will consist of approximately 20 vessels from 15' to 33' in length. The person responsible for on scene safety can be reached at 781-258-7644. For more information, please contact Michael Michael A 781-258-7644. Chart 13281	
Sector Boston, Submerged Land Act (SLA) - Marblehead Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.50405° N / 70.81796° W Aid Name: Fifteen-Foot Rock Lighted Bell Buoy FR LLNR: 10425 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	

Marblehead Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – MARBLEHEAD CHOWDER CUP – REGATTA – The Corinthian Yacht Club is hosting the Marblehead Chowder Cup Regatta on September 28, 2025, from 12:00 PM to 16:30 PM in the vicinity of Marblehead Channel, Cat Island and Tinkers Gong in approximate position 42° 30′15″N, 070° 49′03.6″W. The event will consist of approximately 15 vessels from 28′ to 40′ in length . The person responsible for on scene safety can be reached at 978-618-2106. For more information, please contact Kenneth Adam at 978-618-2106. Chart 13281	
Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – SALEM SOUND – BYC WEDNESDAY NIGHT RACING – REGATTA – The Boston Yacht Club is hosting the BYC Wednesday Night Racing every Wednesday night, from May 14, 2025, to September 17, 2025, in and around the vicinity of Salem Sound. The event will consist of approximately 30 sailing vessels varying in length between 24'-48'. The person responsible for on scene safety can be reached at 781-258-7644. For more information, please contact Michael Michaud at 781-258-7644. Chart 13275	
Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MARBLEHEAD – MASSACHUSETTS – FALL LASER ILCA SERIES – REGATTA – The Eastern Yacht Club is hosting the Fall Laser ILCA Series Regatta Series every Sunday from September 14, 2025, to November 23, 2025, from 12:00 PM to 5:00 PM in the vicinity of Marblehead Harbor. The event will consist of approximately 30 vessels, all of which are 14' in length. The person responsible for on scene safety can be reached at 781-475-4120. For more information, please contact Jud Smith at 781-475-2140. Chart 13267	
Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – MARBLEHEAD HARBOR – EYC J70 CORINTHIAN WORLDS – REGATTA – The Eastern Yacht Club is hosting the J70 Corinthian World Championship Regatta from September 24th, 2025 to September 28th, 2025 from 09:00 AM to 6:00 PM in and around the vicinity of Marblehead Harbor. The event will consist of approximately 100 sailing vessels 23' in length. The person responsible for on scene safety can be reached at 781-475-2140. For more information, please contact Jud Smith at 781-475-2140. Chart 13270	
Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – MARBLEHEAD HARBOR – POT LUCK REGATTA – REGATTA The Eastern Yacht Club is hosting the Pot Luck Regatta on September 20, 2025, from 8:00 AM – 6:00 PM, in and around the area of Marblehead Harbor. The event will consist of approximately 25 sailing vessels varying in length from 24'-50'. The person responsible for on scene safety can be reached at 781-475-2140. For more information, please contact Jud Smith at 781-475-2140. Chart 13281	

https://www.navcen.uscg.gov/msi 58/129

Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – MARBLEHEAD HARBOR – EASTERN YACHT CLUB PUMPKIN PURSUIT SERIES – REGATTA The Eastern Yacht Club is hosting the Pumpkin Pursuit Series on Sundays from October 5th to October 19th, 2025, from 8:00 AM to 6:00 PM in and around the area of Marblehead Harbor. The events will consist of approximately 25 sailing vessels varying in length between 24'-50' in length. The person responsible for on scene safety can be reached at 781-475-2140. For more information, please contact Jud Smith at 781-475-2140. Chart 13275	
Marblehead Channel - Marblehead Harbor/General/Marine Events/Regatta (Race)	Marine Events	MA – MARBLEHEAD – MARBLEHEAD HARBOR RACE – HALLOWEEN TEAM – REGATTA The Eastern Yacht Club is hosting the Halloween Team Race from October 25 to October 26, 2024, from 8:00 AM – 6:00 PM, in and around the area of Marblehead Harbor. The event will consist of approximately 12 sailing vessels approximately 22' in length. The person responsible for on scene safety can be reached at 781-475-2140. For more information, please contact Jud Smith at 781-475-2140. Chart 13281	

Mattituck Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.03081° N / 72.56619° W Aid Name: Mattituck Gong Buoy 3A LLNR:	Lat:
Eastern Part - Mattituck	Notice of	21645 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing	41° 01' 51'
Inlet/ATON/Proposed	Change	and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC),	Lon:
Notice of Change		and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction	-072° 33'
		to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	58"

Megansett Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Megansett Harbor Buoy 7	16500	Status Unreported	FD

Menemsha Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - Menemsha Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-04-25 To: 2025-10-22 Location: 41.35165° N / 70.76604° W 41.35161° N / 70.76601° W 41.35145° N / 70.76627° W 41.3515° N / 70.76628° W 41.35165° N / 70.76604° W Shoaling has been reported in Menemsha Creek, Massachusetts. Water depths in the vicinity of Menemsha Creek Buoy 4 (LLNR 15965) have been reported as low as 3.5 feet across the channel.	
Main Channel - Menemsha Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-05-15 To: 2025-11-11 Shoaling has been reported in Menemsha Creek, Massachusetts. Water depths in the vicinity of Menemsha Creek Buoy 4 (LLNR 15965) have been reported as low as 3.5 feet across the channel. Mariners are advised to transit the channel with extreme caution.	

Merriconeag Sound Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Portland Harbor Approach - Merriconeag	Marine Events	General/Marine Events/Regatta (Race) From: 2025-09-04 To: 2025-09-14 ME – Harpswell Sound – HARPSWELL – Sailboat Race	
Sound Approach/General/Marine		Mariners are advised that the Nick Barnett Trophy Race is scheduled to be held in vicinity of Schiller Coastal Studies Center in	
Events/Regatta (Race)		Harpswell Sound. The event will be held September 13, 2025 beginning at 10:30 a.m. – 06:00 p.m. each day. Approximately sixty four	
		14' sail boats will be participating. The event will take place in Harpswell, Maine. Chart number: 13260. For event information: Point of	
		Contact, (718) 986-8470.	

Merrimack River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Plum Island Sound - Merrimack River/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Wrecks From: 2025-09-04 To: 2026-03-03 Location: 42.81819° N / 70.801° W A white regulatory buoy was placed 42-49-05.5N 070-48-03.6W, in the vicinity of a sunk wreck for mariner awareness. Mariners are advised the wreck may be subject to moving with shifting tides and weather and not to solely rely on white regulatory aid. Navigate the area with caution.	Lat: 42° 49' 05' Lon: -070° 48' 04"
Plum Island Sound - Merrimack River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-02-24 To: 2026-02-24 Shoaling has been reported in The Merrimack River. Mariners are advised to transit the area with extreme caution, as the charted depth of the channel may be inaccurate.	

59/129

Plum Island Sound - Merrimack River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-02-24 To: 2026-02-23 Shoaling has been reported in the Merrimack River in the vicinity of the Merrimack River Bar. Mariners are advised to transit the area with extreme caution, as the charted depth, may be inaccurate.	
Plum Island Sound - Merrimack River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-02-24 To: 2026-02-23 Shoaling has been reported in the Merrimack River in the vicinity of the Merrimack River Bar. Mariners are advised to transit the area with extreme caution, as the charted depth, may be inaccurate.	
Plum Island Sound - Merrimack River/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-08-11 To: 2025-09-18 Location: 42.81719° N / 70.80657° W 42.81547° N / 70.80230° W 42.81498° N / 70.80243° W 42.81651° N / 70.80712° W 42.81719° N / 70.80657° W MA – NEWBURYPORT – MERRIMACK RIVER – HAZARD TO NAVIGATION Mariners are advised that the US Army Corps of Engineers, New England District will install two scientific devices near the South Jetty, Merrimack River in Newburyport, MA. The devices will be installed by the R/V Lophius within the inlet south of the federal channel and northwest of the South Jetty near Reservation Terrace/North Point in approximate position 42° 48′58.48″N, 070° 48′33.29″W and 42° 49′03.40″N 070° 48′38.73″W. The devices will be deployed on August 12th and 13th, 2025 and remain for approximately one month and retrieved on September 18th, 2025. The devices will each be marked by a buoy. Mariners are requested to keep well clear of the buoys and devices. The hours of operation of the project are 24x7, 7 days per week. On scene vessels can be contacted on VHF CH 12 and 16. For more information please contact Coral Siligato at 978-987-7001. Chart 13274	
Plum Island Sound - Merrimack River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	MA- NEWBURYPORT - MERRIMACK RIVER - SHOALING There have been multiple reports of vessel groundings IVO Merrimack River Lighted Buoy 7 due to shifting shoaling. Mariners are advised to use extreme caution when transiting this area, paying particular attention to water depth in relation to vessel draft.	
Plum Island Sound - Merrimack River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-09-03 To: 2026-09-03 THERE HAVE BEEN MULTIPLE REPORTS OF VESSELS GROUNDING IVO MERRIMACK RIVER LIGHTED BOUY 7 DUE TO SHIFTING SHOALING. MARINERS ARE ADVISED TO USE EXTREME CAUTION WHEN TRANSITING THIS AREA, PAYING PARTICULAR ATTENTION TO WATER DEPTH IN RELEATION TO VESSEL DRAFT.	
Plum Island Sound - Merrimack River/General/Marine Events/Fireworks	Marine Events	MA – HAVERHILL – MERRIMACK RIVER – HAVERHILL RIVER RUCKUS – FIREWORKS – Team Haverhill is hosting the Haverhill River Ruckus Fireworks on September 13, 2025, from 8:00 PM to 8:30 PM from a barge in the Merrimack River in approximate position 42°46′17″N, 071°05′02″W. Rain date is 14SEP25. The event will consist of 30-minute fireworks display. The person responsible for on scene safety can be reached at 603-966-5099. For more information, please contact Scott Leary at 603-966-5099. Chart 13274	
Plum Island Sound - Merrimack River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.81824° N / 70.79344° W Aid Name: Merrimack River Entrance Lighted Buoy 2 LLNR: 8995 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lat: 42° 49' 06" Lon: -070° 47' 36"

Middle Bay

Private Discrepancies

•			
NAME	LLNR	STATUS	AID TYPE
Garretts Lead Daybeacon H5	32125	DAYMK IMCH	PA
Sea Dog Creek Buoy SD9	32605	Status Unreported	PA

Middle Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Rochelle Harbor	Safety Zones	New Rochelle, NY - Long Island Sound – Safety Zone – Bridge Construction Mariners are advised that a safety zone will be enforced for construction	
North Approach - Middle		work on the Glen Island Approach Bridge. The safety zone will be enforced from 7 a.m. until 5 p.m. each day starting on midnight December 2, 2024,	
Channel/General/Safety		through May 27, 2027. The safety zone will only be enforced during periods when construction operations at the Glen Island Bridge rehabilitation	
Zones/Temporary		project are in progress. The Safety Zone encompasses all waters within a line beginning at 40° 53' 18.58"N 73° 46' 56.26"W; thence to 40° 53' 22.08"N	
Regulated Navigation		73° 46' 59.39"W; thence north along the shore to 40° 53' 23.8"N 73°46' 57.51"W; thence to 40° 53' 19.15"N 73° 46' 52.54"W and thence south along	
Zones		the shore back to the point of origin (WGS 84). Vessels may not enter, remain in, or transit through the Safety Zone during the enforcement period	
		unless authorized by the Coast Guard Captain of the Port. Other Federal, State and local agencies may assist these personnel in the enforcement of	
		the Safety Zone. Mariners are urged to exercise caution while in the area. The anticipated dates for the windows of full channel closures: Date	
		December 2, 2024, through December 20, 2024 February 3, 2025, through May 22, 2025 October 2, 2025, through April 29, 2026 Tentative Full	
		Channel Closure Dates August 11, 2026, through August 17, 2026 October 2, 2026, through October 29, 2026	

https://www.navcen.uscg.gov/msi 60/129

New Rochelle Harbor	Safety Zones	General/Safety Zones/COPT Restrictions From: 2024-12-16 To: 2027-05-31 The Coast Guard is establishing a temporary safety zone for certain waters
North Approach - Middle		of Long Island Sound in the vicinity of the Glen Island Approach Bridge, New Rochelle, NY, for construction vessels and machinery involved in the
Channel/General/Safety		rehabilitation project of the bridge. The safety zone is needed to protect personnel, vessels, and the marine environment from potential hazards
Zones/COPT Restrictions		associated with the bridge construction between December 2, 2024, through May 27, 2027. When enforced, this regulation prohibits persons and
		vessels from being in the safety zone unless authorized by the Captain of the Port New York or a designated representative. DATES: This rule is
		effective without notice from December 3, 2024, through 5 p.m. on May 27, 2027. For the purposes of enforcement, actual notice will be used from
		midnight on December 2, 2024, until December 3, 2024. This rule will only be enforced during periods when construction operations at the bridge are
		in progress. Comments and related material must be received by the Coast Guard on or before March 3, 2025. ADDRESSES: To view documents
		mentioned in this preamble as being available in the docket, go to https://www.regulations.gov, type USCG-2024-0956 in the search box and click
		"Search." Next, in the Document Type column, select "Supporting & Do
		questions about this rule, call or email Jeffrey Yunker, Waterways Management Division, U.S. Coast Guard Sector New York; telephone 718-354-4195,
		email Jeffrey.M.Yunker@uscq.mil. IV. Discussion of the Rule This rule establishes a safety zone from 7 a.m. until 5 p.m. each day starting on midnight
		December 2, 2024, through May 27, 2027. The safety zone will only be enforced during periods when construction operations at the Glen Island
		Bridge rehabilitation project are in progress. The anticipated dates for the windows of full channel closures are from 7 a.m. on December 2, 2024,
		through 5 p.m. on December 20, 2024; from 7 a.m. on February 3, 2025, through 5 p.m. on May 22, 2025; and from 7 a.m. on October 2, 2025, through
		5 p.m. on April 29, 2026. The Coast Guard will make notice of the safety zone via the Local Notice to Mariners and issue a Broadcast Notice to
		Mariners via marine channel 16 (VHF-FM) as soon as practicable in advance of these scheduled closures. All these dates are tentative and subject to
		change due to weather, supply chain delays, or other unforeseen circumstances. This rule remains effective through May 27, 2027, in case the project
		is delayed due to unforeseen circumstances. The area regulated by the safety zone will encompass the waters around the Glen Island Bridge and will
		cover all navigable waters, from surface to bottom, within the area formed by connecting the following latitude and longitude points in the following
		order: 40°53′18.58″ N 73°46′56.26″ W; thence to 40°53′22.08″ N 73°46′59.39″ W; thence north along the shore to 40°53′23.8″ N 73°46′57.51″ W; thence
		to 40°53′19.15″ N 73°46′52.54″ W and thence south along the shore back to the point of origin. This area is intended for the vessels and machinery
		being used by personnel for the Glen Island Bridge rehabilitation project. The duration of the zone is intended to ensure the safety of personnel,
		vessels, and these navigable waters during the bridge construction. No vessel or person will be permitted to enter the safety zone without obtaining
		permission from the COTP or a designated representative. The Coast Guard will make notice of the safety zone via the Local Notice to Mariners and
		issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency or hazardous condition.

Millstone Security Zone

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Niantic Bay And Vicinity -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.30637° N / 72.17471° W Aid Name: Millstone Power Plant CG	Lat:
Millstone Security	Notice of	Mooring Buoy LLNR: 22279.1 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast	41° 18' 23"
Zone/ATON/Proposed	Change	Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change	_	Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable	-072° 10'
		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and	29"
		powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps,	
		improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the	
		most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested	
		mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully	
		considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data	
		collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start	
		looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this	
		proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Milton Harbor

Additional MSI Categories

TITLE SUBCATEGO		DESCRIPTION	LOCATION
Long Island Sound Western Part - Milton Harbor/General/Hazards To Navigation/Shoaling Reported	Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-22 Location: 40.95282° N / 73.69544° W 40.95061° N / 73.69569° W 40.94138° N / 73.69947° W 40.94138° N / 73.69994° W 40.95266° N / 73.69569° W 40.95282° N / 73.69544° W NY-LONG ISLAND SOUND –MILTON HARBOR Severe Shoaling has been reported in Milton Harbor. Mariners are advised to proceed with caution while transiting the area.	

Missisquoi Bay

Additional MSI Categories

-			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Albans Bay - Missisquoi	Hazards To	General/Hazards To Navigation/Obstructions From: 2025-05-14 To: 2025-12-01 Location: 44.99131° N / 73.11489° W University of Vermont	Lat:
Bay/General/Hazards To	Navigation	will be deploying a research buoy in Missisquoi Bay, in position 44 59' 28.717N, 073 06' 53.630W, from May 15, 2025, to December 1, 2025.	44° 59' 29"
Navigation/Obstructions		The buoy sampling platform is 8'x12' platform on yellow pontoons, yellow equipment covers with black lettering and solar panels. Mast	Lon:
		with met station. Orange flashing beacon on top during night. Mooring lines and orange floats to north and south of platform, sensors on	-073° 06'
		30' cable underneath platform	54"

Montauk Harbor Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

61/129

DI 111 16 14 1	D 1	170 U.S. 181 S. 181 S. 2005 04 03 T. 2005 40 03 L. S. 14 004 700 M. (74 005 700 W.M.) M. S. 181	
Block Island Sound And Gardiners Bay - Montauk Harbor Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.09178° N / 71.89535° W Aid Name: Shagwong Rock Lighted Buoy SR LLNR: 19860 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 05' 3(Lon: -071° 53' 43"
Block Island Sound And Gardiners Bay - Montauk Harbor Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.08515° N / 71.93978° W Aid Name: Montauk Harbor Entrance Lighted Bell Buoy M LLNR: 19870 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	-071° 56' 23"

Moosabec Reach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gilchrist Rock Daybeacon 3	1280	DAYMK MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Western Bay - Moosabec	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.49134° N / 67.71282° W Aid Name: Tibbet Narrows Bell Buoy 30	Lat:
Reach/ATON/Proposed	Notice of	LLNR: 1385 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 29' 29"
Notice of Change	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-067° 42'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	46"

Morgan Bay

Additional MSI Categories

	,		
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Eastern Passage - Morgan	Marine Construction	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-07-07 To: 2025-10-30 Ocean Surveys, Inc. will be	
Bay/General/Marine Construction	(Excluding Bridges)	conducting hydrographic surveys in Penobscot Bay, between positions 43-58-10.37N, 068-47-47.96W and 44-35-16.44N, 068-14-0.34W,	
(Excluding Bridges)/Survey		from July 7, 2025, to October 30, 2025, during daylight hours. Equipment on scene will be marine hydrographic survey equipment	
Operations		including vessel mounted multibeam depth sounder and hand deployed sound speed profilers. The survey vessel will be following	
		planned survey lines, but will be able to move for observed traffic and will be monitoring VHF-FM CH 13 and 16.	

Moriches Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Seatuck Cove Buoy 6	30360	OFF STA	PA

TITLE	SUBCATEGORY	LOCATION	

Quantuck Canal -	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-28 NY-SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)-
Moriches	Navigation	MORICHES BAY-Update 2/8/22 Severe shoaling is present in Moriches Bay along the Long Island Intracoastal Waterway in the vicinity of Moriches Bay
Bay/General/Hazards To		Buoys 21, 24, 26, 27, 28, and 29 extending the entire width of the channel at nearly all tide levels. The area from Buoys 24 to 29 is only navigable at the
Navigation/Shoaling		operator's risk. The most severe area of shoaling can be found between buoys 26 and 28 and is less than half the charted channel depth in some areas.
Reported		Mariners should be aware that the Aids to Navigation in these areas are unreliable due to shoaling and mariners are strongly advised to seek alternate
		routes. Moriches Bay dredging has been completed. Shoaling has been reported in Moriches Bay along the Long Island Intercoastal Waterway in the
		vicinity of Moriches Bay Buoy 17, 18, 21, 26, 27, 28 and 29 extending the entire width of the channel and at any tide level. The most severe area of
		shoaling can be found between buoys 26 and 27 and is less than 3 ft. Shoaling is also reported in Moriches Inlet in the vicinity of Moriches Inlet East
		Cut Buoys 3E and 5E. Mariners should be aware that the Aids to Navigation in these areas have been deemed unreliable due to shoaling and mariners
		are advised to seek alternate routes. If transiting these areas, do so only at high tide and proceed slowly and with extreme caution. In addition,
		shoaling exists west of Moriches Bay Buoy 23 and East of Moriches Bay Buoy 27. Location: 40.78839° N / 72.72455° W 40.78722° N / 72.72421° W
		40.77877° N / 72.76189° W 40.77994° N / 72.76236° W 40.78839° N / 72.72455° W
Quantuck Canal -	Marine Events	CT – MORICHES BAY – REMSENBURG – REGATTA Mariners advised that the Westhampton YC scheduled multiple events on Moriches Bay near
Moriches		Remsenburg, NY. The event occurs: Defrost Series (Sat) - March 22, 2025 to May 3, 2025; Summer Series (Sat) - May 17, 2025 to August 22, 2025;
Bay/General/Marine		Summer Sailing Lessons (M-F) - June 30, 2025 to August 22, 2025; Fall series (Sat/Sun) - September 7, 2025 to October 19, 2025; GSBYRA Junior
Events/Regatta (Race)		Regatta - August 21 and 22, 2025; Instructor Challenge - July 20, 2025; Labor Day Race - August 30, 2025; and Queen of the Bay Race - August 31,
		2025. Chart number: 12352. For event information contact: Dave Kisla: davekisla@gmail.com

Moriches Inlet

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Moriches Inlet East Cut Rock Lighted Hazard Buoy	29109	OFF STA	PA

Mount Hope Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brayton Point Channel Lighted Buoy 3	18910	HAZ NAV/SINKING/LT EXT	PA
Brayton Point Channel Front Range Light	18915	LT EXT	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tiverton Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.66259° N / 71.22924° W Aid Name: Mount Hope Bay Buoy 2 LLNR:	Lat:
Mount Hope Bay/ATON/Proposed Notice of Change	Notice of Change	18845 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 39' 45 Lon: -071° 13' 45"
Tiverton Channel - Mount Hope Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.67146° N / 71.22° W Aid Name: Mount Hope Bay Channel Buoy 3 LLNR: 18850 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly rencouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Tiverton Channel - Mount Hope Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.67799° N / 71.20918° W Aid Name: Mount Hope Bay Buoy 6 LLNR: 18865 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 40' 41' Lon: -071° 12' 33"

Tiverton Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-02 Location: 41.6863° N / 71.20037° W Aid Name: Mount Hope Bay Buoy 7 LLNR:	Lat:
Mount Hope	Notice of	18870 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and	41° 41' 11"
Bay/ATON/Proposed	Change	rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and	Lon:
Notice of Change		Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to	-071° 12'
		support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation	01"
		subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the	
		navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), •	
		Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing	
		buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested	
		prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this	
		proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use	
		the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project	
		No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Mount Hope Bay Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East Passage - Mount Hope Bay	SUBCATEGORY Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.63678° N / 71.26061° W Aid Name: Musselbed Shoals Gong Buoy 6 LLNR: 18155 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	Lat: 41° 38' 12" Lon: -071° 15' 38"
Bay	Proposed Notice of Change	DPWPublicComments@uscg.mil. ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.63678° N / 71.26061° W Aid Name: Musselbed Shoals Gong Buoy 6 LLNR: 18155 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 38' 12" Lon: -071° 15' 38"

Muscle Ridge Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Garden Island Ledge Daybeacon 9	4615	STRUCT DMGD	FD

Mystic Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mystic Harbor West Approach Buoy 1	20490	OFF STATION	FD

Mystic River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
President Roads - Mystic River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-08-21 To: 2025-11-01 Bridge Name: Malden Bridge The U.S. Coast Guard has issued a temporary deviation from the regulation governing the Alford Street Bridge over the Mystic River in Boston, MA at mile 1.4. From August 21st, 2025- October 31st, 2025, between 10:00 p.m. and 7:00 a.m., the Alford Street Bridge over will be requiring a two-hour advanced notice for openings. This deviation is needed to allow manual, timely operation of West Lock #2. The navigable channel will not be impacted. Vessels able to pass beneath the bridge in the closed position are free to do so. Mariners can contact the bridge at 617-635-7519 or via marine radio channel 13.	

President Roads - Mystic River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-08-19 To: 2025-09-26 Location: 42.39144° N / 71.05215° W 42.39122° N / 71.05198° W 42.38927° N / 71.05459° W 42.38948° N / 71.05482° W 42.39144° N / 71.05215° W Containment Boom Installation Former Exxon Facility Mariners are advised that Moran Environmental is installing containment boom in the vicinity of the former Exxon Facility on the Mustic River. Operations will commence on August 20th, 2025, and continue through September 25th, 2025. Mariners are requested to use caution when navigating in the vicinity of the terminal, maintaining a safe distance from installed boom and associated vessels. For More information mariners may contact Moran Environmental Recovery LLC Operations at (781) 815-1100. Mariners are advised to plan accordingly and use caution when transiting the area. Chart:13272	
President Roads - Mystic River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-09-17 To: 2025-12-04 ACK Marine & Description (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-09-17 To: 2025-12-04 ACK Marine & Description (Excluding Bridges)/Facilities and the former Exxon Mobil Fuel Pier on the Mystic River, Everett, MA, in approximate position 42°23'22"N 71°03'55"W from September 17, 2025, to December 4, 2025, Monday through Friday, between 7:00am to 4:00pm. Equipment on scene will be push boats, barges, and a crane, monitoring VHF-FM CH 13 and 16. For more information contact Philip Dwyer at (781) 864-8409.	
President Roads - Mystic River/General/Marine Events/Fireworks	Marine Events	MA - SOMERVILLE – MYSTIC RIVER – RIVERFEST – FIREWORKS – Pyrotecnico is hosting the Riverfest Fireworks on September 13, 2025, from 8:00 PM to 9:00 PM in the area around the Mystic River, Somerville, MA in approximate position 42°23.9' N, 071°04.8' W. The event will consist of approximately 1 barge and tug, and 1 pontoon vessel. The person responsible for on-scene safety can be reached at 603-235-4656. For more information, please contact Tara Hughgill at 603-532-8324. Chart: 13727 § 165.118 Safety Zones; recurring annual events held in Coast Guard Sector Boston Captain of the Port Zone. 9.3 Somerville Riverfest Fireworks • Event Type: Fireworks Display. • Sponsor: Federal Realty Investment Trust. • Date: A one-day event on Saturday during the last weekend of September, as specified in the USCG District 1 Local Notice to Mariners. • Time: 7:30 p.m. to 10:00 p.m. • Location: All waters of the Mystic River within a 350-yard radius of the fireworks barge located at position 42°23.9' N, 071°04.8' W (NAD 83).	

Nahant Bay Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roaring Bull Daybeacon 2	10495	DAYMK MISSING	FD
Dread Ledge Daybeacon 2	10530	DAYMK MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged Land Act (SLA) - Nahant Bay Approach/General/Marine Events/Regatta (Race)		MA – SWAMPSCOTT - NAHANT BAY – SYC THURSDAY NIGHT RACES – REGATTA – The Swampscott Yacht Club is hosting the SYC Thursday Night Race every Thursday, from June 5, 2025, to October 16, 2025, in and around Nahant Bay. The event will consist of up to 15 sailing vessels all ranging from 20' to 50' in length. The person responsible for on-scene safety can be reached at 617-902-8627. For more information, please contact Matt Bachman at 617-902-8627. Chart 13275	
Sector Boston, Submerged Land Act (SLA) - Nahant Bay Approach/ATON/Proposed Notice of Change		ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.46767° N / 70.85552° W Aid Name: Pitchers Shoal Buoy PS LLNR: 10500 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 28' 04' Lon: -070° 51' 20"
Sector Boston, Submerged Land Act (SLA) - Nahant Bay Approach/ATON/Proposed Notice of Change	Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.4689° N / 70.85732° W Aid Name: Middle Ground Buoy 4 LLNR: 10505 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 28' 08' Lon: -070° 51' 26"

https://www.navcen.uscg.gov/msi 65/129

Sector Boston, Submerged	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.45808° N / 70.85783° W Aid Name: Great Pig Rocks Buoy 6	Lat:
Land Act (SLA) - Nahant Bay	Notice of	LLNR: 10520 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard	42° 27' 29
Approach/ATON/Proposed	Change	is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 51'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	28"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS,	
		AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Nahant Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged Land Act	Marine Events	MA – BOSTON – NAHANT – EGG ROCK SCRAMBLE SWIM – SWIM The Mass. Open Water Swimming Association is hosting the Egg Rock	
(SLA) - Nahant		Scramble Swim on September 14, 2025, from 9:00 AM to 12:15 PM. The event will consist of approximately 15 swimmers and their support	
Harbor/General/Marine Events/Swim		craft entering the water at Short Beach in Nahant, out and around Egg Rock ending back to Short Beach in Nahant. The event will take	
		approximately 3 hours to complete. The vessel responsible for on scene safety will be monitoring VHF Ch. 72. For more information, please	
		contact Mina Elnaccash at 617-216-2274. Chart 13267	

Nantasket Roads Southern Approach

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nantasket Roads DRC Lighted Hazard Buoy A	11411	MISSING	PA
Nantasket Roads DRC Lighted Hazard Buoy B	11411.1	MISSING	PA
Nantasket Roads DRC Lighted Hazard Buoy C	11411.2	MISSING	PA
Nantasket Roads DRC Lighted Hazard Buoy D	11411.30000000001	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged Land Act (SLA) - Nantasket Roads Southern Approach/General/Hazards To Navigation/Obstructions	Navigation	MASSACHUSETTS – BOSTON OUTER HARBOR – NANTASKET ROADS HULL GUT – GEORGES ISLAND ¬ – HAZARD TO NAVIGATION Mariners are advised that a hazard to navigation has been reported East of Hull Gut between George's Island and Hull MA in position approximate 42-18'34.70" N / 070-55'10.10" W. The hazard is reported to be an aluminum mesh pogie net near or on the surface entangled in a submersible cable. Both the cable and the net are reported to be on the surface. Mariners are urged to use caution and keep a sharp lookout when transiting the area.	
Sector Boston, Submerged Land Act (SLA) - Nantasket Roads Southern Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.31359° N / 70.90975° W Aid Name: Toddy Rocks Buoy 9A LLNR: 11380 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SM8-DPWPublicComments@uscq.mil.	35"

Narraguagus Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.45733° N / 67.82406° W Aid Name: Pond Island Lighted Bell Buoy 1	Lat:
England, Submerged	Notice of	LLNR: 1635 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 27' 26'
Lands Act (SLA) -	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
Narraguagus		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-067° 49'
Bay/ATON/Proposed		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	27"
Notice of Change		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk	
		reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Narrows Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
	Hazards To	NY-SHINNECOCK BAY-NARROWS BAY Shoaling has been identified in East Rockaway Inlet in the area between buoys Narrows	
To Navigation/Shoaling Reported	Navigation	Bay Lighted Buoy 6 and Narrows Bay Buoy 7. Mariners are urged to maintain a sharp lookout and transit the area with extreme caution.	

NAVAREA IV

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
NOAA Data Lighted Buoy 44005 (ODAS)		ADRIFT	FD

Navesink River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shrewsbury River - Navesink River/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2025-06-11 To: 2025-09-30 Location: 40.356141° N / 74.076753° W Bridge Name: 35 State Route Bridge Modification of the fender system to the Route 35 Bridge, across Navesink River at mile 8.3 will commence on July 14, 2025. Hours of operations are from 7 a.m. to 7 p.m. daily. An 80ft by 30ft barge, tugboat and 18ft skiff will be operating IVO of the bridge for fender modification. One half of unobstructed navigation channel will always be available for marine traffic. Any questions regarding to the equipment in the channel, please contact Gerrod McDaniel via marine radio VHF-FM CH 13/16 or call 732-788-5787. This project is to be completed by September 30, 2025. Mariners are advised to exercise caution and reduce wake when transiting the area.	-074° 04'
Shrewsbury River - Navesink River/General/Bridges/Inspection	Bridges	From September 22nd, 2025- September 24th, 2025, between 08:00 a.m. and 04:00 p.m., a structural inspection of the Oceanic Bridge across the Navesink River at mile 4.5 shall take place. Mariners can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (908) 872-4910. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 22' 53" Lon: -074° 00' 50"
Shrewsbury River - Navesink River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-09-16 To: 2025-09-18 Location: 40.38131944° N / 74.01401111° W Bridge Name: Oceanic Bridge Diving, substructure and riverbed inspection at the Oceanic Bridge across Navesink River at mile 4.5. Hours of operation from Monday to Friday 9:00 a.m. to 3:00 p.m. A 19ft boat will be operating in the navigational channel. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM-Ch. 13-16 or call 856 264-9542. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 22' 53" Lon: -074° 00' 50"
Shrewsbury River - Navesink River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-21 Location: 40.38611° N / 73.97916° W 40.38543° N / 73.97826° W 40.38141° N / 73.98251° W 40.38052° N / 73.99044° W 40.38219° N / 73.99542° W 40.38186° N / 74.01186° W 40.37971° N / 74.01675° W 40.3665° N / 74.05477° W 40.36499° N / 74.05658° W 40.35643° N / 74.06363° W 40.35664° N / 74.06423° W 40.36625° N / 74.05638° W 40.37948° N / 74.02366° W 40.38026° N / 74.01688° W 40.38229° N / 74.01242° W 40.38291° N / 73.99401° W 40.38131° N / 73.98972° W 40.38229° N / 73.98293° W 40.38611° N / 73.97916° W NJ-NAVESINK RIVER Recent surveys have shown significant shoaling in the Navesink River. Shoaling exists across the entire reach beginning at the entrance to the Navesink River to Navesink River Buoy 24. Least depths of 2.3 feet to 5.8 feet extending into channel and throughout the waterway. Navigation of the area requires extreme caution due to the encroaching nature of the shoal.	

Neponset River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dorchester Bay Basin Channel Buoy 1	11260	DAYMK IMCH/OTHER DISC AIDS IN AREA	PA
Dorchester Bay Basin Channel Buoy 2	11265	MISSING/OTHER DISC AIDS IN AREA	PA
Dorchester Bay Basin Channel Buoy 4	11275	MISSING/OTHER DISC AIDS IN AREA	PA
Dorchester Bay Basin Channel Buoy 5	11280	MISSING	PA
Dorchester Bay Basin Channel Buoy 6	11285	MISSING	PA

New Bedford Channel

Additional MSI Categories

https://www.navcen.uscg.gov/msi 67/129

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Buzzards Bay Main Channel - New Bedford Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.5289° N / 70.84611° W Aid Name: New Bedford Channel Lighted Buoy 1 LLNR: 16805 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 31' 44" Lon: -070° 50' 46"
Buzzards Bay Main Channel - New Bedford Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.52945° N / 70.84223° W Aid Name: New Bedford Channel Lighted Buoy 2 LLNR: 16810 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 31' 46" Lon: -070° 50' 32"
Buzzards Bay Main Channel - New Bedford Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.55835° N / 70.86502° W Aid Name: New Bedford Channel Lighted Buoy 5 LLNR: 16825 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: : 41° 33' 30" Lon: -070° 51' 54"
Buzzards Bay Main Channel - New Bedford Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.58662° N / 70.88343° W Aid Name: New Bedford Channel Lighted Buoy 9 LLNR: 16851 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

New Bedford Southeast Approach

dutional was categories					
TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO		

Buzzards Bay Main Channel -ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.56782° N / 70.81256° W Aid Name: New Bedford Southeast Approach Bell Buoy 2SE LLNR: 16960 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes New Bedford Southeast Notice of Approach/ATON/Proposed Change Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems Lon: Notice of Change (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result | -070° 48' in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability 45" and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service--manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.

New Brunswick Grand Manan Channel Northern Part

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Northern New	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.82361° N / 66.94483° W Aid Name: West Quoddy Head Bell Buoy WQ LLNR: 840 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and	Lat: 44° 49' 25 Lon: -066° 56' 41"
Sector Northern New England, Submerged Lands Act (SLA) - New Brunswick Grand Manan Channel Northern Part/ATON/Proposed Notice	Proposed Notice of Change	improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.89484° N / 66.98484° W Aid Name: Buckman Ledge Buoy 2 LLNR: 915 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	Lat: 44° 53' 41 Lon: -066° 59' 05"
of Change		intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA) - New Brunswick Grand Manan Channel Northern Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.9674° N / 67.03651° W Aid Name: Frost Ledge Lighted Bell Buoy 7 LLNR: 940 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA) - New Brunswick Grand Manan Channel Northern Part/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.81052° N / 66.94046° W Aid Name: Sail Rock Lighted Whistle Buoy 1 LLNR: 1045 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

, ,	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.75835° N / 67.04781° W Aid Name: Baileys Mistake Whistle Buoy 2BM LLNR: 1055 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
3,	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.7583° N / 67.05601° W Aid Name: Baileys Mistake Entrance Buoy 1 LLNR: 1060 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

New Haven Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.20208° N / 72.89643° W Aid Name: New Haven Harbor Lighted Whistle Buoy NH LLNR: 24015 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 12' 07' Lon: -072° 53' 47"
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.26315° N / 72.91347° W Aid Name: New Haven Harbor Channel Buoy 13 LLNR: 24120 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	-072° 54' 48"
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.22744° N / 72.91386° W Aid Name: New Haven Harbor Buoy 3 LLNR: 24040 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 13' 39" Lon: -072° 54' 50"

10/25, 12.20 1 W		Manufile Galety Information Floadets Navigation Genter	
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.25451° N / 72.91307° W Aid Name: New Haven Harbor Channel Buoy 12 LLNR: 24110 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), *Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 15' 16 Lon: -072° 54' 47"
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.22807° N / 72.91221° W Aid Name: New Haven Harbor Channel Lighted Buoy 4 LLNR: 24045 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 13' 41 Lon: -072° 54' 44"
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.24191° N / 72.91533° W Aid Name: New Haven Harbor Channel Lighted Buoy 10 LLNR: 24100 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 14' 31' Lon: -072° 54' 55"
Long Island Sound Eastern Part - New Haven Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.24858° N / 72.9157° W Aid Name: New Haven Harbor Channel Buoy 9A LLNR: 24095 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 14' 55 Lon: -072° 54' 57"

New Inlet

Additional MSI Categories					
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION		
Georges Bank And Nantucket Shoals - New Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	MA-MARSHFIELD-NEW INLET Shoaling has been reported from the North River junction buoy towards the #2 buoy South River. This area is reported as approx. 3.0 feet during the low tide. Mariners should use caution while transiting the area, especially during astronomical low tides.			

Sector Boston,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.17046° N / 70.69956° W Aid Name: New Inlet Lighted Bell Buoy 1	Lat:
Submerged Land Act	Notice of	LLNR: 12325 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	42° 10' 14
(SLA) - New	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
nlet/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 41'
lotice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	58"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

New Jersey Pierhead

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - New Jersey	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2025-02-13 To: 2027-02-28 Claremont Terminal Channel Shoaling – The Harbor	
Pierhead/General/Hazards To	Navigation	Safety, Operations and Navigation Committee of the Port of NY and NJ – Deep Draft Working Group: The need to immediately restrict the	
Navigation/Shoaling Reported		deep draft of vessels transiting Claremont Terminal Channel has come to our attention. Based on the latest available surveys conducted by the	
		Army Corps of Engineers, November 4, 2024, shoaling has occurred in the channel. The shoaling has minimized the available depth of water	
		to 15 feet near the centerline of the channel. Based on this data, vessels will be restricted to a draft of 13 feet, plus the rise in tide, with a	
		maximum draft of 18 feet. On 11/04/2024, the shoal area was bound by the following approximate coordinates: 40° 41'11"N, 074° 04' 41"W;	
		thence to 40° 41′ 17″N, 074° 04′ 33″W; thence to 40° 40′ 14″N, 074° 03′ 06″W; thence to 40° 40′ 10″N, 074° 03′ 13″W.	

New Jersey Pierhead Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel - New Jersey Pierhead	Marine Events	NY – UPPER BAY - Sailing Regatta Mariners are advised that a sailing regatta is scheduled to be held in the Upper Bay south of Governors	
Channel/General/Marine		Island, near Bay Ridge Flats, beginning April 30, 2025 through October 19, 2025, on every Wednesday and Thursday between the hours of	
Events/Regatta (Race)		6:00 p.m. to 9:00 p.m.; on Saturdays and Sundays from 12:00 p.m. to 5:00 p.m. Approximately 13 sailboats, 24-26 feet in length, with	
		multiple motorized support vessels will participate. Interested mariners may contact the Executive Director on marine band radio channel	
		71 VHF-FM.	

New London Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Eastern Part - New London Harbor/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	CONNECTICUT – NEW LONDON HARBOR - Bridge Repairs – From April 1, 2025 to November 1, 2025, between 6 a.m. and 5:30 p.m., the Connecticut Department of Transportation will conduct repairs on the Gold Star I-95 Southbound Bridge over the Thames River, mile 3.1. Work will be performed from hanging platforms on the bridge structure. The platforms will extend over the full width of the river from the shoreline on the New London side to the shoreline on the Groton side. The reduction in vertical clearance caused by the activities will not exceed 3 feet below the current bridge vertical clearances of 135 feet (MHW). There will be no impacts to navigation other than the 3-foot reduction of vertical clearance. A safety boat will be in the water and will monitor VHF Channel 16 when work is performed over the water. Questions may be addressed to Patrick Mahoney, Project Manager Aetna Bridge Company, at 401-378-7225 or Patrick McNamara, CT DOT, at 860-608-9175.	Lat: 41° 21' 51" Lon: -072° 05' 16"
Long Island Sound Eastern Part - New London Harbor/General/MSIB	MSIB	General/MSIB From: 2025-08-07 To: 2026-08-07 Location: 41.40063° N / 72.09797° W 41.38869° N / 72.09122° W 41.38819° N / 72.09266° W 41.39609° N / 72.09736° W 41.40042° N / 72.09918° W 41.40063° N / 72.09797° W The Thames River federal navigation channel in the vicinity of the U.S. Naval Submarine Base on the Thames River has been reconfigured and narrowed. The Thames River Middle Range no longer marks the channel centerline and now marks the eastern channel edge along the outer boundary of the Naval Base security zone. This area may be restricted by the Navy Base floating barrier.	
Long Island Sound Eastern Part - New London Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29372° N / 72.07738° W Aid Name: New London Harbor Channel Lighted Buoy 2 LLNR: 21790 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.). • Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lon: -072° 04' 39"

7 10/20, 12:20 1 W		Maname Carety Information Freducts Navigation Contes	
Long Island Sound Eastern Part - New London Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29364° N / 72.07966° W Aid Name: New London Harbor Channel Lighted Buoy 1 LLNR: 21795 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 17' 37" Lon: -072° 04' 47"
Long Island Sound Eastern Part - New London Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.3013° N / 72.07107° W Aid Name: Black Ledge Buoy 4BL LLNR: 21815 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 18' 05" Lon: -072° 04' 16"
Long Island Sound Eastern Part - New London Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.32211° N / 72.08324° W Aid Name: New London Harbor Channel Lighted Buoy 5 LLNR: 21850 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 19' 20" Lon: -072° 04' 60"
Long Island Sound Eastern Part - New London Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.37411° N / 72.0898° W Aid Name: Thames River Buoy EP LLNR: 21922 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 22' 27"
Long Island Sound Eastern Part - New London Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.35186° N / 72.085° W Aid Name: New London Harbor Buoy 14 LLNR: 21940 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 21' 07" Lon: -072° 05' 06"

New Meadows River Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.71351° N / 69.92022° W Aid Name: White Bull Lighted Gong	Lat:
Submerged Lands Act (SLA) -	Notice of	Buoy WB LLNR: 6450 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below.	43° 42' 49"
New Meadows River	Change	Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Approach/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-069° 55'
Notice of Change		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	13"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS,	
		AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

New Rochelle Harbor North Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Rochelle Harbor North	Bridges	General/Bridges/Temp Deviation From: 2025-05-23 To: 2025-10-02 Location: 40.88902778° N / 73.78247222° W Bridge Name: Glen	Lat:
Approach/General/Bridges/Temp		Island Bridge NEW YORK – NEW ROCHELLE HARBOR - Notice of Temporary Deviation - The Coast Guard has issued a temporary	40° 53' 21"
Deviation		deviation for the Glen Island Temporary Bridge. Under this temporary deviation, from 8 am to 8 pm the bridge shall open on the hour, if	Lon:
		required. Outside of those hours the bridge shall operate in accordance with the regulations contained in 33 CFR 117.802 (a). Mariners	-073° 46'
		that can pass without a bridge opening may do so and are advised to exercise caution when transiting the area.	57"

Newark Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION		
Kill Van Kull - Newark	Bridges	General/Bridges/Construction Starting July 7th through December 31, 2025, barges and work boats will be positioned outside the	Lat:	
Bay/General/Bridges/Construction		navigable channel at or near CONRAIL's Lehigh Valley Railroad Bridge over the Upper Newark Bay at milepost 4.3 between Newark and	40° 41' 56"	
		Bayonne, New Jersey to perform bridge electrical work. Work shifts are between 6:00 a.m. and 4 p.m. Monday through Friday. For bridge	Lon:	
		related matters contact 215 495-2140 and secondary contact 215 589-4700. Mariners are advised to exercise caution when transiting the	-074° 07'	
		area. Contractor will monitor VHF-FM marine radio channels 13/16 during hours of operation.	11"	

Newark Bay Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Newark Bay - Newark Bay	Marine	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-08-11 To: 2025-09-11 Location: 40.68851° N / 74.1587° W	
Channel/General/Marine	Construction	40.67975° N / 74.14454° W 40.67972° N / 74.14204° W 40.67635° N / 74.13576° W 40.67691° N / 74.13303° W 40.67801° N / 74.13225° W	
Construction (Excluding	(Excluding	40.67682° N / 74.12464° W 40.64732° N / 74.14863° W 40.64773° N / 74.15008° W 40.64915° N / 74.14867° W 40.65132° N / 74.1541° W	
Bridges)/Survey Operations	Bridges)	40.65809° N / 74.14942° W 40.66014° N / 74.15464° W 40.66117° N / 74.15355° W 40.65913° N / 74.14875° W 40.67393° N / 74.13841° W	
		40.68721° N / 74.15971° W 40.68851° N / 74.1587° W Gahagan & Bryant Associates (GBA) will be conducting geophysical surveys from	
		approximately August 12th through September 11th 2025. Survey operations will be conducted from the R/V PRICUS during daylight hours	
		only, 7 days a week, in Newark Bay and Elizabeth Channels off Port Newark, NJ. The R/V PRICUS is a 40-foot aluminum small waterplane twin	
		hull (SWATH) -Figure 2. Multiple geophysical survey instruments will be towed behind and beneath the vessel, which may limit its	
		maneuverability. Survey equipment will be towed behind and beneath the vessel, which will restrict its maneuverability. Some of the equipment	
		may be towed subsurface at distances of up to 250 feet astern. Mariners are advised to exercise caution when navigating near the survey	
		vessel, maintain a safe distance, and proceed at reduced speed.	

Newport Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East Passage - Newport Harbor/General/Marine Events/Regatta (Race)	Marine Events	RI – NARRAGANSETT BAY– ROLEX NYYC INVITATIONAL CUP – RACE/REGATTA Mariners are advised that the Rolex NYYC Invitational Cup is scheduled to be held in the vicinity of Newport, Narragansett Bay, RI. The event will take place from Saturday, September 06, though Saturday, September 13, 2025, from 9:00 a.m. to 5:00 p.m. each day. Expect up to 35 vessels, 22-56 ft in length. Mariners are advised to transit the area with extreme caution. Mariners may contact the person in charge by phone at (312) 402-2105.	Lat: 41° 26' 14' Lon: -071° 19' 02"
East Passage - Newport Harbor/General/Marine Events/Regatta (Race)	Marine Events	RI – NARRAGANSETT BAY – 2025 ILYC SHIELDS ALOHA CUP SERIES – RACE/REGATTA Mariners are advised that the 2025 ILYC Shields Aloha Cup Series is scheduled to be held in the vicinity north of the Newport Bridge in Narragansett Bay, RI. The event will take place on June 29, July 20, August 24, and September 13, 2025, from 2:00 p.m. to 6:00 p.m. each day. Expect up to 10 vessels, 30 ft in length. Mariners are advised to transit to the area with extreme caution. Mariners may contact the person in charge by phone at (401) 486-5318.	

East Passage - Newport Harbor/General/Marine Events/Regatta (Race)	Marine Events	RI – NARRAGANSETT BAY – JAMESTOWN YACHT CLUB WEEKLY RACING SERIES FALL 2025 – RACE/REGATTA Mariners are advised that the Jamestown Yacht Club Weekly Racing Series Fall 2025 is scheduled to be held in the vicinity of Goat Island, Narragansett Bay, RI. The event will take place weekly from Sunday, September 07, through Sunday, October 05, 2025, from 12:30 p.m. to 5:00 p.m. each day. Expect up to 40 vessels, 20-60 ft in length. Mariners are advised to transit the area with extreme caution. Mariners may contact the person in charge by phone at (401) 782-7271 or by VHF Channel 72.	
East Passage - Newport Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.4817° N / 71.32687° W Aid Name: Goat Island Lighted Bell Buoy 3 LLNR: 17830 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 28' 54" Lon: -071° 19' 37"

Niantic Bay And Vicinity

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Eastern Part - Niantic Bay And Vicinity/ATON/Proposed Notice of Change	Notice of	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29595° N / 72.1415° W Aid Name: Bartlett Reef North End Buoy 1 LLNR: 22255 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	Lat: 41° 17' 45' Lon: -072° 08'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Niantic River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Niantic River Channel Buoy 6	22320	OFF STATION	FD

North Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
Beach Channel - North Channel/General/Bridges/Inspection	commence on July 28, 2025. Hours of operation are from 9 a.m. to 3 p.m. An under-bridge inspection unit (UBIU) will be operated under the bridge Mariners requiring full vertical clearance can contact Han Chen (917) 306-0152 or via marine radio VHF-FM CH 13/16. This project will be completed by November 30, 2025. Mariners are advised to use caution and reduce wake when transiting the area.			
Beach Channel - North Channel/General/Bridges/Inspection	Bridges	Inspection to the Belt Parkway Bridge across Hendrix Creek at mile 0.1 will commence on August 11, 2025. Hours of operation are from 9 a.m. to 3 p.m. A 60ft barge with a manlift will be operated under the bridge. Mariners requiring full horizontal clearance can contact site supervisors at 646-872-2967, 917-306-0152, and via marine radio VHF-FM CH 13 / 16. This project will be completed by November 30, 2025. Mariners are advised to use caution and reduce wake when transiting the area.	Lat: 40° 38' 48" Lon: -073° 52' 25"	
Beach Channel - North Channel/General/Bridges/Inspection	Bridges	Inspection to the Belt Parkway Bridge across Fresh Creek at mile 0.4 will commence on August 11, 2025. Hours of operation are from 9 a.m. to 3 p.m. A 60ft barge with a manlift will be operated under the bridge. Mariners requiring full horizontal clearance can contact site supervisors at 646-872-2967, 917-306-0152, and via marine radio VHF-FM CH 13 / 16. This project will be completed by November 30, 2025. Mariners are advised to use caution and reduce wake when transiting the area.	Lat: 40° 38' 19" Lon: -073° 52' 43"	
Beach Channel - North Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection: From: 2025-09-04 To: 2025-11-14 Location: 40.642076° N / 73.834515° W Bridge Name: Cross Bay Blvd Bridge On September 4, 2025 through November 14, 2025 between 8:00 am and 3:00 pm, a Biennial Bridge Inspection and minor structural repairs across Narrow Channel at mile 6.0 under the Cross Bay Blvd. Bridge will be performed. A barge with lift equipment will be operating in the navigable waterway. Mariners requiring full horizontal clearance can contact Richard Sansone at 347-266-0091 or Antoney Chuliver at 646-753-2245 or via marine radio VHE-FM CH 13/16. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 38' 31" Lon: -073° 50' 04"	

North Channel Saybrook To New Haven

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Falkner Island Reef Lighted Gong Buoy 15	21590	LT EXT	FD

North Entrance

Additional MSI Categories

TITLE S	UBCATEGORY	DESCRIPTION	LOCATION
Gardiners Bay - North N	roposed lotice of 'hange	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.19029° N / 72.14529° W Aid Name: Old Silas Rock Buoy 1 LLNR: 27662 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 41° 11' 25" Lon: -072° 08' 43"
Gardiners Bay - North	roposed lotice of hange	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.1217° N / 72.11088° W Aid Name: Gardiners Island Shoal Buoy 1 LLNR: 27655 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	41° 07' 18" Lon: -072° 06' 39"

North Side

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Great South Bay - North Side/General/Hazards To Navigation/Shoaling Reported	Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-11-12 NY-SAYVILLE-BROWNS CREEK Mariners be advised, dangerous shoaling conditions exist east of Browns Creek and vicinity which cause dangerous conditions when transiting the channel. Mariners should exercise extreme caution when navigating the channel.	

Norwalk Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Norwalk East Approach - Norwalk Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2023-06-01 To: 2026-03-01 Location: 41.10043° N / 73.41542° W Bridge Name: Walk Bridge CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND SHERWOOD POINT TO STAMFORD HARBOR- NORWALK RIVER - Ger Construction – Connecticut Department of Transportation will begin preliminary work for the new Walk Bridge construction. Beginning June 1, 2023 to March 1, 2026. Until December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk River at mile 0.1, multiple w boats & December 31st 2024 at Walk Bridge over the Norwalk	
Norwalk East Approach - Norwalk Channel/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2023-06-01 To: 2026-03-03 Location: 41.10043° N / 73.41542° W Bridge Name: Walk Bridge CONNECTICUT - NORWALK RIVER - General Construction – Connecticut Department of Transportation will begin preliminary work for the new Walk Bridge construction. Beginning June 1, 2023 to March 1, 2026. Extension from the previous LNM sent on 08/26/24, from 01/01/25 until 03/31/25 at Walk Bridge over the Norwalk River at mile 0.1, multiple work boats & my: barges will be in one channel (either East or West) at a time leaving the unoccupied side available for mariners to transit with assistance of Norwalk Marine Police and six changeable message signs installed on either the North Side or South Side of Walk Bridge to direct marine traffic accordingly to the open channel. Mariners are advised to exercise caution and reduce wake when transiting the area as barges may move between the channels at times throughout the day. Mariners with questions or concerns can contact the contractor via marine radio VHF-FM Ch 13/16 or call Ashlynn Efferding (410) 913-5559 or Jason Rourke (860) 250-1020.	

https://www.navcen.uscg.gov/msi

76/129

Onset Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shell Point Channel Buoy 10	17380.4	OFF STATION	PA
Shell Point Channel Buoy 12	17380.5	OFF STATION	PA
Shell Point Channel Buoy 13	17380.6	OFF STATION	PA

Orr`S Island Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.70676° N / 69.99431° W Aid Name: Orr's Island Approach Bell	Lat:
Submerged Lands Act (SLA) -	Notice of	Buoy 1J LLNR: 6655 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below.	43° 42' 24"
Orr`S Island	Change	Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Approach/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-069° 59'
Notice of Change		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	40"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS,	
		AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Oyster Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Long Island Sound	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.92595° N / 73.50407° W Aid Name: Oyster Bay Gong Buoy 1 LLNR:	Lat:
Western Part - Oyster	Notice of	26865 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	40° 55' 33'
Bay/ATON/Proposed	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
Notice of Change		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-073° 30'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	15"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical	
		risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are	
		strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding	
		to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how	
		you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to	
		Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Passaic River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hackensack River - Passaic River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-02-07 To: 2025-08-22 Location: 40.74170556° N / 74.12101389° W Bridge Name: Point No Point Bridge The Coast Guard has issued a temporary deviation from the regulation governing the operation of the MNR Point No Point Bridge over Passaic River at mile 2.6. This deviation is needed to accommodate the upcoming structural steel erection and demolition operation. Under this deviation, the bridge will not be able to open for marine traffic through October 31, 2025. One channel will be open at all times with restricted vertical clearance. Vessels that can pass under the span without a bridge opening may do so at any times. Any questions regarding this temporary deviation can contact Dan Post at 732-618-6117. Mariners are advised to exercise caution when transiting the area and plan accordingly.	Lon: -074° 07' 16"
Hackensack River - Passaic River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-05-01 To: 2027-12-31 Location: 40.742075° N / 74.12271111° W Bridge Name: NJ Tpke Bridges Rehabilitation at the New Jersey Turnpike (Laderman) Bridge across Passaic River at mile 2.7 will commence on May 1, 2025. A safe span will be installed under the bridge across the entire span which will reduce the vertical clearance by approximate 3ft. Please contact Frank Duba of Ferreira Construction at 908-331-4630 or via marine radio VHF-FM CH 13/16 for bridge construction. This project will be completed by December 31, 2027. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 44' 31" Lon: -074° 07' 22"
Hackensack River - Passaic River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-06-01 To: 2025-09-30 Location: 40.73238611° N / 74.11773611° W Bridge Name: Lincoln Hwy Bridge Preventive maintenance to the Route 1 & Description are from 7 a.m. to 3:30 p.m. A 30ft by 40ft barge with manlift will be operating IVO the channel. Mariners requiring full horizontal clearance can contact Anthony DeFranco at 973-342-7930 or Connor Teesdale at 609-694-5938 or via marine radio VHF-FM CH 13/16. This project is to be completed by September 30, 2025. Mariners are advised to exercise caution when transiting the area.	

Patchogue Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mud Creek Buoy 4	29797	OFF STA	PA

Pawcatuck River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pawcatuck River Channel Daybeacon 22	20365	STRUCT MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pawcatuck River/ATON/ATON	ATON Changes	ATON/ATON Changes From: 2025-08-28 To: 2025-10-27 Location: 41.34587° N / 71.82961° W Aid Name: Pawcatuck River Channel Buoy 16	Lat:
Changes		LLNR: 20335 Action: RELOCATE TO: 41-20-45.139N / 071-49-46.609W.	41° 20' 45"
			Lon:
			-071° 49' 47"

Penobscot River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
ast Penobscot Bay -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.72818° N / 68.8323° W Aid Name: Penobscot River Buoy 24 LLNR:	Lat:
'enobscot	Notice of	3670 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	44° 43' 41
iver/ATON/Proposed	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
otice of Change		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-068° 49'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	56"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical	
		risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are	
		strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if	F
		and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted.	
		Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Petit Manan Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.35991° N / 67.86256° W Aid Name: Petit Manan Reef Buoy 2	Lat:
Submerged Lands Act (SLA) -	Notice of	LLNR: 1745 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 21' 36'
Petit Manan Approach/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	Lon: -067° 51'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	45"
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational	
		or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Phinneys Harbor

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Phinneys Harbor Buoy 2	16650	WATCHING PROPERLY	FD	2025-09-08

Piscataqua River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
Portsmouth Harbor - Piscataqua River/ATON/ATON Changes		ATON/ATON Changes From: 2025-09-05 To: 2025-11-04 Location: 43.15498° N / 70.83121° W Aid Name: Piscataqua River Buoy 20 LLNR: 8560 Action: RELOCATE TO: 42-09-17.946N / 070-49-52.356W.	Lat: 43° 09' 18"	
			Lon: -070° 49' 52"	

Pleasant Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.46438° N / 67.75796° W Aid Name: Nash Island Lighted Whistle	Lat:
England, Submerged	Notice of	Buoy NI LLNR: 1510 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 27' 52'
ands Act (SLA) -	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
Pleasant		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-067° 45'
Bay/ATON/Proposed		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	29"
Notice of Change		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk	
		reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

Plum Island Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bass Rock Daybeacon BR	9340	DAYMK MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Portsmouth To Cape Ann - Plum Island Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling exists in Plum Island Sound between Plum Island Sound Entrance buoy 4 (LLNR 9310) and Plum Island Sound Entrance buoy 6 (LLNR 9320), aids are not properly marking best water. Mariners are advised to use caution while navigating this area. All of Plum Island is particularly susceptible to shoaling, the area between 4 and 6 being the worst at the mouth of the channel. Last year the unit partnered with the harbor Master moving the aids to mark the best water. Even though the aids are in the best possible locations that water is still shallow at low tide and mariners should use caution while navigating in this area	
Portsmouth To Cape Ann - Plum Island Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Newburyport Harbor and Plum Island Sound – Plum Island Sound Entrance has experienced an increase in shoaling between Plum Island Sound Entrance Buoy 6 and 8. The shoaling was observed in approx. position 42-41.365N /070-45.169W and extends 100 yards west following the channel. Mariners are advised that at MLLW depths of 3' could be seen. Mariners without local knowledge are advised to transit with extreme caution and monitor tidal stations prior to transiting.	
Sector Boston, Submerged Land Act (SLA) - Plum Island Sound/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.70279° N / 70.74° W Aid Name: Plum Island Sound Entrance Lighted Buoy 2 LLNR: 9300 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Plymouth Bay

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston,	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2025-09-16 Location: 41.99524° N / 70.59009° W Aid Name: Plymouth Bay Entrance Lighted	Lat:
Submerged Land Act	Notice of	Bell Buoy 1 LLNR: 12535 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	41° 59' 43"
(SLA) - Plymouth	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Bay/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable	-070° 35'
Notice of Change		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and	24"
		powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps,	
		improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the	
		most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested	
		Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully	
		considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data	
		collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start	
		looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this	
		proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Plymouth Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Plymouth Beach Jetty Daybeacon	12935	MISSING	FD

Point Judith Harbor Of Refuge

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Point Judith Harbor of Refuge East Entrance Light 3	19490	STRUCT DEST/TRLB	FD
Point Judith Harbor of Refuge West Entrance Light 2	19500	STRUCT DEST/TRLB	FD

Point Judith Pond

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Point Judith Harbor Of Refuge -	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-12 To: 2039-10-11 RI-BLOCK ISLAND SOUND AND APPROACHES (CHART	
Point Judith	Navigation	13205)-POINT JUDITH POND Shoaling has been observed within the channel to a least depth of 4.0 feet MLW in approximate position 41	
Pond/General/Hazards To		22'48"N, 071 33'55"W between Point Judith Pond Channel Buoy 2 (LLNR 19555) and Point Judith Pond Channel Buoy 4 (LLNR 19560). Shoal is	
Navigation/Shoaling Reported		encroaching from the East side of the channel and protruding west. Shoaling has also been identified in several other areas north of buoy 2,	
		below charted depth, extending into the upper pond. Mariners without local knowledge are advised to transit with extreme caution, paying	
		particular attention to tidal range. Mariners are urged to use caution while transiting the area.	

Port Chester Harbor

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tide Mill Yacht Basin Channel Buoy 1	25556.100000000002	HAZ NAV/SINKING	PA

Port Elizabeth Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Newark Bay - Port Elizabeth	Marine	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-08-19 To: 2025-12-02 Location: 40.67906° N / 74.14211° W	Lat:
Channel/General/Marine	Construction	Donjon Marine will be conducting maintenance dredging Newark Bay, NJ Main & South Elizabeth Channels, in position 40-40-	40° 40' 45"
Construction (Excluding	(Excluding Bridges)	44.628N, 074-8-31.621W, in the town of Elizabeth, County of Union, New Jersey. This project is scheduled to start on, or about August	Lon:
Bridges)/Dredging		19, 2025, with a completion date of approximately December 2, 2025, seven days a week, during daylight hours. This dredge project is	-074° 08'
		a "Move on Demand" dredge project. Donjon will have a tending tug on site should our vessels need to be moved for vessel traffic,	32"
		monitoring VHF-FM CH 13, 14, and 78.	

Port Jefferson Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Jefferson Front Range Light	26160	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Sound Western	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.98789° N / 73.10742° W Aid Name: Port Jefferson Approach	Lat:
Part - Port Jefferson	Notice of	Lighted Whistle Buoy PJ LLNR: 26125 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	40° 59' 16"
Harbor/ATON/Proposed	Change	Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite	Lon:
Notice of Change		Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will	-073° 06'
		result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system	27"
		availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The	
		Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century	
		(pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable	
		levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies,	
		GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Port Jersey Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Jersey Channel Range Rear Light	null	LT IMCH	PA

Port Newark Pierhead Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Newark Bay - Port Newark Pierhead Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap,		3 17 11 11 11 11 11 11 11 11 11 11 11 11	Lat: 40° 41' 24"
Jetties/Dikes			-074° 08'

Portland Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Portland Harbor Approach - Portland Harbor/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-30 To: 2030-02-26 Shoaling has been reported in the inner harbor of Casco Bay's federal channel. Shoaling could impede the approach to the Gulf Oil Terminal in South Portland, and significantly reduces the available channel where large passenger ships regularly maneuver on and off berths in Portland. Deep draft vessels are advised to use caution when transiting the area.	
Portland Harbor Approach - Portland Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.65116° N / 70.21668° W Aid Name: Portland Harbor Anchorage Lighted Buoy A LLNR: 7645 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	
Portland Harbor Approach - Portland Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.65975° N / 70.20963° W Aid Name: Portland Harbor Anchorage Lighted Bell Buoy B LLNR: 7665 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	35"

Portland Harbor Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Cove Rock Buoy 5	7525	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Northern New England, Submerged Lands Act (SLA) - Portland Harbor Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-04 To: 2026-10-01 Location: 43.52676° N / 70.09116° W Aid Name: Portland Lighted Whistle Buoy P LLNR: 7480 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 43° 31' 36" Lon: -070° 05' 28"
Sector Northern New England, Submerged Lands Act (SLA) - Portland Harbor Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.58389° N / 70.18677° W Aid Name: Broad Cove Rock Buoy 5 LLNR: 7525 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 35' 02" Lon: -070° 11' 12"

President Roads

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Deer Island Light	10795	WATCHING PROPERLY	FD	2025-09-09

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Boston North Channel - President Roads/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-28 To: 2025-10-31 Location: 42.36003° N / 71.04858° W 42.35989° N / 71.04852° W 42.3597° N / 71.04978° W 42.35984° N / 71.04978° W 42.36003° N / 71.04858° W • MASSACHUSETTS – BOSTON – BOSTON INNER HARBOR – EAST AND SOUTH JETTY- Seawall and Dock Repairs • Mariners are advised that Coastal Marine Construction LLC will be conducting seawall and dock repairs in the vicinity of Long Wharf Boston Inner Harbor in Position Approximate 42°21.6N / 071°02.866W. Scheduled work will commence on March 3rd, 2025, and continue through October 31st, 2025. Work hours are 7:00 a.m. to 3:30 p.m. Monday through Friday for the duration of the project. On scene equipment will consist of a barge mounted crane, two material barges, and multiple tending vessels. Questions may be directed to Mr. Sarvesh Jagtap at 857- 919-8699 or Mr. Gene Kelley at 339-237-7835. Mariners are advised to proceed with caution and slowest speed possible to minimize wake is requested. • Chart: 13270	
Boston North Channel - President Roads/General/Marine Events/Regatta (Race)	Marine Events	MA - WINTHROP – PRESIDENT ROADS – COTTAGE PARK STAR CLASS DISTRICT CHAMPIONSHIPS – REGATTA – The Cottage Park Yacht Club is hosting the Star Class District Championships on September 12 through 14, 2025, from 10:00AM to 3:00PM in and around the area of President Roads or Broad Sound. The event will consist of approximately 15 sailing vessels approximately 22' in length. The person responsible for on scene safety can be reached at 617-306-8287. For more information, please contact Suzanne Hardy at 617-306-8287. Chart 13270	
Boston North Channel - President Roads/General/Marine Events/Other	Marine Events	MA – BOSTON – INNER HARBOR – FAN PIER – RED BULL CLIFF DIVING – Dive Event Hangman Productions is hosting the Red Bull Cliff Diving Championships, from September 18th through September 20th, 2025, from 9:00 AM to 3:00 PM. The event will take place in the vicinity of Fan Pier Marina, outside of the Boston Institute of Contemporary Art. The event will consist of 24 divers with multiple support vessels. September 18th, and 19th, are reserved for practice dive days with no official competition until September 20th. HIGH RECREATIONAL VESSEL TRAFFIC IS EXPECTED. The person responsible for on scene safety can be reached at 813-401-2379. For more information, please contact Andrew Markey at 813-401-2379. On scene patrol vessels will be monitoring VHF Ch. 13. Mariners are advised to use caution and proceed at headway speed to minimize wake. Chart 13272	
Boston North Channel - President Roads/General/Marine Events/Regatta (Race)	Marine Events	MA – BOSTON INNER HARBOR – CONSTITUTION YACHT CLUB WEDNESDAY NIGHT RACING FALL SERIES – REGATTA – The Constitution Yacht Club is hosting the CYC Wednesday Night Racing Fall Series, every Wednesday from August 20, 2025, to September 24, 2025 from 6:00 PM to 9:00 PM. The event will take place in Boston Inner Harbor from Pier 6 in Charlestown to the Red "10" buoy. The event will consist of approximately 18 sailing vessels, ranging from 28' to 42'. The person responsible for on scene safety can be reached at 860-608-6792. For more information, please contact Ryan Wagner at 860-608-6792. Chart 13727	
Boston North Channel - President Roads/General/Marine Events/Regatta (Race)	Marine Events	MA – CHARLESTOWN – BOSTON INNER HARBOR – COURAGEOUS SAILING YOUTH FALL PROGRAM – REGATTA – The Courageous Sailing Center is hosting the Courageous Sailing Youth Fall Program every Monday through Thursday, 3:30 PM to 6:30 PM from August 11, 2025, to October 31, 2025, ir and around the vicinity of Pier 4 Charlestown, Boston Inner Harbor. The event will consist of approximately 15 sailing vessels varying in length from 14'-26' with 3 support craft. The person responsible for on scene safety can be reached at 603-401-5114. For more information, please contact Alexe Taylor at 603-401-5114. Chart 13272	
Boston North Channel - President Roads/General/Marine Events/Fireworks	Marine Events	MA - BOSTON – BOSTON HARBOR – MURRAY FAMILY CHARITABLE FOUNDATION – FIREWORKS – Pyrotecnico is hosting the Murray Family Charitable Foundation Fireworks Display on September 13, 2025, from 9:00 PM to 10:00 PM in the area of Long Wharf, Boston Harbor. The event will consist of approximately 100 spectator vessels, 1 barge and 1 tug. A 700' safety zone will be maintained around the tug and barge. The person responsible for on scene safety can be reached at 603-235-4656. For more information, please contact Tara Hughgill at 603-532-8324. Chart: 13272	
Boston North Channel - President Roads/General/Marine Events/Fireworks	Marine Events	MA - BOSTON – BOSTON HARBOR – PRIVATE WEDDING FIREWORKS – FIREWORKS – Pyrotecnico is hosting a private wedding Fireworks Display on September 27, 2025, from 7:30 PM to 8:00 PM in the area off Long Wharf, Boston Harbor. The event will consist of 1 barge and 1 tug. A 700' safety zone will be maintained around the tug and barge. The person responsible for on scene safety can be reached at 603-235-4656. For more information, please contact Tara Hughgill at 603-532-8324. Chart: 13272	

9/10/23, 12.20 1 W		Mantine Galety Information Flourets Navigation Center
Boston North Channel - President	MSIB	General/MSIB From: 2025-06-03 To: 2025-11-30 2025 HURRICANE SEASON AND SEVERE WEATHER PLANNING The 2025 North Atlantic hurricane season commences on June 1 and continues through November 30. The National Oceanic and Atmospheric Administration (NOAA) forecasts an above
Roads/General/MSIB		average hurricane season for 2025, with 13-19 named storms and 6-10 hurricanes predicted with 3-5 of those being major hurricanes. As in past years,
		the Coast Guard Captain of the Port, Sector Boston will set port conditions in advance of an approaching hurricane or tropical storm, I encourage you
		to review and update your hurricane and severe weather plans. This includes internal and external communication procedures, methods of minimizing
		storm damage and environmental risk (e.g. securing transfers, ballasting down storage tanks, draining transfer lines), and reconstitution procedures. As
		a hurricane or tropical storm approaches, Coast Guard Sector Boston will contact the maritime community to establish communications and coordinate
		preparations. The Captain of the Port seeks to be as transparent as possible when making decisions that will impact commercial vessel and facility
		operations. Waterway restrictions and other decisions affecting the port are based upon weather forecasts, risk assessments, and preparations being
		made by port partners. In most cases, given ample warning of an approaching hurricane or tropical storm, vessels may be advised to put to sea or
		directed to an appropriate anchorage. In addition, cargo or fuel oil transfers may be suspended for brief periods. As necessary, Sector Boston will
		contact port partners to share information regarding pre-storm preparedness and post-storm response. As your organization reviews its plans, please
		feel free to contact the Coast Guard Sector Boston Command Center at (833) 449-0539, or the Waterways Management Division Chief LCDR Jessica
		Hull at (617) 512-9615 email at SECBOSWaterways@uscg.mil if there are questions about the Coast Guard's role, plans, or policies regarding navigation
		restrictions or port closures during hurricanes and heavy weather. Sector Boston may also be available should your organization choose to hold a
		tabletop exercise to test portions of your plan. The Coast Guard is no longer utilizing Homeport for the distribution of Marine Safety Information
		Broadcast or for relaying Port Condition and Port Status changes. Mariners are advised to utilize the Coast Guard Navigation center site for the most
		recent updates https://www.navcen.uscg.gov NOAA provides near-real-time information regarding tropical weather, storms, and hurricanes through
		the National Hurricane Center's (NHC's) Facebook page, Twitter account, and official website. Visit https://www.nhc.noaa.gov/ for more information
		and check in periodically for updates. The "NOAA NWS National Hurricane Center" page provides updates about the NHC outreach and education
		campaign and other items that might be of interest to the public throughout the year. During the hurricane This release has been issued for public
		information and notification purposes only. Please refer to the document(s) published in the Federal Register for specific details and requirements of
		subjects announced here, season, the site contains a daily tropical weather update as well as alerts regarding any tropical cyclone activity as needed.

Prospect Harbor

The NHC Facebook page is http://www.facebook.com/US.NOAA.NationalHurricaneCenter.gov. For maritime emergencies during an actual hurricane or

severe weather event, contact the Sector Boston Command Center at (833) 449-0539 or VHF-FM Channel 16 for immediate assistance.

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.37953° N / 67.98278° W Aid Name: Cranberry Point Bell Buoy	Lat:
England, Submerged Lands Act (SLA) - Prospect Harbor/ATON/Proposed Notice of Change	Notice of Change	2CP LLNR: 1780 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 22' 46 Lon: -067° 58' 58"
Sector Northern New England, Submerged Lands Act (SLA) - Prospect Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.34926° N / 68.0237° W Aid Name: Brown Cow Lighted Whistle Buoy BC LLNR: 1795 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 20' 57' Lon: -068° 01' 25"
Sector Northern New England, Submerged Lands Act (SLA) - Prospect Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.3958° N / 68.01186° W Aid Name: Clark Ledges Gong Buoy 3 LLNR: 1810 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 23' 45' Lon: -068° 00' 43"

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44,36401° N / 67,93859° W Aid Name: Moulton Ledge Lighted Bell	Lat:
England, Submerged Lands	Notice of	Buoy ML LLNR: 1775 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard	44° 21' 50
Act (SLA) - Prospect	Change	is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Harbor/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-067° 56'
lotice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	19"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Providence River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bullock Point Light BP	18345	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Providence River Approach - Providence River/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-09-13 To: 2025-09-14 The vessel WESTERN ROCK will be stern to the pier, utilizing a Meditation mooring in Providence, RI from September 13, 2025, between 8:30am to 12:30 pm and again on September 14, 2025, between 1:30pm to 6:30pm. Mariners can contact the WESTERN ROCK on VHF-FM CH 6. Mariners are requested to transit the area with caution and minimize wake, when in the area.	
Providence River Approach - Providence River/General/Marine Events/Regatta (Race)		RI – PROVIDENCE RIVER – RIYC 2025 TUESDAY NIGHT SERIES – RACE/REGATTA Mariners are advised that the RIYC 2025 Tuesday Night Series is scheduled to be held on the Providence River, in the vicinity of the Rhode Island Yacht Club, Rumstick Neck Reach, and Rumstick Point. The event will take place every Tuesday from May 13 to November 18, 2025, from 6:00 p.m. to 8:30 p.m. Expect up to 10 sailing vessels, from 15ft to 43ft in length. Mariners are advised to transit to the area with caution. Mariners may contact the person in charge by phone at (401) 474-4769.	Lat: 41° 44' 46" Lon: -071° 22' 11"

Providence River Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Providence River Approach Channel Lighted Buoy 3	18235	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Prudence Island Monitoring Lighted Buoy	18241	REDUCED INT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East Passage - Providence River Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.68228° N / 71.32185° W Aid Name: Ohio Ledge Bell Buoy OL LLNR: 18260 Action: DISCONTINUE	Lat: 41° 40' 56" Lon: -071° 19' 19"
East Passage - Providence River Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.71154° N / 71.33805° W Aid Name: Providence River Approach Channel Lighted Buoy 13 LLNR: 18295 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

East Passage - Providence River Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.71261° N / 71.33616° W Aid Name: Providence River Approach Channel Lighted Buoy 14 LLNR: 18300 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 42' 45" Lon: -071° 20' 10"
East Passage - Providence River Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.71261° N / 71.33616° W Aid Name: Providence River Approach Channel Lighted Buoy 14 LLNR: 18300 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 42' 45" Lon: -071° 20' 10"

Provincetown Harbor Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.00611° N / 70.1926° W Aid Name: Provincetown Harbor	Lat:
England, Submerged Lands Act	Notice of	Approach Lighted Bell Buoy 1 LLNR: 13265 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN	42° 00' 22'
SLA) - Provincetown Harbor	Change	changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation	Lon:
pproach/ATON/Proposed		Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability.	-070° 11'
lotice of Change		This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships,	33"
		ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway	
		users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-	
		20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk	
		to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against	
		AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either	
		personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the	
		process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and	
		type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not	
		call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-	
		mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Quicks Hole

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Buzzards Bay Main	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.44637° N / 70.84909° W Aid Name: Felix Ledge Buoy 3 LLNR: 15920	Lat:
Channel - Quicks	Notice of	Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and	41° 26' 47"
lole/ATON/Proposed	Change	rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and	Lon:
lotice of Change		Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to	-070° 50'
		support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation	57"
		subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the	
		navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), •	
		Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing	
		buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly	
		encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested	I
		prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this	
		proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use	
		the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project	
		No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Quincy Bay Approach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Peddocks Island Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.31705° N / 70.93814° W Aid Name: Quincy Bay Approach Buoy	Lat:
Quincy Bay	Notice of	1 LLNR: 11470 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	42° 19' 01"
Approach/ATON/Proposed	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Notice of Change		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-070° 56'
		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	17"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	

Quonset Channel

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Passage - Quonset Channel/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-04-22 To: 2025-10-19 Location: 41.62232° N / 71.34599° W 41.59511° N / 71.33684° W 41.59294° N / 71.3371° W 41.58828° N / 71.33662° W 41.58565° N / 71.33592° W 41.58368° N / 71.33385° W 41.52424° N / 71.33457° W 41.52408° N / 71.34195° W 41.53023° N / 71.35209° W 41.53607° N / 71.35421° W 41.54552° N / 71.35421° W 41.5542° N / 71.35993° W 41.5646° N / 71.36039° W 41.56911° N / 71.36257° W 41.62218° N / 71.36261° W 41.62232° N / 71.34599° W RI-NARRAGANSETT BAY - NAVAL UNDERSEA WARFARE CENTER WILL BE CONDUCTING CONTINUED TESTING USING SURFACE AND SUBSURFACE DEVICES NORTH AND EAST OF GOULD ISLAND IN THE VICINITY OF THE TORPEDO TEST RANGE RESTRICTED AREA MARKED ON NOAA CHART 13223 AND THE NEWPORT BRIDGE. MARINERS ARE REQUESTED TO COOPERATE WITH PARTICIPATING VESSELS FOR THE SAFETY OF ALL. ANY CONCERNED TRAFFIC CAN CONTACT NAVY SUPPORT CRAFT ON VHF CHANNELS 13,16. For more information please contact 401-832-6140.	
West Passage - Quonset Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.58089° N / 71.37765° W Aid Name: Quonset Channel Buoy 4 LLNR: 19185 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	Lat: 41° 34' 51" Lon: -071° 22' 40"
West Passage - Quonset	Proposed	commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil. ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.57903° N / 71.38276° W Aid Name: Quonset Channel Buoy 5	Lat:
Channel/ATON/Proposed Notice of Change	Notice of Change	LLNR: 19190 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 34' 45" Lon: -071° 22' 58"
ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.59858° N / 71.3968° W Aid Name: Quonset Channel Lighted Buoy 11 LLNR: 19225 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lon: -071° 23' 48"

West Passage - Quonset	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.60517° N / 71.3948° W Aid Name: Quonset Channel Lighted	Lat:
Channel/ATON/Proposed	Notice of	Buoy 12 LLNR: 19230 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard	41° 36' 19'
Notice of Change	Change	is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-071° 23'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	41"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Raritan Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Swash Channel - Raritan	Hazards To	General/Hazards To Navigation/Wrecks From: 2025-09-08 To: 2026-03-07 Location: 40.494000°N, 074.239833°W 1. NARRATIVE:	Lat:
Bay/General/Hazards To	Navigation	OBSTRUCTION, SUNKEN VESSEL. 2. NEW YORK - RARITAN BAY - OBSTRUCTION - ALL MARINERS BE ADVISED OF A PARTIALLY SUBMERGED	40° 29' 38"
Navigation/Wrecks		VESSEL IN THE VICINITY OF WARD POINT BEND IN APPROXIMATE POSITION 40-29.64N, 074-14.39W. VESSEL REPORTED TO BE 30 FEET	Lon:
		LONG, CURRENTLY NOT MARKED. ALL MARINERS ADVISED TO TRANSIT THE AREA WITH CAUTION.	-074° 14'
			23"

Raritan River Cutoff Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Perth Amboy Port Authority No Wake Lighted Buoy C	36587	MISSING	PA
Perth Amboy Port Authority No Wake Lighted Buoy D	36588	MISSING	PA
Perth Amboy Port Authority No Wake Lighted Buoy A	36585	MISSING	PA
Perth Amboy Port Authority No Wake Lighted Buoy B	36586	MISSING	PA

Reynolds Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Reynolds Channel Lighted Buoy 1	31565	MISSING	FD
Reynolds Channel Lighted Buoy 3	31575	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Reynolds	Bridges	General/Bridges/Maintenance NEW YORK – HENDRIC CREEK - Bridge Maintenance – From September 19, 2025 to July 25, 2027,	Lat:
Channel/General/Bridges/Maintenance		NYSDOT will be performing bridge maintenance and repairs at the Belt Parkway across Hendrix Creek at mile 0.1. During this time work	40° 38' 48"
		platforms will be installed decreasing the horizontal clearance from 47.42' to 30.26'. Contractor will also be utilizing barges in the	Lon:
		waterway. From: 2025-09-05 To: 2027-07-26 Location: 40.646578° N / 73.873688° W Bridge Name: Belt Pkwy Bridge	-073° 52'
			25"

Richmond Island Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.53555° N / 70.28647° W Aid Name: Old Proprietor Buoy 1 LLNR:	Lat:
England, Submerged Lands	Notice of	7875 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	43° 32' 08'
Act (SLA) - Richmond Island	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Harbor/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 17'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	11"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil .	

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.54691° N / 70.25473° W Aid Name: Chimney Rock Buoy 3 LLNR:	Lat:
England, Submerged Lands	Notice of	7880 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	43° 32' 49
Act (SLA) - Richmond Island	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Harbor/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 15'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	17"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Rikers Island Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East River Main Channel - Rikers Island	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2024-01-15 To: 2025-12-31 Location: 40.78207778° N /	Lat:
Channel/General/Bridges/Repairs, Painting,		73.88828611° W Bridge Name: Rikers Island Bridge Bridge Fender Repairs – Fender repairs to the Rikers Island Bridge across Rikers	40° 46' 55"
Or Fender Replacement		Island Channel will commence on or about January 15, 2024. Hours of operation are Monday to Friday between 6 A.M. and 2:30	Lon:
		P.M. One JT Cleary 112ft by 52ft crane barge and one 30ft by 90ft material barge will be operating IVO of fender system.	-073° 53'
		Contractor will maintain a minimum of 75 ft navigation channel at all times. Mariners requiring full horizontal clearance can contact	18"
		Christian Peter at 201-400-2318 or via marine radio VHF-FM Ch 13/16. This project is to be completed by December 31, 2025.	
		Mariners are advised to exercise caution when transiting the area.	
East River Main Channel - Rikers Island	Bridges	General/Bridges/Inspection From: 2025-08-01 To: 2025-12-31 Location: 40.800475° N / 73.92817222° W Bridge Name: 125th St	Lat:
Channel/General/Bridges/Inspection		Bridge Inspection to the 125th Street Bridge across Harlem River at mile 1.3 will commence on August 1, 2025. Hours of operation	40° 48' 02"
		are from 7 A.M. to 4 P.M. Daily. A barge with an 80-foot manlift will be operating under the lift span and will remain free of	Lon:
		obstructions. After work hours, the boat will be moored outside the navigational channel. Mariners requiring full horizontal	-073° 55'
		clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or 732-585-3737. This project is to be completed by	41"
		December 31. 2025 Mariners are advised to exercise caution when transiting the area.	

Rockaway Inlet

Additional MSI Categories

	•			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
Ambrose Channel - Rockaway Bridges General/Bridges/Inspection From: 2025-09-04 To: 2025-11-14 Location: 40.57277778° N / 73.88472222° W Bridge Name: Marine Pkwy		Lat:		
Inlet/General/Bridges/Inspection Bridge On September 4, 2025 through November 14, 2025 between 8:00 am and 3:00 pm, a Biennial Bridge Inspection and minor		40° 34' 22"		
		ctural repairs across Rockaway Inlet at mile 3.0 under the Marine Parkway. Bridge will be performed. A barge with lift equipment will be L		
		operating in the navigable waterway. Mariners requiring full horizontal clearance can contact Richard Sansone at 347-266-0091 or	-073° 53'	
		Antoney Chuliver at 646-753-2245 or via marine radio VHE-FM CH 13/16. Mariners are advised to exercise caution when transiting the	05"	
		area.		

Rockland Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Penobscot Bay - Rockland Harbor/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-06-16 To: 2025-12-13 Location: 44.09902° N / 69.10241° W Mariners are advised that there has been a report of shallow rocks in the vicinity of Sand Beach.	Lat: 44° 05' 56" Lon: -069° 06' 09"
West Penobscot Bay - Rockland Harbor/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-06-16 To: 2025-12-13 Location: 44.09902° N / 69.10241° W Mariners are advised that there has been a report of shallow rocks in the vicinity of Sand Beach.	Lat: 44° 05' 56" Lon: -069° 06' 10"
West Penobscot Bay - Rockland Harbor/General/Marine Events/Regatta (Race)	Marine Events	General/Marine Events/Regatta (Race) From: 2025-06-10 To: 2025-09-16 Location: 44.10411° N / 69.0641° W 44.10239° N / 69.06341° W 44.09672° N / 69.08796° W 44.0982° N / 69.08848° W 44.10411° N / 69.0641° W ME – Rockland Harbor – ROCKLAND – Sailboat Race Mariners are advised that the Rockland Yacht Club Tuesday Night Racing is scheduled to be held Northeast of Seal Ledge in Rockland Harbor. The event will be held every Tuesday from June, 10 to September 16, 2025 beginning at 5:00 p.m. – 7:00 p.m. each day. Approximately ten 20'-35' sail boats will be participating. The event will take place in Rockland, Maine. For event information: Laura Shields-Haas, (504) 957-6149.	

Saco River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

/ 10/23, 12.20 1 W		Manufile Galety Information Floudets Navigation Genter	
Sector Northern New England, Submerged Lands Act (SLA) - Saco River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.4653° N / 70.3384° W Aid Name: Saco River Approach Bell Buoy SA LLNR: 7940 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	43° 27' 55' Lon: -070° 20' 18"
Sector Northern New England, Submerged Lands Act (SLA) - Saco River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-01 Location: 43.46224° N / 70.33713° W Aid Name: Saco River Approach Buoy 1 LLNR: 7945 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 27' 44' Lon: -070° 20' 14"
Sector Northern New England, Submerged Lands Act (SLA) - Saco River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.45857° N / 70.34749° W Aid Name: Stage Island Junction Buoy SI LLNR: 7955 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 27' 31' Lon: -070° 20' 51"
Sector Northern New England, Submerged Lands Act (SLA) - Saco River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.46206° N / 70.35285° W Aid Name: Saco River Approach Lighted Buoy 4 LLNR: 7970 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 27' 43' Lon: -070° 21' 10"

Sakonnet River

	_		
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.4622° N / 71.21516° W Aid Name: Sakonnet River Bell Buoy 2A	Lat:
England, Submerged Lands	Notice of	LLNR: 17585 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 27' 44"
Act (SLA) - Sakonnet	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
River/ATON/Proposed		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable	-071° 12'
Notice of Change		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and	55"
		powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes	
		are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device	
		apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain	
		the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested	
		mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully	
		considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data	
		collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start	
		looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this	
		proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Salem Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bowditch Ledge Daybeacon	10025	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged Land Act (SLA) - Salem Channel/General/Marine Events/Regatta (Race)	Marine Events	MA – BEVERLY – SALEM SOUND – JYT THURSDAY NIGHT RACING – REGATTA – The Jubilee Yacht Club is hosting the JYT Thursday Night Races every Thursday night, from May 22, 2025, to October 2, 2025, from 6:00 PM to 9:00 PM in and around the vicinity of Salem Sound. The event will consist of approximately 30 sailing vessels varying in length from 22'-40'. The person responsible for on scene safety can be reached at 978-771-2267 or VHF CH 72. For more information, please contact Patty Soliozy at 978-771-2267. Chart 13275	
Sector Boston, Submerged Land Act (SLA) - Salem Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.51914° N / 70.75122° W Aid Name: Salem Channel Buoy 3 LLNR: 9965 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	42° 31' 09" Lon: -070° 45' 04"

Salem South Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Endeavors Rock Daybeacon	10152	DAYMK MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Salem Channel - Salem South	Marine Events	MA – MARBLEHEAD – SALEM SOUND – BYC ETCHELLS NEW ENGLAND CHAMPIONSHIPS – REGATTA – The Boston Yacht Club is hosting the	
Channel/General/Marine		Etchells New England Championships from 11:00 AM – 4:00 PM on October 10th – 12th, 2025, in and around the vicinity of Salem Sound	
Events/Regatta (Race)		and Marblehead Harbor. The event will consist of approximately 30 sailing vessels 33' in length. The person responsible for on-scene safety	
		can be reached at 617-548-9333. For more information, please contact Michael Michael At 781-258-7644. Chart 13275	

Sandy Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dodge Rock Daybeacon 2	9840	MISSING/HAZ NAV	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

90/129

Sector Boston, Submerged Land Act (SLA) - Sandy Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.66202° N / 70.60963° W Aid Name: Harbor Rock Buoy 4 LLNR: 9830 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 39' 43' Lon: -070° 36' 35"
Sector Boston, Submerged Land Act (SLA) - Sandy Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.67419° N / 70.61981° W Aid Name: Pigeon Cove Rock Buoy 2 LLNR: 9845 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 42° 40' 27 Lon: -070° 37' 11"

Sandy Hook Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Atlantic Highlands Light 4	35596.4	SINKING	PA

Sandy Hook Channel

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.4722° N / 73.96479° W Aid Name: Sandy Hook Channel Lighted	Lat: 40° 28' 20 Lon: -073° 57' 53"
Sector New York, Submerged Lands Act (SLA) - Sandy Hook Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil . ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.46198° N / 73.95295° W Aid Name: Sandy Hook Channel Lighted Buoy 3 LLNR: 35100 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result	Lat: 40° 27' 43 Lon: -073° 57' 11"
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Sector New York, Submerged Lands Act (SLA) - Sandy Hook Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result	Lat: 40° 27' 18" Lon: -073° 56' 11"
Sector New York, Submerged Lands Act (SLA) - Sandy Hook Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	Lat: 40° 26' 33" Lon: -073° 55' 01"

Sasanoa River

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
The Boilers Buoy 2	5895	DISCONTINUED	FD

Saugus River Approach Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Nahant Harbor - Saugus River Approach	Hazards To	MA-SALEM AND LYNN HARBORS (Chart 13275)-SAUGUS RIVER APPROACH CHANNEL Severe shoaling has been	
Channel/General/Hazards To Navigation/Shoaling	Navigation	reported in the Saugus River in the vicinity of Saugus River Approach Channel Lighted Buoy 5 (LLNR 10655). Mariners	
Reported		should proceed with caution while transiting the area.	

Scarborough River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.5211° N / 70.34314° W Aid Name: Bar Ledge Buoy 2 LLNR: 7935	Lat:
England, Submerged Lands	Notice of	Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is	43° 31' 16'
Act (SLA) - Scarborough	Change	modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
River/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 20'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	35"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	9
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil .	

Schoodic Harbor

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

7/10/20, 12.20 1 W		Manufic Safety Information 1 Todads Navigation School	
Sector Northern New England, Submerged Lands Act (SLA) - Schoodic Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.31865° N / 68.03522° W Aid Name: Schoodic Lighted Bell Buoy 2S LLNR: 1820 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 19' 07" Lon: -068° 02' 07"
Sector Northern New England, Submerged Lands Act (SLA) - Schoodic Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.33763° N / 68.03521° W Aid Name: Schoodic Island Buoy 1 LLNR: 1825 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 20' 15" Lon: -068° 02' 07"
Sector Northern New England, Submerged Lands Act (SLA) - Schoodic Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.34067° N / 68.03449° W Aid Name: Schoodic Ledge Buoy 2 LLNR: 1830 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 44° 20' 26" Lon: -068° 02' 04"

Scituate Harbor Approach

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Boston, Submerged Land Act (SLA) - Scituate Harbor Approach/General/Marine Events/Regatta (Race)	Marine Events	MA – SCITUATE – SCITUATE SAILING RACING FALL SERIES – REGATTA – The Satuit Yacht Club is hosting the Scituate Sailing Racing Fall Series every Sunday from September 7, 2025, to October 5, 2025 in and around Scituate Harbor from 1:00 PM until 5:00 PM. The event will consist of a weekly regatta, consisting of approximately 15 vessels, all 24′ – 50′ in length. The vessel responsible for on scene safety can be reached at 781-635-6589. For more information, please contact James Plassman at 781-635-6589. Chart 13269	
Sector Boston, Submerged Land Act (SLA) - Scituate Harbor Approach/General/Marine Events/Regatta (Race)	Marine Events	MASSACHUSETTS – SCITUATE – SCITUATE SAILING INVITATIONAL – REGATTA – The Satuit Boat Club is hosting the Scituate Sailing Racing Scituate Invitational Race on Saturday July 13, 2024, in and around Scituate Harbor. The event will consist of a 4-hour regatta, from 1:00 PM to 5:00 PM, consisting of approximately 20 sailing vessels, all 19' to 45' in length. The vessel responsible for on scene safety can be reached at 781-635-6589. For more information, please contact James Plassman at 781-635-6589. Chart 13269	
Sector Boston, Submerged Land Act (SLA) - Scituate Harbor Approach/General/Marine Events/Regatta (Race)	Marine Events	MA – SCITUATE – SCITUATE SAILING CHOWDER CUP RACE – REGATTA – The Satuit Boat Club is hosting the Scituate Sailing Chowder Cup Race on Saturday September 20, 2025, in and around Scituate Harbor. The event will consist of a 4-hour regatta, from 1:00 PM to 5:00 PM, consisting of approximately 15 sailing vessels, all 24' to 50' in length. The vessel responsible for on scene safety can be reached at 781-635-6589. For more information, please contact James Plassman at 781-635-6589. Chart 13269	

Sector Boston, Submerged	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.21952° N / 70.70372° W Aid Name: Tar Pouch Buoy 2 LLNR:	Lat:
Land Act (SLA) - Scituate	Notice of	455 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing	42° 13' 10
Harbor	Change	and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts	Lon:
Approach/ATON/Proposed		(ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-070° 42'
Notice of Change		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	13"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device	
		apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures.	
		Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve	
		the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid	
		that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written	
		responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Boston, Submerged	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.20211° N / 70.69704° W Aid Name: Scituate Approach Lighted	Lat:
Land Act (SLA) - Scituate Harbor	Notice of Change	Gong Buoy SA LLNR: 460 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	42° 12' 08' Lon:
Approach/ATON/Proposed Notice of Change		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	-070° 41' 49"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via	
		telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

<u>Searsport Harbor</u>

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.44294° N / 68.9021° W Aid Name: Mack Point Channel Ligh Buoy 5 LLNR: 4465 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Co Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Ele Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acc cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organi All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercing distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other monly written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .		Lat: 44° 26' 35 Lon: -068° 54' 08"	
West Penobscot Bay - Searsport Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.44579° N / 68.90312° W Aid Name: Long Cove Ledge Buoy 7 LLNR: 4475 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS all comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal, Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	44° 26' 45' Lon: -068° 54' 11"

West Penobscot Bay -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.44545° N / 68.90902° W Aid Name: Long Cove Ledge Isolated	Lat:
Searsport	Notice of	Danger Buoy DLC LLNR: 4480 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below.	44° 26' 44"
Harbor/ATON/Proposed	Change	Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Notice of Change		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 54'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	32"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Sector Boston, Exclusive Economic Zone (EEZ)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
WHOI Traffic Separation Scheme Research Lighted Buoy AB-2	466	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-3	467	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-4	468	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-5	471	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-6	472	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-7	473	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-8	496	MISSING	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-9	497	Status Unreported	PA
WHOI Traffic Separation Scheme Research Lighted Buoy AB-10	498	MISSING	PA

Sector Boston, Submerged Land Act (SLA)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Northeast Gateway Deepwater Port Lighted Buoy A1	371	MISSING	PA
WHOI Research Light Tower	589	SS INOP	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Boston, Submerged Land Act (SLA)/ATON/Advanced Notice of Change	Action: CHANGE Action Type Change Light nominal range from 24 nautical miles to 14 nautical miles. This change is consistent with the Atlantic Change Action: CHANGE Action Type Change Light nominal range from 24 nautical miles to 14 nautical miles. This change is consistent with the Atlantic Change Coast WAMS and will also incorporate LED technology. The LED will be scheduled for installation mid-Summer. Please do not call the Coast Gua		Lat: 41° 40' 17" Lon: -069° 57' 01"
Sector Boston, Submerged Land Act (SLA)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-04-07 To: 2025-10-04 Location: 42.32861° N / 70.71.145° W 42.32836° N / 70.69016° W 42.3149° N / 70.69119° W 42.31566° N / 70.71213° W 42.32861° N / 70.71145° W MA – ATLANTIC OCEAN – MASSACHUSETTS BAY – Uncharted Obstructions Mariners are advised that two uncharted obstructions have been identified from recent survey operations that were conducted in Massachusetts Bay in the following positions. 42-19'09.334N / 070-42'30.311W and 42-19'09.008N / 070- 42'034.890W in approximately 135 feet of water. The obstruction appears to be protruding approximately 26 feet above the seabed Mariners are advised to use extreme caution when transiting the Area. Chart: 13267	
Sector Boston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.57069° N / 70.66392° W Aid Name: Eastern Point Lighted Whistle Buoy 2 LLNR: 340 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal, Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	42° 34' 14" Lon: -070° 39' 50"

/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Boston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.50774° N / 70.7398° W Aid Name: Newcomb Ledge Lighted Whistle Buoy 1 LLNR: 355 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st certury prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 42° 30' 28 Lon: -070° 44' 23"
Sector Boston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.39015° N / 70.85824° W Aid Name: Boston Approach Lighted Buoy BG LLNR: 385 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 42° 23' 25' Lon: -070° 51' 30"
Sector Boston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.37839° N / 70.78283° W Aid Name: Boston Lighted Whistle Buoy B LLNR: 410 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, echarts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	Lat: 42° 22' 42' Lon: -070° 46' 58"

Sector New York, Submerged Lands Act (SLA)

cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Rockaway Inlet Lighted Buoy 3	31520	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Highlands Light	35025	LT IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector New York, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-02 To: 2025-11-01 Location: 40.3348° N / 73.50488° W Aid Name: Empire Offshore Wind WTG D05 LLNR: 604.38 Action: ESTABLISH WITH QY, 73 FEET.	Lat: 40° 20' 05' Lon: -073° 30' 18"
Sector New York, Submerged Lands Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-05-30 To: 2025-12-31 ASCO Applied Sciences, in support of Empire Wind will be deploying up to 5 Sound Field Verification (SFV) buoys concurrently with monopile and offshore substation foundation installation, from May 30, 2025, to December 31, 2025, and will remain on site for 2-3 days until they are retrieved and moved to a new location. Temporary SFV surface buoys will mark the location of underwater, autonomous recording devices placed on the seabed for brief duration (3 days maximum) during pile driving. The location of the recording devices and their surface buoys is relative to the wind turbine generator monopile foundations or offshore substation foundation being installed. All temporary SFV surface buoys are red, round, polyform A-6 surface floats (350 kg buoyancy), 34 inches, with tethered highflyer including radar reflector and nighttime strobe light. The highflyer is 15 feet high with approximately 7 feet above water. The radar reflector is a standard 6 corner aluminum reflector approximately 1 foot in diameter. Each SFV buoy has a red strobe light that flashes 3 strobes in rapid succession (quick flashing) every 1.5 seconds. Buoys will be deployed from the R/V Danielle Miller.	

Sector New York, Submerged Lands Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-09-03 To: 2026-03-02 Stony Brook University and Monmouth University with funding from the Hudson River Foundation will be deploying and maintaining, fish monitoring, oceanographic instruments in New York Rockaway area. To reduce the risk of entangling protected species, receivers have no surface buoys and are connected to a mooring system weighing approximately 150 pounds that extends about 2 meters (6 feet) off the sea floor. There will be multiple ships used for the downloading, recovering, and redeploying all of the gear such as Monmouth's R/V Heidi Lynne Sculthorpe and R/V Ocean Hawk (https://www.monmouth.edu/school-of-science/vessels-equipment-and-field-activities) as swell as Stony Brook's R/V Seawolf and R/V Paumanok (https://you.stonybrook.edu/somas/about/facilities/researchvessels). Equipment will be serviced throughout the month of September 2025 and will be deployed at these locations until further notice. For information please contact Michael Frisk (Professor Stony Brook University University) michael.frisk@stonybrook.edu; Oliver Shipley (Associate Professor Stony Brook University) inversity) kdunton@monmouth.edu.	
Sector New York, Submerged Lands Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-09-16 To: 2025-09-24 Inspire Environmental will be conducting bottom trawl fisheries surveys in the Empire Wind Lease Area (Between 40° 20' 50.7834", -73° 32' 0.3618" & Damp; 40° 19' 38.7798", -73° 20' 1.053") and Reference Area (40° 33' 32.4282", -72° 51' 45.2736") from September 16, 2025, to September 24, 2025. The survey will run 2 times in September and target the dates above, but exact dates are subject to change; an update will be sent if either leg is shifted. Each survey leg will last approximately 3 days, with the second leg being a few days after the first leg has been completed. Equipment on scene will be the F/V Susan L; Bottom Trawl Net, monitoring VHF-FM CH 13 and 16 and will be towing bottom trawl gear at 4 stations within the Lease Area, as well as 4 times at the adjacent reference site (see Figure 1); these stations are not yet determined. Each tow will last 20 minutes in duration. During these times, the vessel will be moving at 4kts or less and have decreased maneuverability.	
Sector New York, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-01 Location: 40.34201° N / 73.94598° W Aid Name: Shrewsbury Rocks Buoy 1SR LLNR: 35020 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg_mil .	Lat: 40° 20' 31" Lon: -073° 56' 46"
Sector New York, Submerged Lands Act (SLA)/General/Safety Zones/COPT Restrictions	Safety Zones	General/Safety Zones/COPT Restrictions From: 2025-09-10 To: 2025-09-17 A 500-meter Safety Zone will be enforced around Empire Wind operations from 8:00am, September 10, 2025, to 8:00am, September 17, 2025, Mariners are to avoid transiting within 500-meters of the following positions: C18: 40-18-54.926N, 073-19-06.757W; D19: 40-18-04.195N, 073-18-16.307W; C13: 40-19-45.200N, 073-23-24.159W; C12: 40-19-55.236N, 073-24-15.652W; E10: 40-18-53.969N, 073-26-00.534W; C11 40-20-05.266N, 073-25-07.150W. B17: 40-19-45.652N, 073-19-57.228W; E07: 40-19-20.220N, 073-28-35.102W; D05: 40-20-05.299N, 073-30-17.557W; D04: 40-20-27.828N, 073-31-08.799W; D02: 40-21-12.870N 073-32-51.312W; C01: 40-21-35.382N, 073-33-42.583W; Heerema Marine Contractors will be conducting Installation of monopile and jacket foundations in the New York-Lease Area OCS-A 0512, from June 1, 2025, to October 31, 2025. Some pre-calibration activities may begin within the area of OCS-A 0512 starting May 28, 2025, with the vessel: Tidewater Polaris and KOLGA. Equipment on scene will be the SSCV Thialf. Additional vessels included in the spread: Tidewater Polaris, F/V Gabrielle Elizabeth, GPO Emerald, GPO Amethyst, GPO Grace, Danielle Miller, Go Patriot, Kolga, Windserve Spartan, Jaguar, F/V Karen Nicole, F/V Barbara Ann and F/V Pamala Ann. Utilization of noise attenuation equipment, inclusive of acoustic buoys and bubble curtains. Protected species support vessel and equipment/operation support vessels will be on scene.	

Sector Northern New England, Submerged Lands Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Isles of Shoals Light	235	SS INOP	FD
Pig Island Gut Buoy 3	1430	SINKING	FD
Pig Island Gut Buoy 5	1435	SINKING	FD
Three Fathom Ledge Isolated Danger Lighted Buoy DTF	3307	MISSING	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Whaleback Light	200	WATCHING PROPERLY	FD	2025-09-08

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eagle Point Inner Buoy 5	2171	DAYMK IMCH	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA)/General/Marine Events/Fireworks	Marine Events	From: 2025-07-03 To: 2025-07-06 Location: 42.97964° N / 70.76325° W 42.97939° N / 70.76226° W 42.97747° N / 70.76239° W 42.97757° N / 70.76535° W 42.97892° N / 70.76574° W 42.97954° N / 70.76441° W 42.97964° N / 70.76325° W NH – RYE BEACH – RYE – NH – Fireworks Mariners are advised that the Rye Beach Club Fireworks display is scheduled to be held in the vicinity of Rye Beach in Rye, NH. The fireworks display will take place on July 3, 2025 from 9:30 p.m. to 10:30 p.m. with a rain date of July 6, 2025. All mariners transiting the area should exercise caution. Chart number: 13283. For event information contact: President of Rye Beach Club, (978) 664-0057.	
Sector Northern New England, Submerged Lands Act (SLA)/General/Marine Events/Swim	Marine Events	General/Marine Events/Swim From: 2025-09-04 To: 2026-03-07 LNM ME – RYE BEACH – RYE – NEFSA Isle of Shoals Swim Mariners are advised that the NEFSA Isle of Shoals Swim is scheduled to be held offshore Rye, NH, starting on Appledore Island and Finishing on Rye Beach. The Swim will be held September 6, 2025, 8:30a.m.4:00p.m.; Approximately 18 swimmers will be participating. Mariners are advised to transit the areas between 420000000 N; -70.617778 W and 43.027362 N; -700000000000 with caution. Chart number: 13283. For event information: Point of Contact, 603-380-6005.	

10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-04 To: 2026-10-01 Location: 43.42446° N / 70.33916° W Aid Name: Hussey Rock Buoy 1HR LLNR: 100 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lon: -070° 20' 21"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-04 To: 2026-10-01 Location: 43.27588° N / 70.54979° W Aid Name: Bibb Rock Buoy BR LLNR: 115 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 43° 16' 33 Lon: -070° 32' 59"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-04 To: 2026-10-01 Location: 43.24076° N / 70.56924° W Aid Name: Perkins Cove Lighted Bell Buoy PC LLNR: 120 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 43° 14' 27 Lon: -070° 34' 09"
Sector Northern New England, Submerged Lands Act SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.01792° N / 68.85903° W Aid Name: The Breakers Sunken Ledge Buoy 2 LLNR: 3750 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 01' 05 Lon: -068° 51' 33"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.10693° N / 70.63267° W Aid Name: Stones Rock Buoy 2SR LLNR: 165 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.01218° N / 70.72024° W Aid Name: Foss Ledges Buoy 1A LLNR: 210 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	43° 00' 44
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.99376° N / 70.72922° W Aid Name: Rye Harbor Entrance Lighted Whistle Buoy RH LLNR: 215 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.99317° N / 70.62032° W Aid Name: Appledore Ledge Buoy 2 LLNR: 220 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	42° 59' 35
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.98117° N / 70.621° W Aid Name: Isles of Shoals Bell Buoy IS LLNR: 225 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.97816° N / 70.62177° W Aid Name: Halfway Rock Buoy 4 LLNR: 230 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	42° 58' 41

/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.95188° N / 70.75507° W Aid Name: Little Boars Head Buoy 1C LLNR: 245 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	42° 57' 07 Lon:
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.86447° N / 70.79629° W Aid Name: Breaking Rocks Buoy 2 LLNR: 255 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.80955° N / 70.78422° W Aid Name: Merrimack River Entrance Lighted Whistle Buoy MR LLNR: 265 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.68458° N / 70.58005° W Aid Name: Flat Ground Bell Buoy 1 LLNR: 275 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.67682° N / 70.58312° W Aid Name: Flat Ground Southern Rock Buoy 2 LLNR: 280 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 42° 40' 37 Lon: -070° 34' 59"

/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.67788° N / 70.55885° W Aid Name: Dry Salvages Lighted Bell Buoy 1 LLNR: 285 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.64043° N / 70.58418° W Aid Name: Oak Rock Buoy 2 LLNR: 300 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	-070° 35'
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.6392° N / 70.58005° W Aid Name: Thacher Island Buoy 1 LLNR: 310 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	42° 38' 21 Lon: -070° 34' 48"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.61673° N / 70.61506° W Aid Name: Salt Island Ledge Buoy 4 LLNR: 325 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lon: -070° 36' 54"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.2487° N / 68.19307° W Aid Name: Baker Island Ledge Buoy 3 LLNR: 2050 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 14' 55 Lon: -068° 11' 35"

/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.2658° N / 68.25562° W Aid Name: Spurling Rock Lighted Bell Buoy 2 LLNR: 2175 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.19673° N / 68.44188° W Aid Name: Casco Passage Bell Buoy CP LLNR: 2500 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.08377° N / 68.47445° W Aid Name: Seal Ledge Buoy 1 LLNR: 2670 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	-068° 28' 28"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.0957° N / 68.40768° W Aid Name: Johns Island Sunken Ledge Buoy J LLNR: 2675 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 05' 45 Lon: -068° 24' 28"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.1339° N / 68.4454° W Aid Name: Burnt Coat Harbor Gong Buoy 5 LLNR: 2695 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

10/25, 12.20 FW		Mantine Salety information Products Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.92176° N / 69.18116° W Aid Name: Marshall Point Lighted Buoy MP LLNR: 4740 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 55' 18 Lon: -069° 10' 52"
Sector Northern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.74616° N / 69.61842° W Aid Name: The Motions Gong Buoy TM LLNR: 5410 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 44' 46 Lon: -069° 37' 06"
Sector Northern New England, Submerged Lands Act SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.1242° N / 68.41285° W Aid Name: Swans Island Gong Buoy 2 LLNR: 2705 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	44° 07' 27 Lon: -068° 24' 46"
Sector Northern New England, Submerged Lands Act SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.1298° N / 68.47617° W Aid Name: Sheriff Ledges Buoy 2 LLNR: 2730 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	44° 07' 47 Lon:
Sector Northern New England, Submerged Lands Act SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.93074° N / 68.88581° W Aid Name: Penobscot Bay Lighted Buoy WP LLNR: 3302 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 43° 55' 51' Lon: -068° 53'

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.99888° N / 68.83454° W Aid Name: Old Horse Ledge Lighted Bell	Lat:
England, Submerged	Notice of	Buoy 2A LLNR: 3310 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	43° 59' 56"
Lands Act	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
(SLA)/ATON/Proposed		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable	-068° 50'
Notice of Change		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and	04"
		powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps,	
		improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most	
		critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners	
		are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and	
		are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when	
		responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and	
		if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be	
		accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

Sector Southeastern New England, Exclusive Economic Zone (EEZ)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Buzzards Bay Entrance Light	630	SS INOP	FD
Block Island Southeast Light	640	SS INOP	FD
Block Island Southeast Light	640	SS IMCH	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Vineyard Wind 1 WTG AT40	600	LT EXT	PA
Vineyard Wind 1 WTG AU39	600.01	LT EXT	PA
Vineyard Wind 1 WTG AN37	600.12	LT EXT	PA
Vineyard Wind 1 WTG AQ39	600.16	LT EXT	PA
South Fork WTG AP05	601.02	LT EXT	PA
Block Island Wind Farm WTG-3 Fog Horn	654.5	SS INOP	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-02 To: 2025-11-01 Location: 41.0355° N / 70.5718° W Aid Name: Vineyard Wind 1 WTG AS33 LLNR: 600.42 Action: CHANGE Action Type Change Light Signals to FI Y 6s.	Lat: 41° 02' 08" Lon: -070° 34' 18"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-02 To: 2025-11-01 Location: 41.0361° N / 70.52775° W Aid Name: Vineyard Wind 1 WTG AS35 LLNR: 600.58 Action: CHANGE Action Type Change Light Signals to FI Y 6s.	Lat: 41° 02' 10" Lon: -070° 31' 40"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-02 To: 2025-11-01 Location: 41.01124° N / 71.08798° W Aid Name: Sunrise Wind Research Lighted Buoy SRW SP06 LLNR: 610.5 Action: RELOCATE TO 41-00-40.452N 071-05-16.734W.	Lat: 41° 00' 40" Lon: -071° 05' 17"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-03 To: 2025-11-02 Location: 41.01971° N / 70.50534° W Aid Name: Vineyard Wind 1 WTG AT36 LLNR: 600.5 Action: CHANGE Action Type Change Light Signals from QY to FI Y 6s.	Lat: 41° 01' 11" Lon: -070° 30' 19"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-09 To: 2025-11-08 Location: 41.05335° N / 70.48408° W Aid Name: Vineyard Wind 1 WTG AR37 LLNR: 600.45 Action: CHANGE Action Type Change Light Signals to Fl Y 6s.	Lat: 41° 03' 12" Lon: -070° 29' 03"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-06-10 To: 2025-12-07 Location: 40.876° N / 70.26978° W THE COAST GUARD RECEIVED A REPORT OF DEBRIS APPROX 25 NM SW OF NANTUCKET IN POSN 40-52.476N 070-16.187W, THE DEBRIS IS APPROX 20 METERS IN LENGTH AND 6 INCHES IN DIAMETER, POTENTIALLY UPRIGHT AND COULD POSE A HAZARD TO SEABED ACTIVITY	Lat: 40° 52' 34" Lon: -070° 16' 11"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-07-23 To: 2026-01-19 Location: 41.1478° N / 71.05905° W THE COAST GUARD HAS RECEIVED A REPORT OF AN OBSTRUCTION ON THE SEAFLOOR IN LOCATION 41° 07' 41.1478" N, 71° 03' 32.5954" W. THE OBSTRUCTION EXTENDS APPROXIMATELY 9' FROM THE SEAFLOOR AND IS 30' IN DIAMETER. THE OVERALL WATER DEPTH IN THIS LOCATION IS 112'. ALL MARINERS ARE ADVISED TO EXERCISE CAUTION IF TRAWLING OR FISHING ALONG THE SEAFLOOR IN THIS AREA.	Lat: 41° 08' 52" Lon: -071° 03' 33"

/10/25, 12:26 PM		Maritime Safety Information Products Navigation Center	
Approaches To New York Nantucket Shoals To Five Fathom Bank/General/Hazards To Navigation/Hazards		NY-NJ-ATLANTIC OCEAN-NEW YORK BIGHT-Updated 3/4/2024 Two unexploded ordnances have been located via survey approximately 25 miles east of Sandy Hook, NJ in positions, 40-22-15.667N, 073-33-49.519W and 40-20-37.821N, 073-31-11.674W in approximately depth of 26 meters (see chartlet). Mariners are urged to avoid the ordnance and transit the area with caution.	
Approaches To New York Nantucket Shoals To Five Fathom Bank/General/Hazards To Navigation/Obstructions		General/Hazards To Navigation/Obstructions NY-23 MILES SOUTHEAST OF SHINNECOCK INLET From: 2024-09-30 To: 2025-03-29 Location: 40.56884° N / 72.114° W 40.56766° N / 72.11405° W 40.56766° N / 72.11566° W 40.56879° N / 72.11566° W 40.56884° N / 72.114° W Stony Brook University will be deploying a bottom lander science instrument for year-round data collection, 23 miles southeast of Shinnecock Inlet in position 40-34-06.7N, 072-06-45.3W, from May 22, 2024, to November 1, 2025, at a depth of 177 feet. The lander is approximately 1m x 2m x 2/3 m (W x L x Height off bottom). Landers were deployed near known wrecks to minimize risk to trawlers (and the instrument). Mariners are urged avoid anchoring in this area.	
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-09-06 To: 2025-11-21 University of Connecticut Avery Point, will be deploying 6 surface drifters for marine science data collection in Coxes Ledge from September 6, 2025, to November 21, 2025. The drifters will be deployed near the following positions: 41-08.17 N, 071-14.882 W; 41-14.137 N, 071-00.352W; 41-12.944N, 071-04.437W; 41-11.275N, 071-09.024 W. 41-09.400N, 071-00.285W; 41-07.264N, 070-53.470 W. The drifters are wood construction with metal down-weight (screw and washers) approximate dimensions: 29" long vertically and 8" max horizontal width, weight (out of water) less than 10 lbs, with a reflective red/silver or yellow/black tape at top, GPS (battery-powered) on top of drifter approximately 6" above still-waterline. Mariners are advised to keep a sharp lookout while transiting the area.	
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/MSIB	MSIB	General/MSIB From: 2025-06-11 To: 2025-12-08 The Coast Guard is establishing 85 temporary safety zones around the construction of individual wind energy facilities during the development of the Sunrise Wind Farm project area. The project area lies within Federal waters on the Outer Continental Shelf, specifically in the Bureau of Ocean Energy Management Renewable Energy Lease Area OCS-A 0487, approximately 16 nautical miles south of Martha's Vineyard, MA. This action protects life, property, and the environment during construction of each facility. When a safety zone is being enforced, only attending vessels and vessels with authorization are permitted to enter or remain in the safety zone. This action is necessary to provide for the safety of life, property, and the environment during the planned construction of each facility's foundation and subsequent installation of the wind turbine generators and offshore substations from June 1, 2025, through May 31, 2028. When enforced, only attending vessels and those vessels specifically authorized by the First Coast Guard District Commander, or a designated representative, are permitted to enter or remain in the temporary safety zones. Again, each safety zone will only be enforced during active major construction, which could occur at several locations, sometimes simultaneously. The First Coast Guard District Commander will make notification of the exact dates and times in advance of each enforcement period to the local maritime community through the Local Notice to Mariners and will issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. If the project is completed before May 31, 2028, enforcement of the safety zones will be suspended, and notice given via Local Notice to Mariners. The First Coast Guard District Local Notice to Mariners can be found at: https://www.navcen.uscg.gov/msi. The complete Temporary Interim Rule regulatory text can be found at the following link: https://www.navcen.uscg.gov/msi.	
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/MSIB	MSIB	General/MSIB From: 2025-06-23 To: 2025-09-15 The Coast Guard is establishing 85 temporary safety zones around the construction of individual wind energy facilities during the development of the Sunrise Wind Farm project area. The project area lies within Federal waters on the Outer Continental Shelf, specifically in the Bureau of Ocean Energy Management Renewable Energy Lease Area OCS-A 0487, approximately 16 nautical miles south of Martha's Vineyard, MA. This action protects life, property, and the environment during construction of each facility. When a safety zone is being enforced, only attending vessels and vessels with authorization are permitted to enter or remain in the safety zone. This action is necessary to provide for the safety of life, property, and the environment during the planned construction of each facility's foundation and subsequent installation of the wind turbine generators and offshore substations from June 1, 2025, through May 31, 2028. When enforced, only attending vessels and those vessels specifically authorized by the First Coast Guard District Commander, or a designated representative, are permitted to enter or remain in the temporary safety zones. 3. Again, each safety zone will only be enforced during active major construction, which could occur at several locations, sometimes simultaneously. The First Coast Guard District Commander will make notification of the exact dates and times in advance of each enforcement period to the local maritime community through the Local Notice to Mariners and will issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. 4. The complete rulemaking is available under Federal Register docket number USCG-2025-0056 and can be accessed through the federal portal at https://www.regulations.gov/document/USCG-2025-0056-0001 5. We invite your comments on this rulemaking. To submit your comment online, go to https://www.regulations.gov/document/USCG-2025-0056 in the "search box". Click "Search"	
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.10802° N / 71.6697° W Aid Name: Southwest Ledge Lighted Whistle Buoy 2 LLNR: 650 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	Lat: 41° 06' 29 Lon: -071° 40' 11"

•		Waltume dately information i roddets Navigation defice	
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.81672° N / 72.47626° W Aid Name: Shinnecock Inlet Approach Lighted Whistle Buoy SH LLNR: 670 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 40° 49' 00" Lon: -072° 28' 35"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 40.73553° N / 72.7533° W Aid Name: Moriches Inlet Approach Lighted Whistle Buoy M LLNR: 685 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 40° 44' 08" Lon: -072° 45' 12"
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/Safety Zones/COPT Restrictions	Safety Zones	General/Safety Zones/COPT Restrictions From: 2025-09-10 To: 2025-09-17 A 500-meter Safety Zone will be enforced around Ørsted Northeast Program operations from 8:00am, September 10, 2025, to 8:00am, September 17, 2025, Mariners are to avoid transiting within 500 meters of the following positions: Sunrise Wind Lease Area 487 Foundations (FOU): AW03: 40-57-28.489N, 071-13-48.41W, AS03: 41-01-28.46N, 071-13-55.285W, AT10: 41-00-38.904N, 071-04-39.866W, AU01: 40-59-25.215N, 071-16-30.568W, AU02: 40-59-26.987N, 071-15-11.101W, AT19: 41-00-51.151N, 070-52-46.677W, AU08: 40-59-36.26160N, 071-07-16.95360W Ørsted Northeast Program Revolution Wind, LLC, is complying with the Stop Work Order issued by the Bureau of Ocean Energy Management (BOEM) on Friday, August 22, 2025, and safely halting activities on the outer continental shelf related to the Revolution Wind project. The Stop Work Order states that "it does not apply to activities that are necessary to respond to emergency situations; to prevent impacts to health, safety and the environment; or to comply with the conditions of approval" for the project. Accordingly, a limited number of vessels may be in the Revolution Wind lease area for certain limited activities, in compliance with the Order. HARVEY SUBSEA is positioned to complete electrical systems protection measures on a limited number of turbines to prevent potential safety impacts, in compliance with the Stop Work Order BOKALIFT 2 and supporting vessels are installing foundations in Sunrise Wind. Mariners should exercise extreme caution in the vicinity. Many sound-monitoring buoys, environmental monitoring vessels, and support craft will operate at the foundation installation location out to 5000 meters; a wide berth from these activities is requested. Some monitoring operations move ahead of BOKALIFT 2 relocation, BOKALIFT 1 and supporting vessels will be installing secondary steel on installed foundations. ROCKPIPER is conducting seabed work in Sunrise Wind. GPO SAPPHIRE, HL S7000 and supporting vessels are	
Sector Southeastern New England, Exclusive Economic Zone (EEZ)/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-09-10 To: 2025-09-17 A 500-meter Safety Zone will be enforced around Vineyard Wind, LLC., operations from 8:00am, September 10, 2025, to 8:00am, September 17, 2025, Mariners are to avoid transiting within 500-meters of the following positions: AM37: 41-07-12.22N, 070-29-06.60W; AS34: 41-02-08.88N, 070-32-59.18W; AR33: 41-02-07.80N, 070-34-18.47W; AU37: 41-00-11.93N, 070-28-58.61W; AQ36: 41-04-11.05N, 070-30-23.34W; AU38: 41-00-12.94N, 070-27-39.36W; AR39: 41-03-14.06N, 070-26-24.03W; AQ39: 41-04-14.10N, 070-26-25.34W; AT41: 41-01-15.93N, 070-23-42.86W. Mariners are strongly encouraged to operate with extreme caution and to maintain a safe distance from construction vessels and associated equipment when not located within one of the above-mentioned safety zone locations. Construction vessels include SEA INSTALLER and WIND PACE. Construction will be supported by support vessels — CADE CANDIES, C FIGHTER, C-PIONEER, GO LIBERTY, WINDEA ENTERPRISE, WINDEA COURAGEOUS, WINDEA INTREPID, GATEWAY ENDEAVOR, WINDSERVE FRONTIER, PATRIOT LEADER, tugs NICOLE FOSS, HAWAII FOSS, & EARL REDD, and the barges PREVAILING WIND and MARMAC 400. There will be several safety and scout vessels from the local fishing fleet operating in the area, all monitoring VHF FM CH 13 and 16 for any concerned traffic. All Mariners are requested to give a 0.5 NM wide berth to the construction vessel and their equipment as they are extremely limited in their ability to maneuver. Passing arrangement can be made via VHF with any construction vessels. To view a diagram of the active safety zones and current construction progress, please visit: https://www.vineyardwind.com/offshore-wind-mariner-updates	

Sector Southeastern New England, Submerged Lands Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sankaty Head Light	555	Status Unreported	FD
Pollock Rip Channel Lighted Buoy 8	13550	MISSING	FD
Pollock Rip Channel Lighted Buoy 8	13550	OFF STATION	FD
Bishop And Clerks Light	14490	REDUCED INT	FD
Waquoit Bay Entrance Lighted Bell Buoy 2	14825	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eel Pond Buoy 11	14955	OFF STATION	PA

Cuttyhunk Pond Upper Channel Buoy 1	16302.1	DAYMK IMCH	PA
Cuttyhunk Pond Upper Channel Buoy 2	16302.2	DAYMK IMCH	PA
Cuttyhunk Pond Upper Channel Buoy 3	16302.3000000001	DAYMK IMCH	PA
Cuttyhunk Pond Upper Channel Buoy 4	16302.4	DAYMK IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.59889° N / 70.43078° W Aid Name: Cotuit Entrance Channel Buoy 2 LLNR: 14760.13 Action: RELOCATE TO: 41-35-56.000N 070-25-50.800W	Lat: 41° 35' 56" Lon: -070° 25' 51"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.61089° N / 70.42828° W Aid Name: Cotuit Harbor Buoy 7 LLNR: 14760.49 Action: RELOCATE TO: 41-36-39.200N, 070-25-41.800W.	Lat: 41° 36' 39" Lon: -070° 25' 42"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.60225° N / 70.43325° W Aid Name: Cotuit Entrance Channel Buoy 6 LLNR: 14760.23 Action: RELOCATE TO: 41-36-08.100N, 070-25-59.700W.	Lat: 41° 36' 08" Lon: -070° 25' 60"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.60875° N / 70.43258° W Aid Name: Cotuit Harbor Buoy 2 LLNR: 14760.39 Action: RELOCATE TO: 41-36-31.500N, 070-25-57.300W.	Lat: 41° 36' 32" Lon: -070° 25' 57"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.61207° N / 70.4278° W Aid Name: Cotuit Harbor Junction Buoy CS LLNR: 14756 Action: RELOCATE TO: 41-36-43.450N, 070-25-40.090W.	Lat: 41° 36' 43" Lon: -070° 25' 40"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.60022° N / 70.43181° W Aid Name: Cotuit Entrance Channel Buoy 4 LLNR: 14760.19 Action: RELOCATE TO: 41-36-00.800N, 070-25-54.500W.	Lat: 41° 36' 01" Lon: -070° 25' 55"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.61225° N / 70.42786° W Aid Name: Seapuit River Buoy 1 LLNR: 14756.2 Action: RELOCATE TO: 41-36-00.800N, 070-25-54.500W.	Lat: 41° 36' 44" Lon: -070° 25' 40"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-08 To: 2025-11-07 Location: 41.60926° N / 70.40992° W Aid Name: Seapuit River Buoy 15 LLNR: 14758.4 Action: RELOCATE TO: 41-36-33.300N, 070-24-35.700W.	Lat: 41° 36' 33" Lon: -070° 24' 36"
Georges Bank And Nantucket Shoals - Chatham Harbor Approach/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-30 To: 2039-12-31 Location: Shoaling has been reported in Old Harbor between buoys 6 and 8. Mariners are advised to use extreme caution while transiting the area.	
Georges Bank And Nantucket Shoals - Pollock Rip Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	MA-NANTUCKET SOUND AND APPROACHES (Chart 13237)-POLLOCK RIP CHANNEL The entrance to Pollock Rip Channel from the East continues to have SEVERE shoaling East of Pollock Rip Lighted Buoy 4 (LLNR 13535). Mariners should not attempt to transit the area without local knowledge of the shoals and use the channel at their own risk. If transiting the channel, Mariners are urged to transit at their slowest safe speed and proceed with extreme caution.	
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-16 To: 2026-01-12 Shoaling has been reported in the vicinity of Lewis Bay Approach Channel Lighted Buoys 5 and 6. Marinres are advised to transit the area with extreme caution.	
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-02 To: 2025-11-30 The Barnstable County dredges Sand Shifter & Ramp; Cod Fish II will be conducting dredge operations in the Popponesset Approach Channel, Mashpee located in Nantucket Sound. Dredging will take place in the channel with the dredge pipe running from the dredges to discharge locations on the south side of Popponesset Spit. Dredging will run from September 2, 2025, to November 30, 2025, Monday through Saturday, between 7:00am to 4:30pm. Equipment on scene will be the dredges Sand Shifter & Ramp; Cod Fish II, three Pushboats – J.W. Doane, Sandman & Ramp; Bradbury, a barge, numerous skiffs and pipeline, monitoring VHF-FM CH 16. When dredging and on station, the Sand Shifter & Ramp; Cod Fish II will have limited maneuverability. The discharge pipe will be floating at times during dredging operations and may be blocking the channel. Floats will be marking the location of the submerged pipe. There will be cables extending on both the port and starboard side of the forward part of the dredges leading to anchors with floats marking their locations. The dredges will remain on station 24 hours when weather permits and will display anchor lights at night. When the dredges are not on station, the ends of the pipe will be attached to yellow pontoons that are anchored and floating. Mariners are advised to use extreme caution when navigating in this area and to give adequate clearance to the equipment at all times. Contact the dredges to arrange for passing arrangements as needed. A 'no wake' zone will be established in this area per the Town of Mashpee Harbormaster.	

10/25, 12.201 W			
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.54521° N / 69.9821° W Aid Name: Pollock Rip Channel Lighted Buoy 8 LLNR: 13550 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 32' 43' Lon: -069° 58' 56"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.63839° N / 70.04793° W Aid Name: Chatham Roads Bell Buoy 3 LLNR: 13800 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 38' 18' Lon: -070° 02' 53"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.57889° N / 70.23529° W Aid Name: Bishop And Clerks Lighted Bell Buoy 1 LLNR: 14485 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicermanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 34' 44' Lon: -070° 14' 07"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.57457° N / 70.26613° W Aid Name: Bishop And Clerks South Approach Buoy 4 LLNR: 14500 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 34' 28" Lon: -070° 15' 58"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.60174° N / 70.26347° W Aid Name: Gazelle Rock Lighted Buoy 2 LLNR: 14510 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 36' 06" Lon: -070° 15' 48"

7 10/20, 12.201 11		Manufile Safety information Freducts Navigation School	
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.59929° N / 70.28947° W Aid Name: Hyannis Harbor Approach Lighted Bell Buoy HH LLNR: 14515 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 35' 57" Lon: -070° 17' 22"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.53877° N / 70.5398° W Aid Name: Waquoit Bay Entrance Lighted Bell Buoy 2 LLNR: 14825 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 32' 20" Lon: -070° 32' 23"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.31701° N / 70.1037° W Aid Name: Nantucket Bar Lighted Bell Buoy NB LLNR: 15135 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.31204° N / 70.10133° W Aid Name: Nantucket Harbor Channel Buoy 1 LLNR: 15140 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 18' 43" Lon: -070° 06' 05"
Sector Southeastern New England, Territorial Sea - Sector Southeastern New England, Submerged Lands Act (SLA)/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.25013° N / 70.43614° W Aid Name: Muskeget Channel Lighted Whistle Buoy MC LLNR: 15350 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lon: -070° 26' 10"

Sector Southeastern New England, Territorial Sea

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nantucket Sound Channel Lighted Buoy 21A	13717	MISSING	FD
West Chop Light	13775	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Approaches To New York Nantucket Shoals To Five Fathom Bank - Block sland/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	RI-BLOCK ISLAND-OLD HARBOR Shoaling has been reported in the entrance to Old Harbor, Block Island. Mariners are advised to proceed with caution while transiting the area.	
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.41836° N / 69.96896° W Aid Name: Point Rip Shoal Buoy 11 LLNR: 13635 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 25' 06" Lon: -069° 58' 08"
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.41516° N / 70.21532° W Aid Name: Tuckernuck Shoal Buoy 3 LLNR: 13670 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 24' 55" Lon: -070° 12' 55"
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.43478° N / 70.28471° W Aid Name: Cross Rip Shoal South End Buoy 4 LLNR: 13680 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 26' 05" Lon: -070° 17' 05"
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.45494° N / 70.50167° W Aid Name: Squash Meadow East End Bell Buoy LLNR: 13725 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 27' 18" Lon: -070° 30' 06"

10/20, 12:20 1 10		Waltanie Galety Information Frounds Navigation Conto	
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.21017° N / 71.53386° W Aid Name: Block Island Northeast Whistle Buoy 5 LLNR: 19685 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 12' 37" Lon: -071° 32' 02"
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.18515° N / 71.55257° W Aid Name: Block Island Old Harbor Channel Lighted Bell Buoy 1 LLNR: 19690 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), *Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, *Best maintain the most critical risk reducing buoys for the long-term, and *Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.14039° N / 71.59561° W Aid Name: Black Rock Point Buoy 2 LLNR: 19730 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 08' 25" Lon: -071° 35' 44"
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.14039° N / 71.59561° W Aid Name: Black Rock Point Buoy 2 LLNR: 19730 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 08' 25" Lon: -071° 35' 44"
Sector Southeastern New England, Exclusive Economic Zone (EEZ) - Sector Southeastern New England, Territorial Sea/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.1594° N / 71.6189° W Aid Name: Dickens Point Shoal Bell Buoy 6 LLNR: 19740 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: *Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 09' 34" Lon: -071° 37' 08"

Seekonk River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Providence River - Seekonk River/General/Bridges/Inspection	Bridges	RHODE ISLAND- SEEKONK RIVER- WASHINGTON I-195 BRIDGE-BRIDGE INSPECTION On August 25 to September 11, 2025, between 8 a.m 3 p.m. Al Engineers, a Rhode Island Department of Transportation contractor, will be conducting bridge inspection on the Washington I-195 Bridge over the Seekonk River in East Providence, RI. The inspection will be conducted from a barge with a manlift. During the inspection, the barge will be in different sections of the navigational channel to inspect the underside of the bridge; all other bridge spans and alternate channels will be open. Mariners are encouraged to transit with caution. Questions may be directed to Joseph Coon at (774) 454-3118.	Lat: 41° 49' 09" Lon: -071° 23' 13"
Providence River - Seekonk River/General/Marine Events/Fireworks	Marine Events	RI – SEEKONK RIVER – RI FOOTBALL CLUB – FIREWORKS Mariners are advised that the Rhode Island Football Club Fireworks Display is scheduled to be held from a barge in the vicinity of Seekonk River in Pawtucket, RI. The event will take place on Jun 21, 2025, from 9:00 p.m. to 10:00 p.m. Mariners are advised to transit the area with extreme caution and to maintain a minimum distance of two-hundred and ten (210) feet from the fireworks launching platform. Interested parties may contact the person in charge by phone at (603) 235-4656.	Lat: 41° 52' 25" Lon: -071° 23' 04"

Sesuit Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.7742° N / 70.16359° W Aid Name: Sesuit Harbor Approach	Lat:
England, Submerged Lands	Notice of	Lighted Bell Buoy 1S LLNR: 13140 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed.	41° 46' 27"
Act (SLA) - Sesuit	Change	Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Harbor/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the	-070° 09'
Notice of Change		most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	49"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil.	

Sheepscot River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Powderhorn Ledge Lighted Buoy 16	5750	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Northern New England, Submerged Lands Act (SLA) - Sheepscot River/ATON/Proposed Notice of Change	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.76062° N / 69.68587° W Aid Name: Sheepscot River Entrance Lighted Buoy 2SR LLNR: 5620 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	Lat: 43° 45' 38 Lon: -069° 41' 09"
		cost, * best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Sheepshead Bay

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Rockaway Inlet - Sheepshead Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-21 Location: 40.57808° N / 73.93027° W 40.57799° N / 73.92774° W 40.57476° N / 73.92804° W 40.57502° N / 73.9307° W 40.57808° N / 73.93027° W	
Rockaway Inlet - Sheepshead Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-08-04 To: 2026-02-28 Location: 40.58134° N / 73.93438° W	Lat: 40° 34' 53" Lon: -073° 56'
			04"

Shelter Island Sound North Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
North Entrance - Shelter	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.09966° N / 72.26152° W Aid Name: Shelter Island Sound North	Lat:
sland Sound North	Notice of	Channel Lighted Whistle Buoy N LLNR: 27960 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	41° 05' 59'
Channel/ATON/Proposed	Change	Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite	Lon:
Notice of Change		Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort	-072° 15'
		will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system	41"
		availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The	
		Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century	
		(pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable	
		levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN	
		discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or	
		through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most	
		effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel,	
		recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard	
		via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-	
		SMB-DPWPublicComments@uscq.mil .	

Shelter Island Sound South Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shelter Island Sound South Channel Buoy 12	28395	MISSING/TRUB	FD

Shinnecock Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shinnecock Bay Lighted Buoy 29	30865	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shinnecock Inlet - Shinnecock	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-29 NY-SHINNECOCK BAY TO EAST ROCKAWAY	
Bay/General/Hazards To Navigation/Shoaling	Navigation	INLET-SLOOP CHANNEL Shoaling has been reported in the vicinity of Sloop Channel Beacon 21 (LLNR - 31100). All mariners are	
Reported		requested to use caution when transiting the area.	

Shinnecock Canal Entrance

Additional MSI Categories

•			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Great Peconic Bay - Shinnecock Canal Entrance/General/Bridges/Lighting and Other Signals	J	over Shinnecock Canal waterway, in position 40-53-24N, 072-30-05W, on September 20, 2025. All work will happen with a Snooper	Lat: 40° 53' 24" Lon: -072° 30' 06"

Shinnecock Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shinnecock Inlet Breakwater Light 2	29042	REDUCED INT/STRUCT DMGD	FD

Shooters Island Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shooters Island South Channel Wreck Lighted Buoy WR1	37374	MISSING	PA
Shooters Island South Channel Wreck Lighted Buoy WR1	37374	MISSING/HAZ NAV	PA

Shrewsbury River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	

Raritan Bay - Shrewsbury River/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2025-04-23 To: 2025-11-30 Location: 40.36579° N / 73.975614° W Bridge Replacement to the S-32 (Rumson Road) Bridge over Shrewsbury River at mile 4.0 is in progress. There will be barge equipment operating IVO the bridge. For barge placement details, please contact David Nyarko, Resident Engineer at 646-334-2431 or via marine radio VHF-FM CH 13 / 16. Updates will be provided, as they are available, in the D1 LNM and on the project website at https: // www.rumsonseabrightbridge.comand and click on the Travel Advisory or Channel Info links at the top of the page. To receive e-mail updates for this project select the "Contact Us" tab, then "E-mail List Sign Up" from the drop-down menu. Mariners are advised to exercise caution when transiting the area. The project will be completed by November 30, 2025.	2 Lat: 40° 21' 57' Lon: -073° 58' 32"
Raritan Bay - Shrewsbury River/General/Bridges/Inspection	Bridges	From September 16th, 2025- September 18th, 2025, between 0900 a.m. and 0300 p.m., a diving inspection of the Sea Bright Bridge across the Shrewsbury River at mile 4.0 shall take place. Mariners can contact the contractor via marine radio VHF-FM Ch. 13/16 or call (856) 264-9542. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 21' 57' Lon: -073° 58' 32"
Raritan Bay - Shrewsbury River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-12-27 Location: 40.41466° N / 74.00177° W 40.41347° N / 74.00134° W 40.41321° N / 74.0027° W 40.41428° N / 74.00315° W 40.41466° N / 74.00177° W NJ-SHREWSBURY RIVER Shoaling has been reported in the vicinity of Shrewsbury River Channel Lighted Buoy 5 (LLNR - 35755). All mariners are requested to use caution when transiting the area.	

Silver Eel Pond

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Long Island Sound	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.26029° N / 72.03669° W Aid Name: Silver Eel Pond Entrance Lighted	Lat:
Eastern Part - Silver Eel	Notice of	Whistle Buoy SE LLNR: 21055 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast	41° 15' 37
Pond/ATON/Proposed	Change	Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	-072° 02' 12"

Sippican Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION		
Buzzards Bay Main Channel - Sippican	ATON Changes	ATON/ATON Changes From: 2025-09-09 To: 2025-11-08 Location: 41.71208° N / 70.76438° W Aid Name: Burr Brothers	Lat:		
Harbor/ATON/ATON Changes		Boatyard Channel Buoy 2 LLNR: 17201.05 Action: RELOCATE TO: 41-42-43.490N, 070-45-51.750W.	41° 42' 43"		
			Lon:		
			-070° 45' 52"		

Sloop Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sloop Channel Light 11	31055	LT EXT	FD
Sloop Channel Buoy 19	31090	DAYMK IMCH	FD

Somes Sound Approach

Federal Discrepancies

•			
NAME	LLNR	STATUS	AID TYPE
Gilley Ledge Buoy 5	2055	OFF STATION	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Blue Hill Bay Approach -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.261° N / 68.20662° W Aid Name: Harding Ledge Buoy 7 LLNR:	Lat:
Somes Sound	Notice of	2060 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing	44° 15' 40"
Approach/ATON/Proposed	Change	and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts	Lon:
Notice of Change		(ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-068° 12'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	24"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device	
		apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain	
		the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures.	
		Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be	
		carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve	
		the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid	
		that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written	
		responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

South Side

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Buzzards Bay Main	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.53014° N / 70.724° W Aid Name: Weepecket Rock Lighted Gong Buoy	Lat:
Channel - South	Notice of	8 LLNR: 16325 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 31' 49"
Side/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
Notice of Change		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-070° 43'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful	26"
		smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	
		to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical	
		risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are	
		strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are	
		requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding	
		to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how	
		you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to	
		Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Southeast Entrance

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Southeast	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29371° N / 71.88278° W Aid Name: Catumb Passage Buoy 3C	Lat:
Entrance/ATON/Proposed	Notice of	LLNR: 19995 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 17' 37"
Notice of Change	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	-071° 52' 58"
Southeast Entrance/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29002° N / 71.90549° W Aid Name: Lords Passage Lighted Whistle Buoy L LLNR: 20005 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 17' 24" Lon: -071° 54' 20"

Southeast	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.29129° N / 71.91624° W Aid Name: Wicopesset Passage Bell Buoy	Lat:
Entrance/ATON/Proposed	Notice of	W LLNR: 20015 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 17' 29"
Notice of Change	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable	-071° 54'
		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and	58"
		powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes	
		are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device	
		apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain	
		the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested	
		mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully	
		considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data	
		collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start	
		looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this	
		proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

Southwest Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Harbor Lighted Bell Buoy NH	5150	BUOY DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
TITLE Buzzards Bay Main Channel - Southwest Approach/ATON/Proposed Notice of Change	SUBCATEGORY Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.5389° N / 70.90694° W Aid Name: Southwest Approach Lighted Bell Buoy 8 LLNR: 16736 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of	Lat: 41° 32' 20"
Buzzards Bay Main Channel - Southwest Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil. ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.5739° N / 70.89306° W Aid Name: Southwest Approach Buoy 12 LLNR: 16791 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and dis	Lat: 41° 34' 26" Lon: -070° 53' 35"
Sector Northern New England, Submerged Lands Act (SLA) - Southwest Approach/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.87389° N / 69.47866° W Aid Name: New Harbor Lighted Bell Buoy NH LLNR: 5150 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 52' 26" Lon: -069° 28' 43"

St Albans Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Stave Island To Mallets Bay Channel -	Hazards To	General/Hazards To Navigation/Obstructions From: 2025-05-14 To: 2025-12-01 Location: 44.79385° N / 73.15517° W University of	Lat:
St Albans Bay/General/Hazards To	Navigation	Vermont will be deploying a research buoy in St. Albans Bay, in position 44° 47′ 37.8888N, 073° 9′ 18.6408W, from May 15, 2025, to	44° 47' 38"
Navigation/Obstructions		December 1, 2025. The buoy sampling platform is 8'x12' platform on yellow pontoons, yellow equipment covers with black lettering and	Lon:
		solar panels. Mast with met station. Orange flashing beacon on top during night. Mooring lines and orange floats to north and south of	-073° 09'
		platform, sensors on 30' cable underneath platform	19"
Stave Island To Mallets Bay Channel -	Marine	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-08-06 To: 2025-09-20 Location: 44.70816° N /	Lat:
St Albans Bay/General/Marine	Construction	73.22683° W Vermont Department of Environmental Conservation will be deploying a sensor buoy to monitor water quality in Lake	44° 42' 29"
Construction (Excluding	(Excluding Bridges)	Champlain, in position 44-42-29.401N, 073-13-36.598W, from August 6, 2025, to September 20, 2025. The buoy is a Yellow Nexsens	Lon:
Bridges)/Survey Operations		CB250 data buoy, equipped with a surface water quality sondes and a sensor chain descending 160 feet to the lake bottom, as well as	-073° 13'
		solar panels and a meteorological station at the surface, and a safety light blinking at 3 second intervals. There are two yellow round A4	37"
		polyform buoys on the north and south of the data bouy, with two mooring lines anchoring the buoy descending from each of these.	
		For additional information please contact Peter Isles at peter.isles@vermont.gov.	

Stage Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.65283° N / 69.99971° W Aid Name: Stage Harbor Entrance	Lat:
England, Submerged Lands Act (SLA) - Stage Harbor/ATON/Proposed Notice of Change	Notice of Change	Lighted Bell Buoy SH LLNR: 13855 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@usca.mil.	41° 39' 10" Lon: -069° 59' 59"

Stamford East Branch

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stamford East Branch Channel Light 1	25270	DAYMK IMCH	FD

Stamford Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stamford Harbor Range Front Light	25230	LT IMCH	FD

State Boat Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
State Boat Channel Daybeacon 13	31160	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Fire Island Inlet - State Boat Channel/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-08-15 To: 2026-01-01 Location: 40.61433° N / 73.50073° W Bridge Name: Wantagh State Parkway Bridge NEW YORK - SLOOP CHANNEL - Notice of Temporary Deviation - The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Wantagh State Parkway Bridge across Sloop Channel at mile 15.4. The deviation is needed to perform bridge painting activitiesUnder this temporary deviation, the Wantagh State Parkway Bridge will operate under single leaf openings Sunday through Friday from September 15, 2025 through January 31, 2026. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 36' 52" Lon: -073° 30' 03"
Fire Island Inlet - State Boat Channel/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-09-23 To: 2025-09-29 Location: 40.61433° N / 73.50073° W Bridge Name: Wantagh State Parkway Bridge The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Wantagh Parkway Bridge across Sloop Channel at mile 15.4. The deviation is needed for the 2025 Ryder Cup. Under this temporary deviation, the Wantagh State Parkway Bridge may remain in the closed position on the following dates and times: • September 23, 2025: 7:00 a.m12:00 p.m. and 1:30 p.m6:00 p.m. • September 24, 2025: 7:00 a.m12:00 p.m. and 1:30 p.m6:00 p.m. • September 25, 2025: 7:00 a.m12:00 p.m. and 1:30 p.m7:00 p.m. • September 26, 2025: 5:00 a.m12:00 p.m. and 1:30 p.m7:00 p.m. • September 28, 2025: 7:00 a.m12:00 p.m. and 1:30 p.m7:00 p.m. Mariners are advised to exercise caution when transiting the area.	Lat: 40° 36' 52" Lon: -073° 30' 03"

Stave Island To Mallets Bay Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Allen Point Railroad South Light 2	39490	LT EXT	PA

Stockton Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Penobscot River -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.41771° N / 68.87417° W Aid Name: Stockton Harbor Entrance Shoa	l Lat:
Stockton	Notice of	Lighted Gong Buoy 1 LLNR: 4485 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed	44° 25' 04'
Harbor/ATON/Proposed	Change	below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems	Lon:
Notice of Change		(GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in	-068° 52'
		the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical service—manage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	27"

Stonington Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Main Channel -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.30923° N / 71.90997° W Aid Name: Stonington Harbor Approach	Lat:
Stonington	Notice of	Buoy 2 LLNR: 20160 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 18' 33"
Harbor/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
Notice of Change		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start	-071° 54' 36"
		looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	
Main Channel -		ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.31282° N / 71.91372° W Aid Name: Stonington Harbor Approach	Lat:
Stonington Harbor/ATON/Proposed Notice of Change	Notice of Change	Gong Buoy 3 LLNR: 20165 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	41° 18' 46" Lon: -071° 54' 49"
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	49
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Terminal Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Naval Weapon Station Earle Security Zone Lighted Buoy 1		LT EXT	FD

Thames River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thames River Light 7A	22035	MSLD SIG	FD
Thames River Obstruction Light	22036	MSLD SIG	FD

118/129

The Narrows

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Georges Island Lighted Hazard Buoy A	11441	MISSING/HAZ NAV	PA
Georges Island Lighted Hazard Buoy B	11442	MISSING	PA

The Nummet Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
The Nummet Channel Buoy 8	12764	SINKING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kingston Channel Buoy 10	12805	OFF STATION	PA
Kingston Channel Buoy 12	12815	OFF STATION	PA
Kingston Channel Buoy 14	12820	BUOY DMGD	PA
Kingston Channel Buoy 18	12830	BUOY DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Plymouth Bay - The Nummet Channel/General/Hazards	Hazards To	MA-NUMMET CHANNEL (REVISED) The Coast Guard has received a report of shoaling in the vicinity of The Nummet	
To Navigation/Shoaling Reported	Navigation	Channel Buoy 7 (LLNR 12760). Mariners are advised to proceed with caution when transiting the area.	

The Raunt Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
The Raunt Channel Buoy 5	34645	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
North Channel - The Raunt	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2024-09-13 To: 2039-10-20 Location: 40.60215° N / 73.83815° W 40.60189° N /	
Channel/General/Hazards To	Navigation	73.8372° W 40.60065° N / 73.83424° W 40.59977° N / 73.83497° W 40.60104° N / 73.83772° W 40.60147° N / 73.8387° W 40.60215° N /	
Navigation/Shoaling Reported		73.83815° W NY-RAUNT CHANNEL (Booklet Chart 12350 JAMAICA BAY Recent surveys have shown significant shoaling in the Raunt	
		Channel. Shoaling exists in the vicinity of Buoy 6, in approximate position 40-36.17N 073-50.47W. Depths of less than 5 feet in the middle	
		of the channel. Navigation of the area requires extreme caution due to the encroaching nature of the shoal.	

Threemile Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Threemile Harbor Entrance Buoy 2	27785	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Threemile Harbor East Breakwater Light	27790	DAYMK MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Gardiners Bay South	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.04427° N / 72.18852° W Aid Name: Threemile Harbor Entrance	Lat:
Entrance - Threemile	Notice of	Lighted Bell Buoy TM LLNR: 27775 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed	41° 02' 39
Harbor/ATON/Proposed	Change	below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems	Lon:
Notice of Change		(GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in	-072° 11'
		the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	e

Tiverton Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mount Hope Bay Approach	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.66001° N / 71.22078° W Aid Name: Tiverton Channel Buoy 3	Lat:
Tiverton	Notice of	LLNR: 18800 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 39' 36"
hannel/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
lotice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-071° 13'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	15"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Tiverton Upper Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tiverton Channel - Tiverton	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.67389° N / 71.20225° W Aid Name: Tiverton Upper Channel Buoy	Lat:
Jpper	Notice of	5 LLNR: 18830 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 40' 26"
Channel/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-071° 12'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	08"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS,	
		e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil.	

Townsend Gut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cameron Point Light 7	5565	LT EXT	FD

Two Bush Channel

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.95028° N / 69.03255° W Aid Name: Two Bush Channel Shoal	Lat:
England, Submerged Lands	Notice of	Isolated Danger Buoy DTBS LLNR: 4530 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes	43° 57' 01'
Act (SLA) - Two Bush	Change	Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite	Lon:
Channel/ATON/Proposed		Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort	-069° 01'
Notice of Change		will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system	57"
		availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The	
		Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th	
		century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to	
		acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN	
		discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or	
		through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most	
		effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel,	
		recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast	
		Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	

Sector Northern New England, Submerged Lands Act (SLA) - Two Bush Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	LLNR: 4550 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	Lat: 43° 56' 42" Lon: -069° 04' 04"
Sector Northern New England, Submerged Lands Act (SLA) - Two Bush Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.92675° N / 69.14783° W Aid Name: Devils Half Acre Buoy 4 LLNR: 4570 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	Lat: 43° 55' 36" Lon: -069° 08' 52"

Upper Thames River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Thames River - Upper Thames	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-23 To: 2025-	Lat:
River/General/Marine Construction	Construction	05-31 Location: 41.4443° N / 72.08444° W CT-THAMES RIVER-GALES FERRY Sterling Equipment, Inc, will be storing rental fleet barges	41° 26' 39"
(Excluding Bridges)/Facilities, Barriers,	(Excluding Bridges)	in position 41-26-39.5N 072-05-04.0W, until May 2024. Equipment on scene will be Spud Barges, Hopper Barge and Deck Barges,	Lon:
Manmade Reefs, Riprap, Jetties/Dikes		which will be outside the navigable channel and will not impede navigation. Point of contact for this operation is Mark Quinn, who	-072° 05'
		can be reached at (617) 984-0022 or at mark@sterlingequipment.com. Mariners are requested to give adequate clearance to the	04"
		equipment and transit at their slowest safe speed to minimize wake.	

Warwick Cove

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Greenwich Bay - Warwick Cove/General/Hazards To Navigation/Shoaling Reported	Navigation	RI-NARRAGANSETT BAY (CHART 13221)-GREENWICH BAY-WARWICK COVE Shoaling has been observed within the federal navigation channel to a least depth of 3 FT MLW. Shoaling is encroaching from the west and has impacted the western part of the channel, reducing the authorized project width from 150 feet to approx. 90 feet between Warwick Cove Buoy 3 (LLNR 19360) and Warwick Cove Buoy 7 (LLNR 19375).	

Waterway Name Not Found

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carman Creek Daybeacon D6	34150	DAYMK MISSING	PA
Carman Creek Daybeacon D8	34155	DAYMK MISSING	PA
Carman Creek Daybeacon D10	34160	DAYMK MISSING	PA
Massapequa Cove Daybeacon 4	34200	DAYMK DMGD	PA

Wellfleet Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wellfleet Harbor Channel Lighted Buoy 10	13200	OFF STATION	FD
Wellfleet Harbor Channel Buoy 12	13210	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
-------	-------------	-------------	----------	--

Sector Southeastern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.81465° N / 70.17996° W Aid Name: Billingsgate Shoal Lighted	Lat:
England, Submerged Lands	Notice of	Bell Buoy 1 LLNR: 13160 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast	41° 48' 53"
Act (SLA) - Wellfleet	Change	Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Harbor/ATON/Proposed		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 10'
Notice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	48"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at	
		acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their	
		organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively	
		consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or	
		commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone	
		or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil.	

Wells Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wells Harbor Daybeacon 3	8220	DBD DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA) - Wells Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.3138° N / 70.54758° W Aid Name: Wells Harbor Entrance Lighted Bell Buoy WH LLNR: 8208 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@usca.mil	

West Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Channel Lighted Buoy 11	29410	LT EXT	FD

West Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Approaches To New York	Hazards To	RI- NARRANGANSETT BAY - WEST PASSAGE – UNEXPLODED ORDNANCE-UPDATE 9/2/2022 Sixteen (16) unexploded ordnances have been	
Nantucket Shoals To Five	Navigation	located via survey in Narragansett Bay - West Passage in positions: (1.) 41-27-7.68N 071-24-35.64W; (2.) 41-27-25.74N 071-24-38.94W; (3.) 41-	
Fathom Bank - West		27-33.60N 071-24-38.34W (4.) 41-24-49.80N 071-22-58.14W (5.) 41-26-40.32N 071-24-42.54W (6.) 41-26-34.44N 071-24-8.22W; (7.) 41-26-	
Passage/General/Hazards To		00.18N 071-24-30.48W;(8.) 41-28-00.96N 071-24-28.68W; (9.) 41-24-43.74N 071-4.26.40W; (10.) 41-24-56.52N 071-21-59.64W; (11.) 41-24-	
Navigation/Hazards		52.62N 071-23-43.62W; (12.) 41-27-38.88N 071-24-6.978W; (13.) 41-26-4.324N 071-24-30.591W; (14.) 41-27-36.236N 071-24-37.026N; (15.) 41-	
		26-44.709N 071-24-38.97W; (16.) 41-24-45.927N 071-21-39.508W. Mariners are urged to avoid the ordnances and transit the area with caution.	
Sector Southeastern New	MSIB	General/MSIB From: 2025-08-14 To: 2025-09-26 Location: 41.61684° N / 71.36733° W 41.60925° N / 71.36278° W 41.60089° N / 71.37927° W	
England, Submerged Lands		41.61152° N / 71.37962° W 41.61684° N / 71.36733° W HavocAl will be conducting uncrewed surface vessel operations (up to 10 vessels in	
Act (SLA) - West		various patterns) in Narragansett Bay Rhode Island. In the vicinity of Prudence Island. Operating area will be West of Prudence Island and North	
Passage/General/MSIB		of Hope Island, in position 41-37.248N, 071-21.746W, from August 14, 2025, to September 26, 2025, Tuesdays through Thursdays, from 9:00am	
		to 5:00pm. Equipment on scene will be up to 10, 15-foot USVs and three safety boats, monitoring VHF-FM CH 13, 16, and 68.	

Sector Southeastern New England, Submerged Lands Act (SLA) - West Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.44396° N / 71.40257° W Aid Name: Newton Rock Bell Buoy NR LLNR: 19085 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 26' 38" Lon: -071° 24' 09"
Sector Southeastern New England, Submerged Lands Act (SLA) - West Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.30769° N / 71.47245° W Aid Name: Point Judith Lighted Buoy 2 LLNR: 19460 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uccq.mil.	Lat: 41° 18' 28" Lon: -071° 28' 21"
Sector Southeastern New England, Submerged Lands Act (SLA) - West Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.34892° N / 71.50708° W Aid Name: Point Judith Bell Buoy 4 LLNR: 19465 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 20' 56" Lon: -071° 30' 25"

West Penobscot Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Porterfield Ledge Daybeacon	4270	DAYMK DMGD	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.97133° N / 69.00447° W Aid Name: Two Bush Island Lighted Whistle	Lat:
England, Submerged	Notice of	Buoy TBI LLNR: 4035 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast	43° 58' 17'
Lands Act (SLA) - West	Change	Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Penobscot		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-069° 00'
Bay/ATON/Proposed		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	16"
Notice of Change		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscq.mil .	

10/23, 12.20 1 W		Waltime Galety Information Froducts Navigation Center	
Sector Northern New England, Submerged Lands Act (SLA) - West Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.01901° N / 69.00535° W Aid Name: West Penobscot Bay Entrance Lighted Gong Buoy PA LLNR: 4050 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 44° 01' 08' Lon: -069° 00' 19"
Sector Northern New England, Submerged Lands Act (SLA) - West Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.15812° N / 69.05333° W Aid Name: Rockport Outer Bell Buoy RO LLNR: 4275 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 44° 09' 29' Lon: -069° 03' 12"
Sector Northern New England, Submerged Lands Act (SLA) - West Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.17666° N / 69.04558° W Aid Name: Deadman Point Buoy 3 LLNR: 4295 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil .	Lat: 44° 10' 36' Lon: -069° 02' 44"
Sector Northern New England, Submerged Lands Act (SLA) - West Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.27809° N / 68.99524° W Aid Name: Lincolnville Bell Buoy 7 LLNR: 4370 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 16' 41 Lon: -068° 59' 43"
Sector Northern New England, Submerged Lands Act (SLA) - West Penobscot Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.38676° N / 68.91514° W Aid Name: Isleboro Island Lighted Bell Buoy II LLNR: 4435 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, echarts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 44° 23' 12 Lon: -068° 54' 55"

Sector Northern New	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.41423° N / 68.91792° W Aid Name: Moose Point Isolated Danger	Lat:
England, Submerged	Notice of	Lighted Buoy DMP LLNR: 4452 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below.	44° 24' 51
Lands Act (SLA) - West	Change	Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
Penobscot		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 55'
Bay/ATON/Proposed		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	05"
Notice of Change		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Westchester Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
East River Main Channel - Westchester	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2025-06-09 To: 2025-09-15 Location: 40.82867° N / 73.8425° W Bridge	Lat:
Creek/General/Bridges/Repairs, Painting,		Name: Unionport Bridge From June 9, 2025 through September 15, 2025, the installation of a new fendering system will take place at	40° 49' 43"
Or Fender Replacement		the Unionport Bridge over Westchester Creek at mile 1.7 in Bronx, N.Y. Barges will be in the waterway 24 hours and can be moved with	Lon:
		1 hour advance during working hours (6:00 a.m. – 2:30 p.m. Monday-Friday) and 6 hours advance during non-working hours (weekends	-073° 50'
		and 2:30 p.m6:00 a.m. Monday-Friday.) The barges will maintain a 15-foot horizontal clearance in the navigable channel for the safe	33"
		passage of vessels. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call	
		(973) 669-6247. Mariners are advised to exercise caution when transiting the area.	

Western Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pond Island Passage -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.24901° N / 68.49398° W Aid Name: Flye Island Channel Bell Buoy	Lat:
Western	Notice of	FI LLNR: 2600 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 14' 56'
Passage/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic	Lon:
Notice of Change		Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-068° 29'
		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	38"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS	
		failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments	
		will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and	
		improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from	
		aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written	
		responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil	

Western Way

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Western Way Obstruction Light B2	11567.300000000001	Status Unreported	PA
Western Way Obstruction Light L2	11569.9	LT EXT	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
lue Hill Bay Approach -	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 44.23683° N / 68.28275° W Aid Name: Cranberry Island Ledge Lighted	Lat:
Vestern	Notice of	Bell Buoy 4 LLNR: 2265 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	44° 14' 13
/ay/ATON/Proposed	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
otice of Change		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation	-068° 16'
		risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended	58"
		to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved	
		radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk	
		reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested	
		prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use	
		the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project	
		No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	

Westport Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
,	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-30 To: 2039-12-31 Location: Westport Channel has experienced significant shoaling, with considerable narrowing of the federal channel. Aids to navigation have been relocated outside the federal channel, to mark best water. Mariners are advised that shoaling has been identified and is unpredictable outside the federal channel, affecting both commercial and recreational vessels. Mariners without local knowledge are advised to transit with extreme caution and only during plus tides. Mariners are urged to use caution while transiting the area.	
	Hazards To Navigation	MA-MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)-WESTPORT HARBOR Shoaling exists in Westport Harbor in the vicinity of Westport Harbor Channel LB 14 (LLNR 17490) and Westport Harbor Channel Buoy 17 (LLNR 17505). There are other areas of shoaling throughout the Westport Harbor Channel reducing the available depth of water. Mariners are advised to use caution while navigating this area	
- Westport	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.4876° N / 71.06788° W Aid Name: Westport Harbor Approach Lighted Bell Buoy 1 LLNR: 17445 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 29' 15" Lon: -071° 04' 04"

Weweantic River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Weweantic River Buoy 15	17297.5	Status Unreported	PA

Weymouth Fore River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Nantasket Roads	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 42.29421° N / 70.92505° W Aid Name: Weymouth Fore River Channel	Lat:
Southern Approach -	Notice of	Lighted Buoy 6 LLNR: 11665 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below.	42° 17' 39'
Veymouth Fore	Change	Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS),	Lon:
River/ATON/Proposed		Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most	-070° 55'
lotice of Change		sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and	30"
		requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy	
		constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-	
		charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable	
		cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS	
		disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization.	
		All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your	
		feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and	
		distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means,	
		only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-	
		DPWPublicComments@uscg.mil .	

Whitehall Narrows

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Whitehall Narrows/General/MSIB		General/MSIB From: 2025-08-13 To: 2025-10-12 Location: 43.55379° N / 73.40236° W 43.55376° N / 73.40142° W 43.55179° N / 73.40127° W 43.55179° N / 73.40236° W 43.55379° N / 73.40236° W Champlain Canal – Fort Edward to Smith's Basin August 10, 2025 Mariners are advised that Champlain Canal Lock C-7 in Fort Edward to Lock C-9 in Smith's Basin is closed to navigation until further notice due to low water levels. Updates will follow. Boaters should plan their itineraries accordingly. For general news, please visit www.canals.ny.gov or follow the Canal Corporation on Facebook, Instagram, Twitter, or LinkedIn. To report an issue or incident along the Canal system, please call the Canal Corporation's Emergency Call Center at 833-538-1042.	

Whitehead Passage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Whitehead Ledge Daybeacon 3	7200	OFF STATION	FD

Wickford Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
West Passage - Wickford	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.57357° N / 71.43541° W Aid Name: Wickford Harbor Gong Buoy 2	Lat:
Harbor/ATON/Proposed	Notice of	LLNR: 19140 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is	41° 34' 25"
Notice of Change	Change	modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation	Lon:
		Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable	-071° 26'
		navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and	07"
		powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are	
		intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AlS, e-charts, mobile device apps,	
		improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the	
		most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested	
		mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully	
		considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data	
		collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start	
		looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this	
		proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	

Wood Island Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New P England, Submerged Lands N	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.44689° N / 70.3235° W Aid Name: Dansbury Reef Buoy 2 LLNR: 8055 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 26' 49" Lon: -070° 19' 25"
England, Submerged Lands	·	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.44507° N / 70.32554° W Aid Name: Washman Rock Buoy 3A LLNR: 8060 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 26' 42" Lon: -070° 19' 32"

Woods Hole Passage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Woods Hole Passage Buoy 6	15815	OFF STATION	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Buzzards Bay Main Channel	Proposed	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.51998° N / 70.67765° W Aid Name: Woods Hole Pass Buoy 1A	Lat:
- Woods Hole	Notice of	LLNR: 15783 Action: DISCONTINUE	41° 31' 12'
Passage/ATON/Proposed	Change		Lon:
Notice of Change			-070° 40'
			40"

10/25, 12.26 PW		Manume Salety Information Products Navigation Center	
Buzzards Bay Main Channel Woods Hole Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.52065° N / 70.67786° W Aid Name: Woods Hole Pass Buoy 2A LLNR: 15788 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 31' 14' Lon: -070° 40' 40"
Buzzards Bay Main Channel Woods Hole Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.51877° N / 70.68458° W Aid Name: Woods Hole Passage Buoy 7 LLNR: 15795 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 31' 08' Lon: -070° 41' 04"
iuzzards Bay Main Channel Woods Hole Jassage/ATON/Proposed Jotice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.51934° N / 70.68101° W Aid Name: Woods Hole Passage Buoy 5 LLNR: 15800 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	Lat: 41° 31' 10 Lon: -070° 40' 52"
uzzards Bay Main Channel Woods Hole assage/ATON/Proposed lotice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.52018° N / 70.68079° W Aid Name: Woods Hole Passage Buoy 4A LLNR: 15807 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost. • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 31' 13 Lon: -070° 40' 51"
uzzards Bay Main Channel Woods Hole assage/ATON/Proposed lotice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.51995° N / 70.68687° W Aid Name: Woods Hole Passage Buoy 8 LLNR: 15820 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscq.mil.	Lat: 41° 31' 12 Lon: -070° 41' 13"

		The state of the s	
Buzzards Bay Main Channel - Woods Hole Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.52402° N / 70.69406° W Aid Name: Woods Hole Passage Buoy 11 LLNR: 15830 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: • Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), • Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, • Best maintain the most critical risk reducing buoys for the long-term, and • Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	41° 31' 26' Lon: -070° 41' 39"
Buzzards Bay Main Channel - Woods Hole Passage/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 41.52806° N / 70.69767° W Aid Name: Woods Hole Passage Lighted Bell Buoy 13 LLNR: 15835 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.	

York Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
York Harbor Lighted Bell Buoy YH	8258	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Northern New England, Submerged Lands Act (SLA) - York Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.12928° N / 70.61704° W Aid Name: York Harbor Lighted Bell Buoy YH LLNR: 8258 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed. Coast Guard is modernizing and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), Deliver effective, economical servicemanage vessel transit risk to acceptable levels at acceptable cost, Best maintain the most critical risk reducing buoys for the long-term, and Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil	Lat: 43° 07' 45" Lon: -070° 37' 01"
Sector Northern New England, Submerged Lands Act (SLA) - York Harbor/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-04-03 To: 2026-10-03 Location: 43.13146° N / 70.61844° W Aid Name: York Harbor Entrance Buoy 2 LLNR: 8260 Action: DISCONTINUE The Coast Guard First District Commander seeks public input on AtoN changes Proposed below. Coast Guard is modernization and rightsizing the buoy constellation, whose designs mostly predate Global Navigation Satellite Systems (GNSS), Electronic Navigation Charts (ENC), and Electronic Charting Systems (ECS), for long-term reliability and serviceability. This effort will result in the most sustainable navigation risk reduction to support and complement modern mariners, today's much larger ships, ECS system availability and requirements, and powerful smartphone navigation subscription apps affordably accessible to virtually all waterway users. The Proposed buoy constellation changes are intended to: * Support the navigational needs of the 21st century prudent mariner, vice mid-20th century (pre-GPS, AIS, e-charts, mobile device apps, improved radar, etc.), * Deliver effective, economical service-manage vessel transit risk to acceptable levels at acceptable cost, * Best maintain the most critical risk reducing buoys for the long-term, and * Provide resilience against AtoN discrepancies, GNSS disruptions/ECS failures. Interested Mariners are strongly encouraged to comment on this in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 June 2025 to complete the process. To most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-25-015. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .	Lat: 43° 07' 53" Lon: -070° 37' 06"