

Local Notice to Mariners for Heartland (MRS) District 01/28/2026**Allegheny****Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Allegheny/General/Bridges/Inspection	Bridges	Fort Duquesne Bridge: Continuing through February 25, 2026, inspection operations will be conducted on the bridge. Work will be conducted Monday through Saturday. Work will extend up to 150 feet over the river, on the north side of the bridge. There will be a containment system set up that will reduce vertical clearance by 1.5 feet. All mariners are reminded to transit the bridge with caution and report any unsafe conditions to the United States Coast Guard.	Lat: 40° 26' 40" Lon: -080° 00' 33"

Arkansas River**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Milligan Bend Light	990	STRUCT DEST	FD
Webber Falls Jetty Light	1010	STRUCT DEST	FD
Bluff View Light	1020	STRUCT DEST	FD
Hisaw Bottom Light	1055	LT EXT	FD
Sandtown Bottom Light	1077	STRUCT DEST	FD
Black Rock Daybeacon	1200	STRUCT DEST	FD
Gans Light	1205	STRUCT DEST	FD
Non Lateral Mark 330.4	1213	STRUCT DEST	FD
Onion Creek Daybeacon	1220	STRUCT DMGD	FD
Non Lateral Mark 328.5	1223	STRUCT DMGD	FD
Tucker Lake Light	1225	STRUCT DEST	FD
Mcnabb Bottom Daybeacon	1230	STRUCT DEST	FD
Deadman Slough Light	1240	STRUCT DEST	FD
Wilsons Rock Light	1255	STRUCT DMGD	FD
Peno Point Daybeacon	1265	DAYMK DMGD	FD
Non Lateral Mark 313.9	1267	STRUCT DEST	FD
Fort Smith Light	1305	STRUCT DEST	FD
Garrison Creek Daybeacon	1315	DAYMK MISSING	FD
Crawford County Daybeacon	1360	STRUCT DEST	FD
Jeffrey Light	1365	DAYMK MISSING	FD
Fort Chaffee Light	1390	STRUCT DEST	FD
Haroldton Light	1395	DAYMK MISSING	FD
New Haroldton Light	1400	STRUCT DEST	FD
Gun Club Lake Daybeacon	1420	DAYMK MISSING	FD
Big Creek Daybeacon	1427	DAYMK MISSING	FD
Arbuckle Island Light	1430	STRUCT DEST	FD
Clear Creek Light	1435	DAYMK MISSING	FD
Crooked Slough Light	1445	STRUCT DEST	FD
Mulberry River Daybeacon	1455	STRUCT DEST	FD
Moores Creek Light	1510	LT IMCH/STRUCT DMGD	FD
Roseville Daybeacon	1515	DAYMK MISSING	FD
O'Kane Island Light	1520	LT IMCH/STRUCT DMGD	FD
Alix Bottom Light	1525	STRUCT DEST	FD
County Line Daybeacon	1530	STRUCT DEST	FD
Non Lateral Mark 246.3	1532	DAYMK MISSING	FD
Non Lateral Mark 236.3	1562	DAYMK MISSING	FD
Spadra Creek Light	1605	DAYMK IMCH/STRUCT DMGD	FD
Dublin Daybeacon	1615	STRUCT DEST	FD
Bunker Hill Upper Daybeacon	1650	STRUCT DEST	FD
Bunker Hill Lower Daybeacon	1660	STRUCT DEST	FD
Non Lateral Mark 201.4	1697	STRUCT DEST	FD
Elberta Light	1700	DAYMK MISSING	FD
Non Lateral Mark 197.9	1708	STRUCT DEST	FD
Hola Bend Cutoff Light	1715	DAYMK MISSING	FD
Carden Bottoms Light	1720	DAYMK IMCH/STRUCT DMGD	FD
Sweedien Island Light	1735	LT EXT/DAYMK MISSING	FD
Wilson Light	1745	STRUCT DEST	FD
Willow Bend Lower Daybeacon	1770	DAYMK MISSING	FD

Louisburg Light	1795	DAYMK IMCH/STRUCT DMGD	FD
Non Lateral Mark 175.6	1798	DAYMK MISSING	FD
Ellis Island Light	1815	STRUCT DEST	FD
Stane Reach Upper Daybeacon	1845	DAYMK DMGD	FD
Stane Reach Light	1850	DAYMK DMGD	FD
Cadron Creek Light	1860	DAYMK IMCH/STRUCT DMGD	FD
Belk Corner Light	1890	DAYMK MISSING/STRUCT DMGD	FD
Non Lateral Mark 150.9	1903	DAYMK MISSING	FD
Bigelow Middle Daybeacon	1915	DAYMK DMGD	FD
Bigelow Lower Light	1920	DAYMK MISSING	FD
Tri County Light	1930	STRUCT DEST	FD
Non Lateral Mark 138.8	1948	DAYMK MISSING	FD
Non Lateral Mark 137.6	1953	DAYMK MISSING	FD
Palarm Light	1960	DAYMK MISSING	FD
Maumelle River Upper Daybeacon	1975	STRUCT DEST	FD
Burns Park Light	2030	STRUCT DEST	FD
Peach Orchard Bend Light	2110	LT IMCH/DAYMK IMCH	FD
Fourche Place Cutoff Light	2125	DAYMK IMCH	FD
Non Lateral Mark 106.5	2143	DAYMK MISSING	FD
Fourche Bayou Light	2150	DAYMK IMCH/STRUCT DMGD	FD
Chenault Island Light	2155	DAYMK IMCH/STRUCT DMGD	FD
Estes Place Light	2160	DAYMK IMCH/STRUCT DMGD	FD
Jim Brown Island Light	2170	DAYMK IMCH/STRUCT DMGD	FD
Non Lateral Mark 92.0	2199	STRUCT DEST	FD
Ste. Marie Bend Lower Daybeacon	2370	STRUCT DEST	FD
Richland Bend Middle Daybeacon	2435	STRUCT DEST	FD
Richland Bend Lower Daybeacon	2440	STRUCT DEST/HAZ NAV	FD
Cooper Point Light	2465	STRUCT DEST/HAZ NAV	FD
Kimbrough Light	2475	STRUCT DEST/HAZ NAV	FD
Little Bayou Meto Cutoff Light	2480	STRUCT DEST/HAZ NAV	FD
Little Bayou Meto Lower Daybeacon	2485	DAYMK DMGD	FD
Cummins Bend Daybeacon	2498	STRUCT DEST	FD
Sample Island Light	2540	STRUCT DEST	FD
Sample Island Lower Light	2550	STRUCT DEST	FD
Ross Ferry Light	2570	STRUCT DEST/HAZ NAV	FD
Dandy Dans Daybeacon	2582	STRUCT DEST/HAZ NAV	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
City of Little Rock No Wake Buoy	2013	OFF STA	PA
Oakley Light	2100	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Arkansas Post Canal - Arkansas River/General/Bridges/Maintenance	Bridges	Garrison Street Bridge: Continuing until further notice, maintenance will be conducted on the bridge. A containment system will be in place and will hang 3 feet below low steel. Mariners are advised to transit the area with caution.	Lat: 35° 23' 33" Lon: -094° 25' 59"
Arkansas Post Canal - Arkansas River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported between approximate Miles 348.9 and 346.4. The USACE Tulsa District recommend mariners favor the "red line" when transiting between Miles 348.9 and 348.1, and the "green line" between Miles 347.9 and 346.4. Mariners may contact the USACE Tulsa District Mr. Robert Steiner, Navigation Operation Manager, at (918) 607-0952 or Prag Mahajan, Navigation Field Engineer, at (212) 365-8116, for additional information.	
Arkansas Post Canal - Arkansas River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing January 26, 2026, and continuing through January 29, 2026, mariners may expect delays of up to 4 hours at Robert S. Kerr L/D Nr. 15, as workers conduct miter gate repairs. Work will be conducted daily, from 7:00 a.m. until 4:00 p.m. Mariners are advised to contact L/D Nr. 15, for the latest information and should schedule their activities around this notice. Mariners may contact Mr. Robert Steiner, Navigation Operation Manager, at (918) 775-4475 ext. 5833 or Mr. Kenneth Todd, Deputy Navigation Operations Project Manager, at (918) 543-2216 ext. 2, for additional information.	

Bay Springs Lake

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

General/Hazards To Navigation/Obstructions	Hazards To Navigation	Tennessee Tombigbee River - Aids to Navigation --- From: 2025-11-26 To: 2025-12-31 --- A can buoy has been reported off station towards the red side of the channel near Mile 408.5. Mariners are urged to transit the area with caution.	Lat: 34° 28' 34" Lon: -088° 20' 13"
--	-----------------------	---	-------------------------------------

Clinch River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Solway Lower Daybeacon	3017	STRUCT DMGD	FD

Cumberland River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Watkins Daybeacon	3965	STRUCT DEST	FD
Cotton Gin Bar Daybeacon	4040	STRUCT DEST	FD
Mannings Landing Light	4280	Status Unreported	FD
Saline Creek Light	4285	STRUCT DEST/TRUB	FD
Pryors Creek Light	4315	STRUCT DEST	FD
Devils Elbow Light	4340	STRUCT DEST	FD
Bleidt Landing Light	4365	STRUCT DEST/TRUB	FD
Crooked Creek Light	4390	STRUCT DEST/TRUB	FD
Dryden Creek Light	4415	STRUCT DEST	FD
Commerce Landing Light	4425	STRUCT DEST	FD
Metal Landing Light	4435	STRUCT DEST/TRUB	FD
Big Eddy Light	4450	STRUCT DEST/TRUB	FD
Prison Farm Landing Light	4455	STRUCT DEST	FD
Kuttawa Bar Light	4500	STRUCT DEST	FD
Money Cliff Light	4505	STRUCT DEST	FD

Illinois River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lacon Light	6885	STRUCT DEST	FD
Sand Point Lower Light	6985	STRUCT DEST	FD
Circle Light	6990	STRUCT DMGD	FD
Spring Bay Daybeacon	6995	STRUCT DEST	FD
Blue Creek Point Lower Lighted Buoy	7015	MISSING	FD
Drolls Point Light	7035	STRUCT DEST/TRLB	FD
Frederick Light	7585	STRUCT DEST	FD
Twin Island Light	7943	STRUCT DEST	FD
Cherokee Bend Daybeacon	8105	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cargill Terminal Lights (2)	7725	LT IMCH	PA
Adm Growmark Grain Elevator Lights (2)	7760	LT IMCH	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Lacon Light	6885	TRUB	FD
Blue Creek Point Lower Lighted Buoy	7015	DISCONTINUED	FD
Blue Creek Point Lower Lighted Buoy	7015	REMOVED DUE TO ICE	FD
Drolls Point Upper Lighted Buoy	7030	REMOVED DUE TO ICE	FD
Peoria Heights Lighted Buoy	7040	REMOVED DUE TO ICE	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Illinois River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until further notice, a width restriction of 105 feet is in place at Lagrange L/D, due to ice conditions. Mariners may contact the Lockmaster via VHF-FM Channel 14, or at (217) 225-3317, for further information.	

Kanawha River**Federal Discrepancies**

NAME		LLNR	STATUS	AID TYPE
Dam 10 Light		8795	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Miscellaneous	Miscellaneous	Commencing November 20, 2025, and continuing until April 30, 2026, water testing equipment will be installed at Mile 56.0, in the vicinity of the southern channel near Blaine Island. The testing equipment will be installed below the mudline, with marker buoys that are four to five feet below the waterline. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution.	
General/Miscellaneous	Miscellaneous	Commencing January 11, 2026, London L/D will decrease hours of operations. The lock will operate from 7:00 a.m. to 5:00 p.m. and from 7:00 p.m. and 5:00 a.m., 7-days a week. Mariners may contact the Lockmaster at (304) 442-8422, for further information.	

Lake St Croix**Federal Discrepancies**

NAME		LLNR	STATUS	AID TYPE
Houden Point Daybeacon		29845	STRUCT DEST	FD

Louisville And Portland Canal**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until April 17, 2026, work will be conducted at the McAlpine Locks and Dam, Mile 606.8. The contractor will continue repair work on the Portland Canal wall at the upstream end of the canal. Operations will be conducted up to 12-hours each day, Monday through Saturday. During working hours, the contractor will have a 52-foot-wide floating plant at the mouth of the canal moored at the site of repair. Outside of working hours, the contractor's floating plant will be moored on the Indiana side of the channel just downstream of the L&I Bridge, in the Portland Canal. The floating plant will consist of a crane barge, excavator barge, work vessel, two material barges, and a dive/crew vessel. The contractor will have lighted floats/buoys marking the site of the repair. Mariners are requested to avoid this area to prevent disturbance to the ongoing construction. Traffic restrictions will be in place Monday through Saturday, as detailed below: 1) Normal Pool: Vessel Traffic Service (VTS) deactivated, McAlpine Upper Gage less than 13 ft. • 7:00 a.m. - 10:00 a.m., only upbound traffic will be permitted. • 10:00 a.m. - 3:00 p.m., no traffic will transit the Portland Canal while diving activities are underway. • 3:00 p.m. - 7:00 p.m., only upbound traffic will be permitted. • 7:00 p.m. - 7:00 a.m., normal operations with upbound and downbound traffic will be permitted. 2) Moderately High Water: VTS activated, McAlpine Upper Gage between 13 ft and 15 ft (shortened work hours will be in place, with only 5 work hours per day). • 10:00 a.m. - 3:00 p.m., no traffic will transit the Portland Canal while diving activities are underway. • 3:00 p.m. - 10:00 a.m., normal operations with upbound and downbound traffic will be permitted. 3) High Water: VTS activated, McAlpine Upper Gage greater than 15 ft. • No contractor work will take place during this river condition and no traffic restrictions will be in place for the repair project. • Traffic shall take direction from McAlpine lock operators for all lockage procedures. Vessels should contact the M/V MISS LINDA for passing instructions on VHF-FM Channel 14. Upbound traffic should initiate contact at the L&I Railroad Bridge prior to reaching the work site. Mariners are urged to transit this area with extreme caution.	Lat: 38° 16' 39" Lon: -085° 47' 24"

Lower Mississippi River**Federal Discrepancies**

NAME		LLNR	STATUS	AID TYPE
Island 30 Light		10090	STRUCT DEST	FD
Randolph Light		10150	STRUCT DEST	FD
Cedar Point Light		10185	REDUCED INT	FD
Cedar Point Light		10185	STRUCT DEST	FD
Cedar Point Lower Light		10190	STRUCT DEST	FD
Dean Island Light		10195	REDUCED INT	FD
Brandywine Chute Light		10210	REDUCED INT	FD
Island 40 Foot Light		10225	STRUCT DEST	FD
Stumpy Point Light		10545	STRUCT DEST	FD
Williamson Light		10605	LT EXT	FD
Delta Lower Light		10625	STRUCT DEST	FD
Miller Point Light		10650	STRUCT DEST	FD
Robson Light		10685	STRUCT DEST	FD
Sunflower Cut-Off Foot Light		10700	STRUCT DEST	FD
Ludlow Bar Light		10710	DAYMK DMGD	FD
Wood Cottage Light		10715	STRUCT DEST	FD
Knowlton Light		10720	STRUCT DEST	FD
Mason Landing Daybeacon		10730	STRUCT DEST	FD
Montgomery Point Light		10775	STRUCT DEST	FD
Terrene Landing Light		10790	DAYMK IMCH	FD
Cumbyville Light		10800	DAYMK MISSING	FD
Malone Field Light		10810	STRUCT DEST	FD
Riverton Middle Bar Light		10815	STRUCT DEST	FD

Pride Point Light	10840	DAYMK IMCH	FD
Arkansas River Light	10850	STRUCT DEST	FD
Caulk Daybeacon	10860	STRUCT DEST	FD
Caulk Neck Light	10865	DAYMK IMCH	FD
Catfish Point Lower Light	10870	STRUCT DEST	FD
Cypress Bend Light	10885	STRUCT DEST	FD
Chicot City Light	10890	STRUCT DEST	FD
Eutaw Bar Light	10895	STRUCT DEST	FD
Mounds Crevasse Lower Light	10905	STRUCT DEST	FD
Boliver Light	10910	STRUCT DEST	FD
Huntington Point Light	10920	STRUCT DEST	FD
Miller Bend Light	10955	STRUCT DEST	FD
La Grange Towhead Light	10965	STRUCT DEST	FD
Warfield Point Light	11035	STRUCT DEST	FD
Spanish Moss Light	11043	STRUCT DEST	FD
Vaucluse Bend Light	11050	STRUCT DEST	FD
Anconia Point Light	11070	STRUCT DEST	FD
American Bar Light	11077	STRUCT DEST	FD
Lakeport Light	11080	STRUCT DEST	FD
Walnut Point Light	11085	STRUCT DEST	FD
Stella Light	11090	VEGETATION	FD
Kentucky Bend Daybeacon	11095	VEGETATION	FD
Kentucky Bend Foot Light	11100	DAYMK MISSING	FD
Grand Lake Light	11115	DAYMK MISSING	FD
Corregidor Light	11125	STRUCT DEST	FD
Sarah Island Light	11130	STRUCT DEST	FD
Opossum Point Lower Light	11140	STRUCT DEST	FD
Skipwith Bar Light	11145	VEGETATION	FD
Holly Ridge Light	11155	STRUCT DEST	FD
Louisiana Bar Light	11165	VEGETATION	FD
Stack Island Light	11170	STRUCT DEST	FD
STACK ISLAND LOWER LIGHT	11180	STRUCT DEST	FD
Chinaman Light	11195	STRUCT DEST	FD
Coggins Light	11407	STRUCT DEST	FD
Buckridge Light	11455	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Consolidated Grain and Barge Loading Dock Piling Lights (2)	10114	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Orleans To Baton Rouge - Lower Mississippi River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported in the vicinity of Mile 538.7, along the LDB. Mariners are urged to exercise caution in the area.	
General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Commencing January 10, 2026, and continuing until further notice, Dredge MIDWAY will be conducting dredging operation in McKellar Lake, Mile 832.0, in the vicinity of Amrize Memphis Terminal. Work will be conducted during daylight hours, 7-days a week. The Dredge MIDWAY will monitor VHF-FM Channel 13 or 71. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	
New Orleans To Baton Rouge - Lower Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until January 29, 2026, a USACE mat revetment project will be ongoing from 6:00 a.m. to 7:00 p.m., daily, in the vicinity of Mile 429.0. This area will be restricted to one-way traffic during working hours. Vessels transiting the area are requested to contact the M/V HARRISON to be added to the queue. The M/V HARRISON will monitor VHF-FM Channels 13, 16, and 82. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	
New Orleans To Baton Rouge - Lower Mississippi River/General/Miscellaneous	Miscellaneous	A dangerous cross current has been reported by the southernmost weir dike, along the RDB, in the vicinity of Mile 414.0. Mariners are urged to exercise caution in the area.	
New Orleans To Baton Rouge - Lower Mississippi River/General/MSIB	MSIB	The U.S. Coast Guard COTP Lower Mississippi River has issued a low water Safety Advisory between approximate Miles 869.0 and 303.0. The USACE maintained depths and widths, may not be attainable on all buoy lines. It is recommended that mariners monitor all gauge readings, for safe navigation. The U.S. Coast Guard COTP Lower Mississippi River with the concurrence of the Lower Mississippi River Committee, recommend the following limits for tows: Southbound tows between Miles 869.0 and 585.0 Drafts no greater than 10.6 feet. Barges to be configured no more than 6 wide. Southbound tows between Miles 585.0 and 303.0 Drafts no greater than 11.6 feet. Barges to be configured no more than 7 wide. Northbound tows between Miles 869.0 and 303.0 Drafts no greater than 10.0 feet. Barges to be configured no more than 6 wide total, and loaded barges no more than 4 wide. Barges to be configured no more than 7 long. Barges currently in the system, with drafts greater than the advised depths, should be placed as near to the center of the tow as possible. Mariners are requested to contact U.S. Coast Guard Western Rivers Command Center via VHF-FM Channel 16 or at (866) 777-2784, to report areas of shoaling, hazardous conditions or missing aids to navigation.	Lat: 36° 20' 06" Lon: -089° 32' 59"

Lower Old River**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Barbre Daybeacon	29780	STRUCT DEST	FD
Torras Daybeacon	29785	STRUCT DEST	FD
Oak Grove Daybeacon	29795	STRUCT DEST	FD

Minnesota River**Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Black Dog Lights (5)	9440	LT EXT	PA
Pollution Control Station Light	9475	LT EXT	PA

Missouri River**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Fitzhugh Daybeacon	17970	STRUCT DEST	FD
Lower Blencoe Bend Daybeacon	17975	STRUCT DEST	FD
Wahle Daybeacon	17985	STRUCT DEST	FD
Little Sioux Reach Daybeacon	18010	STRUCT DEST	FD
Bullard Bend Daybeacon	18025	STRUCT DEST	FD
Peterson Cut-Off Upper Daybeacon	18040	STRUCT DEST	FD
Sandy Point Daybeacon	18055	DAYMK IMCH	FD
Tysons Bend Daybeacon	18065	DAYMK IMCH	FD
California Cut-Off Daybeacon	18075	DAYMK MISSING	FD
Dodds Daybeacon	18140	DAYMK IMCH	FD
Lower Calhoun Bend Daybeacon	18160	DBD DEST	FD
Boyer River Daybeacon	18170	STRUCT DEST	FD
Pottawattamie Daybeacon	18185	DAYMK IMCH	FD
Lower Rockport Bend Daybeacon	18190	STRUCT DMGD	FD
Pigeon Creek Bend Daybeacon	18200	STRUCT DEST	FD
Thornton Daybeacon	18205	DAYMK IMCH	FD
Lower Pigeon Creek Bend Daybeacon	18210	DAYMK IMCH	FD
Douglas County Daybeacon	18215	DAYMK IMCH	FD
Florence Bend Lower Daybeacon	18250	DBD DEST	FD
Council Bluffs Daybeacon	18265	VEGETATION	FD
Council Bend Upper Daybeacon	18270	DAYMK IMCH	FD
Carter Lake Daybeacon	18290	DBD DEST	FD
Omaha Bend Daybeacon	18305	DBD DEST	FD
Omaha Bend Lower Daybeacon	18320	STRUCT DEST	FD
Gibson Bend Daybeacon	18325	DAYMK IMCH	FD
Jones Point Daybeacon	18520	STRUCT DEST	FD
Civil Bend Upper Daybeacon	18530	STRUCT DEST	FD
Nebraska Bend Daybeacon	18580	DAYMK IMCH	FD
Nishnabotna Daybeacon	18665	DBD DMGD	FD
Lower Rush Bottom Bend Daybeacon	18900	DBD DMGD	FD
Browning Daybeacon	18940	DAYMK MISSING	FD
Nemaha Lower Daybeacon	18945	DAYMK IMCH	FD
Maiden Bend Daybeacon	18950	DAYMK IMCH	FD
Gaither Daybeacon	18975	DAYMK MISSING	FD
Loretta Daybeacon	18980	DAYMK MISSING	FD
Mill Creek Daybeacon	18990	DAYMK MISSING	FD
Tarkio Lower Daybeacon	19000	STRUCT DEST	FD
Wolf Creek Daybeacon	19015	DAYMK IMCH	FD
Forbes Daybeacon	19020	DAYMK MISSING	FD
Horton Daybeacon	19040	DAYMK MISSING	FD
Bluff Daybeacon	19060	DAYMK IMCH	FD
Dallas Daybeacon	19090	DAYMK MISSING	FD
Dallas Lower Daybeacon	19095	DAYMK MISSING	FD
Nodaway Daybeacon	19100	STRUCT DEST	FD
Levee Daybeacon	19115	DAYMK MISSING	FD

Burr Oak Daybeacon	19120	DAYMK IMCH	FD
Dillon Creek Daybeacon	19125	DAYMK IMCH	FD
Bon Ton Daybeacon	19130	DAYMK IMCH	FD
Cut-Off 52 Daybeacon	19135	DAYMK IMCH	FD
Perry Daybeacon	19140	DAYMK IMCH	FD
St. Joseph Daybeacon	19145	DAYMK IMCH	FD
Contrary Daybeacon	19195	STRUCT DEST	FD
Kenmore Daybeacon	19210	DAYMK MISSING	FD
Geary Bend Daybeacon	19220	STRUCT DEST	FD
Stoney Daybeacon	19225	DAYMK IMCH	FD
Geary Daybeacon	19230	DAYMK IMCH	FD
Doniphan Upper Daybeacon	19240	DAYMK IMCH	FD
Doniphan Daybeacon	19245	DAYMK IMCH	FD
Rushville Daybeacon	19250	STRUCT DEST	FD
Mud Lake Daybeacon	19260	DAYMK IMCH	FD
Atchison Daybeacon	19265	STRUCT DEST	FD
Bean Lake Daybeacon	19310	DAYMK IMCH	FD
King Daybeacon	19320	DAYMK IMCH	FD
Oak Mills Daybeacon	19325	DAYMK IMCH	FD
Platte County Daybeacon	19330	DAYMK IMCH	FD
Jackson Daybeacon	19340	STRUCT DEST	FD
Airport Daybeacon	19565	STRUCT DEST	FD
Jersey Creek Daybeacon	19575	DAYMK IMCH	FD
Missouri City Daybeacon	19775	STRUCT DEST	FD
Little Blue Upper Daybeacon	19795	STRUCT DEST	FD
Camden Bend Dike Daybeacon	19880	DAYMK IMCH	FD
Mine Dump Daybeacon	19910	STRUCT DEST	FD
Berlin Bend Daybeacon	19975	STRUCT DEST	FD
Kinkhorst Daybeacon	20190	STRUCT DEST	FD
Little Missouri Bend Daybeacon	20250	DAYMK MISSING	FD
Chariton River Daybeacon	20300	DAYMK IMCH	FD
Glasgow Daybeacon	20310	DAYMK IMCH	FD
Hurricane Creek Daybeacon	20340	STRUCT DEST	FD
Lisbon Daybeacon	20380	DAYMK DMGD	FD
Dundee Daybeacon	21080	DAYMK DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
U.E. Callaway Intake Lights (2)	20870	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Miscellaneous	Miscellaneous	Commencing on approximately November 10, 2025, the U.S. Coast Guard will remove all aid to navigation buoys on the Missouri River in preparation for seasonal reduction inflows. Historical buoy positions will remain visible on electronic charts for reference. Physical buoys will be re-established upon resumption of navigation flow support. All mariners are advised to transit with extreme caution.	

Monongahela River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Monongahela River/General/Bridges/Lighting and Other Signals	Bridges	Union Railroad Bridge: The bridge navigation lights have been reported extinguished. Mariners are advised to transit the bridge with extreme caution.	Lat: 40° 21' 24" Lon: -079° 50' 51"
Ohio River - Monongahela River/General/Bridges/Lighting and Other Signals	Bridges	Birmingham Highway Bridge: The bridge navigation lights have been reported extinguished. Mariners are advised to transit the bridge with extreme caution.	Lat: 40° 26' 01" Lon: -079° 58' 25"
Ohio River - Monongahela River/General/LAA/RNA/COTP Restriction	LAA/RNA	The U.S. Coast Guard COTP Pittsburgh, in conjunction with the Waterways Association of Pittsburgh, has issued a Safety Advisory due to ice accumulation on the Allegheny, Monongahela and Ohio Rivers. It is imperative that all necessary actions be taken to mitigate the risks posed by these conditions and that all mariners exercise extreme caution. Facility operators and fleeting area managers are reminded to review their fleeting procedures, ensuring the continuous surveillance of fleeting areas, that fleets are secured with an adequate number of lines, that the head of fleet is properly secured and securing towboat assistance if necessary. Mariners are advised to transit with caution.	

Ohio River**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Pleasant View Light	24490	DAYMK IMCH	FD
Forked Run Daybeacon	24565	DAYMK MISSING	FD
Sciotoville Light	25355	LT EXT	FD
Dayton Bar Light	25895	DAYMK IMCH	FD
Aurora Bend Light	26275	STRUCT DMGD	FD
Twelve Mile Island Light	26625	STRUCT DMGD	FD
Watson Landing Light	27515	STRUCT DEST	FD
Robert Mann Light	27520	STRUCT DEST	FD
Water Works Light	27540	STRUCT DMGD	FD
Graham Varble Light	27855	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bens Run Light	24005	LT EXT	PA
Ohio Power Coal Dock Light	24580	LT EXT	PA
Transmontaigne Dock Lights (2)	26833	LT EXT	PA
Dupont Chemical Lights (2)	26860	LT EXT	PA
Transmontaigne Dock Lights (4)	27590	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Ohio River/General/Bridges/Lighting and Other Signals	Bridges	I-24 Highway Bridge; The upbound and downbound red lights have been reported extinguished. Mariners are advised to transit the area with caution at night and during periods of reduced visibility.	Lat: 37° 08' 04" Lon: -088° 41' 13"
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until further notice, salvage operations for submerged barges in the vicinity of East Liverpool, Mile 45.0, RDB, are taking place in close proximity to the sailing line. Oil sheening from the barges has been reported in the area. Mariners are urged to exercise extreme caution and should coordinate passing arrangements when transiting the area. For additional information, mariners can contact U.S. Coast Guard Marine Safety Unit Pittsburgh via VHF-FM Channel 16 or at (412) 670-4288.	Lat: 40° 37' 27" Lon: -080° 35' 56"
Lower Mississippi River - Ohio River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing January 28, 2026, and continuing through February 8, 2026, the McAlpine L/D South Chamber will be closed from 6:00 a.m. to 6:00 p.m., daily. All traffic will pass through the North Chamber during the closures. Mariners shall take directions from the Lockmaster via VHF-FM Channel 13, or at (502) 774-3514.	
Lower Mississippi River - Ohio River/General/Miscellaneous	Miscellaneous	Continuing until August 13, 2026, Expand Water Resources LLC., installed a spud barge along the LDB, in the vicinity of Mile 97.1. A 16-inch waterline and gangway will extend from the barge to the shoreline. Mariners may contact Mike Tuttle at (304) 266-3900, for further information. Mariners are urged to transit the area with caution.	
General/MSIB	MSIB	The U.S. Coast Guard COTP Lower Mississippi River has issued a low water Safety Advisory between approximate Miles 869.0 and 303.0. The USACE maintained depths and widths, may not be attainable on all buoy lines. It is recommended that mariners monitor all gauge readings, for safe navigation. The U.S. Coast Guard COTP Lower Mississippi River with the concurrence of the Lower Mississippi River Committee, recommend the following limits for tows: Transiting southbound between Miles 953.8 and 869.0. - Drafts no greater than 10.6 feet. - Barges to be configured no more than 7 wide. - Barges drafting over 10.0 feet shall not transit after October 8, 2025. Transiting northbound between Miles 953.8 and 869.0. - Drafts no greater than 9.6 feet. - Barges to be configured no more than 6 wide total, and loaded barges no more than 4 wide. - Barges to be configured no more than 7 long. Barges currently in the system, with drafts greater than the advised depths, should be placed as near to the center of the tow as possible. Mariners are requested to contact U.S. Coast Guard Western Rivers Command Center via VHF-FM Channel 16 or at (866) 777-2784, to report areas of shoaling, hazardous conditions or missing aids to navigation.	
Lower Mississippi River - Ohio River/General/MSIB	MSIB	The U.S. Coast Guard COTP Lower Mississippi River has issued a low water Safety Advisory between approximate Miles 869.0 and 303.0. The USACE maintained depths and widths, may not be attainable on all buoy lines. It is recommended that mariners monitor all gauge readings, for safe navigation. The U.S. Coast Guard COTP Lower Mississippi River with the concurrence of the Lower Mississippi River Committee, recommend the following limits for tows: Transiting southbound between Miles 953.8 and 869.0. Drafts no greater than 10.6 feet. Barges to be configured no more than 6 wide. Transiting northbound between Miles 953.8 and 869.0. Drafts no greater than 10.0 feet. Barges to be configured no more than 6 wide total, and loaded barges no more than 4 wide. Barges to be configured no more than 7 long. Barges currently in the system, with drafts greater than the advised depths, should be placed as near to the center of the tow as possible. Mariners are requested to contact U.S. Coast Guard Western Rivers Command Center via VHF-FM Channel 16 or at (866) 777-2784, to report areas of shoaling, hazardous conditions or missing aids to navigation.	

Red River**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Westdale Middle Daybeacon	29231.34	STRUCT DEST/TRUB	FD
Smith Island Lower Daybeacon	29241.25	STRUCT DEST	FD
Deluges Middle Daybeacon	29272	DAYMK IMCH	FD
Hog Lake Daybeacon	29467	STRUCT DEST	FD

Dry Cypress Daybeacon	29665	STRUCT DEST	FD
Bayou Cocodrie Upper Daybeacon	29690	STRUCT DEST	FD
Bayou Cocodrie Daybeacon	29695	STRUCT DEST	FD
Grassy Lake Daybeacon	29710	DAYMK MISSING	FD
Alligator Bayou Daybeacon	29725	STRUCT DEST	FD
Timber Lake Daybeacon	29750	STRUCT DEST	FD
Naples Daybeacon	29755	STRUCT DEST	FD

Red River Old River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bear Industries Barge Dock Lights (4)	11943	LT EXT	PA

Sans Bois Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Washita Point Light	9150	LT EXT	FD
Preston Peninsula Light	9185	REDUCED INT	FD

Tennessee River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lanter Light	30325	STRUCT DEST	FD
Chambers Daybeacon	32140	STRUCT DEST	FD
Diamond Island Lower Daybeacon	32170	STRUCT DEST	FD
Savannah Bend Upper Daybeacon	32190	STRUCT DEST	FD
Hardin Creek Daybeacon	32245	DAYMK IMCH	FD
Brodies Landing Light	32335	STRUCT DEST	FD
Crooked Creek Light	32350	STRUCT DEST	FD
Sales Light	32445	STRUCT DEST/TRUB	FD
Reynoldsburg Island Light	32460	STRUCT DEST/TRUB	FD
Shirley Light	32465	STRUCT DEST	FD
Hurricane Creek Light	32510	STRUCT DEST	FD
Standing Rock Upper Light	32530	STRUCT DEST	FD
Fort Henry Light	32570	STRUCT DEST	FD
Blood River Light	32595	STRUCT DEST/TRUB	FD
Newburg Light	32605	STRUCT DEST	FD
W. L. Berry Light	32825	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cityview at Riverwalk Dock Light	29997	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Twenty-One Mile Light	32710	DISCONTINUED	FD
Chottes Creek Light	32715	DISCONTINUED	FD
Haddock Ferry Light	32750	DISCONTINUED	FD
Big Chain Light	32765	DISCONTINUED	FD
Mud Creek Light	32780	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Tennessee River/General/Bridges/Maintenance	Bridges	I-65 Highway Bridge; Due to maintenance work, vertical clearance may be reduced by 2 feet. Mariners are urged to exercise caution while transiting the bridge.	Lat: 34° 34' 48" Lon: -086° 54' 25"
Ohio River - Tennessee River/General/Bridges/Maintenance	Bridges	Walnut Street Bridge; Continuing through September 24, 2026, repair work will be conducted on the bridge. Work will be conducted 7a.m. to 7 p.m., daily. There will be a containment system set up that will reduce vertical clearance by 4 feet. All mariners are reminded to transit the bridge with caution and report any unsafe conditions to the United States Coast Guard.	Lat: 35° 03' 30" Lon: -085° 18' 26"

Ohio River - Tennessee River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Southern Railroad Drawbridge; Continuing until further notice, the bridge will be closed due to maintenance work. Mariners are urged to transit the area with caution.	Lat: 34° 37' 08" Lon: -086° 58' 47"
General/Marine Events/Other	Marine Events	On December 20, 2025, from 7:00 p.m. until 8:00 p.m., the Christmas on the River event will be held in the vicinity of Mile 334.0. Mariners are urged to transit the area with caution and maintain a proper lookout. Mariners may contact the event manager at (256) 604-0986, for additional information.	
Ohio River - Tennessee River/General/MSIB	MSIB	The U. S. Coast Guard COTP Ohio Valley has issued this Safety Advisory due to high water that exists in the vicinity of Tennessee River Gorge, Mile 454.5 to Mile 446.0. Heavy rainfall has caused releases from Chickamauga Dam to go above 46,000 C.F.S. In accordance with the waterway management plan, commercial traffic transit through gorge area is restricted to daylight hours only. Mariners are advised to exercise caution due to the hazardous conditions associated with strong currents, increased drift and severe outdrafts. Mariners are advised to consider horsepower capability and tow size when navigating this area. Fleet operators should regularly check their fleets and immediately report barge breakaways to the U.S. Coast Guard. This advisory will remain in effect until Chickamauga Dam reduces flows below 46,000 C.F.S.	

Upper Mississippi River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pepin Light	12810	STRUCT DEST	FD
Buffalo City Upper Light	13000	DAYMK MISSING	FD
Lock 5A Light	13165	STRUCT MISSING	FD
Minnesota Island Daybeacon	13365	STRUCT DEST	FD
Broken Arrow Light	13420	STRUCT DEST	FD
Sand Slough Light	13425	DAYMK IMCH	FD
Root River Upper Light	13430	STRUCT DEST	FD
Perry Ruby Light	13510	STRUCT DEST	FD
Warrens Landing Light	13525	LT EXT/DAYMK MISSING	FD
Warrens Landing Light	13525	STRUCT DEST	FD
Warrens Landing Light	13525	STRUCT DEST	FD
Cassville Upper Daybeacon	14010	STRUCT DEST	FD
Jack Oak Island Light	14035	DAYMK IMCH	FD
Parsons Bar Light	14090	DAYMK IMCH	FD
Maquoketa Island Light	14105	STRUCT DEST	FD
Nine-Mile Island Light	14230	STRUCT DEST	FD
Stone Slough Light	14260	STRUCT DEST	FD
Fever River Light	14275	STRUCT DEST/TRUB	FD
Pulaski Light	14295	STRUCT DEST	FD
Arnold Light	14380	LT EXT	FD
Arnold Towhead Light	14385	STRUCT DEST	FD
Sabula Lower Light	14445	STRUCT DEST	FD
Smith Bay Light	14460	STRUCT DEST	FD
Elk River Light	14475	DAYMK DMGD	FD
Horse Island Upper Light	14855	STRUCT DEST	FD
Andalusia Island Light	14960	STRUCT DEST/TRUB	FD
Edwards Island Upper Light	15170	STRUCT DEST/TRUB	FD
Waggoner PT Lighted Buoy	15475	MISSING	FD
Mulheron Field Light	16010	DAYMK MISSING	FD
Hastings Landing Daybeacon	16110	STRUCT DMGD	FD
Carl Baer Light	16670	DBD DEST	FD
Ste. Genevieve Island Light	16910	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Adm Dock Lights (3)	12220	LT IMCH	PA
Adm Dock Lights (2)	12225	LT EXT	PA
Newport Terminal Lights (2)	12320	LT EXT	PA
Shiely Dock Lights (2)	12385	LT IMCH	PA
City of Red Wing Metering Station Special Light	12712	MISSING	PA
Alma City Dock Light/Daymarks (3)	12930	MISSING	PA
G. Heileman Brewery Dock Light	13405	MISSING	PA
Hall Towing Light	15425	STRUCT DEST	PA
Hannibal Intake Light	15822	LT EXT	PA
Jersey County Grain Dock Lights (2)	16100	LT EXT	PA
Con-Agra Mooring Lights (2)	16220	LT EXT	PA
Union Electric Coal Dock Lights (2)	16430	LT EXT	PA

Consolidation Coal Dock Lights (3)

16890

LT EXT

PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Union Electric Coal Dock Lights (2)	16430	N/A	PA	2026-01-26

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Upper Mississippi River/General/Bridges/Construction	Bridges	Chester Bridge: The right descending navigation span is blocked to river traffic for the next two years due to on-going bridge construction of the new Chester Bridge, also the green navigation lights have been extinguished in that channel. Due to work at the center pier, mariners are advised to stay 100 feet off the center pier. Work is also ongoing upstream of the left descending navigation pier and at the edge of the channel. Mariners are advised to contact the M/V ANDREA or RUBY BELLE via VHF-FM Channel 13 or 16 prior to transiting the bridge.	Lat: 37° 54' 10" Lon: -089° 50' 12"
Lower Mississippi River - Upper Mississippi River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Fort Madison Drawbridge: The bridge will be in the closed-to-navigation position for maintenance until March 1, 2026. Vessels will not be able to transit the bridge during the closure.	Lat: 40° 37' 33" Lon: -091° 17' 41"
Lower Mississippi River - Upper Mississippi River/General/Bridges/Modification	Bridges	Burlington Railroad Drawbridge: The bridge will require a 2-hour advance notice for an opening from 7:00 p.m. January 27, 2026, until 7:00 a.m. January 30, 2026. Mariners may contact James Scott at (515) 305-6472 to schedule an opening.	Lat: 40° 47' 55" Lon: -091° 05' 31"
Lower Mississippi River - Upper Mississippi River/General/LAA/RNA/Temporary Regulated Navigation Zone	LAA/RNA	Continuing until further notice, a width restriction of 105 feet wide is in place and the use of ice couplings are required at L/D 24, due to ice conditions. Mariners may contact the Lockmaster via VHF-FM Channel 12, or at (573) 242-3524, for further information.	
Lower Mississippi River - Upper Mississippi River/General/LAA/RNA/Temporary Regulated Navigation Zone	LAA/RNA	Continuing until further notice, a width restriction of 105 feet wide is in place and the use of ice couplings are required at L/D 25, due to ice conditions. Mariners may contact the Lockmaster via VHF-FM Channel 12, or at (636) 566-8120, for further information.	
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing December 8, 2025 and continuing through March 15, 2026, Lock and Dam No. 9, at Mile 647.9, will be closed to navigation for maintenance. If navigation is critical through the Lock during the scheduled closure, mariners can contact the USACE between 7:00 a.m. and 3:30 p.m., at (651) 290-5410.	
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing December 8, 2025 and continuing through March 15, 2026, Lock and Dam No. 7, at Mile 702.5, will be closed to navigation for maintenance. If navigation is critical through the Lock during the scheduled closure, mariners can contact the USACE between 7:00 a.m. and 3:30 p.m., at (651) 290-5410.	
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing November 2, 2025 and continuing through April 19, 2026, the Lower St. Anthony Falls Lock and Dam, at Mile 853.3, will be closed to navigation for maintenance. If navigation is critical through the Lock during the scheduled closure, mariners can contact the Lockmaster between 7:00 a.m. and 2:00 p.m., at (651) 290-5928.	
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing November 2, 2025 and continuing through April 19, 2026, Lock and Dam 1, at Mile 847.9, will be closed to navigation for maintenance. If navigation is critical through the Lock during the scheduled closure, mariners can contact the Lockmaster between 7:00 a.m. and 2:00 p.m., at (651) 290-5928.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing November 18, 2025 and continuing through October 2026, construction will be conducted for a new 50 ft diameter guide cell downstream of Lock and Dam 25. The new guide cell will be constructed approximately 340 ft downstream of the existing guide cell. Intermittent periods of active construction will take place adjacent to the navigation channel throughout the duration of the project. L/D 25 will be closed from 8:00 a.m. to 4:00 p.m., on December 12 and 15, 2025, to allow for dredging operations. Additional Lock closures may be required as construction of the guide cell continues. Mariners should be on the lookout for construction activities and related equipment to include barges, cranes, and work boats that will be operating in the area. All vessels should be alert for, and abide by, any special instructions that may be issued by the Lockmaster.	
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Recent inspection of the Lock and Dam 25 downstream protection cell has revealed a large amount of fill material has been displaced. Effective immediately and until further notice, vessels will be required to use an assist vessel so as not to land on the protection cell northbound or create excess wheel wash when exiting the Lock southbound. All vessels should be alert for, and abide by, any special instructions that may be issued by the Lockmaster. Mariners may contact the Lockmaster via VHF-FM Channel 14, or at (636) 566-8120 for further information.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until March 14, 2026, L/D Nr. 19 will be closed to navigation to conduct underwater rock excavation upstream of the lock chamber. Towboats are requested not to tie up on the guidewalls during the closure. L/D 19 may be contacted via VHF-FM Channel 14, or at (319) 524-2631 for assistance.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Due to ice buildup at L/D Nr. 27, in the vicinity of Mile 185.5, tows are limited to 105 ft wide by 1,000 feet long. Mariners should be alert for and abide by any special instructions issued by the lockmaster.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until further notice, a width restriction of 105 feet wide by 1,000 feet long is in place at Melvin Price L/D, due to ice conditions. Mariners may contact the Lockmaster via VHF-FM Channel 14, or at (618) 462-6979, for further information.	

Verdigris River**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Arkansas River - Verdigris River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported between approximate Miles 400.5 and 400.1, LDB, Webbers Falls Pool Nr. 16. The USACE Tulsa District recommend mariners favor the "green line" when transiting this area. Mariners may contact Mr. Robert Steiner, Navigation Operation Manager, at (918) 607-0952 or Mr. Prag Mahajan, Navigation Field Engineer, at (212) 365-8116, for additional information.	

White River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Owens Lake Daybeacon	2665	DAYMK DMGD	FD