



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

## LOCAL NOTICE TO MARINERS

**District 8 MRS**

**Week: 15/22**

### Mississippi River System

LIGHT LIST VOLUME V  
NOTICE NUMBER 15-22  
April 13, 2022

LIGHT LIST REFERENCE: COMDTPUB P16502.5, Vol V, 2022 Edition.

CONTENTS: Rivers are listed in alphabetical order and are included only when there is information to report.

Broadcast Notice to Mariners Covered in this Edition

Originating Unit	Beginning BNM's	Ending BNM's
Sector Upper Mississippi River	0056 - 22 (UM)	0058 - 22 (UM)
Sector Lower Mississippi River	0022 - 22 (LM)	0023 - 22 (LM)
Sector Ohio Valley	0195 - 22 (OV)	0206 - 22 (OV)
OB DWB	0025 - 22 (DWB)	0026 - 22 (DWB)

COAST GUARD DISTRICT 8, WATERWAYS, (504) 671-2327, 7:00 a.m. until 3:30 p.m. (CST)

GENERAL LNM QUESTIONS, COMMENTS, OR SUGGESTIONS MAY BE E-MAILED TO: D8MarineInfo@uscg.mil

COMMENTS REGARDING SECTION VI – PROPOSED CHANGES MAY ALSO BE EMAILED TO: LocalNoticeFeedback@uscg.mil

NIS WATCHSTANDER PHONE (703) 313-5900 24-HOURS A DAY

INTERNET ADDRESS <https://www.navcen.uscg.gov/>

MISSISSIPPI RIVER SYSTEM LNM VIA INTERNET <https://www.navcen.uscg.gov/>

MISSISSIPPI RIVER SYSTEM LIGHT LIST VIA INTERNET [https://www.navcen.uscg.gov/pdf/lightLists/LightList\\_V5\\_2022.pdf](https://www.navcen.uscg.gov/pdf/lightLists/LightList_V5_2022.pdf)

### ABBREVIATIONS

#### A through H

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
Al - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District  
C/O - Cut Off  
CONT - Contour  
CRK - Creek  
CONST - Construction  
DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard  
DEFAC - Defaced  
DEST - Destroyed  
DISCON - Discontinued  
DMGD/DAMGD - Damaged  
ec - eclipse  
EST - Established Aid  
ev - every  
EVAL - Evaluation  
EXT - Extinguished  
F - Fixed  
fl - flash  
Fl - Flashing  
G - Green  
GIWW - Gulf Intracoastal Waterway  
HAZ - Hazard to Navigation  
HBR - Harbor

#### I through O

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy  
LBB - Lighted Bell Buoy  
LHB - Lighted Horn Buoy  
LGB - Lighted Gong Buoy  
LONG - Longitude  
LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous  
LTR - Letter  
LWB - Lighted Whistle Buoy  
LWP - Left Watching Properly  
MHz - Megahertz  
MISS/MSNG - Missing  
Mo - Morse Code  
MRASS - Marine Radio Activated Sound Signal  
MSLD - Misleading  
N/C - Not Charted  
NGA - National Geospatial-Intelligence Agency  
NO/NUM - Number  
NOS - National Ocean Service  
NW - Notice Writer  
OBSCU - Obscured  
OBST - Obstruction  
OBSTR - Obstruction

#### P through Z

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light  
RELIGHTED - Aid Relit  
RELOC - Relocated  
RESET ON STATION - Aid Reset on Station  
RFL - Range Front Light  
RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds  
SEC - Section  
SHL - Shoaling  
si - silent  
SIG - Signal  
SND - Sound  
SPM - Single Point Mooring Buoy  
SS - Sound Signal  
STA - Station  
STRUCT - Structure  
St M - Statute Mile  
TEMP - Temporary Aid Change  
TMK - Topmark  
TRLB - Temporarily Replaced by Lighted Buoy  
TRLT - Temporarily Replaced by Light  
TRUB - Temporarily Replaced by Unlighted Buoy  
USACE - Army Corps of Engineers

HOR - Horizontal Clearance  
HT - Height

Oc - Occulting  
ODAS - Anchored Oceanographic Data Buoy

W - White  
Y - Yellow

#### **Additional Abbreviations Specific to this LNM Edition:**

RIAC - River Industry Action Committee  
MMSI - Mobile Maritime Service Identity  
AIS - Automatic Identification System  
ATON - Aids To Navigation  
COTP - Captain of The Port  
TRDBN - Temporary Replaced by Daybeacon  
C.F.S. - Cubic Feet per Second  
CFR - Code of Federal Regulations  
IAW - In Accordance With  
h.p. - horse power  
MPH - Miles Per Hour  
TVA - Tennessee Valley Authority  
INC - Incorporated  
IENC - Inland Electronic Navigation Chart  
WAP - Waterway Action Plan  
MSIB - Marine Safety Information Bulletin

---

### **SECTION I - SPECIAL NOTICES**

This section contains information of special concern to the Mariner.

---

#### **DEPARTMENT OF HOMELAND SECURITY SUSPICIOUS ACTIVITY**

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the local Federal Bureau of Investigation Joint Terrorism Task Force (JTTF) Office, [http://www.fbi.gov/about-us/investigate/terrorism/terrorism\\_jtfs](http://www.fbi.gov/about-us/investigate/terrorism/terrorism_jtfs), or to other appropriate authorities. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the [www.AmericasWaterwayWatch.org](http://www.AmericasWaterwayWatch.org), the National Response Center (NRC) 1-800-424-8802 or 1-877-24WATCH.

LNM: 02-19

#### **WESTERN RIVERS FLOATING AIDS TO NAVIGATION**

The U.S. Coast Guard is responsible for placing and maintaining all aids to navigation. Buoys are set to mark project depths taking into consideration the prevailing river stages and obstructions. Buoy positions on the Inland Electronic Navigation Chart (IENC) are approximate, and subject to change depending on prevailing river stages and obstructions.

Buoys should always be given as wide a berth in passing as possible, consistent with the length and width of the vessel or tow and the width of the bend or crossing.

Buoys should always be used with caution. They may be carried off position by high water, accumulation of drift, ice, or sunk by collision or other causes. In those circumstances buoy marks will remain on the IENC and indicate the last known position of the buoy. Presence of a buoy mark on the IENC does not necessarily mean a buoy will be physically on position. When buoys are missing they will be replaced as soon as possible.

LNM: 16-19

#### **GPS TESTING**

At times, throughout our area of responsibility, multiple U.S. Government Agencies conduct GPS testing. These tests vary in duration, affected range from the test site and potential impact to the maritime user as they may affect systems that rely on GPS such as E-911, AIS and DSC. More information is available at the U.S. Coast Guard Navigation Center Website, <https://www.navcen.uscg.gov>. During these periods, GPS users are encouraged to report any GPS outages that they may experience, to the Navigation Information Service (NIS) by calling (703) 313-5900 or by using the NAVCEN Website to submit a GPS problem report.

LNM: 07-19

#### **OHIO RIVER AND TRIBUTARIES - WINTER NAVIGATION**

Attached as an enclosure to this LNM is a USACE Huntington District Notice to Navigation Interests 22-01, regarding winter navigation on the Ohio River and tributaries.

LNM: 02-22

#### **USACE HUNTINGTON DISTRICT LOCKS - MAIL DELIVERY AND CREW CHANGE POLICIES**

Attached as an enclosure to this LNM is a USACE Huntington District Notice to Navigation Interests 22-04, regarding mail delivery and crew change policies at navigation locks, for towboats.

LNM: 02-22

#### **USACE HUNTINGTON DISTRICT - NOTIFICATION OF SINKING OR SUNKEN VESSELS, VESSEL GROUNDINGS AND BARGE BREAKAWAYS**

Attached as an enclosure to this LNM is a USACE Huntington District Notice to Navigation Interests 22-03, regarding notification of sinking or sunken vessels, vessel groundings and barge breakaways.

LNM: 02-22

#### **USACE HUNTINGTON DISTRICT - REVIEW OF REGULATIONS AND GENERAL SAFETY PRACTICES**

Attached as an enclosure to this LNM is a USACE Huntington District Notice to Navigation Interests 22-02, regarding the review of regulations and general safety practices.

LNM: 02-22

#### **USACE HUNTINGTON DISTRICT - RESTRICTED AREAS AT NAVIGATION STRUCTURES**

Attached as an enclosure to this LNM is a USACE Huntington District Notice to Navigation Interests 22-05, regarding restricted areas at navigation structures.

LNM: 02-22

#### **ARKANSAS RIVER - USACE CHANNEL STATUS REPORTS - UPDATE**

Attached as enclosures to this LNM, are USACE Arkansas River Channel Status Reports.

LNM: 15-22

#### **UPPER MISSISSIPPI RIVER/ ST. CROIX RIVER/MISSOURI RIVER - DRAWBRIDGE OPERATION**

Attached as an enclosure to this LNM, is Special Public Notice D8 DWB-903, regarding drawbridge operation on the Upper Mississippi River, St. Croix River and the Missouri River.

LNM: 49-21

#### **SUNSET OF NOAA PRINTED CHARTS**

\*\*\*\* Cancellation of NOAA Paper and Raster Nautical Charts \*\*\*\*

The National Oceanic and Atmospheric Administration (NOAA) is undertaking a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months notice of the intent to cancel a specific chart is provided in a "Last Edition" notice. The final cancellation of a chart is made in a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction". A comprehensive list of all canceled NOAA charts is available at: <http://www.charts.noaa.gov/MCD/Dole.shtml>.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: <https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html>.

An online NOAA Custom Chart application at: <https://devgis.charttools.noaa.gov/pod> is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

LNM: 10-21

#### **ILLINOIS WATERWAY - CHANNEL CONDITION/SAFETY ADVISORY - UPDATE**

The following zones are in the high water action phase in accordance with the Illinois Waterway Action Plan Annex:

Peoria (Mile 187.0 – Mile 145.6),  
Copperas Creek (Mile 145.5 – Mile 129.0),  
Havana (Mile 128.9 – Mile 102.0),  
Beardstown (Mile 101.9 – Mile 80.3),  
Meredosia (Mile 80.2 – Mile 50.0) and  
Hardin (Mile 49.9 – Mile 10.0).

Mariners should exercise caution and minimize wake in all high water zones. The laying-up on saturated levees is prohibited. Mariners should be experienced in high water conditions and avoid downstream operations. Mariners should remain vigilant to an increase in debris and maneuver appropriately. Be aware that a buildup of debris in fleeting areas may have occurred and take appropriate action to prevent barge breakaways. Exercise caution in all passing/meeting situations as swift current may be present. Navigation buoys may have been dragged off station, so remain alert while transiting. Recreational traffic is discouraged.

LNM: 15-22

#### **MISSOURI RIVER - CHANNEL CONDITION/SAFETY ADVISORY**

The following areas are in the low water action phase IAW the Western Rivers WAP Annex:

Brunswick Reach (Mile 300.0 – Mile 200.0) and  
Kansas City Reach (Mile 400.0 – Mile 300.0).

Deep draft tows are advised to depart the area. All vessels SHALL transit these areas at a slow speed near fleeting areas, to minimize wake impact, due to the narrow channel width. Tow operators are advised to place the heaviest barges in the middle of the tow and identify fleeting areas in the event of a river closure. Mariners are requested to transit this area with caution and contact U.S. Coast Guard Sector Upper Mississippi River via VHF-FM Channel 16, or at (314) 269-2332, or via e-mail at [sumrwaterways@uscg.mil](mailto:sumrwaterways@uscg.mil), to report shoaling, hazardous conditions or missing aids to navigation.

LNM: 15-22

#### **CUMBERLAND RIVER - AIDS TO NAVIGATION**

Multiple buoys have been reported not properly marking the channel between approximate Miles 80.0 and 30.0. Mariners are urged to exercise caution in the area.

**ARKANSAS RIVER - L/D'S CLOSURES/DIVE OPERATIONS**

Attached as an enclosure to this LNM, is a USACE Tulsa District Notice to Navigation Interests 2022-2, regarding L/D's closures/dive operations.

LNM: 15-22

**SECTION II - DISCREPANCIES**

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

**DISCREPANCIES (FEDERAL AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
185	Ross Island Light	LT EXT		0283OV	28/21	
225	Murphys Island Light	STRUCT DEST		0600OV	28/18	
280	Karns Island Upper Light	STRUCT DEST		0651OV	31/18	
990	Milligan Bend Light	STRUCT DEST		0642LM	51/19	
1010	Webber Falls Jetty Light	STRUCT DEST		0641LM	51/19	
1020	Bluff View Light	STRUCT DEST		0640LM	51/19	
1055	Hisaw Bottom Light	LT EXT		0196LM	40/18	
1070	Brier Creek Light	STRUCT DEST		0205LM	31/15	
1077	Sandtown Bottom Light	STRUCT DEST		0457LM	39/19	
1200	Black Rock Daybeacon	STRUCT DEST		0379LM	35/19	
1205	Gans Light	STRUCT DEST		0335LM	33/19	
1213	Non Lateral Mark 330.4	STRUCT DEST		0087LM	05/16	
1220	Onion Creek Daybeacon	STRUCT DMGD		0334LM	33/19	
1223	Non Lateral Mark 328.5	STRUCT DMGD		0333LM	33/19	
1225	Tucker Lake Light	STRUCT DEST		0332LM	33/19	
1230	Mcnabb Bottom Daybeacon	STRUCT DEST		0332LM	33/19	
1240	Deadman Slough Light	STRUCT DEST		0330LM	33/19	
1255	Wilsons Rock Light	STRUCT DMGD		0380LM	35/19	
1265	Peno Point Daybeacon	DAYMK DMGD		0580LM	47/19	
1267	Non Lateral Mark 313.9	STRUCT DEST		0089LM	05/16	
1315	Garrison Creek Daybeacon	DAYMK MISSING		0377LM	35/19	
1360	Crawford County Daybeacon	STRUCT DEST		0378LM	35/19	
1365	Jeffrey Light	DAYMK MISSING		0376LM	35/19	
1390	Fort Chaffee Light	STRUCT DEST		0579LM	47/19	
1395	Haroldton Light	DAYMK MISSING		0578LM	47/19	
1400	New Haroldton Light	STRUCT DEST		0574LM	47/19	
1420	Gun Club Lake Daybeacon	DAYMK MISSING		0582LM	47/19	
1427	Big Creek Daybeacon	DAYMK MISSING		0575LM	47/19	
1430	Arbuckle Island Light	STRUCT DEST		0091LM	05/16	
1435	Clear Creek Light	DAYMK MISSING		0584LM	41/19	
1445	Crooked Slough Light	STRUCT DEST		0583LM	47/19	
1455	Mulberry River Daybeacon	STRUCT DEST		0041UM	11/17	
1510	Moores Creek Light	LT IMCH/STRUCT DMGD		0394LM	44/16	
1515	Roseville Daybeacon	DAYMK MISSING		0604LM	50/19	
1520	O'Kane Island Light	LT IMCH/STRUCT DMGD		0393LM	44/16	

1525	Alix Bottom Light	STRUCT DEST	0605LM	50/19
1530	County Line Daybeacon	STRUCT DEST	0606LM	50/19
1532	Non Lateral Mark 246.3	DAYMK MISSING	0607LM	50/19
1535	Kalamazoo Light	DAYMK MISSING	0608LM	50/19
1562	Non Lateral Mark 236.3	DAYMK MISSING	0609LM	50/19
1615	Dublin Daybeacon	STRUCT DEST	0610LM	50/19
1650	Bunker Hill Upper Daybeacon	STRUCT DEST	0639LM	51/19
1660	Bunker Hill Lower Daybeacon	STRUCT DEST	0643LM	51/19
1695	Dardanelle Reach Light	DAYMK DMGD	0204LM	31/15
1697	Non Lateral Mark 201.4	STRUCT DEST	0200LM	41/18
1700	Elberta Light	DAYMK MISSING	0611LM	50/19
1705	Old Neely Daybeacon	DAYMK MISSING	0612LM	50/19
1708	Non Lateral Mark 197.9	STRUCT DEST	0052LM	13/17
1710	Point Bar Cutoff Light	DAYMK MISSING	0613LM	50/19
1715	Hola Bend Cutoff Light	DAYMK MISSING	0614LM	50/19
1725	Reeds Ferry Light	DAYMK MISSING	0615LM	50/19
1733	Non Lateral Mark 189.8	DAYMK MISSING	0616LM	50/19
1735	Sweeden Island Light	LT EXT/DAYMK MISSING	0617LM	50/19
1738	Non Lateral Mark 188.8	DAYMK MISSING	0618LM	50/19
1745	Wilson Light	STRUCT DEST	0620LM	50/19
1770	Willow Bend Lower Daybeacon	DAYMK MISSING	0621LM	50/19
1798	Non Lateral Mark 175.6	DAYMK MISSING	0622LM	50/19
1800	Point Remove Creek Light	DAYMK MISSING	0623LM	50/19
1815	Ellis Island Light	STRUCT DEST	0630LM	51/19
1817	Non Lateral Mark 171.2	DAYMK MISSING	0631LM	51/19
1830	Cypress Creek Light	LT IMCH/DAYMK DMGD	0632LM	51/19
1835	Morrilton Cutoff Light	DAYMK MISSING	0633LM	51/19
1845	Stane Reach Upper Daybeacon	DAYMK DMGD	0634LM	51/19
1850	Stane Reach Light	DAYMK DMGD	0635LM	51/19
1890	Belk Corner Light	DAYMK MISSING/STRUCT DMGD	0558LM	45/19
1903	Non Lateral Mark 150.9	DAYMK MISSING	0560LM	45/19
1910	Bigelow Light	DAYMK MISSING	0562LM	45/19
1915	Bigelow Middle Daybeacon	DAYMK DMGD	0563LM	45/19
1920	Bigelow Lower Light	DAYMK MISSING	0538LM	44/19
1930	Tri County Light	STRUCT DEST	0370LM	41/16
1940	Beaver Dam Creek Daybeacon	STRUCT DMGD	0636LM	51/19
1945	Devils Bend Light	LT IMCH	0212LM	43/18
1948	Non Lateral Mark 138.8	DAYMK MISSING	0539LM	44/19
1953	Non Lateral Mark 137.6	DAYMK MISSING	0540LM	44/19
1960	Palarm Light	DAYMK MISSING	0541LM	44/19
1975	Maumelle River Upper Daybeacon	STRUCT DEST	0565LM	45/19
1988	Non Lateral Mark 130.6	DAYMK MISSING	0542LM	44/19
2030	Burns Park Light	STRUCT DEST	0514LM	42/19
2045	Waterworks Bend Light	DAYMK DMGD	0515LM	42/19
2130	Willow Bar Light	LT EXT	0524LM	42/19
2143	Non Lateral Mark 106.5	DAYMK MISSING	0637LM	51/19
2160	Estes Place Light	DAYMK IMCH/STRUCT DMGD	0396LM	44/16
2199	Non Lateral Mark 92.0	STRUCT DEST	0398LM	44/16
2370	Ste. Marie Bend Lower Daybeacon	STRUCT DEST	0407LM	45/16

2435	Richland Bend Middle Daybeacon	STRUCT DEST	0099LM	16/18
2485	Little Bayou Meto Lower Daybeacon	DAYMK DMGD	0094LM	15/18
2498	Cummins Bend Daybeacon	STRUCT DEST	0103LM	06/16
2540	Sample Island Light	STRUCT DEST	0106LM	06/16
2550	Sample Island Lower Light	STRUCT DEST	0107LM	06/16
2665	Owens Lake Daybeacon	DAYMK DMGD	0110LM	06/16
2825	Miller Creek Daybeacon	STRUCT DEST	0346OV	18/18
3655	Cages Bend Light	STRUCT DEST	0660OV	38/19
3965	Watkins Daybeacon	STRUCT DEST	0245OV	19/17
4250	Shammels Mound Landing Light	STRUCT DEST	0010OV	02/16
4285	Saline Creek Light	STRUCT DEST/TRUB	0221OV	26/16
4315	Pryors Creek Light	STRUCT DEST	0030OV	02/20
4340	Devils Elbow Light	STRUCT DEST	0306OV	16/18
4365	Bleidt Landing Light	STRUCT DEST/TRUB	0137OV	17/21
4390	Crooked Creek Light	STRUCT DEST/TRUB	0383OV	36/16
4455	Prison Farm Landing Light	STRUCT DEST	0145OV	17/21
4500	Kuttawa Bar Light	STRUCT DEST	0243OV	12/18
4505	Money Cliff Light	STRUCT DEST	0364OV	19/18
7035	Drolls Point Light	STRUCT DEST/TRLB	0233UM	23/20
7525	Grand Island Foot Light	STRUCT DEST	0015UM	05/22
7565	Sugar Creek Light	STRUCT DEST	0526UM	51/20
7585	Frederick Light	STRUCT DEST	0539UM	29/19
7650	Briggs Landing Light	LT EXT/STRUCT DMGD	0890UM	51/19
7695	Moore's Island Light	STRUCT DEST	0037UM	12/22
7705	Wilson Island Daybeacon	DAYMK DMGD	0104UM	18/21
7850	Florence Light	LT EXT	0055UM	14/22
8765	Midway Light	LT EXT	0454OV	41/21
8840	Nine Mile Creek Light	STRUCT DEST	0699OV	33/18
8857	Arbuckle Creek Light	STRUCT DEST/TRDBN		39/20
9150	Washita Point Light	LT EXT	0395LM	33/20
9185	Preston Peninsula Light	REDUCED INT	0420LM	46/16
9442	Black Dog Daybeacon	STRUCT DEST	0198UM	26/21
9456	Six Mile Cut Lower Daybeacon	STRUCT DEST	0518UM	47/18
9470	Four Mile Bend Cutoff Daybeacon	STRUCT DEST	0198UM	26/21
9535	Quaker Oats Light	STRUCT DEST	0043OV	06/16
9565	Putney Daybeacon	DAYMK DMGD	0768OV	52/19
9590	Iron Bank Light	LT EXT	0770OV	52/19
9630	Samuel Light	LT EXT	0771OV	52/19
9660	Osage Orange Daybeacon	DAYMK DMGD	0773OV	52/19
9663	Barker Daybeacon	DAYMK MISSING/STRUCT DMGD	0774OV	52/19
9665	French Point Light	STRUCT DEST	0775OV	52/19
9680	Island 8 Chute Upper Daybeacon	DAYMK MISSING/STRUCT DMGD	0787OV	52/19
9690	Milton Bell Light	LT EXT	0172OV	22/16
9695	Lester Light	STRUCT DEST	0777OV	52/19
9700	Island 10 Bar Light	LT EXT	0779OV	52/19
9707	Everest Landing Daybeacon	DAYMK MISSING/STRUCT DMGD	0780OV	52/19
9715	Groom Towhead Daybeacon	STRUCT DEST	0781OV	52/19
9725	Morrison Towhead Daybeacon	LT EXT	0788OV	52/19
9770	Nolan Daybeacon	DAYMK MISSING	0783OV	52/19

9780	Williams Point Daybeacon	DAYMK DMGD	0778OV	52/19
9790	Bixby Towhead Light	DAYMK MISSING	0786OV	52/19
9810	Merriwether Bend Light	LT EXT/DAYMK MISSING	0791OV	52/19
9825	Carey Upper Daybeacon	STRUCT DEST	0648LM	52/19
9830	Little Cypress Bend Light	LT EXT/DAYMK DMGD	0649LM	52/19
9845	Murphy Smith Upper Daybeacon	STRUCT DEST	0065LM	14/17
9860	Robinson Bayou Light	LT EXT	0650LM	52/19
9905	Blaker Towhead Light	LT EXT/DAYMK DMGD	0651LM	52/19
9910	Blaker Towhead Lower Light	LT EXT	0652LM	52/19
9980	Obion Bar Light	LT EXT/DAYMK MISSING	0653LM	52/19
10195	Dean Island Light	REDUCED INT	0327LM	33/19
10225	Island 40 Foot Light	STRUCT DEST	0232LM	49/18
10540	Harbert Point Light	LT EXT	0256LM	36/15
10545	Stumpy Point Light	STRUCT DEST	0249LM	52/18
10625	Delta Lower Light	STRUCT DEST	0118LM	06/16
10650	Miller Point Light	STRUCT DEST	0171LM	14/16
10660	Old Town Bend Foot Light	STRUCT DEST	0253LM	36/15
10685	Robson Light	STRUCT DEST	0116LM	06/16
10700	Sunflower Cut-Off Foot Light	STRUCT DEST	0115LM	06/16
10710	Ludlow Bar Light	DAYMK DMGD	0018LM	04/18
10715	Wood Cottage Light	STRUCT DEST	0114LM	06/16
10720	Knowlton Light	STRUCT DEST	0113LM	06/16
10730	Mason Landing Daybeacon	STRUCT DEST	0172LM	14/16
10815	Riverton Middle Bar Light	STRUCT DEST	0113LM	21/18
10885	Cypress Bend Light	STRUCT DEST	0032LM	07/18
10895	Eutaw Bar Light	STRUCT DEST	0365LM	35/19
10905	Mounds Crevasse Lower Light	STRUCT DEST	0114LM	21/18
10910	Boliver Light	STRUCT DEST	0069LM	11/18
10955	Miller Bend Light	STRUCT DEST	0030LM	06/18
10965	La Grange Towhead Light	STRUCT DEST	0367LM	35/19
11050	Vaocluse Bend Light	STRUCT DEST	0028LM	06/18
11070	Anconia Point Light	STRUCT DEST	0368LM	35/19
11080	Lakeport Light	STRUCT DEST	0369LM	35/19
11085	Walnut Point Light	STRUCT DEST	0370LM	35/19
11125	Corregidor Light	STRUCT DEST	0080LM	05/16
11130	Sarah Island Light	STRUCT DEST	0371LM	35/19
11170	Stack Island Light	STRUCT DEST	0372LM	35/19
11180	STACK ISLAND LOWER LIGHT	STRUCT DEST	0373LM	35/19
11195	Chinaman Light	STRUCT DEST	0374LM	35/19
11210	Fitler Point Daybeacon	STRUCT DEST	0170LM	28/17
11215	Seitz Light	STRUCT DEST	0448LM	38/19
11220	Cottonwood Bar Pointway Light	STRUCT DEST	0449LM	38/19
11245	Willow Point Light	DAYMK DMGD	0450LM	38/19
11250	Belle Island Corner Daybeacon	STRUCT DEST	0451LM	38/19
11270	Cabin Teele Light	STRUCT DEST	0452LM	38/19
11275	Marshall Point Cut-Off Daybeacon	STRUCT DEST	0453LM	38/19
11280	Joseph Henry Daybeacon	STRUCT DEST	0454LM	38/19
11407	Coggins Light	STRUCT DEST	0296LM	29/16
11415	Reid Bedford Point Light	STRUCT DEST	0463LM	39/19

11425	Diamond Light	STRUCT DEST	0464LM	39/19
11430	Sargent Point Light	LT IMCH/DAYMK DMGD	0465LM	39/19
11440	Cannon Point Light	STRUCT DEST	0294LM	41/17
11455	Buckridge Light	STRUCT DEST	0467LM	39/19
11470	Grand Gulf Island Light	STRUCT DEST	0468LM	39/19
11505	Old Levee Light	LT IMCH/DAYMK DMGD	0470LM	39/19
11520	Ashland Light	LT IMCH/DAYMK DMGD	0471LM	39/19
11530	Hole In The Wall Light	LT IMCH/REDUCED INT	0472LM	39/19
11540	Giles Bend Cut-Off Light	STRUCT DEST	0171LM	28/17
11700	Fort Adams Light	STRUCT DEST	0402LM	36/19
11795	Morganza Crevasse Light	STRUCT DEST	0400LM	36/19
11835	Bayou Sara Bend Light	STRUCT DEST	0399LM	36/19
11860	Port Hudson Light	STRUCT DEST	0581NOLA	36/19
11900	Devils Swamp Light	STRUCT DEST	0397LM	36/19
11940	Ben Burman Light	STRUCT DEST	0549LM	44/19
12677	Island 21 Daybeacon	STRUCT DEST	0503UM	27/19
13165	Lock 5A Light	LT EXT	0172UM	20/20
13230	Island 74 Light	STRUCT DEST/TRUB	0380UM	34/20
13430	Root River Upper Light	STRUCT DEST/HAZ NAV	0172UM	20/20
13510	Perry Ruby Light	STRUCT DEST	0061UM	12/17
13720	Crooked Slough Head Daybeacon	STRUCT DEST/TRUB	0482UM	26/19
13725	Crooked Slough Head Light	STRUCT DEST/TRUB	0482UM	26/19
13915	Clayton Lower Daybeacon	STRUCT DEST/TRUB	0240UM	31/18
14010	Cassville Upper Daybeacon	STRUCT DEST	0546UM	29/19
14030	Cassville Lower Light	STRUCT DEST	0546UM	29/19
14055	Milkmans Island Light	LT EXT	0172UM	20/20
14105	Maquoketa Island Light	STRUCT DEST	0460UM	25/19
14230	Nine-Mile Island Light	STRUCT DEST	0410LM	36/17
14260	Stone Slough Light	STRUCT DEST	0454UM	25/19
14275	Fever River Light	STRUCT DEST/TRUB	0485UM	45/18
14295	Pulaski Light	STRUCT DEST	0485UM	45/18
14320	Capt Mike Ehrler Light	STRUCT DEST	0031UM	11/22
14385	Arnold Towhead Light	STRUCT DEST	0449UM	25/19
14445	Sabula Lower Light	STRUCT DEST	0446UM	25/19
14460	Smith Bay Light	STRUCT DEST	0048UM	13/22
14475	Elk River Light	DAYMK DMGD	0257LM	31/21
15170	Edwards Island Upper Light	STRUCT DEST/TRUB	0403UM	26/16
16350	Chain Of Rocks Canal Upper Entrance Light	STRUCT DEST	0231UM	29/21
16785	Lowry Light	STRUCT DEST	0026UM	10/22
16910	Ste. Genevieve Island Light	STRUCT DEST	0557UM	30/19
17000	Chester Prison Upper Light	STRUCT DEST	0026UM	10/22
18140	Dodds Daybeacon	DAYMK IMCH	0294UM	37/21
18170	Boyer River Daybeacon	DAYMK IMCH	0294UM	37/21
18250	Florence Bend Lower Daybeacon	DAYMK IMCH	0346UM	44/21
19375	Weston Daybeacon	STRUCT DEST	0106UM	18/21
20245	New Frankfort Daybeacon	DAYMK MISSING	0363UM	47/21
20250	Little Missouri Bend Daybeacon	STRUCT DEST	0363UM	47/21
21200	Tavern Rock Daybeacon	STRUCT DEST	0275UM	33/21



23285	Cluster Upper Light	STRUCT DEST	0721OV	34/18
24110	Old Lock No. 17 Lower Daybeacon	STRUCT DEST		39/20
26047	Sunken Barge Lighted Buoy WR	LT EXT	0519OV	51/21
26470	Notch Lick Light	STRUCT DEST	0210OV	23/21
27090	Wolf Creek Light	LT EXT	0064OV	05/22
27540	Water Works Light	STRUCT DMGD	0179OV	12/22
27855	Graham Varble Light	STRUCT DEST	0134OV	17/21
29241.25	Smith Island Lower Daybeacon	STRUCT DEST	0202LM	26/21
29256.65	Cadney Lower Daybeacon	DAYMK DMGD	0205LM	26/21
29272	Deloges Middle Daybeacon	DAYMK IMCH		36/20
29467	Hog Lake Daybeacon	STRUCT DEST		36/20
29618	Red River Entrance Light	STRUCT DEST		37/20
29665	Dry Cypress Daybeacon	STRUCT DEST		37/20
29690	Bayou Cocodrie Upper Daybeacon	STRUCT DEST		37/20
29695	Bayou Cocodrie Daybeacon	STRUCT DEST		37/20
29710	Grassy Lake Daybeacon	DAYMK MISSING		37/20
29725	Alligator Bayou Daybeacon	STRUCT DEST	0216LM	33/17
29750	Timber Lake Daybeacon	STRUCT DEST		37/20
29755	Naples Daybeacon	STRUCT DEST		37/20
29775	Three Rivers Junction Light	STRUCT DEST		37/20
29780	Barbre Daybeacon	STRUCT DEST		37/20
29785	Torras Daybeacon	STRUCT DEST		37/20
29795	Oak Grove Daybeacon	STRUCT DEST		37/20
29845	Houden Point Daybeacon	STRUCT DEST	0255UM	30/21
31995	Dry Creek Light	STRUCT DEST	0402OV	31/20
32140	Chambers Daybeacon	STRUCT DEST	0178OV	11/13
32170	Diamond Island Lower Daybeacon	STRUCT DEST	0177OV	11/13
32325	Condors Landing Light	STRUCT DEST	0127OV	09/20
32445	Sales Light	TRUB/STRUCT DEST	0269OV	19/14
32460	Reynoldsburg Island Light	STRUCT DEST/TRUB	0290OV	15/18
32480	Higgins Light	STRUCT DEST	0342OV	27/15
32530	Standing Rock Upper Light	STRUCT DEST	0658OV	41/13
32570	Fort Henry Light	STRUCT DEST	0160OV	19/21
32585	Pine Bluff Light	STRUCT DEST	0308OV	19/19
32595	Blood River Light	STRUCT DEST/TRUB	0138OV	17/21
32600	Clyde Light	LT EXT	0581OV	44/15
32605	Newburg Light	STRUCT DEST	0362OV	29/15
32650	West Entrance Canal Light	LT EXT	0994OV	50/18
32665	Grand Rivers Light	LT EXT	0993OV	50/18

#### DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

#### DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
1685	Oakley Dock Light	LT EXT		0307-14 LM	44/14	
1690	Mobley Dock Light	LT EXT		0454-13 LM	48/13	

2100	Oakley Light	LT EXT	0520LM	42/19
2337	Island Harbor Marina Light	LT EXT		45/16
2340	Century Tube Lights (2)	LT EXT		45/16
2400	Pickett And Davison Lights (2)	LT EXT	0481-13 LM	50/13
3725	Lakewood Marina Lights (4)	LT IMCH	0439-15 OV	34/15
3750	Dupont Dock Lights (2)	OFF STA/LT EXT	0305-15 OV	26/15
3795	Nashville Water Intake Lights (2)	LT EXT		44/11
3805	Holnam Dock Lights (2)	LT EXT		44/11
3815	Kerr-Mcgee Dock Lights (2)	LT EXT		44/11
3820	Cohen Terminal Lights (2)	LT EXT		44/11
3930	Alcoa Chemical Dock Lights (2)	MSLD SIG/LT EXT	0216-10 OV	14/10
3960	Hunter Marine Transport Dock Lights (2)	LT EXT		47/08
3995	Riverview Marina Lights (2)	LT EXT		47/08
4055	Clarksville Boat Club Dock Lights (2)	LT EXT	0533-12 OV	34/12
4825	D.B. Wilson Station Lights (5)	LT EXT	510-21 OV	49/21
6170	Quantum Chemical Dock Lights (2)	LT EXT	0436-01 UM	31/01
6650	S. T. Services Terminal Lights (2)	LT EXT		41/14
6695	Continental Grain Company Light	LT EXT		41/14
7225	Cargo Carriers Dock Lights (2)	LT EXT		25/08
7235	Pekin Boat Club Breakwater Light	LT EXT		05/16
7250	Shell Dock Lights (2)	LT EXT	0123-02 UM	16/02
7255	Adm Growmark Mooring Light	LT EXT	0122-02 UM	16/02
7260	Sours Grain Tramway Light	LT EXT	0279-03 UM	21/03
7265	Tomen Dock Light	LT EXT		25/08
7295	Adm Growmark Mooring Lights (3)	LT EXT	0281-03 UM	21/03
7460	Cargill Mooring Lights (2)	LT EXT	0284-03 UM	21/03
7620	Cargill Dock Lights (2)	LT EXT		35/08
7725	Cargill Terminal Lights (2)	LT IMCH	0171-18 UM	26/18
7730	Public Service Co. Dock Lights (6)	LT EXT	0119-18 UM	20/18
7730	Public Service Co. Dock Lights (6)	LT IMCH	0171-18 UM	26/18
7760	Adm Growmark Grain Elevator Lights (2)	LT IMCH	0171-18 UM	26/18
9440	Black Dog Lights (5)	LT EXT		43/16
9965	Huffman Grain Light	STRUCT DEST	0131-16 LM	08/16
10300	Cargill Dock Light	LT EXT	0361-01 LM	34/01
10390	Peavey Lights (2)	LT EXT	0398-02 LM	36/02
10395	Suburban Propane Dock Light	LT EXT	0396-02 LM	36/02
10415	Western Tar Products Dock Light	LT EXT	0394-02 LM	36/02
11943	Bear Industries Barge Dock Lights (4)	LT EXT	0600-17 NO	30/17
11990	Riverside Dock Lights (2)	LT EXT	0695-01 UM	40/01
12080	University Dock Lights (3)	LT EXT	0696-01 UM	40/01
12215	Koch Fuel Dock Lights (2)	LT EXT		35/16
12320	Newport Terminal Lights (2)	LT EXT		35/16
12385	Shiely Dock Lights (2)	LT IMCH		35/16
12712	City of Red Wing Metering Station Special Light	MISSING		42/16
12768	Consolidated Grain and Barge Loading Dock Piling Lights (2)	MISSING		42/16
12930	Alma City Dock Light/Daymarks (3)	MISSING		42/16
13405	G. Heileman Brewery Dock Light	MISSING		42/16

14756	Isle Of Capri Casino Marina Daybeacon	MISSING		03/16
15345	Koch Nitrogen Dock Light	LT EXT		41/14
15415	Riverview Park Dock Light	LT EXT	0531-15 UM	49/15
15425	Hall Towing Light	STRUCT DEST	0280UM	25/20
15822	Hannibal Intake Light	LT EXT	0358-20 UM	32/20
16100	Jersey County Grain Dock Lights (2)	LT EXT		19/16
16205	Piasa Harbor Light	LT EXT	0131-15 UM	22/15
16220	Con-Agra Mooring Lights (2)	LT EXT		21/16
16230	Alton Marina Breakwater Lights (3)	LT EXT	0131-15 UM	22/15
16265	Amoco Dock Light	STRUCT DEST		35/09
16280	Amoco Dock Lights (4)	LT EXT		35/09
16310	Sioux City/New Orleans Terminal Light	STRUCT DEST		35/09
16380	Western Dock Lights (9)	LT IMCH		34/08
16390	Adm-Growmark Dock Lights (4)	LT EXT	0776-01 UM	44/01
16430	Union Electric Coal Dock Lights (2)	LT EXT	0305-08 UM	34/08
16445	Continental Cement Lights (2)	LT EXT	0305-08 UM	34/08
16505	Peavey Company Dock Lights (3)	LT EXT	0305-08 UM	34/08
16530	Cahokia Marine Terminal Lights (2)	LT EXT	0305-08 UM	34/08
16540	Slay Bulk Terminal Lights (2)	LT EXT	0305-08 UM	34/08
16545	Peavey Lights (3)	LT EXT	3305-08 UM	34/08
16550	Eagle Marine Industries Light	LT IMCH	0305-08 UM	34/08
16560	Phillips Pipeline Lights (2)	LT EXT	0305-08 UM	34/08
16565	Growmark Dock Lights (2)	LT EXT	0305-08 UM	34/08
16575	Eagle Marine Dock Lights (2)	LT EXT	0305-08 UM	34/08
16600	J.H. Collier Barge Mooring Lights (2)	LT EXT	0305-08 UM	34/08
16605	Clark Oil Refining Dock Lights (4)	LT EXT	0305-08 UM	34/08
16609	Alcoa Foil Lights (2)	LT EXT	0305-08 UM	34/08
16615	Hci Chemtech Dock Lights (2)	LT EXT	0305-08 UM	34/08
16617	Semmaterials Terminal Lights (2)	LT EXT	0305-08 UM	34/08
16630	American Commercial Dock Lights (2)	LT EXT	0305-08 UM	34/08
16655	Bussen Terminal Light	LT EXT	0305-08 UM	34/08
18700	Bunge Dock Lights (3)	MISSING/LT EXT		18/08
19185	St. Joseph L & P Dock Light	LT IMCH		17/08
19415	Leavenworth Water Intake Lights (2)	LT EXT	0104-07 UM	39/07
19460	Smoot Grain Dock Lights (2)	LT EXT	0385-07 UM	39/07
19505	Board Of Public Utilities Light	LT EXT	0386-07 UM	39/07
19535	Public Utilities Intake Lights (3)	LT EXT		38/08
19660	Continental Grain Dock Lights (4)	LT EXT	0181-08 UM	24/08
19695	Kansas City Power And Light Company Lights (2)	LT EXT	0181-08 UM	24/08
20870	U.E. Callaway Intake Lights (2)	LT EXT	0522-20 UM	52/20
22873	Moon Township Municipal Authority Back Channel Outfall Danger Buoy	OFF STA	0108-21 OV	14/21
24005	Bens Run Light	LT EXT		03/20
24580	Ohio Power Coal Dock Light	LT EXT	480-21 OV	44/21
25820	Cargill Barge Loading Facility Light	LT EXT	0552-09 OV	40/09
26290	Boone County Sand And Gravel Lights (2)	LT EXT	0769-00 OV	40/00
26833	Transmontaige Dock Lights (2)	LT EXT	286-21 OV	28/21
26860	Dupont Chemical Lights (2)	LT EXT	0330-18 OV	17/18
27367	Transmontaigne Dock Light	LT EXT		40/21

27590	Transmontaigne Dock Lights (4)	LT EXT		40/21
32550	Paris Landing State Park Lights (2)	Status Unreported	0452-20 OV	38/20
32900	Ergon Dock Lights (2)	LT IMCH		17/13

#### DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

#### PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

#### PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

### SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

#### TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
7015	Blue Creek Point Lower Lighted Buoy	TRUB		0379UM	51/21	
7030	Drolls Point Upper Lighted Buoy	TRUB		0379UM	51/21	
7040	Peoria Heights Lighted Buoy	TRUB		0379UM	51/21	
8540	Blaines Island Light	DISCONTINUED			39/20	
8840	Nine Mile Creek Light	DISCONTINUED			11/18	
10455	Armstrong Bar Light	RELOCATED			23/18	
11275	Marshall Point Cut-Off Daybeacon	TRDBN			49/16	
11280	Joseph Henry Daybeacon	TRDBN			49/16	
29880	Kinnikinnic River Daybeacon	DISCONTINUED			21/20	

#### TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

#### PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

#### PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

### SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

#### SUMMARY OF ADVANCED APPROVED PROJECTS

**Approved Project(s)**  
None

**Project Date**

**Ref. LNM**

**Advance Notice(s)**

**UPPER MISSISSIPPI RIVER**

The Coast Guard will make the following change after May 10, 2022:

Change Milkman's Island Light (LLNR-14055) at mile 601.1, Right Descending Bank, in approximate position 42-40-31.947N/090-54-06.489W, showing FI G 4s, to Milkman's Island Daybeacon (LLNR-14055) CNG upstream, SG downstream on rock mound.

LNM: 11/22

---

**SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

---

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

**Proposed Project(s)**

**Closing**

**Docket No.**

**Ref. LNM**

None

**Proposed Change Notice(s)**

**UPPER MISSISSIPPI RIVER**

The Coast Guard is proposing the following Aid to Navigation Change:

Change Stone Slough Light (LLNR-14260) at mile 563.5, Left Descending Bank, in approximate position 42-21-02.115N/090-26-23.619W, showing FI (2)R 5s, to Stone Slough Daybeacon (LLNR-14260) CNR upstream, CNR downstream. Comments will be taken until April 22, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 08/22

**UPPER MISSISSIPPI RIVER**

The Coast Guard is proposing the following Aid to Navigation Change:

Change Arnold Towhead Light (LLNR-14385) at mile 543.2, Left Descending Bank, in approximate position 42-09-26.489N/090-12-50.124W, showing FI (2)R 5s, to Arnold Towhead Daybeacon (LLNR-14385) TR upstream, TR downstream on tree. Comments will be taken until April 22, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 08/22

**UPPER MISSISSIPPI RIVER**

The Coast Guard is proposing the following Aid to Navigation Change:

Discontinue Sabula Lower Light (LLNR-14445) at mile 533.6, Right Descending Bank, in approximate position 42-02-34.260N/090-10-02.383W. Comments will be taken until April 22, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 08/22

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Kirby Light (LLNR-30055) at mile 639.8, Right Descending Bank, in approximate position 35-54-53.345N/083-58-57.373W.  
Discontinue Williams Light (LLNR-30060) at mile 638.9, Left Descending Bank, in approximate position 35-54-07.789N/083-58-07.789W.  
Discontinue Topside Daybeacon (LLNR-30070) at mile 636.9, Left Descending Bank, in approximate position 35-52-35.807N/083-57-48.133W.  
Discontinue Mooney Light (LLNR-30085) at mile 633.9, Left Descending Bank, in approximate position 35-52-30.603N/084-00-27.466W.  
Discontinue Post Oak Light (LLNR-30110) at mile 630.4, Left Descending Bank, in approximate position 35-51-13.373N/84-00-23.791W.  
Discontinue Sinking Creek Light (LLNR-30135) at mile 627.3, Right Descending Bank, in approximate position 35-51-17.419N/084-02-35.864W.  
Discontinue Taliaferro Light (LLNR-30215) at mile 614.8, Left Descending Bank, in approximate position 35-49-57.612N/084-08-02.928W.  
Discontinue Coulter Shoals Light (LLNR-30245) at mile 608.3, Right Descending Bank, in approximate position 35-46-59.176N/084-10-33.129W.  
Discontinue Donaldson Light (LLNR-30255) at mile 606.1, Left Descending Bank, in approximate position 35-45-30.867N/084-11-25.915W.  
Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 14/22

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Sugarlimb Light (LLNR-30320) at mile 596.1, Right Descending Bank, in approximate position 35-46-06.414N/084-18-38.572W.  
Discontinue Rock Quarry Light (LLNR-30330) at mile 595.2, Right Descending Bank, in approximate position 35-45-12.340N/084-18-43.229W.  
Discontinue Phillips Light (LLNR-30340) at mile 593.5, Left Descending Bank, in approximate position 35-43-59.044N/084-18-16.841W.  
Discontinue Winding Shoals Light (LLNR-30345) at mile 592.8, Left Descending Bank, in approximate position 35-43-41.652N/084-19-06.727W.  
Discontinue Bogart Light (LLNR-30415) at mile 583.1, Right Descending Bank, in approximate position 35-46-30.728N/084-23-45.155W.  
Discontinue Wilson Light (LLNR-30445) at mile 577.7, Right Descending Bank, in approximate position 35-46-05.249N/084-26-25.983W.  
Discontinue Point Rock Light (LLNR-30455) at mile 575.9, Right Descending Bank, in approximate position 35-47-14.188N/084-27-25.093W.  
Discontinue Neegard Light (LLNR-30480) at mile 571.0, Right Descending Bank, in approximate position 35-50-04.528N/084-30-24.651W.  
Discontinue Turner Bar Light (LLNR-30545) at mile 561.0, Left Descending Bank, in approximate position 35-49-36.261N/084-36-25.585W.  
Discontinue Shields Bar Light (LLNR-30550) at mile 558.2, Right Descending Bank, in approximate position 35-47-47.126N/084-37-11.428W.  
Discontinue Martin Light (LLNR-30585) at mile 548.2, Right Descending Bank, in approximate position 35-45-37.023N/084-40-49.313W.  
Discontinue Lucknow Daybeacon (LLNR-30630) at mile 535.6, Right Descending Bank, in approximate position 35-41-44.226N/084-46-11.428W.  
Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Watts Creek Light (LLNR-30675) at mile 528.5, Left Descending Bank, in approximate position 35-36-03.791N/084-46-30.863W.  
 Discontinue Lick Daybeacon (LLNR-30715) at mile 515.4, Left Descending Bank, in approximate position 35-30-38.408N/084-51-21.198W.  
 Discontinue Doughtys Bluff Light (LLNR-30785) at mile 497.0, Right Descending Bank, in approximate position 35-23-03.850N/085-01-53.700W.  
 Discontinue Sale Creek Light (LLNR-30810) at mile 495.2, Left Descending Bank, in approximate position 35-21-35.497N/085-02-30.691W.  
 Discontinue Cliff Bluff Light (LLNR-30815) at mile 492.3, Right Descending Bank, in approximate position 35-19-22.262N/085-03-36.597W.  
 Discontinue Denny Bluff Light (LLNR-30865) at mile 483.4, Left Descending Bank, in approximate position 35-12-40.783N/085-05-27.109W.  
 Discontinue Gann Bluff Lower Light (LLNR-30875) at mile 481.3, Right Descending Bank, in approximate position 35-12-02.421N/085-07-24.666W.  
 Discontinue Gladish Light (LLNR-30905) at mile 474.2, Left Descending Bank, in approximate position 35-07-41.786N/085-11-03.253W.  
 Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 14/22

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Chickamauga Light (LLNR-30955) at mile 469.9, Right Descending Bank, in approximate position 35-06-12.409N/085-14-51.752W.  
 Discontinue Deep Ditch Light (LLNR-30985) at mile 467.6, Right Descending Bank, in approximate position 35-05-05.969N/085-16-41.144W.  
 Discontinue Signal Point Light (LLNR-31100) at mile 453.0, Right Descending Bank, in approximate position 35-06-46.555N/085-22-11.081W.  
 Discontinue Mongo Chute Daybeacon (LLNR-31125) at mile 449.9, left Descending Bank, in approximate position 35-06-33.540N/085-24-52.699W.  
 Discontinue The Pot Light (LLNR-31135) at mile 447.5, Left Descending Bank, in approximate position 35-05-23.700N/085-23-21.435W.  
 Discontinue McNabb Light (LLNR-31160) at mile 443.7, Right Descending Bank, in approximate position 35-03-28.175N/085-25-35.073W.  
 Discontinue Grants Light (LLNR-31180) at mile 440.5, Left Descending Bank, in approximate position 35-01-17.933N/085-27-02.069W.  
 Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 14/22

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Long Hollow Branch Daybeacon (LLNR-31355) at mile 415.5, Left Descending Bank, in approximate position 34-58-18.966/085-41-39.127W.  
 Discontinue Widows Creek Daybeacon (LLNR-31375) at mile 407.6, left Descending Bank, in approximate position 34-52-50.733N/085-44-54.786W.  
 Discontinue Sublets Daybeacon (LLNR-31440) at mile 391.2, Left Descending Bank, in approximate position 34-41-48.459N/085-55-00.756W.  
 Discontinue Mccamy Light (LLNR-31490) at mile 373.2, Right Descending Bank, in approximate position 34-31-50.849N/086-08-35.775W.  
 Discontinue Siebold Branch Light (LLNR-31540) at mile 363.4, Left Descending Bank, in approximate position 34-24-55.162N/086-13-36.876W.  
 Discontinue Deposit Light (LLNR-31610) at mile 352.6, Right Descending Bank, in approximate position 34-25-43.248N/086-19-58.329W.  
 Discontinue Honeycomb Light (LLNR-31615) at mile 350.4, Right Descending Bank, in approximate position 34-25-32.560N/086-22-12.280W.  
 Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 14/22

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Hobbs Light (LLNR-31635) at mile 334.3, Right Descending Bank, in approximate position 34-33-54.334N/086-33-12.685W.  
 Discontinue Lenox Springs Daybeacon (LLNR-31650) at mile 328.2, left Descending Bank, in approximate position 34-33-02.078N/086-38-19.933W.  
 Discontinue Indian Creek Daybeacon (LLNR-31660) at mile 322.4, Right Descending Bank, in approximate position 34-35-23.546N/086-42-39.570W.  
 Discontinue Cotaco Creek Daybeacon (LLNR-31665) at mile 318.5, Left Descending Bank, in approximate position 34-33-06.052N/086-45-26.451W.  
 Discontinue Leemon Slough Daybeacon (LLNR-31670) at mile 314.0, Left Descending Bank, in approximate position 34-33-10.551N/086-49-48.144W.  
 Discontinue Transmission Tower Light (LLNR-31680) at mile 307.6, Right Descending Bank, in approximate position 34-35-47.300N/086-56-05.263W.  
 Discontinue Wheeler Point Light (LLNR-31855) at mile 278.2, Left Descending Bank, in approximate position 34-47-13.833N/087-20-51.719W.  
 Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 14/22

**TENNESSEE RIVER**

The Coast Guard proposes the following Aids to Navigation Changes:

Discontinue Wilson Point Light (LLNR-31900) at mile 265.0, Left Descending Bank, in approximate position 34-49-19.884N/087-32-17.744W.  
 Discontinue Cypress Creek Lower Light (LLNR-31965) at mile 254.2, Right Descending Bank, in approximate position 35-30-38.408N/084-51-21.198W.  
 Discontinue Seven Mile Island Daybeacon (LLNR-31985) at mile 251.0, Right Descending Bank, in approximate position 34-44-39.473/087-44-49.031W.  
 Discontinue Paynes Light (LLNR-32075) at mile 222.7, Left Descending Bank, in approximate position 34-54-05.500/088-08-05.151W.  
 Discontinue Indian Creek Light (LLNR-32085) at mile 219.8, Left Descending Bank, in approximate position 34-56-10.884N/088-09-56.418W.  
 Discontinue Fraley Light (LLNR-32105) at mile 212.6, Left Descending Bank, in approximate position 35-01-52.866N/088-12-22.520W.  
 Discontinue Whites Lake Light (LLNR-32110) at mile 209.6, Right Descending Bank, in approximate position 35-04-27.566N/088-12-03.686W.  
 Discontinue Short Hollow Light (LLNR-32115) at mile 209.0, Right Descending Bank, in approximate position 35-04-37.627N/088-12-38.217W.  
 Comments to be received by May 31, 2022. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.

LNM: 14/22

---

## SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

---

### ALLEGHENY RIVER

#### MILE 7.7 - AID TO NAVIGATION/SAFETY ADVISORY

A nun buoy has been reported not properly marking the channel in the vicinity of Mile 7.7. Mariners are urged to transit the area with caution and at their slowest safe speed.

LNM: 08-22

#### MILE 0.6 - BRIDGE MAINTENANCE

Sixth Street Bridge; A containment system is installed below low steel and follows the contour of the bridge. Vertical clearance is reduced approximately 1-foot for the middle, 100 feet of the navigation span. Mariners are advised to transit the bridge with extreme caution.

LNM: 12-22

### ARKANSAS RIVER

#### MILE 401.4 - L/D GUARDWALL DAMAGE

The upstream guardwall, near the miter gate recess of the Chouteau L/D 18, in the vicinity of Mile 401.4, is damaged and the steel armor plate has been removed. The concrete is now fully exposed. Until repairs are made mariners are advised to stay to the guide wall side on the upstream portion. Mariners may check with L/D 17, for the latest information. Mariners may contact Mr. Brad Johnson, Navigation Manager at (918) 550-9026, or Mr. Jake Simpson, Navigation Engineer at (918) 430-4783, for additional information.

LNM: 11-22

#### MILE 176.9 - L/D CLOSURE

On April 27, 2022, from 7:00 a.m. until 7:00 p.m., the Arthur V. Ormond L/D (Nr. 9), in the vicinity of Mile 176.9, will be closed to navigation traffic for maintenance. If the work is completed ahead of schedule, the lock will reopen at that time. However, unforeseen problems could require additional time. Mariners may contact the USACE Little Rock District Office, at (501) 324-5096 or you may email [ceswl-op-om@usace.army.mil](mailto:ceswl-op-om@usace.army.mil), for additional information.

LNM: 15-22

#### MILE 155.9 - L/D CLOSURE

On April 26, 2022, from 7:00 a.m. until 7:00 p.m., the Toad Suck Ferry L/D (Nr. 8), in the vicinity of Mile 155.9, will be closed to navigation traffic for maintenance. If the work is completed ahead of schedule, the lock will reopen at that time. However, unforeseen problems could require additional time. Mariners may contact the USACE Little Rock District Office, at (501) 324-5096 or you may email [ceswl-op-om@usace.army.mil](mailto:ceswl-op-om@usace.army.mil), for additional information.

LNM: 15-22

#### MILE 125.4 - MILE 118.2 - CHANNEL CONDITION/REGULATED NAVIGATION AREA

Water flow at the Murray L/D 7, in the vicinity of Mile 125.0 has exceeded 70,000 C.F.S. The Regulated Navigation Area from Mile 125.4 to Mile 118.2, is now in effect. Mariners are requested to follow the operational procedures outlined in 33 CFR Part 165.817 and 117.123.

LNM: 14-22

#### MILE 118.2 - BRIDGE PROTECTION CELL DAMAGE

The upstream left descending pier protection cell at the Clinton Presidential Park Bridge in the vicinity of Mile 118.2, is damaged and leaning into the left descending bridge pier. Mariners are urged to exercise caution in the area. Mariners may contact the USACE Little Rock District Office at (501) 324-5096 or via e-mail at: [ceswl-op-om@usace.army.mil](mailto:ceswl-op-om@usace.army.mil), for additional information.

LNM: 48-21

### CLINCH RIVER

#### MILE 52.0 - MILE 49.5 - RACE COURSE INSTALLATION

The Oak Ridge Rowing Association has installed a race course between approximate Miles 52.0 and 49.5. Mariners are urged to exercise caution in the area.

LNM: 07-22

### CUMBERLAND RIVER

#### MILE 149.0 - L/D RESTRICTIONS/CHANNEL CONDITION

Due to high flow conditions at the Cheatham L/D, in the vicinity of Mile 149.0, the L/D has limited tow configurations. Tows configurations have been limited to no greater length/width than would be 9 jumbo barges made up in a 3 by 3 configuration and will not exceed approximately 105 feet by 795 feet, overall, including the towboat. Only single lockage will be allowed. No barges on the hip and the tow must enter/exit the lock made up and may not be separated for multiple lockage until flow rates at the lock falls below 75,000 C.F.S.

LNM: 15-22

#### MILE 126.5 - BRIDGE REPAIR

Louisville and Nashville Railroad Drawbridge; Emergency Bridge Pier repair work is being conducted outside of the navigation channel, minimal impact to navigation is expected. Mariners may contact bridge tender or R. J. Corman Construction Team via VHF-FM Channel 13 or telephone (931) 980-4760, for more information.

LNM: 05-22

### ILLINOIS WATERWAY

#### MILE 288.7 - MILE 287.3 - BRIDGE REPAIRS

Joliet Harbor Bridges; Due to ongoing bridge work, mariners are required to provide 1-hour advance notice, when requesting drawspan openings.

LNM: 19-20

**MILE 286.0 - SOIL BORING OPERATION**

Continuing until May 15, 2022, the USACE is conducting soil boring operations in the vicinity of Mile 286.0, Brandon Road L/D. A portion of the Des Plaines River will remain open for the duration of this project, but will be restricted in available width during active drilling. The M/V MARY ANN will be in the area during operations, will monitor VHF-FM Channel 16 and requests 2-hours advance notice of passage. Mariners may contact U.S. Coast Guard Sector Lake Michigan at (414) 747-7182, for additional information.

LNM: 13-22

**MILE 271.0 - CHANNEL CONDITION**

The Dresden L/D in the vicinity of Mile 271.0, has a gate opening of 30 feet and outdraft conditions. The lower gauge reading is 494.98. Tows over 70 feet in width, must have loads on the land wall side. Mariners may contact U.S. Coast Guard Sector Lake Michigan at (414) 747-7182 or the Dresden L/D via VHF-FM Channel 16, for additional information.

LNM: 14-22

**MILE 247.0 - CHANNEL CONDITION**

The Marseilles L/D in the vicinity of Mile 247.0, is operating with an extreme outdraft of 28 feet. Mariners are urged to exercise caution in the area.

LNM: 14-22

**MILE 231.0 - CHANNEL CONDITION**

The Starved Rock L/D in the vicinity of Mile 231.0, has a gate opening of 26 feet and outdraft conditions. Helper boats are recommended for large southbound tows. Mariners may contact U.S. Coast Guard Sector Lake Michigan at (414) 747-7182 or the Starved Rock L/D, via VHF-FM Channel 14, for additional information.

LNM: 14-22

**MILE 151.2 - BRIDGE OPERATION**

Pekin Railroad Drawbridge; Continuing until further notice, the bridge will be unattended and left in the open-to-navigation position. The bridge shall initiate the closing sequence for an approaching train by broadcasting the closure on VHF-FM Channel 16, 10-minutes prior to closure and immediately prior to closing. If no mariners respond to the broadcast, the operator of the bridge may begin the closing sequence. For additional information, mariners may contact Chad Toussaint, with Union Pacific Railroad at (979) 665-5541.

LNM: 18-20

**MILE 41.7 - BRIDGE CONSTRUCTION**

Donald M. Legg Bridge; Due to construction, the navigation channel width is temporarily reduced to approximately 400 feet.

LNM: 15-22

**MILE 304.0 - L/D RESTRICTIONS**

Continuing until approximately July 31, 2022, tows are to enter the lock wall at a DEAD SLOW speed, tows will be restricted to a length no more than 1,100 feet and will line up along the floating guidewall before proceeding into the lock's chamber. Two line-handlers (with life vests) and bumpers are required when approaching and exiting the lock. Vessels must be moored by the bow and stern to the floating timberheads. The Lockmaster, Mr. Anthony T. Lindsly can be reached at (225) 492-3333, for up-to-date information. The point of contact at the USACE New Orleans Office is Russell Beauvais at (225) 492-2169.

LNM: 11-22

**UPPER MISSISSIPPI RIVER****MILE 853.1 - BRIDGE WORK**

Cedar Avenue Bridge; Pipeline work is being performed from a permanent catwalk under the roadway decking in the recess area above low steel. All work will cease when vessels approach and no impact to navigation is expected. Mariners may contact Centerpoint Energy via VHF-FM Channel 16 or at (612) 347-7122, for additional information.

LNM: 36-21

**MILE 763.8 - MILE 763.4 - CHANNEL CONDITION**

Shoaling has been reported between approximate Miles 763.8 and 763.4. The navigation channel in the area has been reduced to approximately 260 feet. Mariners are urged to exercise caution in the area.

LNM: 13-22

**MILE 698.0 - CONSTRUCTION OPERATION**

Continuing until approximately June 17, 2022, the J.F. Brennan Company Inc., is conducting construction operations in the vicinity of Mile 698.0, LDB, between the La Crosse Queen Dock and the Riverside Park. A 32-foot by 80-foot material barge will extend approximately 100 feet from the bank. Mariners may contact the project superintendent at (608) 799-2186, for additional information. Mariners are urged to transit the area with caution.

LNM: 12-22

**MILE 495.4 - BRIDGE MAINTENANCE**

I-80 Highway Bridge; Cleaning of the bridge will be performed April 15, 2022 until June 15, 2022. A snooper truck will be used for operations and will move for vessel traffic.

LNM: 15-22

**MILE 482.9 - L/D DELAYS**

On May 16, 2022, from 4:00 a.m. until 4:00 p.m., temporary delays may be experienced at L/D 15, in the vicinity of Mile 482.9.

LNM: 15-22

**MILE 478.3 - BRIDGE REPAIRS**

I-280 Bridge; The vertical clearance may be reduced by 3 feet, due to a safespan platform being utilized for repairs through November 30, 2022.



**MILE 478.3 - BRIDGE REPAIRS**

Mariners may contact Kraemer North America at (608) 393-9743, for additional information.

LNM: 14-22

**MILE 384.8 - MILE 367.2 - AIDS TO NAVIGATION**

The following aids to navigation have been set for the navigation season. The unlighted buoys have been withdrawn:  
Dutchman Island Lighted Buoy (LLNR-15395), Mile 384.8, RDB,  
Sunken M/V John Paul Lighted Buoy, (LLNR-15435), Mile 78.4, LDB and  
Waggoner PT. Lighted Buoy (LLNR-15475), Mile 367.2, RDB.

LNM: 15-22

**MILE 290.1 - MILE 289.4 - IENC CHART UPDATE**

Attached as an enclosure to this LNM, is a USACE St. Louis District Notice to Navigation Interests 22-02, regarding dikes displayed on IENC Charts between approximate Miles 290.1 and 289.4.

LNM: 13-22

**MILE 289.41 - CHANNEL CONDITION**

Shoaling has been reported in the vicinity of Mile 289.41. Mariners are urged to transit the area with caution.

LNM: 12-22

**MILE 179.2 - BRIDGE MAINTENANCE**

Douglas MacArthur Bridge; Two suspended platforms are located in the center navigation span. Each platform measures 9 feet wide and hang 5 feet below low steel. One platform is located 60 feet channelward of the right descending pier and the other platform is located 120 feet channelward of the left descending pier. There are also 3 platforms located at various locations in the Illinois span. Mariners are urged to transit the bridge with caution.

LNM: 32-19

**MILE 172.3 - MILE 172.0 - OVERHEAD HIGH WIRE OPERATIONS/SAFETY ZONE/INTERMITTENT RIVER CLOSURES**

Continuing until approximately May 1, 2022, from 9:00 a.m. until 2:00 p.m., each day, weather permitting, Ameren Electrical Contractors are conducting high wire work and conductor removal/replacement operations in the vicinity of Mile 172.0. To facilitate these operations, the COTP Upper Mississippi River has issued a Safety Zone, extending between approximate Miles 172.3 and 172.0. Intermittent daily river closures are necessary to facilitate this operation. The time/duration of each closure will be dependent upon current conditions and the Safety Zone will be activated/deactivated each day and transmitted to mariners via VHF-FM Channel 16. Mariners may contact U.S. Coast Guard Sector Western Rivers, to request permission to transit this area. No vessel will be permitted to enter this Safety Zone, unless given permission by the COTP Upper Mississippi River.

LNM: 13-22

**MONONGAHELA RIVER****MILE 41.5 - CHANNEL CONDITION/SAFETY ADVISORY**

The COTP Pittsburgh has issued the following Safety Advisory due to the gate opening at L/D 4, in the vicinity of Mile 41.5, being greater than 8 feet. Mariners are urged to exercise double locking through L/D 4.

LNM: 15-22

**MILE 14.2 - MILE 11.3 - CHANNEL CONDITION/SAFETY ADVISORY**

The gate opening at Braddock L/D, vicinity of Mile 11.3, is greater than 15.0 feet. The COTP Pittsburgh has issued the following Safety Advisory; Exercise caution when transiting under the McKeesport - Duquesne Highway Bridge, in the vicinity of Mile 14.0 and the Union Railroad Bridge, in the vicinity of Mile 14.2, due to the narrow channel and the short distance between these two bridges.

LNM: 15-22

**MONONGAHELA RIVER****MILE 13.0 - MILE 10.0 - AIDS TO NAVIGATION**

Three can buoys have been reported not properly marking the channel between approximate Miles 13.0 and 10.0, Braddock L/D. Mariners are urged to exercise caution in the area.

LNM: 09-22

**MILE 0.3 - DIVE/SONAR OPERATIONS**

Continuing until approximately April 14, 2022, dive and sonar operations are being conducted in the vicinity of Mile 0.3, Fort Pitt Bridge. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution.

LNM: 15-22

**OHIO RIVER****MILE 3.6 - TEMPORARY LIGHTED DANGER BUOYS**

Mascaro Construction Co., LP., has installed 4 Temporary Lighted Danger Buoys with White flash characteristic Fl 2.5s, to mark a turbidity curtain around the perimeter of the construction area located at the Allegheny County Sanitary Authority (ALCOSAN), in the vicinity of Mile 3.6, RDB. The Temporary Lighted Danger Buoys were installed in the following approximate positions:

40-28-42.82N 080-02-51.39W,  
40-28-47.97N 080-02-55.63W,  
40-28-55.90N 080-03-03.99W and  
40-29-00.91N 080-03-09.91W.

Any questions, inquiries or navigation safety concerns, should be directed to Mascaro Construction, Mr. Steve Senchesen, via telephone at (412) 321-4901 or email to [ssenchesen@mascaroconstruction.com](mailto:ssenchesen@mascaroconstruction.com), or you may contact U.S. Coast Guard Sector Ohio Valley at (502) 779-5422 or via email at: [STL-PF-SECOHVCommandCenter@uscg.mil](mailto:STL-PF-SECOHVCommandCenter@uscg.mil). Mariners are advised to exercise caution in this vicinity and to completely avoid navigating outside of the navigable channel in the area.

**OHIO RIVER  
MILE 3.6 - TEMPORARY LIGHTED DANGER BUOYS**

LNM: 46-20

**MILE 31.7 - MILE 44.5 - CHANNEL CONDITION/SAFETY ADVISORY**

The gate opening at Montgomery L/D, vicinity of Mile 31.7, is greater than 40 feet. The COTP Pittsburgh has issued a Safety Advisory. Mariners are urged to exercise caution when transiting under the Newell Highway Bridge, in the vicinity of Mile 44.5, due to strong set and water currents in the area. Up-bound towing vessels are advised that when performing a set over or knock out through the Montgomery L/D, to secure the head of their tows to the lock wall using the closest pin possible, before the set over or knockout is initiated and ensure that tows are fully secured prior to leaving the vicinity of the locks. Down-bound towing vessels performing a double lockage, are strongly advised to have a helper boat assist the tows in keeping alongside the guidewall while entering the locks.

LNM: 15-22

**MILE 86.0 - MILE 88.0 - AIDS TO NAVIGATION**

Multiple buoys between approximate Miles 86.0 and 88.0, have been reported missing or not properly marking the channel. Mariners are urged to transit the area with caution.

LNM: 12-22

**MILE 90.3 - BRIDGE MAINTENANCE**

Wheeling Suspension Bridge; Continuing through June 2023, the vertical clearance may be reduced by 2 feet due to maintenance being performed on the bridge. For more information, mariners may contact West Virginia Department of Transportation, Ahmed Mongi, at (304) 553-3941 or Advantage Steel and Construction, Matt Oskin, at (724) 352-4842.

LNM: 11-22

**MILE 279.2 - CHANNEL CONDITION**

Due to recent flooding and receding waters, shoal conditions exist in the lower approach channel at the Robert C. Byrd L/D, in the vicinity of Mile 279.2. Attached as an enclosure to this LNM, is the latest survey of the area dated March 22, 2022. Mariners are urged to check the latest survey, monitor lower gauge readings and contact the lockmaster via VHF-FM Channel 13, for additional information.

LNM: 13-22

**MILE 471.2 - BRIDGE MAINTENANCE**

Brent Spence Highway Bridge; A suspended containment system is being installed following the contour of the bridge and will reduce the vertical clearance approximately 3 feet. Mariners are advised to transit the bridge with caution.

LNM: 07-21

**MILE 478.3 - EXPOSED PIPELINE/FLEETING OPERATIONS**

A section of exposed pipeline has been reported the vicinity of Mile 478.3, RDB. The COTP Ohio Valley urges mariners to stop fleeting barges in this area and to only fleet barges in approved areas. Mariners fleeting barges in this area, poses a risk of damage to the pipeline, as water levels recede. Mariners may contact U.S. Coast Guard Sector Ohio Valley via VHF-FM Channel 16 or at (502) 779-5425, for additional information.

LNM: 10-22

**MILE 597.0 - MILE 607.0 - AIR SHOW/SPECIAL LOCAL REGULATION**

On April 22, 2022, from 11:00 a.m. until 6:00 p.m., the Thunder Over Louisville Air Show Practice will take place between approximate Miles 597.0 and 607.0. The COTP Ohio Valley has established a Special Local Regulation for this event. No vessels will be allowed to transit this area without the permission of the COTP or a designated representative. A minimal wake zone will be in effect from Mile 597.0 to Mile 602.7, for this event. Anchorage is only permitted between Mile 597.0 and 602.7, from the Indiana Shoreline to the center of the river. For additional information, mariners may contact the event manager at (502) 572-3834.

LNM: 15-22

**MILE 597.0 - MILE 607.0 - AIR SHOW/FIREWORKS DISPLAY/SPECIAL LOCAL REGULATION**

On April 23, 2022, from noon until midnight, the Thunder Over Louisville Air Show and fireworks display will take place between approximate Miles 597.0 and 607.0. The COTP Ohio Valley has established a Special Local Regulation for this event. No vessels will be allowed to transit between Miles 602.7 and 607.0, without the permission of the COTP or a designated representative. A minimal wake zone will be in effect from Mile 597.0 to Mile 602.7, for this event. Anchorage is only permitted between Mile 597.0 and 602.7, from the Indiana Shoreline to the center of the river. For additional information mariners may contact the event manager at (502) 572-3834.

LNM: 15-22

**MILE 603.5 - MARINE EVENT**

On April 30, 2022, from 8:00 a.m. until 4:00 p.m., the Ken-Ducky Derby, a rubber duck race, will be held in the vicinity Mile 603.5. Mariners may contact the event sponsor at (502) 693-3621, for additional information. Mariners are urged to exercise caution in the area, during the event period.

LNM: 15-22

**MILE 607.4 - MARINE EVENT**

On April 22, 2022, from 10:00 a.m. until 11:00 a.m., the Earth Day Paddle will be held in the vicinity of Mile 607.4. This event will involve paddlers crossing the navigation channel. Mariners may contact the event sponsor at (502) 671-3595, for additional information. Mariners are urged to exercise caution in the area, during the event period.

LNM: 15-22

**MILE 608.6 - BRIDGE MAINTENANCE**

Sherman Minton Bridge; Cleaning and painting of the bridge will continue from 7:00 a.m. until 6:00 p.m., Monday through Saturday, until further notice. A containment system will hang 4 feet below low steel. Mariners should transit the bridge with caution.

**MILE 608.6 - BRIDGE MAINTENANCE**

LNM: 29-21

**MILE 720.7 - L/D INTERMITTENT CLOSURES**

Continuing until May 27, 2022, the Cannellton L/D, main chamber, in the vicinity of Mile 720.7, will be closed intermittently for maintenance, each Wednesday and Thursday, for up to 12-hours, during daylight hours.

LNM: 04-22

**MILE 964.6 - L/D RESTRICTIONS**

Vessel traffic has been shifted to the navigation pass at the Olmsted L/D in the vicinity of Mile 964.6. The navigation lane width is approximately 900 feet, as marked with buoys. Down-bound tow maximum dimensions are 175 feet by 1,200 feet, including the towboat, with no more than 25 regulation barges and not to exceed 5 wide. No hip barges or other deviation that could degrade normal steerage characteristics are allowed for down-bound tows. Up-bound tow maximum dimensions are 140 feet by 1,600 feet including the towboat, with no more than 28 regulation barges and not to exceed 4 wide. Up-bound tows shall have adequate power to maintain speed. All mariners shall take direction from the Olmsted L/D Control Tower.

LNM: 15-22

**TENNESSEE-TOMBIGBEE WATERWAY**  
**MILE 365.0 - FIBER LINE INSTALLATION**

Continuing until April 14, 2022, during daylight hours, TVA will install fiber lines in the vicinity of Mile 365.0, Aberdeen Lake. Low flying helicopters, 2 small boats and a TVA Police Boat in be in the area supporting this operation. Mariners may experience delays, during this event. Support vessels will monitor VHF-FM Channel 16. Mariners are requested to transit this area at their slowest safe speed to minimize their wake and maintain contact with the support vessels. Mariners may contact Mr. Roger Wilson, Jr., Tennessee-Tombigbee Project Management Office (CESAM-OP-CO) at (662) 245-5486, for additional information.

LNM: 13-22

**TENNESSEE RIVER**  
**MILE 567.5 - AID TO NAVIGATION**

A can buoy in the vicinity of Mile 567.5, has been reported not properly marking the channel. Mariners are urged to transit the area with caution.

LNM: 12-22

**MILE 246.0 - MILE 244.0 - SHORE-SIDE DEMOLITION/SAFETY ZONE/ RIVER CLOSURE**

On April 14, 2022, from 6:00 a.m. until 8:00 a.m., The COTP Ohio Valley has established a Safety Zone, closing the river between approximate Miles 246.0 and 244.0, to facilitate shore-side demolition. Entry into this Safety Zone is prohibited to all vessels, unless authorized by the COTP Ohio Valley. Mariners may contact the project manager at (256) 386-2140, for additional information.

LNM: 13-22

**MILE 72.5 - TRANSMISSION TOWER REPAIR/DIVE OPERATIONS**

Continuing until approximately December 16, 2022, the TVA is conducting transmission tower repairs in the vicinity of Mile 72.5. In conjunction with this operation, divers will be utilized. Work will be conducted from 7:00 a.m. until 6:00 p.m., Monday through Saturday. The floating plant will consist of the M/V RED WAGNER and 2 barges spud down around the towers. The TVA Police will have vessels on station during dive operations. The M/V RED WAGNER will monitor VHF-FM Channel 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution. Mariners may contact the TVA, for additional information.

LNM: 14-22

---



---

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Mile	(4) Bank	(5) Characteristic	(6) Structure / Dayboard Up Down	(7) Remarks
------------	--------------------------	-------------	-------------	-----------------------	--	----------------

None

---



---

**ENCLOSURES**
**USACE Huntington District Notice to Navigation Interests 22-01**

Winter navigation on the Ohio River and tributaries.

LNM: 02-22

**USACE Huntington District Notice to Navigation Interests 22-04**

Mail delivery and crew change policies at navigation locks, for towboats.

LNM: 02-22

**USACE Huntington District Notice to Navigation Interests 22-03**

Notification of sinking or sunken vessels, vessel groundings and barge breakaways.

LNM: 02-22

**USACE Huntington District Notice to Navigation Interests 22-02**

Review of regulations and general safety practices.

LNM: 02-22

**USACE Huntington District Notice to Navigation Interests 22-05**

Restricted areas at navigation structures.

LNM: 02-22

**USACE Channel Status Reports - UPDATE**

Arkansas River Channel Status Reports.

LNM: 15-22

**USACE Tulsa District Notice to Navigation Interests 2022-2**

L/D's closures/dive operations.

LNM: 15-22

**USACE St. Louis District Notice to Navigation Interests 22-02**

Dikes displayed on IENC Charts between approximate Miles 290.1 and 289.4.

LNM: 13-22

**USACE Huntington District Notice to Navigation Interests 22-08**

Channel survey, lower approach to Robert C. Byrd L/D.

LNM: 13-22

---

Commander, Eighth Coast Guard District  
Hale Boggs Federal Building, Room 1230  
500 Poydras Street, New Orleans, LA 70130-3310  
Telephone (504) 671-2327  
(Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)  
(Nights, Weekends, Holidays) (504) 589-6225  
RADM Timme



**US Army Corps  
of Engineers®**

HUNTINGTON DISTRICT  
ATTN: CELRH-DE  
502 8TH STREET  
HUNTINGTON WV 25701-2070  
[HTTP://WWW.LRH.USACE.ARMY.MIL/](http://www.lrh.usace.army.mil/)

**NOTICE TO NAVIGATION INTERESTS**

**DATE:** 01/11/2022  
**POC:** Kent C. Browning  
(304) 399-5239

**NOTICE NUMBER:** 17626  
**LOCAL NUMBER:** 22-01  
**WATERWAY:** OHIO RIVER

**EFFECTIVE:** 01/09/2022 00:00 thru 01/09/2023 00:00 EST

---

**WINTER NAVIGATION ON THE OHIO RIVER AND TRIBUTARIES**

In the interest of navigation safety on the waterways, users are reminded that navigation during winter months is a hazardous undertaking. Operators are requested to exercise extreme caution during this season and carefully evaluate the makeup and motive power for each tow.

**ICE CONDITIONS**

It is common for ice to build up beneath barges navigating the river, causing subsequent grounding in shoal areas. Should this occur, notify the nearest navigation structure as to your location and exercise caution when trying to remove barges so as not to disturb the navigation channel. When locking down bound there is the potential that buildup of ice under a barge could come in contact with the bottom of the lock chamber and puncture the bottom of the barge causing it to sink. Additionally, any build-up of ice between barges in a tow or on the sides of the barges will increase the overall width and possibly hamper the entrance or the exit of the locks. Any noticeable build-up, either in or under the tow, should be checked to assure that the lockage can be accomplished without incident. Whenever conditions warrant, vessel owners should consider adjusting their tow size to compensate for ice formation.

When ice builds up on the lock walls to the extent that full usage of the lock chamber is prohibited, width restrictions will be imposed on lockages. In addition, ice at times will prevent the full opening of the lock miter gates. Should this occur, locking will cease until the ice can be removed or the width of the tow is reduced. Navigators should contact the Lockmaster at each facility to verify locking conditions. This practice will continue as long as ice conditions warrant. Each company should access the Ohio River Region's computerized navigation daily reports to keep abreast of the latest conditions. This information can be obtained via the internet from the Great Lakes and Ohio River Division's Water Management website at: <https://www.lrh-wc.usace.army.mil/wm/?river>.

Another occurrence during heavy icing conditions is the freezing of the floating mooring bitts in the recesses in the lock walls. In the event the floating bitts become inoperable, it will be necessary for the vessel to utilize the fixed line hook and manually move the mooring lines as the water in the chamber is raised or lowered. Additional lines should be readily available for the deck crew.

In an effort to assist navigators and help alleviate the ice problems at navigation structures, the auxiliary bar may be used for the passage of ice and may not be available for use by traffic at the following locks:

<u>Location</u>	<u>River Mile</u>
Meldahl Locks	436.2R
Greenup Locks	341.0L
Robert C. Byrd Locks	279.2L
Racine Locks	237.5L
Belleville Locks	203.9R
Willow Island Locks	161.7R

All three locks on the Kanawha River - Winfield (mile 31.1R), Marmet (mile 67.7R) and London (mile 82.8R) have the capability for passage of ice. This is accomplished by using the Roller Flap Dam Gate, unlike the Ohio River where the emergency gates or bulkheads are used in the auxiliary chamber.

During heavy ice conditions, historic information in the Huntington District indicates that ice jams can most frequently be expected to form on the Ohio River at the following locations:

- Meldahl Dam to Augusta, Kentucky (mile 436.2 to approximate mile 429.0)
- Manchester Islands Area (mile 395.2 to mile 393.5)
- Brush Creek Island Area (mile 388.0 to mile 387.0)
- Scioto River to New Boston, Ohio Area (mile 356.6 to mile 352.0)
- Racine Dam to Head of Letart Island (mile 237.5 to mile 235.0)
- Ravenswood, West Virginia, Area (mile 223.0 to mile 220.0)
- Long Bottom, Ohio, and Area (mile 210.0 to mile 208.0)

Navigators are advised that ice conditions may become severe enough to warrant the closure of navigation on certain reaches of the river. Should conditions so develop, it is imperative that navigators take refuge in safe harbors. Safe refuge from ice may be found for vessels operating on the Ohio and Kanawha Rivers at the Government owned ice piers at the following locations in the Huntington District:

<u>Ohio River Mile</u>	<u>City</u>	<u>No. of Piers</u>	<u>Bank</u>
251.7	Middleport, Ohio	3	Right
269.5	Gallipolis, Ohio	3	Right
269.5	Maysville, Kentucky	3	Left
<u>Kanawha River Mile</u>			
269.5	Henderson, West Virginia	1*	Left

\*Two additional piers at this location are owned by Amherst Industries, Incorporated.

The locations of the ice piers are shown on the Huntington District Ohio and Kanawha River Navigation Charts. Several privately-owned piers are also located along the Ohio and Kanawha Rivers. In addition to the ice piers, safe harborage is afforded in the mouth of the Muskingum, Little Kanawha, Guyandotte, and Big Sandy Rivers. Some of these areas are designated as congested areas on the 2014 Navigation Charts and can only be used for harborage during icing conditions. Navigators using these streams for safe harborage are cautioned about low clearances of the bridges near the mouth of these streams. Tows using the ice piers and the mouths of the tributary streams should be moored in such a manner as to not obstruct the passage of other vessels.

### HIGH FLOW CONDITIONS

Seasonal high water, normally encountered during the late winter and early spring months, increases the problem of maintaining a safe course. Vessel operators are reminded that specific regulations govern the operation of vessels on navigable waters at flood stage. When passing habitations or other structures partially or wholly submerged that are subject to damage from wave actions, vessels shall proceed slowly and keep as far away from such structures as circumstances allow. The Navigation Charts have the elevation of ordinary high water indicated on each sheet, except for the R. C. Byrd Pool. When water levels in the river is equal to or is greater than that elevation, navigators should operate near the published sailing line to prevent damage attributable to waves created by the vessel.

In the immediate vicinity of navigation structures, the potential exists for adverse out draft currents to develop across the upper lock approaches whenever there are high flows in the river. These currents, coupled with high winds, exert tremendous forces upon large flotillas, especially when empty barges are in the tow. All operators should carefully evaluate the makeup of each tow and its motive power. Power should be sufficient to counter the adverse conditions that can be expected during a voyage.

The Ohio River current, coupled with excessive headway when exiting a slack water area of any lock, especially R. C. Byrd upper approach, may be a contributing factor for the head barge of tows to “dive” as they exit the canal and enter the

main channel. Navigators should carefully evaluate their tow configuration and give special attention to the draft and freeboard of their head barges. Extreme caution and good navigational judgment should be used at all times, particularly when there is more than forty feet of gate openings on the dam.

### MOORING TOWS

Another facet of this season that is of major concern is the problem of breakaways. Barges left unattended, whether simply tied to natural objects or moored at terminals and fleeting areas, are subject to being dislodged by strong currents aided by wind, wave-wash from passing tows, ice flows and/or drift. Operators are urged to use extreme care in tying off tows or individual barges, to prevent such occurrences. Three or more lines are recommended, with both the upstream and downstream ends of the tow being made fast.

As required by the Department of the Army Permits for all permitted fleeting areas, barges must be securely attached such that rotation or a breakaway does not occur. All headline attachments to the bank shall be to permanent, authorized mooring devices. At least one safety line, equal or greater in strength than the headline shall be used in addition to all headlines. Breasting lines shall be used to prevent rotation of the barges. Stern lines shall be used at all unwatched facilities. Breakaways resulting from noncompliance will result in a suspension or termination of the facility's permit.

If, under emergency conditions, it becomes necessary to tie off tows along the banks, extreme care should be exercised in selecting trees or other natural objects for mooring. Banks are usually softened by saturation during high water and during spring thaws and rains, and using trees near the water for tie off are poor risks under such conditions. Should the emergency necessitate temporary mooring within ten miles of any navigation dam, especially upstream of one, the Lockmaster will be promptly advised.

If conditions warrant, the Huntington District Emergency Operations Center will be opened and maintained on a round-the-clock basis serving as an information/control center. Daily or as-required aerial flights over the river, supplemented by on-ground patrols, will be utilized to supplement the data obtained from our established field offices, to maintain current river condition data base for operational uses. Navigators wishing to make reports to the Huntington District should call (304) 399-5239 or relay the information through one of the Huntington District navigation projects.

//signed//

KENT C. BROWNING  
Chief, Technical Support Branch



**US Army Corps  
of Engineers®**

HUNTINGTON DISTRICT  
ATTN: CELRH-DE  
502 8TH STREET  
HUNTINGTON WV 25701-2070  
[HTTP://WWW.LRH.USACE.ARMY.MIL/](http://www.lrh.usace.army.mil/)

**NOTICE TO NAVIGATION INTERESTS**

**DATE:** 01/11/2022  
**POC:** Kent C. Browning  
(304)399-5239

**NOTICE NUMBER:** 17709  
**LOCAL NUMBER:** 22-04  
**WATERWAY:** OHIO RIVER

**EFFECTIVE:** 01/09/2022 00:00 thru 01/09/2023 00:00 EST

---

**CREW CHANGE AND MAIL DELIVERY POLICIES FOR LRH DISTRICT  
AT NAVIGATION LOCKS FOR TOWBOAT PERSONNEL**

The following policies are in effect for all navigation locks within the Huntington District.

Crew changes will be allowed only when security levels warrant. The following procedures will be used for crew changes: The towing companies must request permission from Lockmaster or designee for crew changes at least two (2) hours prior to requested changes. If given permission, the crew change will take place at high pool (when lock chamber is full). The crew change vehicle will remain outside the government facility gate until the motor vessel has arrived at the lock. All crew members must be in possession of a Transportation Worker Identification Credential (TWIC) card, with all other passengers having valid photo ID. A valid photo ID would be either a state-issued driver's license or a state - or federally-issued identification card. No assistance will be provided by government personnel nor personal contact will be made with government personnel. If unable to maintain social distancing, face masks will be required. Crew change vehicle will not be left on the government facility or unattended. Once the crew change vehicle leaves, all personnel will leave with the vehicle and not stay on the government facility.

No mail and/or packages will be accepted for any non-government personnel at any navigation lock. Also, stamped mail from boat crews will not be accepted by lock personnel for postal pickup. Personally delivered mail and/or packages will not be accepted by the lock personnel, nor shall items be stored at the locks for later pickup by towboat personnel. The only mail that will be accepted by the project will be stamped mail addressed to the towing company.

If a motor vessel needs parts or service for breakdown maintenance, they must request permission to deliver them to the project two (2) hours in advance. If the Regional Repair Fleet is working at a project, there will be no crew changes.

Until the Coronavirus pandemic is alleviated and restrictions are lifted, industry crew members and lock operators will utilize social distancing practices to prevent the possible spread of the Coronavirus.

//signed//

KENT C. BROWNING  
Chief, Technical Support Branch





**US Army Corps  
of Engineers®**

HUNTINGTON DISTRICT  
ATTN: CELRH-DE  
502 8TH STREET  
HUNTINGTON WV 25701-2070  
HTTP://WWW.LRH.USACE.ARMY.MIL/

DATE: 01/11/2022  
POC: Kent C. Browning  
(304)399-5239

NOTICE NUMBER: 17707  
LOCAL NUMBER: 22-03  
WATERWAY: OHIO RIVER

EFFECTIVE: 01/09/2022 00:00 thru 01/09/2023 00:00 EST

---

**NOTIFICATION OF SINKING OR SUNKEN VESSELS,  
VESSEL GROUNDINGS, AND BARGE BREAKAWAYS**

Timely notification of sinking or sunken vessels, groundings, and barges breakaway is a matter of great concern to the United States Army Corps of Engineers because of the potential danger that could result from unreported cases.

Pursuant to Section 7 of the River and Harbor Act of August 8, 1917, regulations have been prescribed to govern the use, administration, and navigation of the Ohio River, the Mississippi River above Cairo, Illinois, and their tributaries. Excerpts from these regulations (33 CFR 207.300) are as follows:

"Any accidents resulting in uncontrolled barges shall immediately be reported to the nearest lock. The report shall include information as to the number of loose barges, their cargo, and the time and location where they broke loose. The lockmaster of locks shall be kept informed of the progress being made in bringing the barges under control so that they can initiate whatever actions maybe warranted."

"Sunken or sinking barges shall be reported to the nearest lock both downstream and upstream of the location on order that other traffic passing those points may be advised of the hazards."

"Any other activity on the waterways that could conceivably endanger navigation or a navigation structure shall be reported to the nearest lock."

The following is a list of pertinent information for all Huntington District Lock and Dam Projects.

<u>Location</u>	<u>River</u>	<u>Mile</u>	<u>Telephone Number</u>
Willow Island	Ohio	161.7 R	740-374-8710
Belleville	Ohio	203.9 R	740-378-6110
Racine	Ohio	237.5 L	304-882-2118
Robert C. Byrd	Ohio	279.2 L	304-576-2272
Greenup	Ohio	341.0 L	606-473-7441
Meldahl	Ohio	436.2 L	513-876-2921
Winfield	Kanawha	31.1 R	304-586-2501
Marmet	Kanawha	67.7 R	304-949-1175
London	Kanawha	82.8 R	304-442-8422

If you have any questions, please contact this office at (304) 399-5239.

**Reporting incidents such as these to other Federal Agencies other than the U.S. Army Corps of Engineers does not fulfill your reporting obligation.**

//signed//

KENT C. BROWNING  
Chief, Technical Support Branch



**US Army Corps  
of Engineers®**

HUNTINGTON DISTRICT  
ATTN: CELRH-DE  
502 8TH STREET  
HUNTINGTON WV 25701-2070  
[HTTP://WWW.LRH.USACE.ARMY.MIL/](http://www.lrh.usace.army.mil/)

**NOTICE TO NAVIGATION INTERESTS**

**DATE:** 01/11/2022  
**POC:** Kent C. Browning  
(304)399-5239

**NOTICE NUMBER:** 17627  
**LOCAL NUMBER:** 22-02  
**WATERWAY:** OHIO RIVER

**EFFECTIVE:** 01/09/2022 00:00 thru 01/09/2023 00:00 EST

---

**REVIEW OF REGULATIONS AND GENERAL SAFETY PRACTICES**

Notice is given that the Huntington District Corps of Engineers is requesting that all towing companies and other waterway users review their operating procedures to insure that their personnel are complying with all regulations and general safety practices.

Regulations prescribed by the Secretary of the Army to govern the use, administration, and navigation for the Ohio River, Mississippi River above Cairo, Illinois, and their tributaries are contained in the "Blue Book" (33 CFR 207.300). It is required that a copy of these regulations be kept at all times on board each vessel regularly engaged in navigating the rivers to which these regulations apply.

In the interest of safety to personnel and property, it is essential that the following procedures be reviewed by your operating vessel personnel in order that they may have a comprehensive understanding of the rules for vessels in the locking process, including the act of approaching or departing a lock:

- a. All deck hands working outside areas not having bulwarks or handrails shall wear a USCG approved work vests which shall be fastened as designed for use.
- b. Smoking, open flames, chipping or other spark-producing activities are not permitted during the locking cycle on or inside barges, on outside areas of the towboat, or on the lockwalls, except in designated areas.
- c. Vessels with flammable or hazardous cargo barges, loaded or empty, are required to use spark-proof protective rubbing fenders, "possums". All vessels should utilize "possums" to help alleviate damages that are occurring to lock structures. Repairs necessitated by these damages require closure of the chambers and are expensive.
- d. Vessels shall be moored with bow and stern lines leading in opposite directions to prevent the vessel from "running" the lock whenever possible. Floating mooring bitts cannot be used for "checking", nor shall the pilot engage movement of propellers once the tow is secured to the floating mooring bitts, except for an emergency or when directed by the lockmaster.
- e. Tow boat operators shall not use the walls of the lock to push off to gain thrust. This technique is also known as "heeling" and is not permitted.

The observance of safe locking procedures leads to a safer and more efficient locking process both for navigation industry and for the U.S. Army Corps of Engineers.

Thank you for your help and participation.

//signed//

KENT C. BROWNING  
Chief, Technical Support Branch



**US Army Corps  
of Engineers®**

HUNTINGTON DISTRICT  
ATTN: CELRH-DE  
502 8TH STREET  
HUNTINGTON WV 25701-2070  
[HTTP://WWW.LRH.USACE.ARMY.MIL/](http://www.lrh.usace.army.mil/)

**NOTICE TO NAVIGATION INTERESTS**

**DATE:** 01/11/2022  
**POC:** Kent C. Browning  
(304)399-5239

**NOTICE NUMBER:** 17710  
**LOCAL NUMBER:** 22-05  
**WATERWAY:** OHIO RIVER

**EFFECTIVE:** 01/09/2022 00:00 thru 01/09/2023 00:00 EST

---

**RESTRICTED AREAS AT NAVIGATION STRUCTURES  
IN THE HUNTINGTON DISTRICT**

This Notice is applicable to the following Huntington District Corps of Engineers' Ohio River Locks and Dams: Captain Anthony Meldahl, Greenup, R.C. Byrd, Racine, Belleville, and Willow Island, and the following Kanawha River Locks and Dams: Winfield, Marmet, and London.

A number of accidents have occurred in the past when vessels, particularly small recreation/fishing craft, violated existing regulations and entered the "Restricted Areas" either above or below the navigation dams. These "Restricted Areas" are exceedingly dangerous and have been permanently declared restricted to all vessels except those on official business. Vessel operators who enter these "Restricted Areas" risk their lives and property and may interfere with required operation of the locks and dam.

The Huntington District has adopted a practice whereby as soon as river flow conditions permit each spring, "special purpose" buoys are placed in the river to physically mark the boundaries of the "Restricted Areas." These "special purpose" buoys have a white background with two reflective orange horizontal bands and a reflective orange cross enclosed within a diamond. The words "KEEP OUT" are lettered on each buoy. The buoys are placed above and below the dam to delineate the "Restricted Area" at each project. Signs are also in place adjacent to the buoy lines on the river wall of the lock and on the opposite riverbank. These signs and buoys are positioned to delineate areas where unpredictable currents flow upstream toward the dam on the surface. These currents create dangerously turbulent water and nearly always contain hidden undertows. Additional day marker signs with a reflective orange cross enclosed within a diamond having a white background are installed on the downstream side of the dam. The words "KEEP OUT" are lettered on each sign.

An additional hazard exists in the culvert valve discharge areas where water from the locks empties into the river. These areas are in the "Restricted Areas" and are marked by signs mounted on the riverside of the lock wall over the discharge areas reading "DANGER, TURBULENT WATER." The force of water issuing from these underwater discharges is extremely violent and can capsize vessels, especially small recreation/fishing craft. The releases are intermittent and can cause sudden changes in the character of the water surface. A long warning siren is sounded prior to each such discharge to alert all persons of the release of water. This is a totally different sound than the whistle to enter and leave the lock chamber.

Navigators must educate themselves to the boundaries of the "Restricted Areas" and stay clear at all times, even when buoys are off station. "Restricted Areas" are delineated on the current issue of the Navigation Charts.

The Federal regulations which control restricted areas are contained in the current issue of the "Blue Book" and are repeated here in part:


33 CFR 207.300 " (s) Restricted Areas at Lock and Dam. All waters immediately above and below each dam as posted by the respective District Engineers, are hereby designated as restricted areas. No vessel or other floating craft shall enter any such restricted areas at any time. The limits of the restricted areas at each dam will be determined by the responsible District Engineer and marked by signs and/or flashing red lights in conspicuous and appropriate places."


Lockmasters, their staff, and Corps Park Rangers will enforce these Federal regulations. The U. S. Coast Guard and local law enforcement officers may render assistance as appropriate. Violators may be subject to a citation requiring

appearance in Federal and/or State Court and upon conviction are subject to fine and / or imprisonment – (or both).

//signed//

KENT C. BROWNING  
Chief, Technical Support Branch







1 December 2021

**SPECIAL PUBLIC NOTICE**  
**NUMBER D8 DWB-903****UPPER MISSISSIPPI, ST. CROIX AND MISSOURI RIVERS**

In accordance with 33 Code of Federal Regulations 117.671, from on or about December 15 through the last day of February at least 24 hours advance notice is required for opening all drawbridges between Lock and Dam No. 14, Mile 493.3 and Lock and Dam No. 2, Mile 815.2 UMR. The Lacrosse Railroad Drawbridge will close at 8 A.M. on December 7, 2021 and will remain in the closed to navigation position until 8 A.M. on March 1, 2022. The Stillwater Highway Drawbridge over the St. Croix River during the winter months from October 16 to May 14 require at least 24 hours advance notice for openings and all other bridges on the St. Croix River during winter months from November 1 to March 31 require at least 24 hours advance notice for openings, (33 CFR 117.667). In accordance with 33 CFR 117.687, drawbridges on the Missouri River require at least 24 hours advance notice during the winter operating season (December 1, 2021 to April 1, 2022) as published by the Army Corps of Engineers. A list of these bridges and the name and telephone number of the person to contact for opening each bridge is as follows:

**UPPER MISSISSIPPI RIVER: (12 hr Advance Notice)**

<u>MILE</u>	<u>BRIDGE</u>	<u>NAME AND TELEPHONE NUMBER</u>
841.4	Omaha Railroad Drawbridge	Mark Waelington: 402-570-6947
839.2	Chicago & Northwestern Railroad Drawbridge	See Omaha RR Drawbridge
835.7	Beltline Railroad Drawbridge	See Omaha RR Drawbridge

**UPPER MISSISSIPPI RIVER: (24 hr Advance Notice)**

<u>MILE</u>	<u>BRIDGE</u>	<u>NAME AND TELEPHONE NUMBER</u>
813.7	Hastings Railroad Drawbridge	Chris Lewzader: 563-845-9062
699.8	LaCrosse Railroad Drawbridge	See Hastings RR Drawbridge
579.9	Illinois Central Railroad Drawbridge	Chad Earle: 319-404-3417
535.0	Sabula Railroad Drawbridge	Kevin Law: 605-321-8613 Jamie Sparks: 605-366-5654

**UPPER MISSISSIPPI RIVER: (24 hr Advance Notice)**

518.0	Clinton Railroad Drawbridge	Ben Klaus:	641-750-8081
		Marvin Stewart:	563-249-1334
		Josh Foster	563-559-8131

**ST. CROIX RIVER: (24 hr Advance Notice)**

<u>MILE</u>	<u>BRIDGE</u>	<u>NAME AND TELEPHONE NUMBER</u>
23.4	Stillwater Highway Drawbridge	MNDOT Dispatchers: 651-234-7110
17.3	Hudson Railroad Drawbridge	Mark Waelington: 402-570-6947
0.3	Prescott Highway Drawbridge	Zach Thompson: 972-310-9076
0.2	Burlington Northern Santa Fe Drawbridge	Zach Thompson: 972-310-9076

**MISSOURI RIVER: (24 hr Advance Notice)**

<u>MILE</u>	<u>BRIDGE</u>	<u>NAME AND TELEPHONE NUMBER</u>
448.2	Union Pacific Railroad Drawbridge	Mark Waelington 402-570-6947
422.5	Atchison Railroad Drawbridge	See Union Pacific Railroad Drawbridge
366.1	Hannibal Railroad Drawbridge	Destrey Gibson: 701-509-4005
365.6	A.S.B. Highway and Railroad Drawbridge	See Hannibal Railroad Drawbridge
359.4	Harry S. Truman Railroad Drawbridge	Ben Klaus: 641-750-8081 Marvin Stewart: 563-249-1334 Josh Foster 563-559-8131

ERIC A. WASHBURN  
Bridge Administrator, Western Rivers  
By direction of the District Commander





**US Army Corps  
of Engineers®**

TULSA DISTRICT

ATTN: CESWT-DE  
2488 E 81ST ST  
TULSA OK 74137  
HTTP://WWW.SWT.USACE.ARMY.MIL/

**DATE:** 4/8/2022

**POC:** Robert Steiner; Navigation Manager:  
918-775-4475 ext 5833  
Brad Johnson; Navigation Manager:  
918-550-9026  
Jacob Simpson; Navigation Engineer:  
918-430-4783

**NOTICE NUMBER:** 19406

**LOCAL NUMBER:** TD 2022-2

**WATERWAY:** MC-KERR ARKANSAS  
RIV NAV SYS

**EFFECTIVE:** 04/26/2022 08:00 thru  
05/18/2022 16:00 CDT

---

**NOTICE OF DAILY CLOSURES DURING DIVING ACTIVITIES**  
**W.D. MAYO L&D No. 14, NM 318.6 to NEWT GRAHAM L&D No.18, NM 422.6**

Mariners can expect daily closures from April 26th thru May 18th along the Tulsa District section of the MKARNS. A contractor will be conducting diving operations at all five locks from W. D. Mayo L&D No. 14 to Newt Graham L&D No. 18. The lock will be closed daily, during week days, when diving crews perform underwater inspections at each individual lock. Daily shut downs will be eight hours between the hours of 0800 and 1600 while the inspections are in progress. Currently, there is no plan to work on the weekends. Navigation traffic is asked to plan accordingly around these daily closures. The start date for the contract is April 26th at W.D. Mayo L&D 14 and diving operations could commence for up to 4 days until the 29th. The contractor plans to then move up the river to the next lock in sequence and spend approximately 4 days completing work.

Remaining Locks Tentative Daily Closure Schedule:

**RS Kerr L&D 15:** May 2nd - May 5th

**Webbers Falls L&D 16:** May 6th - May 11th

**Chouteau L&D 17:** May 12th - May 16th

**Newt Graham L&D 18:** May 13th - 18th

There are uncertainties in the amount of time the contractor needs to complete their work as scheduled and unforeseen issues could require additional time. The tentative schedule is subject to change and mariners are advised to stay up to date with the latest information and be advised further Navigation Notices will be released with all updates and changes. Waterway users are asked to check with the lock of interest for the latest information and should schedule their activities around this notice.

- Questions or request for additional information concerning this notice for Lock 14, 15, 16 should be directed to Mr. Robert Steiner; Navigation Operation Manager: 918-775-4475 ext 5833 or Mr. Jacob Simpson; Navigation Field Engineer: 918-430-4783.
- Questions or request for additional information concerning this notice for Lock 17 and 18 should be directed to Mr. Brad Johnson, Navigation Operation Manager: 918-550-9026 or Mr. Jacob Simpson; Navigation Field Engineer: 918-430-4783.

//signed//

Jeff Knack  
Acting Chief, Operations Division

**US Army Corps  
of Engineers®**

ST. LOUIS DISTRICT

ATTN: CEMVS-DE  
1222 SPRUCE STREET  
ST. LOUIS MO 63103-2833  
[HTTP://WWW.MVS.USACE.ARMY.MIL/](http://www.mvs.usace.army.mil/)

**DATE:** 03/23/2022

**POC:** Lance Engle  
314-865-6343

**NOTICE TO NAVIGATION INTERESTS****NOTICE NUMBER:** 19126**LOCAL NUMBER:** 22-02**WATERWAY:** UPPER MISSISSIPPI

**EFFECTIVE:** 03/23/2022 00:00 thru 06/30/2022  
23:59 CDT

---


**IENC Chart Update**  
**Dikes 290.1R, 289.7R & 289.4R**  
**Upper Mississippi River mile 290.1 - 289.4**

1. Dikes 290.1R, 289.7R, and 289.4R were found on a recent multibeam survey to be longer than previously shown on the Inland Electronic Navigation Chart (IENC). Dike 290.1R is extended 220-ft, dike 289.7R is extended 450-ft, and dike 289.4R is extended 475-ft towards the channel with less than 5-ft of water over these areas. The IENC has been updated to show the actual length of these structures.
2. The attached drawing shows the updated IENC chart with the old end of dike locations noted for comparison.
3. Mariners should update IENC U37UM218 on their electronic chart software.

**FOR THE DISTRICT ENGINEER:**

//signed//


Andrew C. Schimpf, P.E.  
Rivers Project Manager



IENC U37UM218 with updated dike structures at 290.1R, 289.7R, & 289.4R

# ROBERT C. BYRD LOCKS AND DAM, LOWER APPROACH

HYDROGRAPHIC SURVEY, PERFORMED ON 20220321



US ARMY CORPS OF ENGINEERS

HUNTINGTON DISTRICT