

Local Notice to Mariners for Great Lakes District 04/29/2026

Above Fighting Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
River Rouge Canal Entrance Lighted Buoy 2	8160	OFF STATION	FD

APOSTLE ISLANDS

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior - APOSTLE ISLANDS/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-10 To: 2026-10-02 Kokosing Industrial will be conducting Stone Breakwall Construction at South End of Devils Island and at Little Sand Bay Marina in Wisconsin 0700-1900 7 days a week. Tug Nancy Anne can be contacted on VHF 13 and 16. MM 142 barge and Sam II will be working on spuds with Tug Nancy Anne within 400' of Devil's Island. Operations primarily located on the south end of Devil's Island. Pleasure craft and passing vessels should remain a distance of 500' from work at all times.MM 142 barge and Sam II will also be working on spuds with Tug Nancy Anne at Little Sand Bay Marina Operations primarily located within 500' of the Marina. Additional Barges may be moored on an anchor can buoy northwest of Little Sand Bay Marina. Anchor Buoy coordinates N 46°56'56.24" W 90°53'40.21	Lat: 46° 56' 52" Lon: -090° 53' 34"

Ashtabula Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ashtabula Harbor East Basin Lighted Buoy 1	3780	LT EXT	FD

Au Sable

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON - Au Sable/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-01-27 To: 2026-09-01 Location: 44-24-26.000N/083-19-29.000W Bridge Name: Rt 23 Bridge From August 8 through August 31, 2026, between the hours of 0800 and 1800 divers will be inspecting the underwater portions of the U.S. Route 23 Bridge at Mile 0.42 over the Au Sable River, part of the Michigan Inland Route. A dive safety vessel will monitor VHF-FM Marine Channel 16 and will assist in moving the divers do vessels may pass. [27JAN26]	Lat: 44° 24' 26" Lon: -083° 19' 29"

Ballards Reef Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grosse Ile South Channel Range Rear Light	7170	LT EXT/STRUCT DEST	FD

Bay Point State Park Hazard

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Johnson Island Light 1	5247	LT EXT	PA

Black Rock Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Strawberry Island Cut - Black Rock Canal/General/Bridges/Maintenance	Bridges	On April 22, 2026, from 0700 to 1300, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.	Lat: 42° 55' 52" Lon: -078° 54' 08"

Calumet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

General/Bridges/Rehabilitation	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From December 22, 2025, through November 12, 2027, scaffolding that hangs approximately 3-feet below low steel will be installed under the I-94 Bridge at Mile 8.59 (CORPS MILE 324.6) over the Little Calumet River. Snooper trucks will be used with spotters who will warn contractors of approaching vessels and move the manlift to allow vessels to pass.	Lat: 41° 38' 28" Lon: -087° 34' 42"
LAKE MICHIGAN - Calumet/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-01-05 To: 2026-10-31 Location: 41-39-41.436N/087-44-59.352W From April 28, 2025, through October 31, 2026, scaffolding that hangs approximately 6-feet below low steel will be installed under one half of the 127th Street Bridge at Mile 18.81 (CORPS MILE 314.2) over the Calumet-SAG Channel. Bridge Name: 127th St Bridge	Lat: 41° 39' 41" Lon: -087° 44' 59"
LAKE MICHIGAN - Calumet/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-03-12 To: 2026-09-01 Location: 41-39-26.834N/087-38-28.129W Bridge Name: S Halstead St Bridge From March 24, 2026, through September 1, 2026, there will be scaffolding under the bridges that hangs no more than 2-feet below low steel. The scaffolding will display steady burning yellow lights on the bottom and four-corners to warn mariners of the temporary reduction in vertical clearance for the length of the scaffolding. Between the hours of 0600 and 1800, Monday through Saturday there will be a barge that is monitoring VHF-FM Marine Channel 16 and will require a 1-hour advance notice to accommodate vessels needing passage.	Lat: 41° 39' 27" Lon: -087° 38' 28"
LAKE MICHIGAN - Calumet/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation From: 2026-02-04 To: 2026-08-03 The T.J. O'Brien Lock (MM 326.5) on the Calumet River will have restrictions on use of the upper guide wall until further notice. The Upstream 200 feet of the wall is unavailable for all use including mooring, landing, heeling, or any other contact. The wall suffered significant structural damage to the upstream end and contact should be avoided. For further details contact the U.S. Army Corps of Engineers, Chicago District at 815-510-0361.	Lat: 41° 39' 12" Lon: -087° 34' 05"

CALUMET AND INDIANA HARBORS

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Calumet Harbor Lighted Buoy 1	19810	OFF STATION	FD
Calumet Harbor Lighted Buoy 7	19825	OFF STATION	FD

Canoe Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Canoe Channel Daybeacon 8	17210	STRUCT DEST/TRUB	FD

Cheboygan

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
DE TOUR PASSAGE TO WAUGOSHANCE POINT - Cheboygan/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-01-27 To: 2026-09-01 Location: 45-38-45.000N/084-28-22.000W Bridge Name: State St Bridge MI - LAKE MICHIGAN – Inland Route From August 26 through August 28, 2026, between the hours of 0800 and 1800 divers will be inspecting the underwater portions of the State Street Bridge at Mile 0.92 over the Cheboygan River, part of the Michigan Inland Route. A dive safety vessel will monitor VHF-FM Marine Channel 16 and will assist in moving the divers do vessels may pass. [27JAN26]	Lat: 45° 38' 45" Lon: -084° 28' 22"

Cheboygan River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cheboygan - Cheboygan River/General/LAA/RNA/Safety Zone	LAA/RNA	General/LAA/RNA/Safety Zone From: 2026-04-16 To: 2026-04-25 Coast Guard Sector Northern Great Lakes has received reports of rising water levels and heavier outflows in Cheboygan, MI due to local snowmelt and rainfall in the Northern counties of Michigan. A safety zone is in place from the Cheboygan River upstream of the Cheboygan Dam to Mullet Lake and the Black River from its confluence with the Cheboygan River to Alverno Dam, the Indian River from its outlet at Burt Lake to its mouth at Mullet Lake and the Crooked River from its outlet at Crooked Lake to its mouth at Burt Lake. Mariners, with the exception of emergency response watercraft, are advised to avoid transiting the safety zone and to maintain awareness of advisories issued by local and state emergency agencies.	
Cheboygan - Cheboygan River/General/MSIB	MSIB	General/MSIB From: 2026-04-23 To: 2026-05-31 There will be a debris collecting barrier in the vicinity of the Forks Boating access site, approximately 2.2 miles up river from the Cheboygan Dam. The debris collection barrier will consist of two, 300 foot long orange floating barriers marked with white lights and warning signs. Mariners are advised to avoid transiting the area and to maintain awareness of advisories issued by local and state emergency agencies.	Lat: 45° 36' 21" Lon: -084° 27' 58"

Chequamegon Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
WISC Apostle Island Presque ISD PT Wave Buoy 4	15273	MISSING	PA

Chicago Harbor

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Chicago Harbor Light	19960	WATCHING PROPERLY	FD	2026-04-22

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chicago Harbor Municipal Pier No. 1 Light	20005	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Rehabilitation	Bridges	*****REVISED***** IL - LAKE MICHIGAN – Chicago Harbor From August 15, 2025, through December 1, 2026, the Lake Street Bridge at Mile 1.64 (CORPS MILE 325.5) over the South Branch of the Chicago River, will be replaced, one leaf at a time. One half of the channel will be open to navigation without any equipment with a fully operational bridge leaf. The leaf of the bridge being replaced will be secured to masted navigation and will have six barges 120-feet by 80-feet or smaller working near or under the secured leaf. The contractor will display temporary steady burning yellow lights on the bottom and four-corners of the bridge leaves until the permanent bridge lighting can be established. Any equipment moving near mid-channel or in the unaffected side of the channel should be passed with standard agreements in accordance with the Navigation Rules. [16/25] [26/25]	Lat: 41° 53' 09" Lon: -087° 38' 16"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Maintenance	Bridges	IL - LAKE MICHIGAN – Chicago Harbor From August 25, 2025, through October 30, 2026, between the hours of 0700 and 1600, Monday through Saturday, three barges, 90-feet by 50-feet or smaller will be working at the Cortland Street Bridge at Mile 4.48 (CORPS MILE 328.2) over the North Branch of the Chicago River. The barges will move with a 2-hour advance notice provided directly to the barges on VHF-FM Marine Channel 16. [31/25]	Lat: 41° 55' 01" Lon: -087° 39' 51"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-01-07 To: 2026-07-06 Location: 41-52-02.377N/087-38-04.736W Bridge Name: Roosevelt Rd Bridge *****REVISED***** IL - LAKE MICHIGAN – Chicago Harbor From August 18, through April 30, 2026, between the hours of 0700 and 1500, Monday through Friday a 40-foot x 40-foot barge will be working under the Roosevelt Road Bridge at Mile 2.94 (CORPS MILE 324.3) over the South Branch of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and will move with a 2-hour advance notice. The bridge operating schedule will not be affected. [29/25] [17NOV25] [7JAN26]	Lat: 41° 52' 02" Lon: -087° 38' 05"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-02-05 To: 2026-08-04 Location: 41-53-18.000N/087-36-50.000W Bridge Name: Lake Shore Dr Bridge IL - LAKE MICHIGAN – Chicago Harbor From March 23 through March 27, 2026, between the hours of 0600 and 1800, Monday through Saturday, a 30-foot Harcon will be inspecting the following bridges: All bridges across the Calumet-Sag Channel between Mile 15.63 (Corps Mile 317.4) and Mile 25.56 (Corps Mile 307.3). The South Cicero Avenue Bridge at Mile 10.0 (Corps Mile 317.3) over the Chicago Sanitary and Ship Canal. The Lake Shore Drive Bridge at Mile 0.32 (Corps Mile 326.9) and the Clark Street Bridge at Mile 1.21 (Corps mile 326.0) over the Main Branch of the Chicago River. The Lake Street Bridge at Mile 1.64 (Corps Mile 325.5) over the South Branch of the Chicago River. The Harcon will monitor VHF-FM Marine Channel 16 and will move if a 15-minute advance notice is provided. [05FEB26]	Lat: 41° 53' 18" Lon: -087° 36' 50"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-03-25 To: 2026-07-11 Location: 41-49-56.676N/087-42-08.244W Bridge Name: CN Freeport at mile 6.58 over the Chicago Sanitary & Ship Canal - USACE Mile 319.60 from April, 2026, through July 10, 2026, between the hours of 0600 and 1800, Monday through Friday, There will be a 40-feet by 60-feet sectional barge setup within the draw of the bridge. The barge is monitoring VHF-FM Marine Channel 16 and will move if provided with a 2-hour advance notice from vessels. During non-working hours the barge will be moored outside of the navigation channel and be lighted in accordance with the navigation rules. All mariners are to proceed with caution.	Lat: 41° 49' 57" Lon: -087° 42' 08"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-04-27 To: 2026-05-01 Location: 41-49-56.676N/087-42-08.244W Bridge Name: CN bridge at mile 6.58 over the Chicago Sanitary & Ship Canal - USACE Mile 319.60 On April 30, 2026 from the hours of 0730 until 1400 there will be one barge 40-feet by 60-feet or smaller at the bridge. The barge is required to monitor VHF-FM Marine Channel 16 and move to accommodate other vessels with a 3-hour advance notice. From 0700 April 29, 2026 till 1900 on April 30, 2026 there will be scaffolding under the bridges that hangs approximal 12 inches below low steel. they will display steady burning yellow lights on the bottom and four-corners of the scaffolding to warn mariners of the temporary reduction in vertical clearance for the length of the scaffolding	Lat: 41° 49' 57" Lon: -087° 42' 08"
LAKE MICHIGAN - Chicago Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-04-29 To: 2026-07-05 A work platform will be in place on the right descending bank of the Chicago River, between the N. Dearborn St. and N. Clark St. Bridges. Placement and work will start on April 29, 2026 through July 5, 2026. The platform is a Sectional Deck with Hull Dimensions of 24' wide, 40' long, and 30" high. It will be tied off while working to reface the concrete wall. Contact for Bulley and Andrews is Mr. Hector Capistran and his cell is 773-915-6249. The work platform is being provided by 5R and I will be the contact. Information is listed below.	Lat: 41° 53' 16" Lon: -087° 37' 49"

CHICAGO LAKE FRONT

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Filtration Plant Breakwater South End Light	19860	LT EXT	PA
Filtration Plant Breakwater North End Light	19865	LT EXT	PA

Chicago North Side

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

LAKE MICHIGAN - Chicago North Side/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-03-12 To: 2026-09-01 Location: 41-53-33.000N/087-38-31.000W Bridge Name: Ohio St Bridge From April 1, 2026, through August 31, 2026. Between the hours of 0700 and 1530, Monday through Friday, There will be one barge 40-feet by 60-feet at the bridge. The barge is monitoring VHF-FM Marine Channel 16 and will accommodate other vessels with a 1-hour advance notice	Lat: 41° 53' 33" Lon: -087° 38' 31"
--	---------	---	--

Cleveland Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Erie - Cleveland Harbor/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-01-23 To: 2026-07-14 Location: 41-29-39.012N/081-41-52.008W Bridge Name: Carter Rd Bridge On July 11, 2026, between the hours of 1000 and 1100, the Carter Road Bridge at Mile 2.43 over the Cuyahoga River will be secured to masted navigation in conjunction with a marathon race. Vessels able to pass under the bridge without an opening may do so at any time. [23 JAN 26]	Lat: 41° 29' 39" Lon: -081° 41' 52"
Lake Erie - Cleveland Harbor/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-01-23 To: 2026-10-06 Location: 41-29-39.012N/081-41-52.008W Bridge Name: Carter Rd Bridge On October 3, 2026, between the hours of 0600 and 1400, the Carter Road Bridge at Mile 2.43 over the Cuyahoga River will be secured to masted navigation in conjunction with a marathon race. Vessels able to pass under the bridge without an opening may do so at any time. [23 JAN 26]	Lat: 41° 29' 39" Lon: -081° 41' 52"
Lake Erie - Cleveland Harbor/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-02-04 To: 2026-08-03 Location: 41-29-39.012N/081-41-52.008W Bridge Name: Carter Rd Bridge OH - LAKE ERIE - Cleveland Harbor May 17, 2026, between the hours of 0600 and 1000, the Carter Road Bridge at Mile 2.43 over the Cuyahoga River will be secured to masted navigation in conjunction with the Cleveland Marathon. Vessels able to pass under the bridge without an opening may do so at any time. [4 FEB 26]	Lat: 41° 29' 39" Lon: -081° 41' 52"
Lake Erie - Cleveland Harbor/General/Bridges/Removal	Bridges	General/Bridges/Removal OH - LAKE ERIE - Cleveland Harbor From January 18, 2027, through March 4, 2027, a 180-foot by 52-foot barge will be moored in the drawspan of the Eagle Avenue Bridge at Mile 2.80 over the Cuyahoga River. The barge will be unable to move as the drawspan is lowered onto its deck for removal. Vessels will not be able to go around the barge or under the bridge until after March 4, 2027. [21APR26] From: 2026-04-21 To: 2027-03-09 Location: 41-29-35.988N/081-41-31.992W Bridge Name: Eagle Avenue Bridge	Lat: 41° 29' 36" Lon: -081° 41' 32"

Crooked Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Crooked Lake Daybeacon 81	12140	STRUCT DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Crooked Lake Daybeacon 82	12145	DISCONTINUED	FD

DE TOUR PASSAGE TO WAUGOSHANCE POINT

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON - DE TOUR PASSAGE TO WAUGOSHANCE POINT/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-05-02 To: 2025-08-01 Location: 45.84758° N / 84.73412° W 45.78405° N / 84.75489° W 45.78753° N / 84.76502° W 45.84388° N / 84.74562° W 45.84758° N / 84.73412° W From 01 Jun 2026 to 01 Aug 2026, Enbridge, in coordination with Tetra Tech Inc. will be conducting underwater survey operations of the Enbridge Line 5 pipelines in the Straits of Mackinaw in between Point Labarbe and McGulpin Point, MI. The survey operations will include both east and west pipelines. Operations will be daily from 0600 to 1800. The underwater survey effort will be conducted with a hybrid autonomous and remotely operated underwater vehicle (HAUV/ROV) from M/V Ugle Duckling, with M/V Streak as an alternate vessel. The contact vessels listed above can be reached on VHF-FM channels 13 and 16. All third party vessels are required to remain 1500' (500-yard safety zone) away from the survey vessel. For further information contact Richard Funk, (425) 482-7629.	

Detroit River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Bridges/Maintenance	Bridges	On December 6, 2025, between the hours of 0900 and 1600 the National Steel Railroad Bridge at mile 0.40 over the Rouge River will be operational for maintenance and will require a signal to open. Mariners may provide signals to the drawtender on duty.	Lat: 42° 16' 41" Lon: -083° 06' 57"
WEST END OF LAKE ERIE - Detroit River/General/Bridges/Maintenance	Bridges	MI - DETROIT RIVER - River Rouge From May 18 through May 22, 2026, the Del Ray Connecting Railroad Bridge at Mile 0.34 over the River Rouge Old Channel will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without opening may do so at any time.	Lat: 42° 17' 23" Lon: -083° 07' 06"

WEST END OF LAKE ERIE - Detroit River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-04 To: 2026-06-15 Location: 42-17-25.260N/083-06-59.544W 42-17-24.936N/083-06-52.488W 42-17-23.568N/083-06-44.460W 42-17-20.976N/083-06-28.080W 42-17-19.716N/083-06-29.160W 42-17-21.552N/083-06-43.704W 42-17-23.568N/083-06-54.972W 42-17-23.208N/083-07-01.920W 42-17-20.940N/083-07-08.400W 42-17-14.244N/083-07-11.028W 42-16-57.900N/083-07-06.168W 42-16-56.964N/083-07-08.580W 42-16-58.368N/083-07-09.732W 42-17-10.536N/083-07-12.576W 42-17-17.592N/083-07-12.504W 42-17-21.912N/083-07-09.804W 42-17-24.864N/083-07-04.476W 42-17-25.260N/083-06-59.544W Lower Rouge Old Channel Remediation Project, which will commence in March and continue until mid-June. Dredging operations and barge transport to the Pointe Mouille CDF will be occurring 7 days per week, 24 hours per day for approximately 2 months once operations begin. While placement operations will be occurring 7 days per week, 12 hours per day. The majority of these operations will take place between the 141 lift bridge and the Delray Swing bridge, with barge transportation throughout the Old Channel. POC: Erik Papenfus 608-397-0975	
General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2025-10-25 To: 2026-06-01 Herpetological Resource and Management, LLC will be studying the movement of mudpuppies (a protected salamander species) using acoustic telemetry. Project Details & Safety Measures: • Equipment: We will be installing underwater stations. Each station consists of an 4-8-foot galvanized metal pole anchored with a dock sand anchor into the river bottom. • Location & Navigation Safety: The poles will be placed in near-shore waters at depths of 6-12 feet, ensuring the top of each pole is at least 2 feet below the water's surface. All sites have been selected to be well outside of any designated shipping channels.	

Duluth Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Superior Front Channel - Duluth Harbor/General/Bridges/Maintenance	Bridges	MN- LAKE SUPERIOR – Duluth-Superior Harbor From January 15, 2026, through March 23, 2026, and again from January 15, 2027, through March 23, 2027, and again from January 15, 2028, through March 23, 2028, the Duluth Ship Canal Bridge at mile 0.24 over the Duluth Ship Canal will be secured to masted navigation for maintenance, vessels able to pass under the bridge without an opening may do so at any time.	Lat: 46° 46' 44" Lon: -092° 05' 34"

East Outer Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Outer Channel Light 10	6935	LT IMCH	FD
East Outer Channel Lighted Buoy 13	6950	MISSING	FD

Erie Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Erie Harbor Lighted Buoy 10	3580	OFF STATION	FD
Erie Harbor Lighted Buoy 12	3590	OFF STATION	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Erie Harbor Lighted Buoy 11	3585	WATCHING PROPERLY	FD	2026-04-21
Erie Harbor Lighted Buoy 14	3596	WATCHING PROPERLY	FD	2026-04-21

Fleming Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Above Fighting Island - Fleming Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-21-10.260N/082-55-57.432W Aid Name: Peche Island Lighted Buoy 114 LLNR: 8255 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy and associated seasonal winter mark with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus replacement with a steel ice hull. The change provides both greater flexibility in the seasonal availability of a lighted signal, but also an improved radar signature during unlit off-season periods. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 21' 10" Lon: -082° 55' 57"

Grand River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Grand River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-03-10 To: 2026-09-06 Great Lakes Dock & Materials, L.L.C. 2. TYPE OF OPERATION: Pier Construction and Dredging 3. LOCATION: Grand Haven North Pier, Michigan 4. COMMENCE DATE: April 1, 2026 COMPLETE DATE: November 30, 2026 5. HOURS OF OPERATION: 24 hours per day 6. DAYS OF OPERATION: 7 days per week 7. CONTACT VESSEL: Spud Barge "Justin Avery" and "Jacquelyn" and Tug "George F Bailey" 8. VHF-FM CHANNELS MONITORED: 16 and 18	Lat: 43° 03' 32" Lon: -086° 14' 52"

Grand Traverse Bay**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Grand Traverse Light	18110	DBD DMGD	FD

Grays Reef Passage Channel**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Grays Reef Passage Channel Lighted Buoy 5	17765	MISSING	FD
Grays Reef Passage Channel Lighted Bell Buoy 4	17770	MISSING	FD

Green Bay City**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Green Bay Harbor Entrance Channel - Green Bay City/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-04-15 To: 2026-05-18 Location: 44-30-31.000N/088-01-17.000W Bridge Name: Tilleman Memorial Bridge On May 17, 2026, between the hours of 0500 and 1500, the Mason Street Bridge (Tilleman Memorial Bridge) at mile 2.27, over the Fox River at Green Bay, Wisconsin. Will be secured to masted navigation in conjunction with the Epic Marathon and Running Festival. Vessels able to pass under the bridge without an opening may do so at any time. All Vessels are to proceed with caution.	Lat: 44° 30' 31" Lon: -088° 01' 17"

Green Bay Harbor Entrance Channel**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Green Bay Harbor Entrance Light	22130	LT EXT	FD
Green Bay Harbor Entrance Channel Range Front Light	22180	DAYMK DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LOWER GREEN BAY - Green Bay Harbor Entrance Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-04-15 To: 2026-05-01 Location: 44-31-06.000N/088-00-55.000W Bridge Name: Ray Nitschke Bridge On April 30, 2026, between the hours of 0300 and 1400, the Ray Nitschke Bridge at mile 1.58, over the Fox River at Green Bay, Wisconsin will be secured to masted navigation due to maintenance. Vessels able to pass under the bridge without an opening may do so at any time. All Vessels are to proceed with caution.	Lat: 44° 31' 06" Lon: -088° 00' 55"

Harrisville**Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Harrisville Entrance Buoy 2	11323	WATCHING PROPERLY	FD	2026-04-27

Holland Harbor**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Holland Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-30 To: 2026-06-02 Location: 42-46-22.980N/086-12-52.704W Viking Marine will be conducting dredging in the outer harbor of Holland MI 24 hours a day 7 days a week. Dredge AJ can be contacted on VHF channel 78. : Please contact the dredge operator on station 78 if necessary. The pipeline will route from the harbor roughly 2,000 feet to 5,500 feet south of the breakwater on the south side beach. There will be approximately 8,000' of pipeline. The pipeline will be marked every 500' with bright orange buoys and reflective tape. The disposal site will consist of a raised piece of plastic pipe placed on a steel yellow pontoon tank. The pontoon tank will have 4 orange flashing lights during night operations. We encourage ALL boaters to stay at least 250' away from the yellow disposal pontoon. Please do not go near the pontoon. There will be pipeline inside the channel. The pipeline buoys and anchor buoys inside of the channel will be marked with lighting and reflective tape. Please avoid all buoys. Please proceed with caution.	Lat: 42° 46' 23" Lon: -086° 12' 53"

Huron Harbor**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Huron Harbor Light 8	4505	DBD DMGD	FD

Illinois River**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Illinois River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-01-09 To: 2026-07-08 Location: 41-23-31.740N/088-18-35.064W	Lat: 41° 23' 32" Lon: -088° 18' 35"

Indian River**Temporary Changes**

NAME	LLNR	STATUS	AID TYPE
Indian River Daybeacon 28	11935	DISCONTINUED	FD

Indiana Harbor**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Indiana Harbor Light 7	19700	REDUCED INT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Indiana Harbor/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-20 To: 2026-10-17 Location: 41-40-00.804N/087-26-31.308W Aid Name: Indiana Harbor Light 7 LLNR: 19700 Action: CHANGE Action Type Change Light Signals The Coast Guard will be changing the characteristics of the lighted signal from F G to Occ G 4s. The change is in response to the installation of a more reliable lantern assembly. For any comments or questions on these proposed changes please contact: The Great Lakes District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil.	Lat: 41° 40' 01" Lon: -087° 26' 31"
LAKE MICHIGAN - Indiana Harbor/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-04-23 To: 2026-07-21 Location: 41.72393° N / 87.36217° W 41.72009° N / 87.35702° W 41.65599° N / 87.45281° W 41.66061° N / 87.45899° W 41.72393° N / 87.36217° W Bridge Name: Norfolk Southern Railroad Bridge IN - LAKE MICHIGAN - Indiana Harbor Canal The Coast Guard has received a report that the bridge fendering is damaged near the Norfolk Southern Railroad Bridge at Mile 0.72 over the Indiana Harbor Canal. Mariners should use caution when transiting the area. [48/24]	Lat: 41° 39' 36" Lon: -087° 27' 08"

Irondequoit Bay**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE ONTARIO - Irondequoit Bay/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-02-13 To: 2026-08-12 Location: 43-12-42.084N/077-32-02.256W Bridge Name: US ROUTE 104 Route Bridge NY - LAKE ONTARIO - Irondequoit Bay From April 13 through August 31, 2026, between the hours of 0700 and 1700, Monday through Saturday, snooper trucks will be used to wash the U.S. Route 104 Bridge at Mile 6.5 over Irondequoit Bay. Mariners should avoid passing through heavy amounts of water falling from the bridge. [13FEB26]	Lat: 43° 12' 42" Lon: -077° 32' 02"
LAKE ONTARIO - Irondequoit Bay/General/Marine Events/Regatta (Race)	Marine Events	Rochester Canoe Club Sunday Races. Occurring every Sunday from 10 A.M. until 6 P.M. There will be approximately 25 participants and 2 support vessels.	
LAKE ONTARIO - Irondequoit Bay/General/Marine Events/Regatta (Race)	Marine Events	Newport Yacht Club Seasonal Sailing Race Series takes place between 14MAY26 and 18SEP26 from 1300 to 2030. Weekly sailboat racing conducted by Newport Yacht Club on Irondequoit Bay. Two series are conducted: Thursday Night Racing (evenings), Sunday Afternoon Racing Races are short windward-leeward or triangle courses using temporary inflatable race marks. All racing occurs within the designated club racing area on Irondequoit Bay and does not close the waterway or restrict normal vessel navigation.	

Keweenaw Waterway.**Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Rouleau Point Range Front Light	15040	WATCHING PROPERLY	FD	2026-04-23

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Keweenaw Upper Entrance - Keweenaw Waterway/General/Bridges/Maintenance	Bridges	WI - LAKE SUPERIOR - Keweenaw Waterway From December 15, 2027, through April 15, 2028, and again From December 15, 2028, through April 15, 2029, the US 41 Bridge at Mile 16.0 over the Keweenaw Waterway will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. A 190-foot by 80-foot barge or smaller will be working at the bridge from 0600 to 1900 daily, the barge will monitor VHF-Fm marine channel 16 and will move if provided a 3-hour advance notice. [37/25]	Lat: 47° 07' 25" Lon: -088° 34' 26"

Keweenaw Upper Entrance - Keweenaw Waterway/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-04-16 To: 2026-05-12 Location: 47-07-25.356N/088-34-26.184W Bridge Name: US 41 Highway Bridge MI- LAKE SUPERIOR – Keweenaw Waterway From May 4 through May 6, 2026, between the hours of 0700 to midnight, the US 41 Bridge at Mile 16.0 over the Keweenaw Waterway, will require a 2-hour advance notice for openings during inspections. Mariners should provide advance notice directly to the drawtender. [16APR26]	Lat: 47° 07' 25" Lon: -088° 34' 26"
--	---------	---	--

Lake Erie

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ashtabula Harbor Entrance Light 2	3760	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Ashtabula Harbor Light	3745	WATCHING PROPERLY	FD	2026-04-16

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Niagara River - Lake Erie/General/Marine Events/Regatta (Race)	Marine Events	1. There will be daily sailing vessel activity associated with the Edgewater Yacht Club 2026 sailboat racing season in Lake Erie offshore Edgewater Beach in Cleveland, Oh. The approximate boundaries of the race course are from the Cleveland Harbor main entrance light to the Cleveland Waterworks Intake Crib buoy to East of Lakewood Park. Before and after the races there may also be increased sailing vessel activity in the approximate area North of the Edgewater Yacht Club and in the West basin of the Cleveland outer harbor. 2. This activity will occur on or around: May 13, 2026 to October 4, 2026, each Wednesday evening from approximately 6:30 p.m. to 9:00 p.m., and each Sunday morning from approximately 9:30 a.m. to 4:00 p.m., as well as periodic holidays and weekends from approximately 10:30 a.m. to 4:00 p.m. June 1, 2026 to July 24, 2026 each Tuesday through Friday from approximately 9:00 a.m. to 4:00 p.m. June 5, 2026 to July 17, 2026 each Monday through Friday from approximately 9:00 a.m. to 4:00 p.m. 3. All mariners are advised to exercise extreme caution when in the vicinity of the race course and be alert for stationary vertical racing buoys and rapid course changes of the racing vessels.	Lat: 41° 29' 34" Lon: -081° 44' 44"
Niagara River - Lake Erie/General/MSIB	MSIB	General/MSIB From: 2026-04-21 To: 2026-11-15 SAILDRONE, INC. is conducting operations with up to four Uncrewed Surface Vehicles (USVs), called "SAILDRONE Voyager." The SAILDRONE Voyager is 10 meters in length, 6.4 meters tall, gray and orange in color, has a tricolor light on top of the wing and is marked "SAILDRONE". The vehicles may be operating as far west as Sandusky Bay Western Basin and as far east as Lake Erie Eastern Basin. Mariners are requested to remain greater than 500 meters away from the vehicle. Questions regarding this notice can be directed to Saildrone Mission Control at missioncontrol@saildrone.com or via phone at +1-510-722-6070	

LAKE HURON

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Alpena Channel Buoy 2	11388.1	MISSING	PA
East Alpena Channel Buoy 4	11388.300000000001	MISSING	PA
East Alpena Channel Buoy 10	11388.800000000001	OFF STATION	PA
East Alpena Channel Buoy 11	11388.9	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
PORT HURON TO PTE AUX BARQUES - LAKE HURON/General/Bridges/Rehabilitation	Bridges	MI - LAKE HURON – Port Huron From January 1, 2028, through March 31, 2028, the Military Street bridge at Mile 0.33, over the Black River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge. Two barges 180-feet by 60-feet will be working in and around the bridge. The barges will move to accommodate vessels traffic with a 12-hour advance notice from mariners by calling 810-985-0165. [28/25]	Lat: 42° 58' 32" Lon: -082° 25' 27"

Lake Huron Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Huron Cut Lighted Buoy 12	10090	OFF STATION	FD

Lake Macatawa

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Lake Macatawa Buoy 21	19425	WATCHING PROPERLY	FD	2026-04-16

LAKE MICHIGAN

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Black Creek Buoy 3	8950	MISSING	PA

Thirty-First Street Jetty Danger Lighted Buoy A	19931	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy B	19932	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy C	19933	MISSING	PA
Thirty-First Street Inner Jetty Light	19934	LT EXT	PA
Northerly Island Danger Lighted Buoy C	19956.2	Status Unreported	PA
Shipyard Island Marina North Dock Light	21405	LT IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON - LAKE MICHIGAN/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-03 To: 2026-12-31 Kokosing Industrial will be conducting Dock Construction and Dredging at NE Side of North Manitou Island, West of Leland, MI from 0700-1900 7 days a week. Tug WM Boyd can be contacted on vhf channels 13 and 16. Kokosing IV barge will be working on spuds with Tug WM Boyd within 750' of the island Operations primarily located on the NE side of North Manitou Island Pleasure craft and passing vessels should remain a safe distance from the work at all times. Additional barges will be moored on anchor buoys on the East side of the Island Anchor Buoy Coordinates N 45°07'4.98" W 85°58'27.54" and N 45°07'1.98" W 85°58'27.12"	Lat: 43° 01' 31" Lon: -085° 46' 04"
LAKE HURON - LAKE MICHIGAN/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-14 To: 2026-06-30 The King company will be conducting dredging in the Muskegon Federal Channel 24 hours a day 7 days a week. Dredge Barry J can be contacted on VHF channels 16, 18, and 73. Dredging Muskegon Harbor Federal channel. Submerged pipe lying on the lake floor marked by orange round buoys every 500 feet. (2) white buoys will be seen North and South of the dredge. The white buoys indicate winch anchor locations. The disposal area starts South of the South breakwater 2,000' and goes an additional 3,500' Southward. Placement will be between the 4' depth contour to the 12' depth contour. The main contact will be Superintendent Robert Lister. Cell# listed below. During rough seas our pipe pontoon will be floating outside of the channel. It is bright yellow, 25'x8'x6' and has (2) flashing amber lights on each end that come on at night. Another pipe pontoon that is bright yellow (25'x8'x6') and has (2) flashing amber lights on each end will be in the disposal area. The disposal area will be marked with white ball buoys on each corner	

Lake Nicolet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Nicolet Lighted Buoy 68	13405	OFF STATION	FD
Upper Nicolet Range Front Light	13955	DBD DMGD	FD
Lake Nicolet Light 88	14025	LT IMCH	FD

LAKE ONTARIO

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From April 13 through September 30, 2026, between the hours of 0700 and 1700, Monday through Friday, contractors will be using snooper vehicles to wash all highway bridges from the E217 Carmen Road Bridge at Mile 309.54 to E236 Lockport Bypass Bridge at Mile 322.16, over the Erie Canal. Spotters will warn workers of approaching vessels to move the man lift. Mariners should avoid passing under large amounts of falling water. [17NOV25]	Lat: 43° 12' 47" Lon: -078° 29' 25"
St. Lawrence Seaway - LAKE ONTARIO/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-01-08 To: 2026-12-31 Location: 43-14-25.728N/076-08-26.844W Bridge Name: 11 Route Bridge General/Bridges/Construction From: 2026-01-08 To: 2026-12-31 Location: 43-14-25.728N/076-08-26.844W Bridge Name: 11 Route Bridge NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From January 13, 2026, through December 31, 2026, between the hours of 0600 and 1800, Monday through Saturday, contractors will be constructing a temporary highway bridge and demolishing the original E-64 Route 11 Bridge at Mile 150.58 over the Erie Canal, Part of the New York Canal System. A final replacement bridge will be constructed before the temporary bridge is completely removed from the waterway. A 54-foot by 54-foot barge will be working under the bridge spans between the hours of 0600 and 1800, Monday through Saturday. The barge will move to accommodate larger vessels with a 3-hour advance notice. Advance notice should be provided to the barge on VHF-FM Marine Radio Channel 16 or by calling 607-345-7488. [08JAN26]	Lat: 43° 14' 26" Lon: -076° 08' 27"
St. Lawrence Seaway - LAKE ONTARIO/General/Bridges/Construction	Bridges	General/Bridges/Construction *****REVISED***** NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From January 13, 2026, through December 31, 2026, between the hours of 0600 and 1800, Monday through Saturday, contractors will be constructing a temporary highway bridge and demolishing the original E-64 Route 11 Bridge at Mile 150.58 over the Erie Canal, Part of the New York Canal System. A final replacement bridge will be constructed before the temporary bridge is completely removed from the waterway. A 52-foot by 66-foot barge will be working under the bridge spans between the hours of 0600 and 1800, Monday through Saturday. The barge will move to accommodate larger vessels with a 3-hour advance notice. Advance notice should be provided to the barge on VHF-FM Marine Radio Channel 16 or by calling 607-345-7488. From February 7 through March 31, 2026, the advance notice for the barge is extended to 12-hours due to ice congestion in the canal. [08JAN26] [23JAN26] [6 FEB 26] From: 2026-02-06 To: 2026-12-31 Location: 43-14-25.728N/076-08-26.844W Bridge Name: 11 Route Bridge	Lat: 43° 14' 26" Lon: -076° 08' 27"
St. Lawrence Seaway - LAKE ONTARIO/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From April 13 through August 31, 2026, between the hours of 0700 and 1700, Monday through Saturday, snooper trucks will be used to wash all bridges from the E-44 Genessee Street Bridge at Mile 11.9 to the E-180 Sweden Walker Road Bridge at Mile 276.66 over the Erie Canal. Mariners should avoid passing through heavy amounts of water falling from the bridge. [13FEB26]	Lat: 43° 12' 41" Lon: -077° 53' 42"
St. Lawrence Seaway - LAKE ONTARIO/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2026-04-01 To: 2026-09-28 Location: 43-22-53.976N/078-30-16.992W The Coast Guard has received a report of an off station buoy in vicinity of Thirtymile Point, within a mile northwest of the light. The buoy is Fort Niagara Lighted Bell Buoy 3 (LLNR 2495), which was dragged off station this past winter. The buoy is reported intermittently flashing. The Coast Guard intends to recover the buoy during operations in Lake Ontario later this spring. All mariners are requested to use caution while transiting the area.	Lat: 43° 22' 54" Lon: -078° 30' 17"

St. Lawrence Seaway - LAKE ONTARIO/General/Marine Events/Regatta (Race)	Marine Events	The Rochester Yacht Club Frostbite Racing series consists of up to 10 small sailing craft racing near the mouth of the Genesee River on Sundays from 1300-1530 throughout the winter and spring.	
St. Lawrence Seaway - LAKE ONTARIO/General/Marine Events/Regatta (Race)	Marine Events	Genesee Yacht Club weekly racing is a sailboat race which takes place on Tuesday and Saturday from 19MAY26 to 03OCT26 on Lake Ontario outside the Genesee River from 0900 to 1900.	

Lake St. Clair

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Detroit River - Lake St. Clair/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-21-54.288N/082-53-52.368W Aid Name: Lake St. Clair Lighted Buoy 2 LLNR: 8420 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy and associated seasonal winter mark with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus replacement with a steel ice hull. While the change will marginally reduce the visual and radar range of the physical hull, the benefits of greater flexibility in availability of a lighted signal in nearshore areas and the proximity of fixed aids to navigation, were taken into consideration. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 21' 54" Lon: -082° 53' 52"
Detroit River - Lake St. Clair/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-04-09 To: 2026-06-08. Location: Detroit River, Lake St. Clair, St. Clair River. Description: Due to extended critical icebreaking operations in the Northern Great Lakes, the Coast Guard is experiencing significant delays in the seasonal deployments of the lighted buoys in Lake St. Clair and the Detroit/St. Clair Rivers. Lighted buoy commissioning's are scheduled to begin April 29th, and will start in the Detroit River, working north through the St. Clair River out into Lake Huron Cut. Updates to this operation will be contained in this entry until completion. Mariners are requested to use caution while transiting the area.	

Lake Superior

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-01-27 To: 2026-07-14 Location: 46-33-21.960N/085-01-54.588W Bridge Name: M-123 Route Bridge From July 10 through July 12, 2026, between the hours of 0800 and 1800 divers will be inspecting the underwater portions of the M-123 Bridge at the mouth of the Tahquamenon River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and will assist in moving the divers do vessels may pass. [27JAN26]	Lat: 46° 33' 22" Lon: -085° 01' 55"
Lake Superior/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	MI – GRAND TRAVERSE BAY HARBOR - LAKE SUPERIOR – Dredging will be taking place inside the Grand Traverse Bay Harbor channel. Work will occur daily from 7 a.m. to 7 p.m. starting approximately 15Apr2026, or whenever channel is clear from ice, and extending to approximately 15Jun2026. A mechanical dredge barge (30'x50'x5') and two hopper barges (20'x26'x5') will be engaged in the operation. Channel width will allow traffic to pass outside the marked turbidity curtain. Contact with the operator can be made on VHF channel 16 during operations. Questions can be directed to Bluelinesolutions@outlook.com (CGD-GL)	Lat: 47° 11' 21" Lon: -088° 14' 10"
Lake Superior/General/Marine Events/Regatta (Race)	Marine Events	WI – SUPERIOR - LAKE SUPERIOR – The Lake Superior Dragon Boat Festival will take place from 0700 local time on August 21, 2026, to 1700 local time on August 22, 2026, on certain waters near Superior, WI. Mariners are advised to exercise cautions when transiting near the event. The recurring firework display accompanying this event as listed in 33 Code of Federal Regulations 165.943, Table (1), Event (H)(2) will not be taking place. The associated safety zone as described in the above reference will not be enforced. Questions can be directed to Nicky Wilson at email nickyw2433@gmail.com, (CGD-GL)	Lat: 46° 42' 59" Lon: -092° 03' 22"
Lake Superior/General/Marine Events/Other	Marine Events	MN – TWO HARBORS - LAKE SUPERIOR – This year's recurring Two Harbors 4th of July Fireworks Display event as listed in 33 Code of Federal Regulations 165.943, Table (1), Event (G)(6) will be taking place in a different location such that there is longer an effect to Lake Superior. The associated safety zone as described in the above reference will not be enforced, (CGD-GL)	Lat: 47° 00' 54" Lon: -091° 40' 04"
Lake Superior/General/Marine Events/Other	Marine Events	MN – DULUTH - LAKE SUPERIOR – The recurring safety zone for the Superior Man Triathlon event as listed in 33 Code of Federal Regulations 165.943, Table (1), Event (H)(3) will not be enforced, (CGD-GL)	Lat: 46° 46' 36" Lon: -092° 06' 06"
Lake Superior/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-04-27 To: 2026-06-15 Location: St. Marys River Due to extended critical icebreaking operations in the Northern Great Lakes, the Coast Guard is experiencing significant delays in the seasonal deployments of the lighted buoys in the St. Marys River. Lighted buoys commissioning's are scheduled to begin by May 9th. Updates to this operation will be contained in this entry until completion. Mariners are requested to use caution while transiting this area.	
Lake Superior/General/MSIB	MSIB	General/MSIB From: 2026-04-29 To: 2026-11-16 SAILDRONE, INC. is conducting operations with two Uncrewed Surface Vehicles (USVs), called "SAILDRONE Voyager." The SAILDRONE Voyager is 10 meters in length, 6.4 meters tall, gray and orange in color, has a tricolor light on top of the wing and is marked "SAILDRONE". The vehicles will be operating throughout Lake Superior and IVO of Isle Royale. Mariners are requested to remain greater than 500 meters away from the vehicle. Questions regarding this notice can be directed to Saildrone Mission Control at missioncontrol@saildrone.com or via phone at +1-510-722-6070.	

Lorain Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Lake Erie - Lorain Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges) From: 2026-03-09 To: 2026-11-15 Location: 41-28-34.536N/082-11-22.632W Great Lakes Dock and Materials will be conducting break wall repair work at the West Break wall.24 hours a day 7 days a week. On scene vessels can be contacted on VHF channels 7 and 16.	Lat: 41° 28' 35" Lon: -082° 11' 23"
--	---	--	--

LOWER GREEN BAY

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - LOWER GREEN BAY/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-04-15 To: 2026-10-12 Location: 44-11-49.070N/088-27-12.348W Bridge Name: Tayco St Bridge From July 27, 2026, through August 07, 2026, between the hours of 0630 and 1700 each day, the Tayco Street bridge mile 37.52 Street bridge over the Fox river in the City of Menasha, Winnebago County, Wisconsin. Will be utilizing a Snooper type vehicle to work on the bridge. There will be spotters to warn inspectors of approaching vessels. Vessel are required to provide a 15 minute advance warning to move the man lift to allow vessels to pass. All Vessels are to proceed with caution.	Lat: 44° 11' 49" Lon: -088° 27' 12"
LAKE MICHIGAN - LOWER GREEN BAY/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From May 11 through May 13, 2026, between the hours of 0800 and 1700, each day, the Tayco Street Bridge at Mile 37.52 over the Fox River will require a 3-hour advance notice for openings during inspection. Mariners should provide advance notice directly to the drawtender. A snooper truck will be working under the bridge along with a small inspection vessel. Spotters will warn inspectors of approaching vessels and move the manlift and vessel to allow vessels to pass. From: 2026-04-17 To: 2026-05-19 Location: 44-11-49.070N/088-27-12.348W Bridge Name: Tayco St Bridge	Lat: 44° 11' 49" Lon: -088° 27' 12"

LOWER NIAGARA RIVER

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort Niagara Lighted Bell Buoy 3	2495	OFF STATION	FD

Lower River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Watson Reefs Buoy 11	12860	OFF STATION	FD

Manistique

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Manistique/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-01-27 To: 2026-07-14 Location: 45-57-13.212N/086-14-58.776W Bridge Name: Lake Shore Drive Bridge MI- LAKE MICHIGAN – Manistique Harbor From July 11 through July 13, 2026, between the hours of 0800 and 1800 divers will be inspecting the underwater portions of the East Lake Shore Drive Bridge at mile 0.76 over the Manistique River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and will assist in moving the divers do vessels may pass. [27JAN26]	Lat: 45° 57' 13" Lon: -086° 14' 59"

Manitowoc Harbor of Refuge

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Manistee - Manitowoc Harbor of Refuge/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-06-15 To: 2026-10-31 Roen Salvage Company TYPE OF OPERATION: Breakwater Repairs LOCATION: Manitowoc Harbor, Lake Michigan COMMENCE DATE:6/15/2026 COMPLETE DATE:10/31/2026 HOURS OF OPERATION:6 a.m.TO:6 p.m. DAYS OF OPERATION Sunday TO: Saturday NAME OF CONTACT VESSEL: Tug David R. Schanock VHF-FM CHANNELS MONITORED:7 & 16	Lat: 44° 05' 31" Lon: -087° 38' 53"

Marine City

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
PORT HURON TO PTE AUX BARQUES - Marine City/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-42-03.744N/082-29-44.916W Aid Name: Marine City Shoal Lighted Buoy 40 LLNR: 9790 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy and associated seasonal winter mark with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus replacement with a steel ice hull. The change provides both greater flexibility in the seasonal availability of a lighted signal, but also an improved radar signature during unlit off-season periods. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 42' 04" Lon: -082° 29' 45"

Maumee Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
WEST END OF LAKE ERIE - Maumee Bay/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-04-09 To: 2026-10-06. Location: Maumee Bay. Description: Due to extended critical icebreaking operations in the Northern Great Lakes, the Coast Guard is experiencing significant delays in the seasonal deployments of the lighted buoys in Maumee Bay Channel and the approaches to Toledo. Lighted buoy deployments offshore in Maumee Bay are scheduled to begin May 11th. The nearshore buoys inside of Maumee Bay Lighted Buoy gate 33 and 34 have already been commissioned for the season. Updates to this operation will be contained in this entry until completion. Mariners are requested to use caution while transiting the area.	

Maumee River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Maumee Bay - Maumee River/General/Bridges/Maintenance	Bridges	OH - LAKE ERIE – Toledo Harbor From March 1, 2026, through July 1, 2028, scaffolding will be installed under the Ohio Turnpike Bridges at Mile 11.42, over the Maumee River that hangs approximately 7-feet below low steel. [27/25]	Lat: 41° 34' 50" Lon: -083° 36' 25"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-01-20 To: 2026-10-10 Location: 41-39-38.873N/083-30-42.764W Bridge Name: Craig Memorial Bridge OH - LAKE ERIE – Toledo Harbor On the following dates and times, the Craig Memorial Bridge at Mile 3.30 and the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation for the following events. On July 4, 2026, between the hours of 0730 and 0900 in conjunction with the River Run 4 Miler. On August 9, 2026, between the hours of 0900 and 1100 in conjunction with the Jeep 4 Miler. On September 19, 2026, between the hours of 0700 and 0830 in conjunction with the Garmin Marathon. On October 10, 2026, between the hours of 1000 and 1130 in conjunction with the ProMedica Be fast. Vessels able to pass under the bridge without an opening may do so at any time. [20JAN26]	Lat: 41° 39' 39" Lon: -083° 30' 43"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-01-20 To: 2026-07-19 Location: 41-39-08.000N/083-31-39.000W Bridge Name: Martin Luther King J Memorial Bridge OH - LAKE ERIE – Toledo Harbor On the following dates and times, the Craig Memorial Bridge at Mile 3.30 and the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation for the following events. On July 4, 2026, between the hours of 0730 and 0900 in conjunction with the River Run 4 Miler. On August 9, 2026, between the hours of 0900 and 1100 in conjunction with the Jeep 4 Miler. On September 19, 2026, between the hours of 0700 and 0830 in conjunction with the Garmin Marathon. On October 10, 2026, between the hours of 1000 and 1130 in conjunction with the ProMedica Be fast. Vessels able to pass under the bridge without an opening may do so at any time. [20JAN26]	Lat: 41° 39' 08" Lon: -083° 31' 39"
Maumee Bay - Maumee River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2026-01-27 To: 2028-07-01 Location: 41-34-50.000N/083-36-25.000W Bridge Name: I 90 Ohio Tpke Bridge *****REVISED***** OH - LAKE ERIE – Toledo Harbor From February 24, 2026, through July 1, 2028, scaffolding will be installed under the Ohio Turnpike Bridges at Mile 11.42, over the Maumee River. Between the hours of 0700 and 1630, Monday through Saturday two barges 70-feet by 40-feet or smaller will be working under the bridge. The barges will monitor VHF-Fm Radio and will move to accommodate vessels if a 3-hour advance notice is given. A temporary dock will be constructed between shore and the first bridge pier. Snooper trucks will be used, and spotters will warn workers of approaching vessels and move the man lifts to allow vessels to pass. [27/25] [27 JAN 26]	Lat: 41° 34' 50" Lon: -083° 36' 25"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges	OH - LAKE ERIE – Toledo Harbor On June 12, 2026, between the hours of 2030 and 2230, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the Lighting Party in the Park. Vessels able to pass under the bridge without an opening may do so at any time.	Lat: 41° 39' 08" Lon: -083° 31' 39"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges	OH - LAKE ERIE – Toledo Harbor On June 13, 2026, from 1200 to 1600, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the River Crossing Expo. Vessels able to pass under the bridge without an opening may do so at any time.	Lat: 41° 39' 08" Lon: -083° 31' 39"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges	OH - LAKE ERIE – Toledo Harbor On June 14, 2026, from 0900 to 1100, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the BRB Run Club 5K. Vessels able to pass under the bridge without an opening may do so at any time.	Lat: 41° 39' 08" Lon: -083° 31' 39"

Michigan City

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Bridges/Maintenance	Bridges	From January 5, 2025, through March 15, 2026, the Franklin Street Bridge at Mile 0.50 over Trail Creek will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.	Lat: 41° 43' 22" Lon: -086° 54' 16"

Middle Neebish Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Middle Neebish Channel Buoy 45	13295	OFF STATION	FD

Milwaukee

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lakeshore State Park Entrance Lt 1	20681	LT EXT	PA
Milwaukee City South Pier No. 2 South Light	20700	LT EXT	PA
South Shore Park Entrance Lighted Buoy 1	20729	MISSING	PA
South Shore Park Entrance Lighted Buoy 2	20730	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Milwaukee/General/Bridges/Maintenance	Bridges	WI - LAKE MICHIGAN – Milwaukee Harbor From July 31, 2025, through October 31, 2026, between the hours of 0700 and 1700, Monday through Friday, two barges 80-foot by 60-foot or smaller will be working under the Sixteenth Street Bridge at Mile 2.14 over the Menomonee River. The barges will monitor VHF-FM Marine Channel 16 and will move with a 1-hour advance notice from vessels. [29/25]	Lat: 43° 01' 58" Lon: -087° 55' 59"
LAKE MICHIGAN - Milwaukee/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-01-14 To: 2026-07-13 Location: 43-02-55.046N/087-54-41.663W Bridge Name: Cherry St Bridge *****REVISED***** WI - LAKE MICHIGAN – Milwaukee Harbor From November 1, 2025, through March 1, 2026, both leaves of the Cherry Street Bridge at Mile 2.29 over the Milwaukee River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From March 2, 2026, through July 13, 2026, one leaf will be secured to masted navigation while the other leaf operates normally. Three barges 60-foot by 80-foot or smaller will be working under the bridge. The barges will move if a 3-hour advance notice is provided directly to the barges on VHF-FM Marine Radio or by calling 312-735-1639. [40/25] [14JAN26]	Lat: 43° 02' 55" Lon: -087° 54' 42"
LAKE MICHIGAN - Milwaukee/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-10-08 To: 2026-06-30 Location: 43-00-24.912N/087-53-08.664W South shore cruise dock project being constructed for Port Milwaukee near Lake Ferry Express. The project includes installing a new dock wall and walkway platforms for future cruise ships to dock. Mariners should be aware of construction barges and permanent materials being installed that will be sticking above the water 5-ft +/-.	Lat: 43° 00' 25" Lon: -087° 53' 09"
LAKE MICHIGAN - Milwaukee/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-16 To: 2026-06-13 ALL MARINERS ARE ADVISED OF DREDGING OPERATIONS IN VICINITY OF THE KINNICKINNIC TURNING BASIN. WORK WILL BE CONDUCTED IN DAYLIGHT HOURS FROM 0600 TO 1800 AND IS EXPECTED TO LAST FOR TWO MONTHS, UNTIL JUNE 13th 2026. FOR PASSING ARRANGEMENTS, PLEASE PROVIDE 30 MINUTES NOTICE VIA CHANNEL 16 OR 08 VHF FM OR BY CALLING (414) 202-5385. MARINERS ARE ADVISED TO USE CAUTION WHEN TRANSITING THE AREA. FOR FURTHER DETAILS, CONTACT SECTOR LAKE MICHIGAN AT (414)747-7182 OR VIA CHANNEL 16 VHF FM.	

Moseley Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Moseley Channel Lighted Buoy 9	4615	LT EXT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Moseley Channel Lighted Buoy 9	4615	Removed Light Equip / ICE	FD

MOSS POINT TO VERMILLION

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sheffield Lake Light 1	4300	LT EXT	PA

Mullett Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mullett Lake Light 24A	11915	STRUCT DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Mullett Lake Light 24	11900	DISCONTINUED	FD

Munuscong Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Coyle Point Lighted Buoy Q28 (C)	13215	OFF STATION	FD

Munuscong Channel Upbound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Munuscong Channel (Upbound) Lighted Buoy 11	13080	OFF STATION	FD
Munuscong Channel (Upbound) Lighted Buoy 13	13090	OFF STATION	FD
Munuscong Channel (Upbound) Buoy 15	13095	MISSING	FD

MuskegonLake

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - MuskegonLake/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-03-26 To: 2026-09-22 Location: 43-13-28.416N/086-20-54.852W Shoaling has been reported across the entrance of Muskegon Harbor. As a result, The Coast Guard has established a virtual AIS aids to navigation named Muskegon Harbor Entrance Shoal VAIS 1 (MMSI: 993682188) to assist in identifying recent shoaling within the approaches. The virtual aid serves as a Port Hand Mark, identifying the encroachment of shoaling on the northern side of the channel less than 25ft water depth. The aid is for reference only and is positioned based on the most recent survey data and does not account for periodic variations in the position of the shoaling. Mariners are urged to use caution while transiting the area.	Lat: 42° 13' 28" Lon: -086° 20' 55"

Niagara River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LOWER NIAGARA RIVER - Niagara River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2023-08-28 To: 2026-07-26 Location: 42.99869° N / 78.936707° W Bridge Name: S Grand Island Bridges From August 28, 2023, through July 26, 2026, scaffolding that extends approximately 3-feet below low steel will be installed under the South Grand Island Bridge at Mile 3.40 and the North Grand Island Bridge at Mile 18, both over the Niagara River. A 16-foot by 32-foot materials barge and a 4-foot by 40-foot temporary dock will be used under the bridges.	Lat: 42° 59' 55" Lon: -078° 56' 12"

Point Iroquois

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Point Iroquois Anchorage Buoy "A"	14470	MISSING	FD

Pointe Aux Pins Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pointe Aux Pins Channel Lighted Buoy 8	14335	LT EXT	FD
Brush Point Lighted Buoy 13	14350	MISSING	FD
Brush Point Lighted Buoy 15	14365	MISSING	FD

PORT WASHINGTON TO WAUKEGAN

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wind Point North Shoal Lighted Buoy 14	20610	LT EXT/OFF STATION	FD

Presque Isle Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON - Presque Isle Harbor/General/Marine Events/Regatta (Race)	Marine Events	Various yacht club races beginning and ending at Erie Yacht Club. Events occur weekdays from 6pm until 9pm and weekends from 9am until 9pm.	

Racine

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Racine Launch Basin Entrance Light	20470	LT EXT	PA
Racine East Harbor Entrance Light 2	20490	LT EXT	PA
Racine Harbor Light 13	20545	LT EXT	PA

Rochester Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE ONTARIO - Rochester Harbor/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-04-15 To: 2026-09-21 Location: 43-14-54.456N/077-36-41.688W Bridge Name: Summerville Beach Colonel Patrick Henry Ororke Memorial Pattonwood Drive Bridge On September 20, 2026 between the hours of 0745 and 0930, the O'Rorke Bridge at Mile 1.25 across the Genesee River at Rochester, New York. Will be secured to masted navigation in conjunction with the Rochester Marathon. Vessels able to pass under the bridge without an opening may do so at any time. All Vessels are to proceed with caution.	Lat: 43° 14' 54" Lon: -077° 36' 42"

Round Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Round Island Lighted Buoy 25	14420	OFF STATION	FD
Round Island Buoy 27	14440	OFF STATION	FD
Round Island Buoy 30	14450	OFF STATION	FD

Saginaw River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Saginaw Bay Channel - Saginaw River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2026-02-05 To: 2028-11-15 Location: 43-34-46.992N/083-53-58.992W Bridge Name: Lafayette Avenue Bridge *****REVISED***** MI - LAKE HURON – Saginaw River From December 1, 2024, through November 15, 2028, the Lafayette Street Bridge at Mile 6.78, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Additionally, six barges 80x190-foot or smaller will be working under the bridge, and they will move if a 3-hour advance notice is provided by calling 608-475-8851, or 608-610-9374, or 989-293-5892. Trestles will be installed extending outward from shore approximately 50-feet. Flashing yellow lights will warn mariners of the trestle's location. Heel girders will be installed on the four corners of the bridge to enable the new drawspan to be opened during construction. These girders will extend an additional 2-feet into the channel reducing the horizontal clearance to approximately 136-feet. During the winter, the ice will degrade due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles. [30/24] [44/24] [48/24] [8/24] [11/25] [20JAN26] [05 FEB 26]	Lat: 43° 34' 47" Lon: -083° 53' 59"

Sailors Encampment Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sailors Encampment Channel Lighted Buoy 21	13125	OFF STATION	FD

Sandusky Straight Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sandusky Straight Channel Lighted Buoy 14	4655	OFF STATION	FD

SanduskyBay.

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
WEST END OF LAKE ERIE - SanduskyBay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-15 To: 2026-06-01 Mark Haynes Construction Dredging and nature-based shoreline construction Sandusky Bay near Pickerel Creek Wildlife Area A channel will be dredged in a northwesterly direction starting from the location of the old Town of Bayshore in the Pickerel Creek Wildlife Area. Nature-based shoreline construction will occur within approximately 500 feet of the existing shoreline of the Pickerel Creek Wildlife Area.	Lat: 41° 26' 38" Lon: -082° 58' 02"
WEST END OF LAKE ERIE - SanduskyBay/General/Marine Events/Regatta (Race)	Marine Events	The SSC Wednesday Night Race (Series) is an event hosted by the Sandusky Sailing Club, and located in Sandusky Bay. Event will run every Wednesday from 5:30 pm to 9:30 pm from May 13, 2026 until September 17, 2026. No PATCOM required for this event.	
WEST END OF LAKE ERIE - SanduskyBay/General/Marine Events/Regatta (Race)	Marine Events	The SSC Sunday Morning Race (Series) is an event hosted by the Sandusky Sailing Club, and located in Sandusky Bay. Event will run every Sunday from 9 am to 11 am from May 17, 2026 until October 5, 2026. No PATCOM requested for this event.	

St. Clair Cut-Off Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Lake St. Clair - St. Clair Cut-Off Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-33-05.148N/082-35-27.204W Aid Name: St. Clair Cut-Off Channel Lighted Buoy 13 LLNR: 8655 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus complete removal of the buoy. The change provides both greater flexibility in the seasonal availability of a lighted signal, but will also provide a physical buoy during off-season periods. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 33' 05" Lon: -082° 35' 27"
Lake St. Clair - St. Clair Cut-Off Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-30-58.608N/082-41-22.272W Aid Name: St. Clair Cut-Off Channel Preferred Channel Lighted Buoy CO LLNR: 8590 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy and associated seasonal winter mark with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus replacement with a steel ice hull. While the change will marginally reduce the visual and radar range of the physical hull, the benefits of greater flexibility in availability of a lighted signal in nearshore areas and the proximity of fixed aids to navigation, were taken into consideration. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 30' 59" Lon: -082° 41' 22"
Lake St. Clair - St. Clair Cut-Off Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-30-55.332N/082-41-09.708W Aid Name: St. Clair Cut-Off Channel Lighted Buoy 32 LLNR: 8600 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy and associated seasonal winter mark with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus replacement with a steel ice hull. While the change will marginally reduce the visual and radar range of the physical hull, the benefits of greater flexibility in availability of a lighted signal in nearshore areas and the proximity of fixed aids to navigation, were taken into consideration. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 30' 55" Lon: -082° 41' 10"

St. Clair Flats Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake St. Clair - St. Clair Flats Canal/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-31-17.076N/082-41-03.480W Aid Name: St. Clair Flats Canal Lighted Buoy 4 LLNR: 9585 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus complete removal of the buoy. The change provides both greater flexibility in the seasonal availability of a lighted signal, but will also provide a physical buoy during off-season periods. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 31' 17" Lon: -082° 41' 03"

St. Clair Municipal Park Entrance

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Clair Municipal Park Entrance Buoy 1	8905	MISSING	PA
St. Clair Municipal Park Entrance Buoy 2	8910	OFF STA	PA
St. Clair Municipal Park Entrance Buoy 3	8915	OFF STA	PA
St. Clair Municipal Park Entrance Buoy 4	8920	OFF STA	PA

St. Clair River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Channel Lighted Buoy 15	9665	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
PORT HURON TO PTE AUX BARQUES - St. Clair River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-04-28 To: 2027-01-01 Location: 42-40-55.956N/082-30-11.700W Aid Name: Fawn Island Lighted Buoy 38 LLNR: 9780 Action: CHANGE Action Type Change Aid Subtype Description: The Coast Guard will be replacing the lighted steel buoy and associated seasonal winter mark with a year-round spar buoy. The buoy hull will remain on station year-round, with the lantern seasonally removed during the winter months versus replacement with a steel ice hull. The change provides both greater flexibility in the seasonal availability of a lighted signal, but also an improved radar signature during unlit off-season periods. The lighted characteristics of the aid and the assigned seasonal dates published in the Light List will remain unchanged. Any questions or comments can be sent to Mr. Brian Hawkins, the Federal Aids to Navigation Manager at the Coast Guard Great Lakes District via email at Brian.D.Hawkins2@uscg.mil.	Lat: 42° 40' 56" Lon: -082° 30' 12"

St. Joseph

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - St. Joseph/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-02-12 To: 2026-05-12 Location: 42-06-42.000N/086-28-16.000W Bridge Name: Twin Cities Bicentennial Bridge MI - LAKE MICHIGAN – St Joseph River On May 9, 2025, between the hours of 1000 to 1600, the Twin Cities Bicentennial Bridge at Mile 1.30, over the Saint Joseph River will be secured to masted navigation in conjunction with the Twin Cities Grand Floral Parade. Vessels able to pass under the bridge without an opening may do so at any time. [12FEB26]	Lat: 42° 06' 42" Lon: -086° 28' 16"

LAKE MICHIGAN - St. Joseph/General/Bridges/Temp Deviation	Bridges	MI - LAKE MICHIGAN – St Joseph River On July 3, 2026, from 2130 to 0030, the Blossomland/M-63 Bridge at Mile 0.92 and the Twin Cities Bicentennial Bridge at Mile 1.30, over the Saint Joseph River will be secured to masted navigation in conjunction with the July Fourth Fireworks display. Vessels able to pass under the bridges without an opening may do so at any time. [23APR26]	Lat: 42° 06' 42" Lon: -086° 28' 16"
---	---------	--	--

St. Lawrence Seaway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Lawrence Seaway Lighted Buoy 93	615	LT EXT	FD
Galop Island East Range Rear Light	815	LT EXT	FD
St. Lawrence Seaway Lighted Buoy 125	845	LT EXT	FD
St. Lawrence Seaway Light 182	1305	LT EXT	FD
St. Lawrence Seaway Lighted Buoy 208	1435	LT EXT	FD
St. Lawrence Seaway Lighted Buoy 242	1710	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St. Lawrence Seaway Lighted Buoy 9	60	WATCHING PROPERLY	FD	2026-04-29
St. Lawrence Seaway Light 43	260	WATCHING PROPERLY	FD	2026-04-17
St. Lawrence Seaway Light 43	260	WATCHING PROPERLY	FD	2026-04-22
Galop Island East Range Front Light	810	WATCHING PROPERLY	FD	2026-04-23
Catamaran Shoal Buoy Lighted 135	1020	WATCHING PROPERLY	FD	2026-04-27
St. Lawrence Seaway Lighted Buoy 153	1170	WATCHING PROPERLY	FD	2026-04-27
St. Lawrence Seaway Light 163	1205	WATCHING PROPERLY	FD	2026-04-23
St. Lawrence Seaway Light 165	1225	WATCHING PROPERLY	FD	2026-04-23
St. Lawrence Seaway Light 182	1305	WATCHING PROPERLY	FD	2026-04-23
St. Lawrence Seaway Lighted Buoy 208	1435	WATCHING PROPERLY	FD	2026-04-23
St. Lawrence Seaway Lighted Buoy 209A	1440	WATCHING PROPERLY	FD	2026-04-17

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2026-01-03 To: 2026-07-02 Location: 44-11-35.988N/076-15-11.988W Report of lost anchor and chain in the Carleton island Anchorage.	Lat: 44° 11' 36" Lon: -076° 15' 12"

St. Louis Bay Cross Channel

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St. Louis Bay Cross Channel Lighted Buoy 6	16105	WATCHING PROPERLY	FD	2026-04-23
St. Louis Bay Cross Channel Buoy 8	16115	WATCHING PROPERLY	FD	2026-04-23

St. Louis Bay South Channel Eastern Section

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St. Louis Bay South Channel (Eastern Section) Buoy 2	16065	WATCHING PROPERLY	FD	2026-04-23

Sturgeon Bay Ship Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sturgeon Bay Ship Canal - Sturgeon Bay Ship Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-02-10 To: 2026-05-05 Location: 44-49-49.767N/087-22-45.297W Bridge Name: Maple Oregon Bridge WI - LAKE MICHIGAN – Sturgeon Bay On April 28 and April 29, 2026, between the hours of 0700 and noon, each day, the Maple Oregon Bridge at Mile 4.17, over the Sturgeon Bay Ship Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. [10FEB26]	Lat: 44° 49' 50" Lon: -087° 22' 45"

Trenton Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

ACOE LKSTC Water Sensor Buoy 1	8892	MISSING	PA
--------------------------------	------	---------	----

UPPER GREEN BAY

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Green Island Light	21970	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - UPPER GREEN BAY/General/Bridges/Maintenance	Bridges	****REVISED**** WI - LAKE MICHIGAN – Fox River from October 8, 2026, through April 8, 2027, the Wisconsin Street Bridge at mile 56.72 over the Fox River will be secured to masted navigation and scaffolding that hangs approximately 4-feet will be installed under the bridge. Vessels able to pass under the bridge safely, without an opening may do so at any time. [02/24] [03/24]	Lat: 44° 01' 06" Lon: -088° 33' 04"

WAUGOSHANCE POINT TO SEUL CHOIX POINT

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Shoal Lighted Buoy 1	17740	MISSING	FD
New Shoal Lighted Bell Buoy 3	17745	MISSING	FD
White Shoal Light	17750	LT EXT	FD
Gull Island Light	21530	DBD DMGD	FD

WEST END OF LAKE ERIE

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sandusky Yacht Club Light 2	4965	LT EXT	PA
Cooley Canal Front Range Light	6015	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Erie - WEST END OF LAKE ERIE/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Scheduled Or Emergency) From: 2026-03-16 To: 2026-09-12 Location: 41-27-41.256N/082-40-30.792W 41-27-37.548N/082-39-56.160W 41-27-03.276N/082-39-51.228W 41-27-01.404N/082-40-39.432W 41-27-41.256N/082-40-30.792W Cedar Point Causeway bridge number 2 is under emergency repairs. Mariners are strongly urged to use caution while transiting in and around the bridge.	
Lake Erie - WEST END OF LAKE ERIE/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-30 To: 2026-04-30 Location: 41-29-30.444N/081-50-21.588W	Lat: 41° 29' 30" Lon: -081° 50' 22"

West Neebish Channel Downbound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Neebish Channel (Downbound) Buoy 52	13490	OFF STATION	FD
West Neebish Channel (Downbound) Buoy 51	13495	OFF STATION	FD
West Neebish Channel (Downbound) Lighted Buoy 42	13545	OFF STATION	FD
West Neebish Channel (Downbound) Light 9	13715	LT EXT	FD
West Neebish Channel (Downbound) Lighted Buoy 6	13730	OFF STATION	FD
West Neebish Channel (Downbound) Lighted Buoy 5	13735	OFF STATION	FD