Local Notice to Mariners for District 9 07/09/2025

Algoma

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Algoma Light 1	20980	WATCHING PROPERLY	FD	2025-07-09

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Algoma Light 1	20980	LWP	FD	2025-07-06

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Algoma/ATON/ATON	ATON Changes	ATON/ATON Changes From: 2025-07-08 To: 2026-01-04 Location: 44.60632° N / 87.4301° W Aid Name: Algoma Light 1 LLNR: 20980	Lat:
Changes		Action: RELOCATE To: 44.606355°N, 087.430093°W	44° 36' 23"
			Lon:
			-087° 25' 48"

APOSTLE ISLANDS

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior - APOSTLE ISLANDS/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-06-11 To: 2025-09-30 Survey operations begin June 12, 2025, and are expected to end on September 30, 2025. Surveys will be conducted 12 hours a day, 7 days a week on the RV Chinook. Waterway and location where work will be done: Apostle Islands, Wisconsin Lake Superior. The survey area is approximately 509.7 km2 surrounding Basswood Island, Hermit Island, Stockton Island, Manitou Island, Oak Island, Ironwood Island, Cat Island, North Twin Island, South Twin Island, Rocky Island, Otter Island, Devil's Island, Bear Island, and Raspberry Island. The survey area has nearshore work off Bayfield, Red Cliff, Madeline Island, Michigan Island, and Outer Island.	
Lake Superior - APOSTLE ISLANDS/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-05-20 To: 2025-11-16 Location: 46.72849° N / 90.80928° W Aid Name: Chequamegon Point Light LLNR: 15295 Action: DISCONTINUE The Coast Guard is considering permanently discontinuing Chequamegon Point Light (LLNR 15295). For any comments or questions on this proposed change please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.	Lat: 46° 43' 43" Lon: -090° 48' 33"

Ashtabula Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Erie - Ashtabula Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-01 To: 2025-09-01 0700-1900 7 days a week.	
Lake Erie - Ashtabula Harbor/General/Marine Events/Fireworks	Marine Events	General/Marine Events/Fireworks From: 2025-06-12 To: 2025-12-09 Location: 41.90139° N / 80.79832° W There will be a safety zone in effect on certain navigable waters of Lake Erie in Ashtabula, OH within the Ashtabula River between the arch conveyor and 5th Street lift bridge for the Wine and Walleye Festival fireworks display. The safety zone will be enforced on July 26, 2025, from 8:30 p.m. to 11:15 p.m. (local). All mariners are advised not to enter the safety zone without the approval of the Coast Guard via channel 16 VHF FM.	Lat: 41° 54' 05" Lon: -080° 47' 54"

Ballards Reef Channel

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Ballards Reef Channel Lighted Buoy 85	7225	WATCHING PROPERLY	FD	2025-07-07

Bay Point State Park Hazard

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Johnson Island Light 1	5247	LT EXT	PA

BEAVER BAY TO PIGEON POINT

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hat Point Lighted Bell Buoy 1	16650	MISSING	FD

https://www.navcen.uscg.gov/msi 1/22

BIG TRAVERSE BAY

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Driftwood Point Light	16963	DISCONTINUED	FD

Buffalo Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Erie - Buffalo Harbor/General/Hazards To	Hazards To	General/Hazards To Navigation/Obstructions From: 2025-05-14 To: 2025-11-10 Location: 42.8502° N / 78.87546°	Lat:
Navigation/Obstructions	Navigation	W 35ft tree sticking 1 to 3 feet out of the water.	42° 51' 01"
			Lon:
			-078° 52' 32"

Burns Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Burns Harbor/General/Marine Construction	Marine Construction (Excluding	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-05 To: 2025-10-	Lat:
(Excluding Bridges)/Dredging	Bridges)	15 Location: 41.65037° N / 87.14117° W	41° 39' 01"
			Lon:
			-087° 08' 28"

Calumet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Calumet/General/Bridges/Inspection	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From August 4 through August 13, 2025, between the hours of 0600 and 1800, Monday through Saturday, a 30-foot Harcon Vessel will be inspecting all bridges over the Calumet River and Little River. The Harcon will monitor VHF-FM Marine Channel 16 and will move if provided a 15-minute advance notice of arrival. [27/25]	
LAKE MICHIGAN - Calumet/General/Bridges/Rehabilitation	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From 2359 on January 31, 2026, through 2359 on February 7, 2026, and again from 2359 on February 21, 2026, to 2359 on February 28, 2026, the 92nd Street Bridge at mile 0.76 (CORPS MILE 332.4) and the 100th Street Bridge at mile 1.78 (CORPS MILE 331.4) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From 2359 on January 31, 2027, to 2359 on February 6, 2027, and again from 2359 on February 21, 2027, to 2359 on February 22, 2027, to 2359 on February 21, 2027, to 2359 on February 22, 2027, to 2359 on February 21, 2027, to 2359 on Febr	Lat: 41° 43' 39" Lon: -087° 32' 29"
LAKE MICHIGAN - Calumet/General/Bridges/Rehabilitation	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From 2359 on January 31, 2026, through 2359 on February 7, 2026, and again from 2359 on February 21, 2026, to 2359 on February 28, 2026, the 92nd Street Bridge at mile 0.76 (CORPS MILE 332.4) and the 100th Street Bridge at mile 1.78 (CORPS MILE 331.4) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From 2359 on January 31, 2027, to 2359 on February 6, 2027, and again from 2359 on February 21, 2027, to 2359 on February 27, 2027, the 95th Street Bridge at mile 1.09 (CORPS MILE 332.1) and the 106th Street Bridge at mile 1.78 (CORPS MILE 330.6) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. The use of barges under the bridge(s) is authorized but the barge(s) must monitor VHF-FM Marine Channel 16 and move to accommodate vessels with a 3-hour advance notices. Mariners should provide advance notice directly to the barge. Barge characteristics will be provided closer to the event. [43/24]	Lat: 41° 42' 50" Lon: -087° 32' 33"
LAKE MICHIGAN - Calumet/General/Bridges/Rehabilitation	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From 2359 on January 31, 2026, through 2359 on February 7, 2026, and again from 2359 on February 21, 2026, to 2359 on February 28, 2026, the 92nd Street Bridge at mile 0.76 (CORPS MILE 332.4) and the 100th Street Bridge at mile 1.78 (CORPS MILE 331.4) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From 2359 on January 31, 2027, to 2359 on February 6, 2027, and again from 2359 on February 21, 2027, to 2359 on February 27, 2027, the 95th Street Bridge at mile 1.09 (CORPS MILE 332.1) and the 106th Street Bridge at mile 1.78 (CORPS MILE 330.6) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. The use of barges under the bridge(s) is authorized but the barge(s) must monitor VHF-FM Marine Channel 16 and move to accommodate vessels with a 3-hour advance notices. Mariners should provide advance notice directly to the barge. Barge characteristics will be provided closer to the event. [43/24]	Lat: 41° 42' 10" Lon: -087° 32' 45"
LAKE MICHIGAN - Calumet/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From June 11, through July 31, 2025, between the hours of 0700 and 11730, Monday through Saturday, a 30-foot by 60-foot barge will be working at the Chicago Skyway Bridge at Mile 1.50 (CORPS MILE 331.7) over the Calumet River. The barge will monitor VHF-FM marine channel 16 and will move to allow vessels to pass. [24/25]	Lat: 41° 43' 05" Lon: -087° 32' 35"

CALUMET AND INDIANA HARBORS

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-01-31 To: 2027-02-27 Location: 41.7275° N / 87.54138889° W Bridge Name: 92nd St Bridge From 2359 on January 31, 2026, through 2359 on February 7, 2026, and again from 2359 on February 21, 2026, to 2359 on February 28, 2026, the 92nd Street Bridge at mile 0.76 (CORPS MILE 332.4) and the 100th Street Bridge at mile 1.78 (CORPS MILE 331.4) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From 2359 on January 31, 2027, to 2359 on February 6, 2027, and again from 2359 on February 21, 2027, to 2359 on February 27, 2027, the 95th Street Bridge at mile 1.09 (CORPS MILE 332.1) and the 106th Street Bridge at mile 1.78 (CORPS MILE 330.6) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. The use of barges under the bridge(s) is authorized but the barge(s) must monitor VHF-FM Marine Channel 16 and move to accommodate vessels with a 3-hour advance notices. Mariners should provide advance notice directly to the barge. Barge characteristics will be provided closer to the event.	
LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2024-02-20 To: 2025-11-01 Location: 41.66151° N / 87.74982° W Bridge Name: 127th St Bridge Calumet-SAG Channel From February 20, 2024, through November 1, 2025, scaffolding that hangs approximately 6-feet below low steel will be installed under one half of the 127th Street Bridge at Mile 18.81 (CORPS MILE 314.2) over the Calumet-SAG Channel. A 40-foot by 50-foot barge will be used at the bridge and will move if provided a 30-minute advance notice of arrival on VHF-FM marine Channel 16.	Lat: 41° 39' 41' Lon: -087° 44' 59"
LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/General/Bridges/Rehabilitation	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From 2359 on January 31, 2026, through 2359 on February 7, 2026, and again from 2359 on February 21, 2026, to 2359 on February 28, 2026, the 92nd Street Bridge at mile 0.76 (CORPS MILE 332.4) and the 100th Street Bridge at mile 1.78 (CORPS MILE 331.4) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From 2359 on January 31, 2027, to 2359 on February 6, 2027, and again from 2359 on February 21, 2027, to 2359 on February 27, 2027, the 95th Street Bridge at mile 1.09 (CORPS MILE 332.1) and the 106th Street Bridge at mile 1.78 (CORPS MILE 330.6) over the Calumet River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. The use of barges under the bridge(s) is authorized but the barge(s) must monitor VHF-FM Marine Channel 16 and move to accommodate vessels with a 3-hour advance notices. Mariners should provide advance notice directly to the barge. Barge characteristics will be provided closer to the event. [43/24]	Lat: 41° 43' 22" Lon: -087° 32' 35"
LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	The Coast Guard has received a report that the bridge fendering is damaged near the Norfolk Southern Railroad Bridge at Mile 0.72 over the Indiana Harbor Canal. Mariners should use cation when transiting the area.	Lat: 41° 39' 36" Lon: -087° 27' 08"
LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/General/Bridges/Construction	Bridges	IL - LAKE MICHIGAN – Calumet-SAG Channel From April 28, 2025, through October 31, 2026, scaffolding and containment that hangs approximately 6-feet below low steel under one half of the 127th Street Bridge at Mile 18.81 (CORPS MILE 314.2) over the Calumet-SAG Channel. A 40-foor by 50-foot Barge will be working under the bridge and will move to accommodate vessel traffic is a 15-minute advance notice is provided directly to the barge. [14/25]	Lat: 41° 39' 41' Lon: -087° 44' 59"
LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/General/Bridges/Inspection	Bridges	IL - LAKE MICHIGAN – Calumet Harbor From July 8 through July 11, 2025, between the hours of 0800 to 1700, daily, inspectors will use snooper trucks under the South Halstead Street Bridge at Mile 13.48 over the Little Calumet River. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. [26/25]	Lat: 41° 39' 27" Lon: -087° 38' 28"

Canoe Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Canoe Channel Daybeacon 8	17210	STRUCT DEST/TRUB	FD

Chequamegon Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior - Chequamegon Bay/General/Marine Construction (Excluding Bridges)/Dredging	(Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-05-28 To: 2025-10-01 The crane-barge Derrick 3 will also monitor channel 7. Work will be occurring near the City of Ashland Water Intake starting at the shoreline and progressing northwest into Chequamegon Bay. Divers will be working during the daytime. While dredging and pipeline installation is occurring, temporary buoys will be placed around the active work area. Recreational traffic shall stay clear and navigate around operations at a safe distance.	

Chicago Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oak Street Breakwater Light	20025	DAYMK DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chicago Harbor Municipal Pier No. 1 Light	20005	LT EXT	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Maintenance		*****REVISED***** IL - LAKE MICHIGAN – Calumet-SAG Channel From February 20, 2024, through November 1, 2025, scaffolding that hangs approximately 6-feet below low steel will be installed under one half of the 127th Street Bridge at Mile 18.81 (CORPS MILE 314.2) over the Calumet-SAG Channel. A 40-foot by 50-foot barge will be used at the bridge and will move if provided a 30-minute advance notice of arrival on VHF-FM marine Channel 16. [03/24] [04/24] [10/24]	Lat: 41° 39' 41" Lon: -087° 44' 59"

LAKE MICHIGAN - Chicago Harbor/General/Bridges/Maintenance	Bridges	*****REVISED***** IL - LAKE MICHIGAN – Chicago Sanitary and Ship Canal From September 13, through August 31, 2025, scaffolding will be installed that hangs approximately 3-feet below low steel of the South-Central Avenue Bridge at mile 11.1 (CORPS MILE 316.2) over the Chicago Sanitary and Ship Canal. [03/24] [23/24] [38/24]	Lat: 41° 48' 48" Lon: -087° 45' 47"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Rehabilitation	Bridges	******REVISED****** IL - LAKE MICHIGAN – Chicago Harbor From August 15, 2025, through December 1, 2026, the Lake Street Bridge at Mile 1.64 (CORPS MILE 325.5) over the South Branch of the Chicago River, will be replaced, one leaf at a time. One half of the channel will be open to navigation without any equipment with a fully operational bridge leaf. The leaf of the bridge being replaced will be secured to masted navigation and will have six barges 120-feet by 80-feet or smaller working near or under the secured leaf. The contractor will display temporary steady burning yellow lights on the bottom and four-corners of the bridge leaves until the permanent bridge lighting can be established. Any equipment moving near mid-channel or in the unaffected side of the channel should be passed with standard agreements in accordance with the Navigation Rules. [16/25] [26/25]	
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Maintenance	Bridges	IL - LAKE MICHIGAN – Chicago Harbor From April 28 through November 28, 2025, between the hours of 0700 and 1800, Monday through Saturday a 125-foot by 35-foot barge will be working under the State Street Bridge at Mile 1.05 (CORPS MILE 326.1) over the Main Branch of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and will move if a 2-hour advance notice is provided. [16/25]	Lat: 41° 53' 15" Lon: -087° 37' 41"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Public Notice	Bridges	IL – LAKE MICHIGAN – Chicago Harbor – Proposed Bridge Construction An application has been received by Commander, Ninth Coast Guard District, from the Chicago Department of Transportation (CDOT, hereinafter referred to as the "Applicant") for a United States Coast Guard Bridge Permit. The Applicant proposes to replace the Chicago Avenue, across the North Branch of the Chicago River, Mile 2.40, in Chicago, Cook County, Illinois. The Applicant proposes to replace the existing structure with a tensioned tied-arch movable structure. The proposed replacement would provide 20.67-feet of minimum vertical navigation clearance in the closed position and 40.00-feet of minimum vertical clearance in the open position. The proposed replacement would provide a horizontal clearance of 147.30-feet face-to-face of proposed steel pile dolphins with the center 135.00-feet as the navigation channel. The Applicant has also submitted applications for authorizations from the United States Army Corps of Engineers (USACE) under Section 404 of the Clean Water Act (33 USC 1344) and 33 USC 408. Consequently, both the Coast Guard and USACE issued a Joint Public Notice (JPN), dated 27 June 2025, describing the project and both agencies' relevant permits and approvals. A copy of the JPN is attached. Interested parties may also access the JPN at the following websites: https://www.navcen.uscg.gov/public-notices-for-bridges-active-by-district? district=9&subdistrict=n and https://usace.contentdm.oclc.org/utils/getfile/collection/p16021coll15/id/10051. The JPN may also be obtained by calling the Coast Guard District Bridge Branch at 216-902-6087, by writing to Commander, Ninth Coast Guard District dpb), 1240 E. 9th St., Cleveland, OH 44199, or by email request to michael.owalker2@uscg.mil. Interested parties are requested to express their views, in writing, on the proposed bridge project including its possible impacts to the environment and navigation. Comments will be forwarded to the Lead Federal Agency for action.	41° 53' 47"
LAKE MICHIGAN - Chicago Harbor/General/Bridges/Public Notice	Bridges	IL – LAKE MICHIGAN – Chicago Harbor – Proposed Bridge Construction An application has been received by Commander, Ninth Coast Guard District, from the Chicago Department of Transportation (CDOT, hereinafter referred to as the "Applicant") for a United States Coast Guard Bridge Permit. The Applicant proposes to replace the Division Street Bridge, across the North Branch of the Chicago River, Mile 3.30, in Chicago, Cook County, Illinois. The Applicant proposes to replace the existing structure with a tensioned tied-arch movable structure. The proposed replacement would provide 19.34-feet of vertical navigation clearance in the closed position and 40.00-feet of vertical clearance in the open position. The proposed replacement would provide a horizontal clearance of 154.75-feet face-to-face of existing piers with 100.00-feet between dolphins normal to the axis of the channel as the navigation channel. The Applicant has also submitted applications for authorizations from the United States Army Corps of Engineers (USACE) under Section 404 of the Clean Water Act (33 USC 1344) and 33 USC 408. Consequently, both the Coast Guard and USACE issued a Joint Public Notice (JPN) describing the project and both agencies' relevant permits and approvals. A copy of the JPN is attached. Interested parties may also access the JPN at the following websites: https://www.navcen.uscg.gov/public-notices-for-bridges-active-by-district? district=9&subdistrict=n and https://usace.contentdm.oclc.org/utils/getfile/collection/p16021coll15/id/9991. The JPN may also be obtained by calling the Coast Guard District Bridge Branch at 216-902-6087, by writing to Commander, Ninth Coast Guard District (dpb), 1240 E. 9th 5t., Cleveland, OH 44199, or by email request to michael.owalker2@uscg.mil. Interested parties are requested to express their views, in writing, on the proposed bridge project including its possible impacts to the environment and navigation. Comments will be received for the record at the address given in JPN 09-02-25 through 27 Jul	41° 54' 13" Lon: -087° 39' 27"
LAKE MICHIGAN - Chicago Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-05-05 To: 2025-10-01 Location: 41.89615° N / 87.59219° W Drill and Grout on Breakwater/Place Armor Stone from 0600 to 1800 7 days a week. The Derrick 23 spud barge will also monitor channels 7 & Derrick 23 spud barge will also monitor channels 7 & Derrick 23 spud barge will also monitor channels 7 & Derrick 23 spud barge will also monitor channels 7 & Derrick 23 spud barge will also monitor channels 7 & Derrick 23 spud barge will be moored overnight at the North Pier of the Chicago River Lock and will travel to the Breakwater Daily. Stay clear of construction activities. No navigation channels should be obstructed by the work	Lat: 41° 53' 46" Lon: -087° 35' 32"
LAKE MICHIGAN - Chicago Harbor/General/Marine Events/Fireworks	Marine Events	Navy Pier Fireworks 6/28/2025 10:00pm - 10:30pm Navy Pier Fireworks 7/2/2025 9:00pm - 9:30pm Navy Pier Fireworks 7/5/2025 10:00pm - 10:30pm Navy Pier Fireworks 7/9/2025 9:00pm - 9:30pm Navy Pier Fireworks 7/12/2025 10:00pm - 10:30pm Navy Pier Fireworks 7/16/2025 9:00pm - 9:30pm Navy Pier Fireworks 7/16/2025 9:00pm - 9:30pm Navy Pier Fireworks 7/23/2025 9:00pm - 9:30pm Navy Pier Fireworks 7/26/2025 10:00pm - 10:30pm Navy Pier Fireworks 7/20/2025 9:00pm - 9:30pm Navy Pier Firewor	Lat: 41° 53' 31" Lon: -087° 35' 57"

CHICAGO LAKE FRONT

Private Discrepancies

Titate Discrepancies			
NAME	LLNR	STATUS	AID TYPE
Filtration Plant Breakwater South End Light	19860	LT EXT	PA
Filtration Plant Breakwater North End Light	19865	LT EXT	PA
Sixty-Eighth Street Crib Light	19870	LT EXT	PA
Sixty-Eighth Street Crib Light	19870	LT EXT	PA
Montrose Harbor East Breakwater Light	20110	LT EXT	PA
Montrose Harbor West Breakwater Light	20115	LT EXT	PA

https://www.navcen.uscg.gov/msi 4/22

Chippawa Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Six Mile Creek Light	3335	DBD DMGD	PA

Cleveland Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Erie - Cleveland Harbor/General/Bridges/Maintenance	Bridges	******REVISED***** OH - LAKE ERIE – Cleveland Harbor From January 20, 2026, through March 20, 2026, the Eagle Avenue Bridge Mile 2.80 over the Cuyahoga River will be secured to masted navigation and a 180-foot by 52-foot barge will be positioned und the drawspan to facilitate the removal of the bridge. Vessels able to pass under the bridge without an opening and around the barge may do so at any time. [36/24] [10/25]	
Lake Erie - Cleveland Harbor/General/Bridges/Temp Deviation	Bridges	OH - LAKE ERIE – Cleveland Harbor On July 19, 2025, between the hours of 1000 and 1100 the Carter Road Bridge at mile 2.43 over the Cuyahoga River will be secured to mased navigation in conjunction with the Parrot Head Race. Vessels able to pass under the bridges without an opening may do so at any time. [21/25]	
Lake Erie - Cleveland Harbor/General/Bridges/Inspection	Bridges	OH - LAKE ERIE – Cleveland Harbor On July 16, 2025, between the hours of 0700 and 1700, the West 3rd Street Bridge at Mile 3.69, over the Cuyahoga River will require a 1-hour advance notice for openings while inspectors use a snooper truck under the bridge. Spotters will warn of vessels passing under the bridge and move the manlift as needed. [26/25]	Lat: 41° 29' 17" Lon: -081° 41' 08"
Lake Erie - Cleveland Harbor/General/Bridges/Temp Deviation	Bridges	OH - LAKE ERIE – Cleveland Harbor On October 25,2025, between the hours of 0900 and 1000 the Willow Avenue Bridge at Mile 1.02, over the Cuyahoga River will be secured to masted navigation in conjunction with the Hermes Sports Running Event. Vessels able to pass under the Bridge without an opening may do so at any time. [28/25]	Lat: 41° 29' 51" Lon: -081° 42' 38"
Lake Erie - Cleveland Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-04-01 To: 2025-07-31 Great Lakes Dock and Material will be conducting pier repair on the Cuyahoga River West Pier from the mouth of Cuyahoga River near historical USCG station towards to railroad lift bridge. Hours of operation are 24 hours a day 7 days a week. Tug "Duluth", Tug "Defiance", Barge "Jacquelyn", Barge "Hannah Avery" and GLDM marine equipment, marine channels 16 & Defiance (Propositive Contact with equipment, marine equipment shall be located near the west pier.	Lat: 41° 30' 08" Lon: -081° 42' 41"
Lake Erie - Cleveland Harbor/General/MSIB	MSIB	General/MSIB From: 2025-06-27 To: 2025-08-11 Location: No-Wake buoys have been established near Wendy Park.	
Lake Erie - Cleveland Harbor/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2024-11-27 To: 2025-01-31 Location: 41.4933° N / 81.70403° W 41.49319° N / 81.7036° W 41.49207° N / 81.7041° W 41.49054° N / 81.70414° W 41.49066° N / 81.70375° W 41.48882° N / 81.70219° W 41.48858° N / 81.70092° W 41.4894° N / 81.70088° W 41.48811° N / 81.70186° W 41.48913° N / 81.70403° W 41.49014° N / 81.70504° W 41.49133° N / 81.70508° W 41.49337° N / 81.70403° W The Ninth Coast Guard District is issuing this Marine Safety Information Bulletin to bring awareness to the Irishtown Bend stabilization and rehabilitation project on the Cuyahoga River. Construction is intended to shore-up and replace approximately 2,400 linear feet of corrugated steel bulkhead located on the western (left descending) bank of the Cuyahoga River between the Detroit-Superior Bridge and the Columbus Road Bridge. The Captain of the Port Sector Eastern Great Lakes (COTP) has determined that potential hazards associated with the equipment used to complete this project would be a safety concern for any craft intending to navigate near the project area during construction hours. Furthermore, additional safety measures are necessary to keep workers on the construction barges safe while completing the construction project. Construction hours are from 7 a.m. each Tuesday through 7 a.m. each Thursday; during that time no vessel or craft is to be within 10 feet of the construction barges unless permitted by the COTP or a designated representative. This Regulated Navigation Area is in effect until the waterside portion of the work is complete.	

Crooked Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Crooked Lake Daybeacon 82	12145	STRUCT DEST/TRUB	FD

DE TOUR PASSAGE TO WAUGOSHANCE POINT

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
	Marine	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-05-02 To: 2025-08-01 Location: 45.84758° N / 84.73412°	
TO WAUGOSHANCE	Construction	W 45.78405° N / 84.75489° W 45.78753° N / 84.76502° W 45.84388° N / 84.74562° W 45.84758° N / 84.73412° W From 02 Jun 2025 to 31	
POINT/General/Marine Construction	`	Jul 2025 Enbridge, in coordination with Tetra Tech Inc. will be conducting underwater survey operations of the Enbridge Line 5 pipelines in	
	Bridges)	the Straits of Mackinaw in between Point Labarbe and McGulpin Point, Ml. The survey operations will include both east and west	
Operations		pipelines. Operations will be daily from 0600 to 1800. The underwater survey effort will be conducted with a remotely operated	
		underwater vehicle from M/V Ugle Duckling, with M/V Streak as an alternate vessel. The contact vessels listed above can be reached on	
		VHF-FM channels 13 and 16. All third party vessels are required to remain 1500' (500-yard safety zone) away from the survey vessel. For	
		further information contact Richard Funk, (425) 482-7629.	

Detroit River

Private Discrepancies

https://www.navcen.uscg.gov/msi 5/22

NAME	LLNR	STATUS	AID TYPE
Metro Park Marina Lighted Buoy 1	7405	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
WEST END OF LAKE ERIE - Detroit River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2022-11-01 To: 2025-12-01 Location: 42.28885° N / 83.09742° W Bridge Name: Gordie Howe International Bridge From November 1, 2022, through December 1, 2024, contractors will be constructing the Gordie Howe International Bridge at mile 16.7 over the Detroit River. No equipment will be placed in the water. Overhead work will have temporary steady burning yellow lights to mark new construction. A moving platform with quick flashing red lights and orange or red ball fenders on the bottom four corners with a safety net that hangs approximately 15-feet below low steel will be constructing the bridge. Mariners should avoid passing directly under the platform at any time. Snooper type vehicles will be utilized on the bridge throughout construction. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. When construction is completed and all equipment removed, the final vertical clearances for the bridge will be 152-feet for the center 100-feet of the navigation channel. No less than 137-feet of vertical clearance will be available at the channel limits. Vertical clearances are based on IGLD85. NOTE: Over the water construction is basically complete and extensions to construction have been issued to accommodate demobilization of equipment.	Lat: 42° 17' 20" Lon: -083° 05' 51"
WEST END OF LAKE ERIE - Detroit River/General/Bridges/Maintenance	Bridges	MI - DETROIT RIVER – River Rouge From February 1, 2026, through March 15, 2026, the Fort Street Bridge at Mile 2.20 over the River Rouge will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. [16/25]	Lat: 42° 17' 28" Lon: -083° 08' 33"
WEST END OF LAKE ERIE - Detroit River/General/Bridges/Inspection	Bridges	MI – Detroit River – River Rouge From September 23 through September 25, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the Fisher freeway I-75 Bridge at Mile 1.85 and the Fort Street Bridge at Mile 2.20, over the River Rouge. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	42° 17' 13"
WEST END OF LAKE ERIE - Detroit River/General/Bridges/Inspection	Bridges	MI – Detroit River – River Rouge From September 23 through September 25, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the Fisher freeway I-75 Bridge at Mile 1.85 and the Fort Street Bridge at Mile 2.20, over the River Rouge. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	42° 17' 28"
WEST END OF LAKE ERIE - Detroit River/General/Marine Events/Regatta (Race)	Marine Events	Ford Yacht Club Midsummer Series Sailboat race. Dates: 7/16/2025 & Samp; 7/23/2025	Lat: 42° 03' 16" Lon: -083° 10' 05"
WEST END OF LAKE ERIE - Detroit River/General/Marine Events/Swim	Marine Events	A swimming event is taking place on the Detroit River on July 11, 2025, between the Belle Isle Beach and Scott Middle Ground from 7a.m. and 12 p.m. The swimming course will be marked by inflatable buoys. The special local regulation will encompass the following waterway: All waters of the Detroit River, in the vicinity of Belle Isle beach between the following two lines: the first line is drawn directly across the channel from position 42-20.517'N, 082-59.159'W to 42-20.705'N 082-59.233'W; the second line, to the north, is drawn directly across the channel from position 42-20.754'N, 082-58.681'W to 42- 20.997'N 082- 58.846"W. In the event of an emergency related to this event the Coast Guard may be contacted on CH-16 VHF-FM or at (313) 568-9560.	Lat: 42° 20' 36" Lon: -082° 58' 59"
WEST END OF LAKE ERIE - Detroit River/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-07-10 To: 2025-10-01 The Coast Guard is establishing temporary safety zones around each tall ship visiting the Great Lakes during the Tall Ships Challenge 2025 race series beginning on July 10, 2025 through October 1, 2025. All navigable waters of the United States located in the Ninth Coast Guard District within a 100-yard radius of any tall ship. (1) No person or vessel is allowed within the safety zones, unless authorized by the cognizant Captain of the Port, their designated representative, or the on-scene official patrol. (2) Persons or vessels operating within a confined harbor or channel, where there is not sufficient navigable water outside of the safety zones to safely maneuver, are not allowed to operate within the safety zones unless authorized by the COTP, designated representative, or the on-scene patrol officer. (3) Persons or vessels authorized to operate within the safety zones must travel at the minimum speed necessary to maintain a safe course. Persons or vessels authorized to operate within the safety zones must not come within 25 yards of a tall ship, unless authorized by the COTP, designated representative, or the on-scene official patrol. (4) When a tall ship approaches any vessel that is moored or anchored, the stationary vessel must stay moored or anchored while it remains within the tall ship's safety zones unless ordered by or given permission from the COTP, designated representative, or the on-scene official patrol to do otherwise.	Lat: 42° 19' 17" Lon: -083° 03' 00"

Duluth Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Superior Front Channel - Duluth Harbor/General/Bridges/Maintenance	Bridges	through March 23, 2027, and again from January 15, 2028, through March 23, 2028, the Duluth Ship Canal Bridge at mile 0.24 over the Duluth Ship Canal will be secured to masted navigation for maintenance, vessels able to pass under the bridge without an opening may do so at any time.	Lat: 46° 46' 44" Lon: -092° 05' 34"
Superior Front Channel - Duluth Harbor/General/Bridges/Temp Deviation	Bridges	,	Lat: 46° 46' 53" Lon: -092° 05' 47"

https://www.navcen.uscg.gov/msi 6/22

Superior Front Channel - Duluth	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-07-10 To: 2025-10-01 The Coast Guard is establishing	Lat:
Harbor/General/Safety Zones/Temporary Regulated Navigation Zones		temporary safety zones around each tall ship visiting the Great Lakes during the Tall Ships Challenge 2025 race series beginning on July 10, 2025 through October 1, 2025. All navigable waters of the United States located in the Ninth Coast Guard District within a	46° 46' 24' Lon:
J J		100-yard radius of any tall ship. (1) No person or vessel is allowed within the safety zones, unless authorized by the cognizant Captain of the Port, their designated representative, or the on-scene official patrol. (2) Persons or vessels operating within a confined harbor or channel, where there is not sufficient navigable water outside of the safety zones to safely maneuver, are not allowed to operate within the safety zones unless authorized by the COTP, designated representative, or the on-scene patrol officer. (3) Persons or vessels authorized to operate within the safety zones must travel at the minimum speed necessary to maintain a safe course. Persons or vessels authorized to operate within the safety zones must not come within 25 yards of a tall ship, unless authorized by the COTP, designated representative, or the on-scene official patrol. (4) When a tall ship approaches any vessel that is moored or anchored, the stationary vessel must stay moored or anchored while it remains within the tall ship's safety zones unless ordered by or given permission from the COTP, designated representative, or the on-scene official patrol to do otherwise.	
Superior Front Channel - Duluth Harbor/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-06-18 To: 2025-12-15 Location: 46.78137° N / 92.09573° W 46.77971° N / 92.09471° W 46.77746° N / 92.09882° W 46.77841° N / 92.09992° W 46.78116° N / 92.09629° W 46.78137° N / 92.09573° W A Special Local Regulation will be in effect from 0900 on July 10, 2025, through 2100 on July 13, 2025, restricting access to certain waters of Duluth Harbor, MN, in support of the 2025 Festival of Sail. Mariners are advised that access restrictions will be enforced for public safety. No anchoring or unauthorized transit is permitted within the regulated area during enforcement periods without permission from U.S. Coast Guard Marine Safety Unit Duluth or the designated on-scene representative. Reference Federal Register docket number USCG-2025-0023 for more information. Questions can be directed to Craig Samborski at email craig@drawevents.com	
Superior Front Channel - Duluth Harbor/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-06-18 To: 2025-12-15 Location: 46.78471° N / 92.07805° W 46.78278° N / 92.07666° W 46.78018° N / 92.08767° W 46.7786° N / 92.09254° W 46.77799° N / 92.09342° W 46.77606° N / 92.09254° W 46.77553° N / 92.09408° W 46.77675° N / 92.10215° W 46.78115° N / 92.09627° W 46.78132° N / 92.09576° W 46.77927° N / 92.09438° W 46.77928° N / 92.09303° W 46.78094° N / 92.08822° W 46.78471° N / 92.07805° W A Special Local Regulation will be in effect from 0900 to 1400 on July 10, 2025, restricting access to certain waters of Duluth Harbor, MN, in support of the 2025 Festival of Sail parade route. Mariners are advised that access restrictions will be enforced for public safety. No anchoring or unauthorized transit is permitted within the regulated area during enforcement periods without permission from U.S. Coast Guard Marine Safety Unit Duluth or the designated on-scene representative. Reference Federal Register docket number USCG-2025-0023 for more information. Questions can be directed to Craig Samborski at email craig@drawevents.com	

Erie Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Erie - Erie Harbor/General/Marine Events/Regatta (Race)	Marine Events	Approximately 30 sailboats and 1 support vessel will meet daily for sailing races from 4 P.M until 9 P.M.	Lat: 42° 08' 40" Lon: -080° 06' 16"
Lake Erie - Erie Harbor/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	General/Safety Zones/Temporary Regulated Navigation Zones From: 2025-07-10 To: 2025-10-01 The Coast Guard is establishing temporary safety zones around each tall ship visiting the Great Lakes during the Tall Ships Challenge 2025 race series beginning on July 10, 2025 through October 1, 2025. All navigable waters of the United States located in the Ninth Coast Guard District within a 100-yard radius of any tall ship. (1) No person or vessel is allowed within the safety zones, unless authorized by the cognizant Captain of the Port, their designated representative, or the on-scene official patrol. (2) Persons or vessels operating within a confined harbor or channel, where there is not sufficient navigable water outside of the safety zones to safely maneuver, are not allowed to operate within the safety zones unless authorized by the COTP, designated representative, or the on-scene patrol officer. (3) Persons or vessels authorized to operate within the safety zones must travel at the minimum speed necessary to maintain a safe course. Persons or vessels authorized to operate within the safety zones must not come within 25 yards of a tall ship, unless authorized by the COTP, designated representative, or the on-scene official patrol. (4) When a tall ship approaches any vessel that is moored or anchored, the stationary vessel must stay moored or anchored while it remains within the tall ship's safety zones unless ordered by or given permission from the COTP, designated representative, or the on-scene official patrol to do otherwise.	Lat: 42° 08' 50" Lon: -080° 05' 36"

Fleming Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Windmill Point Light	8260	LT EXT	FD

Temporary Changes

	NAME	LLNR	STATUS	AID TYPE
William Livingstone Memorial Light		8240	Reduced Intensity	FD

Frankfort

Additional Work categories					
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION		
LAKE MICHIGAN -	Marine	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-01 To: 2025-07-30 Location: 44.48338° N / 86.24946° W	Lat:		
Frankfort/General/Marine	Construction	Dredging Arcadia Harbor Federal channel. Submerged pipe lying on the lake floor marked by orange round buoys every 500 feet. (2) white	44° 29' 00"		
Construction (Excluding	(Excluding	buoys will be seen North and South of the dredge. The white buoys indicate winch anchor locations. The disposal area starts North of the	Lon:		
Bridges)/Dredging	Bridges)	North breakwater 3,000' and goes 1,000' northward. Placement will be between the Ordinary High Water Mark to the 4' contour. Main	-086° 14'		
		contact will be the Superintendent Robert Lister. Cell# listed below. During rough seas our pipe pontoon will be floating outside of the	58"		
		channel. It is bright yellow, 25'x8'x6' and has (2) flashing amber lights on each end that come on at night. Another pipe pontoon that is			
		bright yellow (25'x8'x6') and has (2) flashing lights on each end will be in the disposal area. The disposal area will be marked with white ball			
		buoys on each corner.			

GRAND MARAIS TO BIG BAY POINT

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior - GRAND MARAIS TO BIG BAY	Marine Construction	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Lat:
POINT/General/Marine Construction (Excluding	(Excluding Bridges)	From: 2025-07-01 To: 2025-10-01 Concrete demolition and repairs along with armor stone placement on	46° 32' 01"
Bridges)/Facilities, Barriers, Manmade Reefs, Riprap,		breakwall. Barge movements between MBL&P dock and breakwall throughout project. 0700-1900	Lon:
Jetties/Dikes		Monday-Saturday Location: 46.53357° N / 87.37475° W	-087° 22'
			29"

Grand River

Additional MSI Categories

TITLE	CURCATECORY	PERCENTION	LOCATION
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Grand River/General/Bridges/Inspection	Bridges	MI - LAKE MICHIGAN – St Joseph River From July 8 through July 10, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the Blossomland/M-63 Bridge at Mile 0.92 and the I-94 Bridge at Mile 5.83 over the Saint Joseph River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the	Lat: 43° 04' 31" Lon:
		inspectors to allow vessels to pass. [18/25]	-086° 13'
LAKE MICHIGAN - Grand River/General/Bridges/Inspection	Bridges	MI - LAKE MICHIGAN – Grand Haven From July 8 through July 10, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the U.S. Route 31 Bridge at Mile 2.89 over the Grand River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	Lon:
			-086° 13'

Green Bay City

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Green Bay Harbor Entrance Channel - Green Bay City/General/Bridges/Public Notice		WI - LAKE MICHIGAN - Fox - East River The Coast Guard is removing the existing drawbridge operation regulation for the Monroe Avenue Bridge, Mile 0.3, over the East River in Green Bay, Wisconsin. The drawbridge was replaced with a fixed bridge in 1984, and the operating regulation listed in our regulations is no longer applicable or necessary. DATES: This rule is effective June 23, 2025. To view documents mentioned in this preamble as being available in the docket, go to https://www.regulations.gov . Type the docket number (USCG-2025-0534) in the "SEARCH" box and click "SEARCH". In the Document Type column, select "Supporting & Damp; Related Material." FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or email: Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, email Lee.D.Soule@uscq.mil . [26/25]	Lat: 44° 31' 04" Lon: -088° 00' 23"

Green Bay Harbor Entrance Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Green Bay Harbor Entrance Channel Inner Range Rear Light	22220	DBD DMGD	FD

HARRISVILLE TO FORTY MILE POINT

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON -	MSIB	General/MSIB From: 2025-06-12 To: 2025-12-09 Location: The Office of the Under Secretary of Defense for Research and Experimentation via Naval	
HARRISVILLE TO FORTY		Surface Warfare Center, Crane Division will conduct Experimentation Event Silent Swarm '25 from 14-25 July 2025. The event will encompass an area	
MILE POINT/General/MSIB		that includes Thunder Bay, Thunder Bay Island and Middle Island, Ml. The area is bounded northerly by 45-13-00N, southerly by 44-59-00N, and	
		easterly by 083-09-00W. During this event mariners can expect many small unmanned surface, sub-surface, and air vehicles in operation. All	
		unmanned platforms will have manned vessels in the vicinity for control and safety. Questions can be directed to Rob Gamberg, phone: 812-381-	
		4957, email: Robert.D.Gamberg.civ@us.navy.mil.	

Huron Harbor

Federal Discrepancies

	NAME	LLNR	STATUS	AID TYPE
Huron Harbor Light		4475	SS INOP	FD

Indian River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River Daybeacon 28	11935	STRUCT DEST/TRUB	FD

https://www.navcen.uscg.gov/msi 8/22

Indiana Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indiana Harbor Light 7	19700	REDUCED INT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Indiana Harbor/General/Bridges/Maintenance	Bridges	IN - LAKE MICHIGAN – Indiana Harbor Canal From 1700 on March 10 through 0500 on March 11, 2025, the Elgin, Joliet, and Eastern Railroad Bridge at Mile 0.68 over Indiana Harbor Canal will require a 2-hour advance notice for openings. Mariners should provide advance notice directly to the drawtender.	Lat: 41° 39' 38" Lon: -087° 27' 07"
LAKE MICHIGAN - Indiana Harbor/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-04-23 To: 2026-07-21 Location: 41.72393° N / 87.36217° W 41.72009° N / 87.35702° W 41.65599° N / 87.45281° W 41.66061° N / 87.45899° W 41.72393° N / 87.36217° W Bridge Name: Norfolk Southern Railroad Bridge	Lat: 41° 39' 36" Lon: -087° 27' 08"
LAKE MICHIGAN - Indiana Harbor/General/Bridges/Maintenance	Bridges	IN - LAKE MICHIGAN – Indiana Harbor Canal From 0001 on June 28 until 2359 on June 29, 2025, and again from 0001 on July 12 until 2359 on July 13, 2025, the Elgin, Joliet, and Eastern Railroad Bridge at Mile 0.68 over Indiana Harbor Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. [25/25]	Lat: 41° 39' 38" Lon: -087° 27' 07"
LAKE MICHIGAN - Indiana Harbor/General/Bridges/Maintenance	Bridges	IN - LAKE MICHIGAN – Indiana Harbor Canal From 1800 on June 25 until 0800 on June 26, 2025, the Elgin, Joliet, and Eastern Railroad Bridge at Mile 0.68 over Indiana Harbor Canal will require a 2-hour advance notice for openings. Mariners should provide advance notice directly to the drawtender. [26/25]	Lat: 41° 39' 38" Lon: -087° 27' 07"

Irondequoit Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE ONTARIO - Irondequoit Bay/General/Bridges/Maintenance		the open to navigation position until November 1, 2025, when the bridge will be moved to the closed to navigation position. Mariners should remain clear of the bridge when it is in motion. [14/25]	Lat: 43° 14' 05" Lon: -077° 32' 03"
LAKE ONTARIO - Irondequoit Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	entrance. Mariners are advised to use extreme caution when transiting the area.	

Isle Royale

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cumberland Point Buoy 2	16680	MISSING	FD
Harlem Reef Buoy 2	16705	MISSING	FD

Kenosha

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN -	Bridges	WI - LAKE MICHIGAN – Fox River On August 17, 2925, between the hours of 0800 and 1000, the Tayco street Bridge at Mile 37.52	Lat:
Kenosha/General/Bridges/Temp Deviation		over the Fox River will be secured to masted navigation in conjunction with the Race the Lake event. Vessels able to pass under the	44° 12' 03"
		bridge without opening may do so at any time. [27/25]	Lon:
			-088° 26'
			47"

Keweenaw Upper Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Keweenaw Upper Entrance West Breakwater Light	15115	STRUCT DEST	FD
Keweenaw Upper Entrance Light	15120	LT EXT	FD
Keweenaw Upper Entrance Light	15120	SS INOP	FD

Additional MSI Categories

https://www.navcen.uscg.gov/msi 9/22

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior - Keweenaw Upper	Hazards To	General/Hazards To Navigation/Obstructions From: 2025-01-13 To: 2025-07-12 Location: 47.23403° N / 88.63223° W Keweenaw	Lat:
Entrance/General/Hazards To	Navigation	Upper Entrance West Breakwater Light (LLNR 15115) was reported damaged and swept from its location on the breakwall. The	47° 14' 03"
Navigation/Obstructions		approximately 20' metal tower is submerged in vicinity of the breakwater at an unknown position. All mariners are urged to use	Lon:
		caution when transiting the area.	-088° 37'
			56"

Keweenaw Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Keweenaw Waterway Buoy 39	14980	SINKING	FD
Rouleau Point Range Front Light	15040	DBD DMGD	FD

Temporary Changes

	NAME	LLNR	STATUS	AID TYPE
Kewe	enaw Waterway Light 25	14880	TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Keweenaw Upper Entrance - Keweenaw	Bridges	MI - LAKE SUPERIOR – Keweenaw Waterway From July 13 through July 16, 2025, between the hours of 0800 and 1800 daily,	Lat:
Waterway/General/Bridges/Inspection		divers will be inspecting the underwater portions of the U.S. 41 Bridge at Mile 16 over the Keweenaw Waterway. A dive safety	47° 07' 25"
		vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors	Lon:
		to allow vessels to pass. [18/25]	-088° 34'
			26"

Lake Erie

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Niagara River - Lake Erie/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-06-10 To: 2025-12-07 Location: 42.76589° N / 78.87787° W The Coast Guard has received a report of a fixed structure with a rope attached to it sticking approximately 6 feet out of the water, 300 feet offshore of Hamburg Township Park. All mariners are advised to transit the area with caution.	Lat: 42° 45' 57" Lon: -078° 52' 40"
Niagara River - Lake Erie/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-06-17 To: 2025-12-14 Location: 42.85548° N / 78.87558° W The Coast Guard has received a report of a fixed log sticking out of the water in vicinity of Terminal B approximately 200ft offshore in Buffalo Harbor. All mariners are advised to transit the area with caution.	Lat: 42° 51' 20" Lon: -078° 52' 32"
Niagara River - Lake Erie/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-14 To: 2025-08-01 Location: 42.78877° N / 78.86049° W Outfall rehab work and sediment dredging 12hrs/Day, 6 days a week as weather permits	Lat: 42° 47' 20" Lon: -078° 51' 38"
Niagara River - Lake Erie/General/Marine Events/Swim	Marine Events	General/Marine Events/Swim From: 2025-06-17 To: 2025-12-14 Location: 41.48902° N / 81.74269° W There will be a safety zone on certain navigable waters of Lake Erie in Cleveland, OH for the Brogan Open Water Classic within a 400-yard radius of Edgewater Beach located in Cleveland OH, at position 41-29.383N and 081-44.417W. The safety zone will be enforced on July 12, 2025, from 6:30 a.m. to 11:30 a.m. (local). All mariners are advised not to enter the safety zone without the approval of the Coast Guard via channel 16 VHF FM.	Lat: 41° 29' 20" Lon: -081° 44' 34"
Niagara River - Lake Erie/General/MSIB	MSIB	General/MSIB From: 2025-06-02 To: 2025-09-05 The NOAA Great Lakes Environmental Research Laboratory (GLERL) will be deploying 5 surface drifters for marine science data collection in western Lake Erie from June 3, 2025 to September 5, 2025. The drifters will be deployed near the following position: 42-00.065 N, 83-09.386 W The drifters are wood construction with metal down-weight (screw and washers), red and white sails, with small orange floats located at the top. Approximate dimensions: 50" long vertically and 50" max horizontal width, weight (out of water) less than 15 lbs, GPS (solar-battery-powered) on top of drifter approximately 6" above still-waterline. If found, contact NOAA GLERL Marine instrumentation Laboratory at 734-741-2235 or email oar.glerl.mil-team@noaa.gov.	

LAKE HURON

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE	
Calcite Breakwater Light 2	11610	LT EXT	PA	

SUBCATEGORY	DESCRIPTION	LOCATION
Bridges	MI - LAKE HURON – Port Huron From January 1, 2028, through March 31, 2028, the Military Street bridge at Mile 0.33, over the	Lat:
	Black River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any	42° 58' 32"
	time. Scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge. Two barges 180-feet by	Lon:
	60-feet will be working in and around the bridge. The barges will move to accommodate vessels traffic with a 12-hour advance	-082° 25'
	notice from mariners by calling 810-985-0165. [28/25]	27"
	Bridges	Bridges MI - LAKE HURON – Port Huron From January 1, 2028, through March 31, 2028, the Military Street bridge at Mile 0.33, over the Black River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge. Two barges 180-feet by 60-feet will be working in and around the bridge. The barges will move to accommodate vessels traffic with a 12-hour advance

PORT HURON TO PTE AUX BARQUES - LAKE	Marine Events	The U.S. Coast Guard is establishing a safety zone on Lake Huron for the Harbor Beach fireworks display on July 12. All U.S.	Lat:
HURON/General/Marine Events/Fireworks		waters of Lake Huron within a 560 feet radius of the fireworks launch site located at the end of the DTE power plant in Harbor	43° 50' 44"
		Beach, at position 43-50.773' N, 082-38.632' W will be closed to traffic from 9:30 p.m. to 11 p.m. In case of an emergency	Lon:
		related to the Harbor Beach fireworks, the local Coast Guard Station, and Coast Guard Sector Detroit may be contacted on	-082° 38'
		channel 16 VHF-FM.	34"

LAKE MICHIGAN

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Black Creek Buoy 3	8950	MISSING	PA
Chicago 31 Street Harbor Lighted Fixed Aid 1	19926	DAYMK DMGD	PA
Thirty-First Street Jetty Danger Lighted Buoy A	19931	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy B	19932	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy C	19933	MISSING	PA
Thirty-First Street Inner Jetty Light	19934	LT EXT	PA
Northerly Island Danger Lighted Buoy C	19956.2	Status Unreported	PA
Shipyard Island Marina North Dock Light	21405	LT IMCH	PA
Green Bay Marina South LT 2	22276.2	OFF STATION	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON - LAKE MICHIGAN/General/Bridges/Inspection	Bridges	IL - LAKE MICHIGAN – Chicago Harbor From July 21 through September 26, 2025, between the hours of 0600 and 1800, Monday through Saturday, a 30-foot Harcon Vessel will be inspecting all bridges over the Chicago River and its branches. The Harcon will monitor VHF-FM Marine Channel 16 and will move if provided a 15-minute advance notice of arrival. [27/25]	
LAKE HURON - LAKE MICHIGAN/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	· · · · · · · · · · · · · · · · · · ·	Lat: 45° 08' 51" Lon: -085° 58' 42"
LAKE HURON - LAKE MICHIGAN/General/Marine Events/Other	Marine Events	General/Marine Events/Other From: 2025-06-02 To: 2025-08-22 Whoazone has established a waterborne obstacle course at Whihala Beach from 02 June 2025 to 22 August 2025. It is requested that all traffic remain outside the designated area and transit the area with caution. Further questions or details, contact Sector Lake Michigan at (414) 747-7182 or Whoazone general manager at (219) 234-2615.	

Lake Nicolet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Nicolet Range Rear Light	13960	DAYMK MISSING	FD

LAKE ONTARIO

Private Discrepancies

·			
NAME	LLNR	STATUS	AID TYPE
Eagle Creek Marina Entrance Light 3	2362	STRUCT MISSING	PA
Eagle Creek Marina Entrance Light 3	2362	STRUCT MISSING	PA
Eagle Creek Marina Entrance Light 4	2363	STRUCT MISSING	PA
Eagle Creek Marina Entrance Light 4	2363	STRUCT MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St. Lawrence Seaway - LAKE ONTARIO/General/Marine Events/Regatta (Race)	Marine Events	Genesee Yacht Club Weekly Racing, Saturday Racing 5/20/2025 - 10/4/2025, 1000-1700, 02 sailing races within the given time period and area.	Lat: 43° 16' 33" Lon: -077° 36' 29"
St. Lawrence Seaway - LAKE ONTARIO/General/Marine Events/Regatta (Race)	Marine Events	Genesee Yacht Club Tuesday Night Racing races between 1830 and 2300 every Tuesday within specified dates.	Lat: 43° 16' 31" Lon: -077° 36' 29"
St. Lawrence Seaway - LAKE ONTARIO/General/Marine Events/Regatta (Race)	Marine Events	The LO300-LO600 is a multi-day sailing regatta series that spans Lake Ontario. Consists of 75 sailing vessels operating from 1000-1200 daily.	

LAKE ST CLAIR

Private Discrepancies

	NAME	LLNR	STATUS	AID TYPE
--	------	------	--------	----------

Milk River Channel Drain Light 1	8785	LT EXT	PA	
Milk River Channel Lighted Buoy 2	8795	LT EXT	PA	

Lake St. Clair

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Detroit River - Lake St. Clair/General/Marine Events/Regatta (Race)	Marine Events	General/Marine Events/Regatta (Race) From: 2025-05-14 To: 2025-10-01 Windsor Yacht Club Wednesday Night Series	
Detroit River - Lake St. Clair/General/Marine Events/Regatta (Race)	Marine Events	Lake Shore Sail Club Sunday Races	
Detroit River - Lake St. Clair/General/Marine Events/Regatta (Race)	Marine Events	Grosse Point Sail Club - Sundown Races - Tuesdays at 6 p.m.	

Lake Superior

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
UMN Two Harbor Meteorological Weather Buoy 1	16538	LT EXT	PA
Taconite Harbor Harbor Of Refuge Inner Light	16606	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior/General/Bridges/Inspection	Bridges	MI - LAKE SUPERIOR – Ontonagon Harbor From July 13 through July 16, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the State Route 64 Bridge at Mile 0.38 over the Ontonagon River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	Lat: 46° 52' 00" Lon: -089° 19' 01"
Lake Superior/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-05-28 To: 2025-11-24 Location: 47.19136° N / 88.23645° W 47.1913° N / 88.23626° W 47.1899° N / 88.23717° W 47.18969° N / 88.23694° W 47.1889° N / 88.2351° W 47.1883° N / 88.23479° W 47.18765° N / 88.23488° W 47.18769° N / 88.23547° W 47.18834° N / 88.23525° W 47.1888° N / 88.23541° W 47.18992° N / 88.23791° W 47.19029° N / 88.23769° W 47.19047° N / 88.23704° W 47.19136° N / 88.23645° W	
Lake Superior/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-06-25 To: 2025-07-30 Location: 47.37513° N / 87.96249° W Please contact the dredge operator on station 78 if necessary. In Lac Labelle, hydraulic dredging will be done inside and outside of the harbor. The pipeline route will be from the inner harbor running to the south side beach. There will be approximately 6,600' of pipeline. The pipeline will be marked every 500' with bright orange buoys. The disposal site will consist of a raised piece of plastic pipe placed on a yellow pontoon tank. The pontoon tank will have 4 orange flashing lights during night operations. We encourage ALL boaters to stay at least 250' away from the yellow disposal pontoon. Please do not go near the pontoon. There will be pipeline inside the channel. Please proceed with caution.	47° 22' 30" Lon: -087° 57'

Lexington Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lexington Harbor East Breakwater Light 2	10095	LT EXT	FD
Lexington Harbor West Breakwater Light 3	10100	LT EXT	FD

LITTLE GIRLS POINT TO SILVER BAY

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
UMinn Research 2	16494.5	WATCHING PROPERLY	PA	2025-07-07

Little Rapids Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Six Mile Point Range Rear Light	14050	DAYMK MISSING	FD

LOWER GREEN BAY

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - LOWER GREEN BAY/General/Bridges/Maintenance		55.97 over the Fox River will be secured to masted navigation while two barges 80-feet by 50-feet will be working under the secured leaf. From October 15, 2025, through April 15, 2026, both leaves will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. [18/25]	Lat: 44° 00' 48" Lon: -088° 32' 16"

Lower River

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Round Island Light	12940	WATCHING PROPERLY	FD	2025-07-07

Malone Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Malone Bay Entrance Buoy 2	16715	MISSING	FD
Malone Bay Entrance Buoy 3	16720	MISSING	FD
Malone Bay Buoy 4	16725	MISSING	FD
Malone Bay Buoy 5	16730	MISSING	FD

Manistique

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Manistique West Breakwater Light 1	21480	WATCHING PROPERLY	FD	2025-07-09
Manistique West Pierhead Light 3	21485	WATCHING PROPERLY	FD	2025-07-07

MARQUETTE AND PRESQUE ISLE HARBORS

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Marquette Breakwater Inner Light	14640	DISCONTINUED	FD

Maumee River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Maumee Bay - Maumee River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2024-08-14 To: 2025-11-30 Location: 41.652222222° N / 83.5275° W Bridge Name: Martin Luther King J Memorial Bridge From 0700 and 1600, Monday through Friday a 30-foot by 90-foot barge will be working at the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River. The barge will monitor VHF-FM Marine Channel 16 and passing arrangements can be made directly with the Great Lakes Concrete Restoration Barge.	Lat: 41° 39' 08" Lon: -083° 31' 39"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges	On August 3, 2025, between the hours of 0900 and 1000 the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the Jeep 4-Miler Run. Vessels able to pass under the bridge without an opening may do so at any time. [03/25]	Lat: 41° 39' 08" Lon: -083° 31' 39"
Maumee Bay - Maumee River/General/Bridges/Temp Deviation Bridges On September 14, 2025, between the hours of 1000 and 1130 the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the ProMedica BE FAST 5K Run. Vessels able to pass under the bridge without an opening may do so at any time. [03/25]			
Maumee Bay - Maumee River/General/Bridges/Temp Deviation	Bridges OH - LAKE ERIE – Toledo Harbor On September 21, 2025, between the hours of 0700 and 0830, the Craig Memorial Bridge at at Mile 3.30 over the Maumee River will be secured to masted navigation in conjunction with the Toledo Garmin Marathon. Vessels able to pass under the bridge without an opening may do so at any time. [14/25]		Lat: 41° 39' 39" Lon: -083° 30' 43"
Maumee Bay - Maumee River/General/Bridges/Inspection Bridges OH - LAKE ERIE – Toledo Harbor On July 17, 2025, between the hours of 0800 and 1600 inspectors will utilize snooper trucks under the US 20 / Perrysburg-Maumee Bridge at Mile 14.72 over the Maumee River. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass under the bridge. [18/25]			Lat: 41° 33' 26" Lon: -083° 39' 02"
Maumee Bay - Maumee River/General/Bridges/Inspection Bridges OH - LAKE ERIE – Toledo Harbor On July 28 and July 29, 2025, between the hours of 0800 and 1600, daily, inspectors will utilize snooper trucks under the Michael DiSalle Bridge at Mile 6.37 over the Maumee River. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. [18/25]		Lat: 41° 37' 31" Lon: -083° 32' 31"	
Maumee Bay - Maumee Bridges OH - LAKE ERIE – Toledo Harbor From March 1, 2026, through July 1, 2028, scaffolding will be installed under the Ohio Turnpike Bridges at Mile 11.42, over the Maumee River that hangs approximately 7-feet below low steel. [27/25]			

Maumee Bay - Maumee River/General/Bridges/Maintenance	Bridges	OH - LAKE ERIE – Toledo Harbor From 0700 on July 15 through 1700 on July 16, 2025, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River, will be secured to masted navigation. Vessels able to pass under the bridge without opening may do so at any time. [27/25]	
Maumee Bay - Maumee River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	From 10 Feb 2025 to 31 Dec 2025 Mark Haynes Construction will be conducting Island Restoration at the Audubon Islands State Nature Preserve on the Maumee River near River Mile 13.5 from 0700 to 1700 Monday through Thursday (work may also periodically occur on Fridays and Saturdays). Work will be limited to the vicinity of the Audubon Islands State Nature Preserve. One temporary causeway will be constructed between the City of Maumee shore (White Street Park) and Ewing Island that will block the side channel on the Maumee side of Audubon Islands. Two temporary causeways will also be constructed between Hunt and Ewing Islands that will block the channel between these islands. Boaters should stay on the Perrysburg side of Audubon Islands. This work will restore lost wetland habitat and enhance open water river habitat. For more information, please visit: https://metroparkstoledo.com/conservation/highlights/audubon-islands-restoration/	

Michigan City

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Michigan City/General/Bridges/Temp Deviation	_	MI - LAKE MICHIGAN – Michigan City August 2, 2025, between the hours of 1730 and 1830 the Franklin Street Bridge at Mile 0.50 over Trail Creek will be secured to masted navigation in conjunction with the Great Lakes Grand Prix boat parade. Vessels able to pass under the bridge without an opening may do so at any time. [19/25]	Lat: 41° 43' 22" Lon: -086° 54' 16"

Milwaukee

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lakeshore State Park Entrance Lt 1	20681	REDUCED INT	PA
Lakeshore State Park Entrance Lt 1	20681	LT EXT	PA
Milwaukee City South Pier No. 2 South Light	20700	LT EXT	PA
South Shore Park Entrance Lighted Buoy 1	20729	MISSING	PA
South Shore Park Entrance Lighted Buoy 2	20730	MISSING	PA
South Shore Park Entrance Lighted Buoy 2	20730	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
LAKE MICHIGAN - Milwaukee/General/Bridges/Maintenance	J	General/Bridges/Maintenance From: 2024-07-22 To: 2025-10-31 Location: 43.048624° N / 87.911573° W Bridge Name: Cherry St Bridge From July 22, 2024, through October 31, 2024, one bridge leaf of the Cherry Street Bridge at Mile 2.29 over the Milwaukee River will be secured to masted navigation while the other bridge leaf operates normally for the passage of vessels. From Novembe 1, 2024, through April 1, 2025, both leaves will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Between the hours of 0600 and 1700, Monday through Saturday, three barges, 60-foot by 80-foot or smaller will be working at the bridge, the barges will monitor VHF-FM Marine Channel 16 and move if a 3-hour advance notice is provided. Mariners may also provide advance notice by radio or by calling 312-735-1639.		
LAKE MICHIGAN - Milwaukee/General/Bridges/Maintenance Bridges Gener 5treet 70-fee from I		General/Bridges/Maintenance From: 2024-11-26 To: 2026-02-27 Location: 43.05444444* N / 87.90444444* W Bridge Name: Holton Street Bridge From March 25 through February 28, 2025, between the hours of 0700 and 1700, Monday through Friday, two barges 70-feet by 50-feet or smaller will be painting the Holton Street Bridge, mile 2.84, over the Milwaukee River. Containment will hang from low steel of the bridge to the barge deck. The barges will move to accommodate vessels if a 2-hour advance notice is provided by calling 262-366-5121 or 262-804-7850.	Lat: 43° 03' 16" Lon: -087° 54' 16"	
LAKE MICHIGAN - Milwaukee/General/Bridges/Maintenance				
LAKE MICHIGAN - Bridges Milwaukee/General/Bridges/Maintenance		WI - LAKE MICHIGAN – Milwaukee Harbor From May 24 through August 1, 2025, between the hours of 0700 and 1600, Monday through Friday, a 40-foot by 40-foot barge will be working under the Holton Street Bridge, mile 2.84, over the Milwaukee River. The barges will monitor VHF-FM Marine Channel 16 and phone number 262-366-5121 and will move if provided with a 2-hour advance notice. [22/25]	Lat: 43° 03' 16" Lon: -087° 54' 16"	
LAKE MICHIGAN - Milwaukee/General/Bridges/Temp Deviation		LAKE MICHIGAN – MI – Milwaukee Harbor From August 14 through August 17, 2025, daily, between the hours of 2300 and 0100, the Broadway Street Bridge at Mile 0.79 and the Water Street Bridge at Mile 0.94 over the Milwaukee River will be secured to recreational masted navigation in conjunction with the Irish Fest event. Vessels able to pass under the bridge without an opening may do so at any time. [24/25]	Lat: 43° 01' 48" Lon: -087° 54' 27"	
LAKE MICHIGAN - Milwaukee/General/Bridges/Temp Deviation	J	LAKE MICHIGAN – MI – Milwaukee Harbor From August 22 through August 24, 2025, daily, between the hours of 2300 and 0100, the Broadway Street Bridge at Mile 0.79 and the Water Street Bridge at Mile 0.94 over the Milwaukee River will be secured to recreational masted navigation in conjunction with the Mexican Festa event. Vessels able to pass under the bridge without an opening may do so at any time. [24/25]	Lat: 43° 01' 48" Lon: -087° 54' 27"	

https://www.navcen.uscg.gov/msi

LAKE MICHIGAN -	Marine Events	General/Marine Events/Fireworks From: 2025-07-06 To: 2025-07-21 Location: 43.03222° N / 87.89535° W The Coast Guard is	Lat:
Milwaukee/General/Marine		establishing a temporary safety zone for all navigable waters in in the vicinity of Lakeshore State Park in Milwaukee, WI on July 20,	43° 01' 56"
Events/Fireworks		2025, between 9:15 pm and 10:00 pm. Vessels must not enter, anchor, or transit within this safety zone during this time without the	Lon:
		permission of the Captain of the Port or on-scene representative.	-087° 53'
			43"

Mullett Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mullett Lake Light 24	11900	STRUCT DEST/TRLB	FD

Niagara River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Niagara Falls Intake Crib Light	3292	LT EXT	PA
Niagara Falls Transmission Line Light B	3295	LT EXT	PA
Buckhorn Island Dike Light 2	3310	LT IMCH	PA
Buckhorn Island Dike Light 3	3315	LT IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LOWER NIAGARA RIVER - Niagara	Bridges	General/Bridges/Maintenance From: 2023-08-28 To: 2026-07-26 Location: 42.99869° N / 78.936707° W Bridge	Lat:
River/General/Bridges/Maintenance		Name: S Grand Island Bridges From August 28, 2023, through July 26, 2026, scaffolding that extends approximately	42° 59' 55"
		3-feet below low steel will be installed under the South Grand Island Bridge at Mile 3.40 and the North Grand Island	Lon:
		Bridge at Mile 18, both over the Niagara River. A 16-foot by 32-foot materials barge and a 4-foot by 40-foot	-078° 56'
		temporary dock will be used under the bridges.	12"
LOWER NIAGARA RIVER - Niagara	Marine	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From:	Lat:
River/General/Marine Construction (Excluding	Construction	2025-03-24 To: 2025-11-17 Location: Buffalo, NY-Niagara River, Unity Island From 31 Mar 2025 to 17 Nov 2025	42° 54' 50"
Bridges)/Facilities, Barriers, Manmade Reefs, Riprap,	(Excluding Bridges)	Bidco Marine Group will be installing baffles, steel plates, and concrete repairs at Unity Island Niagara River Buffalo	Lon:
Jetties/Dikes		NY. Hours of operation are 10 hours a day 6 Days a week weather permitting. On scene vessels can be contacted on	-078° 54'
		VHF channel 16.	11"

Oak Orchard

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE ONTARIO - Oak	Marine Construction	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-06-11 To: 2025-12-08 Location: 43.37391° N / 78.19193° W	Lat:
Orchard/General/Marine	(Excluding Bridges)	Marine dredging will be taking place at the entrance of Oak Orchard Harbor starting June 19th, 2025 and running until July 31st. The	43° 22' 26"
Construction (Excluding		operations will be conducted 24 hours a day, 7 days a week until completed. All mariners are required to maintain a safe distance from	Lon:
Bridges)/Dredging		the dredge and support equipment at all times. The support vessels ST-911 Enduring Freedom and Megan J can be reached on	-078° 11'
		channels 11, 16 and 70 VFH FM. For further information contact JoAnne Gareau at (906) 298-1756.	31"

Oswego Harbor

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Oswego Harbor West Channel Light 2	2105	TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE ONTARIO - Oswego Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes		, , , , , , , , , , , , , , , , , , ,	Lat: 43° 28' 27" Lon: -076° 30' 56"

Pointe Aux Pins Channel

Federal Discrepancies

NAME	LLNR STATUS		AID TYPE	
Pointe Aux Pins Channel Lighted Buoy 8		LT EXT	FD	

Potagannissing Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cheney Shoal Buoy 5	12710	MISSING	FD

Presque Isle Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE HURON - Presque Isle	Marine	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-07-07 To: 2025-10-30 Waterway and location where work will be	
Harbor/General/Marine	Construction	done: Thunder Bay National Marine Sanctuary, Lake Huron, Ml. The survey area encompasses the Northwestern portion of the Sanctuary starting	
Construction (Excluding	(Excluding	east of Bois Blanc Island and extending eastward to approximately 12.5 nautical miles east of of Presque Isle Harbor. The survey will extend from	
Bridges)/Survey Operations	Bridges)	approximately 1 nautical mile from the Michigan shoreline northward to limits of the Sanctuary. Latitude & Degrees, Minutes, Thousandths of seconds): Northwest corner: 45-50-29.582N, 084-23-47.617W Southeast corner: 45-18-39.127N, 083-10-	
		54.338W Work Start & S	
		30, 2025. Surveys will be conducted 24 hours a day, 7 days a week, on the RV Substantial and 12 hours a day, 7 days a week on the RV Benthos.	
		Equipment on scene: The RV Benthos is a 30 ft Armstrong aluminum catamaran survey vessel operating multibeam sonar. The RV Substantial is a 65 ft steel hull survey vessel operating multibeam sonar and towing sound speed equipment. Passing Arrangements / Time to move vessels to	
		not impede navigation: Provide ½ nautical mile distance when possible. Mariners are urged to transit at their slowest safe speed in the vicinity of the survey vessels to minimize wake. VHF Radio Channel monitored: All survey vessels have AlS and will monitor VHF channels 16/13	

Racine

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Racine Launch Basin Entrance Light	20470	LT EXT	PA
Racine East Harbor Entrance Light 2	20490	LT EXT	PA
Racine Harbor Light 13	20545	LT EXT	PA

Additional MSI Categories

_			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN -	Bridges	From September 8, through September 11, 2025, between the hours of 0600 and 1800, Monday through Friday, inspectors will utilize	Lat:
Racine/General/Bridges/Inspection		snoopers under the Lake Freeway / I-794 Bridge at Mile 0.19 over the Milwaukee River. Spotters will warn of approaching vessels and	43° 01' 30"
		move the man lift to allow vessels to pass.	Lon:
			-087° 53' 56"

RAINY LAKE INTERNATIONAL FALLS TO DRYWEED ISLAND

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
RAINY LAKE DRYWEED ISLAND TO	Bridges	MN – LAKE SUPERIOR – Rainy River – Proposed Bridge Construction An application has been received by Commander, Ninth Coast Guard	Lat:
BIG ISLAND - RAINY LAKE		District, from Wisconsin Central, Limited (WCL), (hereinafter referred to as the "Applicants") for a United States Coast Guard Bridge Permit.	48° 36' 54"
NTERNATIONAL FALLS TO		WCL proposes to replace the movable span of the Canadian National Railroad Bridge, across the Rainy River, Mile 85.0, between Rainier,	Lon:
RYWEED		Koochiching County, Minnesota and Fort Frances, Ontario, Canada. The proposed replacement would shift the navigable channel at the	-093° 21'
SLAND/General/Bridges/Public		project location by approximately 15.00-feet. It would provide 11.00-feet of minimum vertical navigation clearance in the closed position	10"
lotice		and 84.00-feet of vertical clearance across a 90.00-feet wide navigation channel in the open position. The proposed replacement would	
		provide a horizontal clearance of 125.00-feet face-to-face of the piers in the closed position, and 90.00-feet of horizontal navigation	
		clearance in the open position. It will not result in a change to vertical or horizontal navigational clearances. WCL proposes the use of	
		temporary structures to be used in the removal of the existing movable span and construction of the proposed movable replacement. Final	
		dimensions of those proposed temporary structures have not been determined. Public Notice 09-02-25 dated 27 June 2025 contains a	
		detailed description of the proposed bridge project including location maps and bridge drawings with navigational clearances. Interested	
		parties may access the notice at the following website: Public https://www.navcen.uscg.gov/public-notices-for-bridges-active-by-district?	
		district=9&subdistrict=n. The public notice may also be obtained by calling the Coast Guard District Bridge Branch at 216-902-6087, by	
		writing to Commander, Ninth Coast Guard District (dpb), 1240 E 9th St., Cleveland, OH 44199, or by email request to	
		michael.o.walker2@uscg.mil. Interested parties are requested to express their views, in writing, on the proposed bridge project including its	
		possible impacts to the environment and navigation. Comments will be received for the record at the address given in Public Notice 09-02-25 through 28 July 2025.	

REDRIDGE TO SAXON HARBOR

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Ontonagon Harbor East Breakwater Light	15220	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Superior - REDRIDGE TO SAXON	ATON Changes	ATON/ATON Changes From: 2025-07-08 To: 2026-01-04 Location: 46.87974° N / 89.32995° W Aid Name: Ontonagon Harbor	Lat:
HARBOR/ATON/ATON Changes		East Breakwater Light LLNR: 15220 Action: CHANGE Action Type Change Light Signals from Iso G 6s to FI G 6s.	46° 52' 47"
			Lon:
			-089° 19' 48"

Rochester Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

https://www.navcen.uscg.gov/msi

LAKE ONTARIO - Rochester Harbor/General/Bridges/Modification	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal – From March 15, 2024, through January 31, 2025, daily, contractors will utilize scaffolding and man lifts above low steel of the E144C I-390 Bridge at mile 258.65 and the E144D I-390 Bridge at mile 258.68 over the Erie Canal.	Lat: 43° 06' 31' Lon: -077° 36' 38"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal – From July 8, 2024, through November 30, 2024, scaffolding will be installed under the E-234 Transit Road Bridge at Mile 320.97 over the Erie Canal that hangs approximately 3-feet below low steel.	Lat: 43° 10' 04' Lon: -078° 41' 49"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From April 14 through July 31, 2025, between the hours of 0700 and 1700, Monday through Friday, the E236A Lockport Bypass at Mile 322.16, the E248 Webber Street at Mile 338.4, and the E-243A Robinson Street Bridges over the Erie Canal will be washed utilizing a snooper truck. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. [4/24]	Lat: 43° 09' 14' Lon: -078° 42' 40"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From April 14 through July 31, 2025, between the hours of 0700 and 1700, Monday through Friday, the E236A Lockport Bypass at Mile 322.16, the E248 Webber Street at Mile 338.4, and the E-243A Robinson Street Bridge at 334.96, all over the Erie Canal will be washed utilizing a snooper truck. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. [4/24]	Lat: 43° 02' 10' Lon: -078° 49' 34"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From April 14 through July 31, 2025, between the hours of 0700 and 1700, Monday through Friday, the E236A Lockport Bypass at Mile 322.16, the E248 Webster Street at Mile 338.4, and the E-243A Robinson Street Bridge at 334.96, all over the Erie Canal will be washed utilizing a snooper truck. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. [4/24]	
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From April 7 through August 31, 2025, between the hours of 0700 and 1700, Monday through Friday cleaning contractors will use snooper trucks under all bridges from the E94 Glassgow Street Bridge at mile 211.32 to the E212 Marshall Road Bridge at mile 305.63 over the Erie Canal. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid driving through large amounts of water falling from the bridges. [8/25]	Lat: 43° 04' 52' Lon: -076° 52' 18"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY – LAKE ONTARIO- Rochester Harbor From April 7, 2025, through June 30, 2025, between the hours of 0700 and 1700, Monday through Friday the O'Rourke Bridge at mile 1.25 over the Genesee River will require a 30-minute advance notice for openings. Mariners should provide advance notice on VHF-FM Marine Radio Channel 16. Contractors will be cleaning the bridge with snooper trucks under the bridge. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid driving through large amounts of water falling from the bridges. [09/25]	Lat: 43° 14' 54' Lon: -077° 36' 42"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Temp Deviation	Bridges	NY – LAKE ONTARIO – Rochester Harbor On September 21, 2025, between the hours of 0745 and 0930, the O'Rorke Bridge at Mile 1.25 over the Genesee River will be secured to masted navigation in conjunction with the Rochester Marathon. Vessels able to pass under the bridge without an opening may do so at any time. [14/25]	Lat: 43° 14' 54' Lon: -077° 36' 42"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From May 9, through December 11, 2025, a 35-foot Harcon will be inspecting the bridges from E104 Dry Dock Road at Mile 222.27 through to the E209 Horan Road Bridge at Mile 303.45 over the Erie Canal. The Harcon will monitor VHF-FM Marine Channel 16 and move to accommodate other vessels. [15/24]	Lat: 43° 03' 45' Lon: -077° 01' 12"
LAKE ONTARIO - Rochester Harbor/General/Bridges/Maintenance	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From July 7 through July 28, 2025, between the hours of 0700 and 1530, Monday through Friday, a 75-foot by 25-foot barge will be working under the lifted E206 Knowlesville Bridge at Mile 299.47, over the Erie Canal. The barge will move with a 30-minute advance notice provided directly to the barge on VHF-FM Marine Channel 16. [25/25]	Lat: 43° 14' 34' Lon: -078° 18' 38"

Rock Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Middle Island Passage Lighted Bell Buoy 2	16770	LT EXT	FD
Blake Point Five-Foot Shoal Buoy D	16825	MISSING	FD

Saginaw River

Federal Discrepancies Corrected

•					
NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE	
Essexville Range Front Light	10760	WATCHING PROPERLY	FD	2025-07-07	

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Saginaw Bay Channel - Saginaw	Bridges	General/Bridges/Rehabilitation From: 2024-04-19 To: 2025-11-30 Location: 43.61305556° N / 83.87277778° W Bridge Name:	Lat:
River/General/Bridges/Rehabilitation		Independence Bridge Independence Street Bridge at Mile 3.88, over the Saginaw River will have two barges 80-foot by 40-foot or smaller	43° 36' 47"
		working under the bridge. If needed the barges will move with a 2-hour advance notice. Mariners should provide advance notice for the	Lon:
		barges by calling 608-425-0171.	-083° 52'
			22"

Saginaw Bay Channel - Saginaw River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2024-04-19 To: 2025-11-30 Location: 43.61305556° N / 83.87277778° W Bridge Name: Independence Bridge From April 19, through November 30, 2024, the Independence Street Bridge at Mile 3.88, over the Saginaw River will have two barges 80-foot by 40-foot or smaller working under the bridge. If needed the barges will move with a 2-hour advance notice. Mariners should provide advance notice for the barges by calling 608-425-0171.	Lat: 43° 36' 47" Lon: -083° 52' 22"
Saginaw Bay Channel - Saginaw River/General/Bridges/Maintenance	Bridges	*****REVISED***** MI - LAKE HURON – Saginaw River – Chart 14867 From December 1, 2024, through March 31, 2025, the Lafayette Street Bridge at Mile 6.78, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Additionally, starting on October 1, 2024, six barges 80x100-foot or smaller, will be working under the bridge, and they will move if a 2-hour advance notice is provided by calling 734-679-4710. From December 15, 2024, through November 30, 2025, a cofferdam will be installed that measures approximately 60-feet by 95-feet, that reduces the navigation channel by 2-feet on either side leaving approximately 146-foot channel available for vessels. The red pier lights will be moved to the cofferdam sides to show the temporary reduction in horizontal clearance. From November 4, 2024, through November 15, 2028, trestles will be installed extending outward from shore approximately 50-feet. Flashing yellow lights will warn mariners of the trestle's location. From During the winter, the ice will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles. [30/24] [44/24] [48/24]	Lat: 43° 34' 47" Lon: -083° 53' 59"
Saginaw Bay Channel - Saginaw River/General/Bridges/Rehabilitation	Bridges	*****REVISED***** MI - LAKE HURON – Saginaw River From December 1, 2024, through March 31, 2025, December 1, 2025, through March 31, 2026, and from December 1, 2026, through March 31, 2027, the Lafayette Street Bridge at Mile 6.78, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Additionally, starting on October 1, 2024, six barges 80x190-foot or smaller, will be working under the bridge, and they will move if a 3-hour advance notice is provided by calling 608-475-8851, or 608-610-9374, or 989-293-5892. From December 15, 2024, through November 30, 2025, a cofferdam will be installed that measures approximately 60-feet by 95-feet, that reduces the navigation channel by 2-feet on either side leaving approximately 146-foot channel available for vessels. The red pier lights will be moved to the cofferdam sides to show the temporary reduction in horizontal clearance. From November 4, 2024, through November 15, 2028, trestles will be installed extending outward from shore approximately 50-feet. Flashing yellow lights will warn mariners of the trestle's location. During the winter, the ice will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles. [30/24] [44/24] [48/24] [8/24]	Lat: 43° 34' 47" Lon: -083° 53' 59"
Saginaw Bay Channel - Saginaw River/General/Bridges/Construction	Bridges	*****REVISED***** MI - LAKE HURON – Saginaw River From December 1, 2024, through March 31, 2025, December 1, 2025, through March 31, 2026, and from December 1, 2026, through March 31, 2027, the Lafayette Street Bridge at Mile 6.78, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Additionally, starting on October 1, 2024, six barges 80x190-foot or smaller, will be working under the bridge, and they will move if a 3-hour advance notice is provided by calling 608-475-8851, or 608-610-9374, or 989-293-5892. From December 1, 2024, through November 30, 2025, a cofferdam will be installed that measures approximately 60-feet by 95-feet, that reduces the navigation channel by 4-feet on either side leaving approximately 140-foot channel available for vessels. The red pier lights will be moved to the cofferdam sides to show the temporary reduction in horizontal clearance. From November 4, 2024, through November 15, 2028, trestles will be installed extending outward from shore approximately 50-feet. Flashing yellow lights will warn mariners of the trestle's location. During the winter, the ice will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles. [30/24] [44/24] [48/24] [8/24] [11/25]	Lat: 43° 34' 47" Lon: -083° 53' 59"
Saginaw Bay Channel - Saginaw River/General/Bridges/Inspection	Bridges	MI - LAKE HURON – Saginaw River From July 9 through July 11, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the Veterans Memorial Bridge at Mile 5.60 over the Saginaw River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	Lat: 43° 35' 46" Lon: -083° 53' 37"
Saginaw Bay Channel - Saginaw River/General/Bridges/Maintenance	Bridges	MI - LAKE HURON – Saginaw River From December 1, 2025, through March 31, 2026, the Veteran's Memorial Bridge at Mile 5.60 over the Saginaw River will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. [20/25]	Lat: 43° 35' 46" Lon: -083° 53' 37"

<u>SanduskyBay</u>

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
WEST END OF LAKE ERIE - SanduskyBay/General/Bridges/Inspection	Bridges	OH - LAKE ERIE – Sandusky Bay and Portage River On August 20 and August 25, 2025, between the hours of 0800 and 1600, each day, inspectors will utilize snooper trucks under the Route 2 Bridges at Mile 7.6 over the Sandusky Bay and Mile 3.0 over the Portage River. Spotters will warn of approaching vessels and move to allow vessels to pass> [18/25]	Lat: 41° 28' 52" Lon: -082° 50' 04"
WEST END OF LAKE ERIE - SanduskyBay/General/Bridges/Inspection	Bridges	OH - LAKE ERIE – Sandusky Bay and Portage River On August 20 and August 25, 2025, between the hours of 0800 and 1600, each day, inspectors will utilize snooper trucks under the Route 2 Bridges at Mile 7.6 over the Sandusky Bay and Mile 3.0 over the Portage River. Spotters will warn of approaching vessels and move to allow vessels to pass> [18/25]	Lat: 41° 30' 44" Lon: -082° 59' 27"

<u>Sheboygan</u>

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN -	Miscellaneous	General/Miscellaneous From: 2025-04-08 To: 2025-10-05 WI Department of Natural Resources - Office of Great Waters will be placing	Lat:
Sheboygan/General/Miscellaneous		one underwater sediment trap made of two cinder blocks and a 2' long horizontal pipe to collect sediment moving through the	43° 45' 05"
		Sheboygan Harbor. Trap will be marked with a 11" diameter orange waterway marker.	Lon:
			-087° 41'
			51"

https://www.navcen.uscg.gov/msi 18/22

Siskiwit Bay Passage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Siskiwit Bay Passage Lighted Buoy 2	16695	MISSING	FD

Sodus Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE ONTARIO - Sodus	Marine Construction	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-06-23 To: 2025-09-01 Location: 43.27662° N / 76.97319° W Marine	Lat:
Bay/General/Marine	(Excluding Bridges)	dredging will be taking place at the entrance of Great Sodus Bay starting July 10th, 2025 and running until August 20th. The operations	43° 16' 36"
Construction (Excluding		will be conducted 24 hours a day, 7 days a week until completed. All mariners are required to maintain a safe distance from the dredge	Lon:
Bridges)/Dredging		and support equipment at all times. The support vessels ST-911 Enduring Freedom and Megan J can be reached on channels 11, 16 and	-076° 58'
		79 VFH FM. For further information contact JoAnne Gareau at (906) 298-1756.	23"

ST MARYS RIVER TO AU SABLE POINT

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Little Lake Harbor Light 2	14540	DISCONTINUED FOR DREDGING	FD

St. Clair Municipal Park Entrance

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Clair Municipal Park Entrance Buoy 1	8905	MISSING	PA
St. Clair Municipal Park Entrance Buoy 2	8910	OFF STA	PA
St. Clair Municipal Park Entrance Buoy 3	8915	OFF STA	PA
St. Clair Municipal Park Entrance Buoy 4	8920	OFF STA	PA

St. Clair River

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Grande Pointe Light 23	9690	TRLT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
PORT HURON TO PTE AUX BARQUES - St. Clair River/General/Marine Events/Other		The U.S. Coast Guard is establishing a safety zone on the St. Clair River for drone show display on July 10, 2025. all U.S. waters of the St. Clair river within a 200 yard radius of the fireworks launch site located in the vicinity of Kiefer park, Port Huon, MI, at position 42-58.846'N, 082-25.201'W will be closed to traffic from 10 p.m. to 10:30 p.m. in case of an emergency related to the Bluewater festival, the local Coast Guard station and Coast Guard Sector Detroit may be contacted on channel 16 VHF/FM.	Lat: 42° 58' 09" Lon: -082° 25' 12"
PORT HURON TO PTE AUX BARQUES - St. Clair River/General/Marine Events/Fireworks		The U.S. Coast Guard is establishing a safety zone on the St. Clair River for the Marine City Maritime Days Festival fireworks display on August 1, 2025. All U.S. waters of the St. Clair river within a 500 foot radius of the fireworks launch site located offshore of Marine City at approx. position 42-43.15'N, 082-29.2'W will be closed to traffic from 10 P.M. to 11 P.M. in case of an emergency related to the marine city fireworks, the local Coast Guard Station, and Coast Guard Sector Detroit may be contacted on CH 16 VHF-FM.	Lat: 42° 42' 33" Lon: -082° 29' 34"
PORT HURON TO PTE AUX BARQUES - St. Clair River/General/Marine Events/Regatta (Race)		THE U.S. COAST GUARD IS ESTABLISHING A SPECIAL LOCAL REGULATION ON U.S. WATERS FOR THE BAYVIEW YACHT CLUB - PORT HURON TO MACKINAC SAILBOAT RACE. THE RACE WILL START AT 11:00 AM IN THE VICINITY OF PORT HURON, MI ON JULY 12, 2025, AND WILL END AT MACKINAC ISLAND, MI. VESSELS ARE REQUESTED TO TRANSIT THE AREA OF RACERS WITH CAUTION. THERE IS A SPECIAL LOCAL REGULATION FOR THE START OF THE RACE FOR ALL U.S. WATERS OF THE BLACK RIVER, ST CLAIR RIVER AND LOWER LAKE HURON STARTING AT POSN 42-58.783'N, 082-26.000'W; THEN EASTERLY TO POSN 42-58.347'N, 082-24.897W' THEN NORTHWARD ALONG THE INTERNATIONAL BOUNDARY TO POSN 43-02.80'N, 082-23.783'W; THEN WESTERLY TO THE SHORELINE AT APPROXIMATE POSN 43-02.800'N, 082-26.800'W AND SOUTHWARD ALONG THE U.S. SHORELINE TO STARTING POSITION. THE REGULATED AREA WILL BE ENFORCED FROM 10:00 AM TO 3:00 PM ON JULY 12, 2025. NO VESSEL MAY ENTER, TRANSIT THROUGH, OR ANCHOR WITHIN THE REGULATED AREA WITHOUT THE PERMISSION OF THE COAST GUARD PATROL COMMANDER. VESSELS DESIRING TO TRANSIT THE REGULATED AREA MAY DO SO ONLY WITH PRIOR APPROVAL OF THE PATCOM AND WHEN SO DIRECTED BY THAT OFFICER. THE PATCOM MAY BE CONTACTED ON CHANNEL 16 (156.8 MHZ) BY THE CALL SIGN "COAST GUARD PATROL COMMANDER." OR VIA LAND LINE AT (313) 568-9560.	

St. Joseph

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

LAKE MICHIGAN - St. Joseph/General/Bridges/Maintenance	Bridges	*****REVISED***** MI - LAKE MICHIGAN – St Joseph River From December 16, 2024, Through April 7, 2025, and again from December 16, 2025, Through April 7, 2026, the Twin Cities Bicentennial Bridge at Mile 1.30, over the St. Joseph River, will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. A 30-foot by 40-foot barge will be working along the riverbank.	Lat: 42° 06' 42" Lon: -086° 28' 16"
LAKE MICHIGAN - St. Joseph/General/Bridges/Maintenance	Bridges	MI - LAKE MICHIGAN – St Joseph River From July 8 through July 10, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the Blossomland/M-63 Bridge at Mile 0.92 and the I-94 Bridge at Mile 5.83 over the Saint Joseph River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	Lat: 42° 06' 44" Lon: -086° 28' 41"
LAKE MICHIGAN - St. Joseph/General/Bridges/Inspection	Bridges	MI - LAKE MICHIGAN – St Joseph River From July 8 through July 10, 2025, between the hours of 0800 and 1800 daily, divers will be inspecting the underwater portions of the Blossomland/M-63 Bridge at Mile 0.92 and the I-94 Bridge at Mile 5.83 over the Saint Joseph River. A dive safety vessel will monitor VHF-FM Marine Channel 16 and spotters will warn divers of approaching vessels and move the inspectors to allow vessels to pass. [18/25]	Lat: 42° 03' 43" Lon: -086° 26' 56"
LAKE MICHIGAN - St. Joseph/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-05-01 To: 2025-09-11 Dean Marine and Excavating will be dredging St. Joseph inner harbor 24 hours a day 7 days a week. Ann Marie and Madison R can be contacted on VHF channels 16 and 79	
LAKE MICHIGAN - St. Joseph/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-05-28 To: 2025-09-11 Dredging from 0700-1900 T days a week. Contact Ann Marie and Madison R on VHF channels 11, 16, and 79.	

St. Lawrence Seaway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Lawrence Seaway Light 46	275	LT EXT	FD
Lake St. Lawrence Yacht Club Channel Light 58	340	LT IMCH	FD
St. Lawrence Seaway Lighted Buoy 77	490	LT EXT	FD
St. Lawrence Seaway Lighted Buoy 116	785	LT EXT	FD
Chippewa Point Directional Light	1210	LT EXT	FD
St. Lawrence Seaway Light 192	1345	LT EXT	FD
St. Lawrence Seaway Lighted Buoy 242	1710	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St. Lawrence Seaway Lighted Buoy 56	330	WATCHING PROPERLY	FD	2025-06-27
St. Lawrence Seaway Lighted Buoy 131B	960	WATCHING PROPERLY	FD	2025-06-27
St. Lawrence Seaway Lighted Buoy 217A	1495	WATCHING PROPERLY	FD	2025-06-27

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake St. Lawrence Yacht Club Channel Buoy 1	336.1	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 2	336.1500000000003	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 3	336.2	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 4	336.25	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 5	336.3	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 6	336.35	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 7	336.4000000000003	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 10	336.55	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 11	336.6	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 12	336.6500000000003	DAYMK IMCH	PA

St. Louis River Upper Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Superior Front Channel - St. Louis River Upper Channel/General/Bridges/Maintenance		that hangs approximately 10-feet below low steel of the Bong Bridge at Mile 5.20 over the St. Louis Bay and River. Two 40-foot by 60-foot barges will be making repairs to the bridge piers, these barges will move as needed and can be contacted	Lat: 46° 43' 53" Lon: -092° 08' 36"

<u>StLouisBay</u>

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	

20/22

Superior Front Channel -	Bridges	MN- LAKE SUPERIOR – Duluth-Superior Harbor From July 7 through July 24, 2025, between the hours of 0900 and 1500 each	Lat:
StLouisBay/General/Bridges/Inspection		day inspectors will utilize snooper trucks under the John A. Blatnik / I-535 bridge at Mile 2.74 over the Saint Louis Bay and River.	46° 44' 57"
		Spotters will warn of approaching vessels and move the man lifts to allow vessels to pass. [25/25]	Lon:
			-092° 06'
			03"

Strawberry Island Cut

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Erie County Water Authority Lighted Intake Buoy ECWA		LT IMCH	PA

Sturgeon Bay Ship Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - Sturgeon Bay Ship Canal/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-07-01 To: 2025-08-31 Location: 44.79171° N / 87.31013° W The crane-barge Derrick 23 will also monitor channel 7. Work will be occurring along both the north and south breakwaters at the east entry of the Sturgeon Bay Ship Canal. The majority of the work will be performed outside of the navigation channel. No more than 100' of the 200' channel will be occupied by construction equipment at any time. If commercial traffic requires more of the channel for passage, please contact the tug David Schanock at least 30 minutes before arrival. When construction activities are paused, construction equipment will be spudded down outside of the navigation channel.	Lat: 44° 47' 30" Lon: -087° 18' 36"
LAKE MICHIGAN - Sturgeon Bay Ship Canal/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-07 To: 2025-07-18 Location: 44.79438° N / 87.31347° W The crane-barge Derrick 73 will also monitor channel 7. Dredging will be performed near "Coast Guard Station Sturgeon Bay." Barges will be traveling from the dredge to channel marker 7 on the SW side of the channel for offloading. During offloading the channel will be constricted to a width of 120 ft. Contact the Tug David Schanock or the number below if clearance is a concern. Remain clear of dredging operations at all times.	Lat: 44° 47' 40" Lon: -087° 18' 48"

Superior Entry

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Superior Entry South Breakwater Light	15595	RELIGHTED	FD	2025-07-01

Tonawanda Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tonawanda Intake Crib Light	3165	DBD DMGD	PA
North Tonawanda Intake Crib Light	3185	LT IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Niagara River - Tonawanda	Bridges	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal From July 21 through October 31, 2025, between the hours of 0700 to 1800,	Lat:
Channel/General/Bridges/Construction		Monday through Friday, contractors will use a movable under-bridge platform to work below low steel of the E-238A Fiegle Road, County Route 121 Bridge at Mile 325.09, over the Erie Canal. The platform will monitor VHF-FM marine Channel 16 and move if a	
		1-hour advance notice is provided directly to the platform. [28/25]	-078° 44' 18"

Torch Lake Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Keweenaw Waterway - Torch Lake	Hazards To	General/Hazards To Navigation/Shoaling Reported From: 2025-05-28 To: 2025-11-24 Location: 47.15754° N /	
Canal/General/Hazards To Navigation/Shoaling	Navigation	88.41456° W 47.15026° N / 88.41084° W 47.15017° N / 88.4117° W 47.15735° N / 88.41582° W 47.15754° N /	
Reported		88.41456° W	

Trenton Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
ACOE LKSTC Water Sensor Buoy 1	8892	MISSING	PA

Two Harbors

Private Discrepancies Corrected

•				
NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE

https://www.navcen.uscg.gov/msi 21/22

Two Harbors Light	16500	WATCHING PROPERLY	ΡΔ	2025-07-07
			1.7	

UPPER GREEN BAY

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Washington Island Weather Wave Buoy 1	21339	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
LAKE MICHIGAN - UPPER GREEN BAY/General/Bridges/Maintenance	J	installed under the bridge. Vessels able to pass under the bridge safely, without an opening may do so at any time. [02/24] [03/24]	Lat: 44° 01' 06" Lon: -088° 33' 04"

WAUGOSHANCE POINT TO SEUL CHOIX POINT

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
White Shoal Buoy	17755	WATCHING PROPERLY	FD	2025-07-09

WEST END OF LAKE ERIE

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cedar Point Marina South Basin Light 2	4780	DAYMK MISSING	PA
East Bay Channel Lighted Buoy 7	4845	LT EXT	PA
Battery Park Marina South Entrance Light	4950	LT EXT	PA
Sandusky Yacht Club Light 2	4965	LT EXT	PA
Cooley Canal Front Range Light	6015	STRUCT DEST	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Toledo Water Works Intake Crib Lights	6025	WATCHING PROPERLY	PA	2025-07-01

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION			
Lake Erie - WEST END OF LAKE	Marine Events	Sandusky Sail Club Wednesday Nights in Sandusky Bay from 5:30 p.m. to 9:30 p.m. every Wednesday night. The events will have	Lat:			
ERIE/General/Marine Events/Other		approximately 30 sailboats ranging from 16 to 45 feet in length.	41° 28' 27"			
			Lon:			
			-082° 42' 34'			
Lake Erie - WEST END OF LAKE	Marine Events	Sandusky Sail Club Sunday Morning Races will occur every Sunday Morning from 9 a.m. to 11 a.m The event will have	Lat:			
ERIE/General/Marine Events/Other		approximately 25 sailboats that are 18 feet long.	41° 28' 31"			
			Lon:			
			-082° 42' 39'			
Lake Erie - WEST END OF LAKE	Marine Events	Sandusky Sail Club Wednesday Nights is a marine event in Sandusky Bay from 5:30 p.m. to 9:30 p.m. every Wednesday night.	Lat:			
ERIE/General/Marine Events/Other		The events will have approximately 30 sailboats ranging from 16 to 45 feet in length.	41° 28' 16"			
			Lon:			
			-082° 42' 01'			

West Neebish Channel Downbound

Federal Discrepancies

•			
NAME	LLNR	STATUS	AID TYPE
West Neebish Channel (Downbound) Upper Range Rear Light	13475	DAYMK MISSING	FD
West Neebish Channel (Downbound) Lighted Buoy 42	13545	OFF STATION	FD

Zipple Bay

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Zipple Bay Lighted Buoy 1	17035	WATCHING PROPERLY	FD	2025-06-27