# Local Notice to Mariners for District 11 05/20/2025

# Americas Cup Harbor

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Shelter Island East Shoal Light	1654	LT IMCH	PA
Americas Cup Harbor Daybeacon 4	1670	LT IMCH	PA

### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Diego Bay - Americas Cup Harbor/General/Marine Events/Regatta (Race)		The Cortez Racing Association (CRA) will be sponsoring the Beer Can Series Regatta every Wednesday from 21 May, 2025 until 30 July, 2025 from 5:00pm to 8:00pm each day. The regattas will involve approximately 35 sailing vessels ranging in length from 16–70 feet, racing on a course in North San Diego Bay in the vicinity of Harbor Island. Mariners are requested to transit the area with caution. For more details or comments, contact Toralf Strand at 603-918-8060.	
San Diego Bay - Americas Cup Harbor/General/Marine Events/Regatta (Race)	Marine Events	The Silver Gate Yacht Club will sponsor the Silver Gate Yacht Club Wheelchair Regatta on June 1, 2025, from 6 AM to 4 PM. The regatta will consist of 25 motorboats starting near Shelter Island, then crossing the channel to North Island, heading to Coronado Bridge and finishing back at Shelter Island. Mariners are requested to transit the area with caution. For more details or comments, contact Stephanie Beachley at 619-222-1214.	

# Anaheim Bay

# Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
San Pedro Bay - Anaheim Bay/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard will be renaming the Anaheim Bay Lights 12, 13, and 14 to Huntington Harbour Entrance Lights 2,3, and 4, respectively. All other physical characteristics of the aids will remain unchanged. Direct all questions and comments to smb- d11alameda-signalmanagement@uscg.mil no later than 11 July 2025.	Lat: 33° 43' 45' Lon: -118° 05' 34"
San Pedro Bay - Anaheim Bay/General/Bridges/Rehabilitation	Bridges	ANAHEIM BAY- ADMIRALTY DRIVE BRIDGE: Rehabilitation work is continuing on the bridge. The use of scaffolding, and floating work platforms moored at piers, will reduce the vertical clearance by 4ft and limit the horizontal clearance to 37ft. Mariners are requested to transit the area with caution. For more information, contact the Coast Guard Bridge at 510-437-3461 or by email at D11Bridges@uscg.mil.	Lat: 33° 43' 18" Lon: -118° 04' 20"
San Pedro Bay - Anaheim Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	The U.S Coast Guard has received a report of shoaling in the vicinity of Anaheim Bay Channel's East and West Jetty Lights. All vessels with a draft of 31 ft or greater are cautioned to remain in the center of the channel during tides of less than +1 FT tide. Risk of grounding exists on the sides of the channel during tides of -0 ft for drafts of 31 ft or greater. All mariners are advised to transit the area with caution. Direct all questions and concerns to d11-smb-sectorlalb-wwm@uscg.mil.	

# **Berkeley**

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Berkeley Marina Channel Light 2	5430	LT EXT	FD
Berkeley Reef Light 1	5475	LT EXT	FD

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Berkeley Marina North Light	5465	LT EXT	PA
Berkeley Marina South Light	5470	LT EXT	PA

# **Bodega Harbor**

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Bodega Harbor Channel Light 6	7810	STRUCT DMGD/TRLB	FD
Bodega Harbor Channel Daybeacon 7	7815	STRUCT DEST/TRLB	FD
Bodega Harbor Channel Daybeacon	8015	STRUCT DEST/TRLB	FD

# **Carquinez Strait**

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Carquinez Strait Light 23	6240	LT EXT	FD

NAME	LLNR	STATUS	AID TYPE

LT EXT

PA

# **Cerritos Channel**

6281

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Los Angeles East Basin Channel - Cerritos	5	Cerritos Channel HENRY FORD BRIDGE- The Port of Los Angeles is proposing to secure the lift span of the Henry Ford (Badger	Lat:
Channel/General/Bridges/Closure (Scheduled		Ave) bridge in the closed-to-navigation position from 5 am to 7 pm, June 9 through June 12, 2025 for the replacement of rail	33° 45' 58"
Or Emergency)		ties. In the event of an emergency, the lift span can open if 30 minutes advance notice is given to the drawtender. If you wish to	Lon:
		comment on this proposed temporary schedule change, please do so by emailing the Coast Guard Bridge at	-118° 14'
		D11Bridges@uscg.mil by COB on May 21, 2025.	25"

# **Hookton Channel**

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Pacific Gas and Electric Dike Light	8325	LT EXT	PA

# Humboldt Bay

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Humboldt Bay Lighted Buoy 10	8200	OFF STA	FD

# Kederal Discrepancies Corrected NAME LLNR STATUS AID TYPE CORRECTION DATE Humboldt Bay Entrance Range Front Light 8165 WATCHING PROPERLY FD 2025-05-08

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Humboldt Bay, Submerged Land Act (SLA) - Humboldt Bay/ATON/Proposed Notice of Change	of Change	The U.S. Coast Guard is proposing to relocate the Humboldt Bay Entrance Small Boat Warning Sign Light (LLNR 8136) to be affixed to the northeast side of the Coast Guard Station Humboldt Bay boathouse in position 40.76694N 124.21722W. Direct all questions, comments, and concerns to SMB-D11ALAMEDA-SignalManagement@uscg.mil no later than 27 May, 2025.	Lat: 40° 46' 02" Lon: -124° 13' 01"

# Lake Tahoe

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Lake Tahoe NASA-JPL Lighted Research Buoy TB1	8591.2	LT IMCH	PA
Lake Tahoe NASA-JPL Lighted Research Buoy TB4	8591.3	LT IMCH	PA
Lake Tahoe UC Davis Lighted Research Buoy TDR1	8591.4	MISSING	PA

# Long Beach Channel

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Pier F Fireboat Pier Light	3028	LT EXT	PA

# Los Angeles And Long Beach Harbors

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Harbor Bait Barge Lighted Mooring Buoy "LB"	2848	MISSING	PA
Shoreline Marina Breakwater Light East	2890	LT EXT	PA
Shoreline Marina Breakwater Light West	2895	LT EXT	PA
Catalina Landing West Light	2965	LT EXT	PA
Shoreline Marina Entrance Light East	2900	LT EXT	PA
Shoreline Marina Entrance Light West	2905	LT IMCH	PA

# Los Angeles Main Channel

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	

Los Angeles Approach Channel - Los Angeles Main Channel/General/Bridges/Maintenance	Bridges		Lat: 33° 44' 59" Lon: -118° 16' 17"
Los Angeles Approach Channel - Los Angeles Main Channel/General/Hazards To Navigation/Wrecks	Hazards To Navigation	The Coast Guard has received a report of a sunken 105-foot vessel in the Los Angeles Harbor in the vicinity of the waterfront facility SA Recycling at berth 210. Mariners are requested to transit the area with caution. For more details or information, contact Sector LA at 310-521-3815.	

# Los Angeles Outer Harbor

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
San Pedro Bait Company Lighted Mooring Buoy	3190	OFF STA	PA

# Mare Island Strait

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Mare Island Strait Light 2	6095	STRUCT DMGD/TRLB	FD
Mare Island Strait Light 3	6100	STRUCT DEST/TRLB	FD

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Vallejo Yacht Club Light 2	6115	REDUCED INT	PA
Vallejo Marina South Entrance Light 2	6120	LT IMCH	PA
Vallejo Marina South Entrance Light 1	6125	LT IMCH	PA
Vallejo Marina North Entrance Light 2	6136	LT IMCH	PA
Vallejo Marina North Entrance Light 1	6137	LT IMCH	PA

# Marina Del Rey

### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Los Angeles, Submerged Land Act	Marine Construction	The Woolpert Company will be conducting hydrographic surveying between the period of 01 May, 2025 – 31 July, 2025 near	
(SLA) - Marina Del Rey/General/Marine	(Excluding Bridges)	Santa Monica, CA. The survey personnel and equipment spread will consist of one commercial survey boat approximately 33 feet	
Construction (Excluding Bridges)/Survey		in length, with a marine surveyor/technician/environmental monitor, a vessel mounted 3D multi-beam sonar system, and	
Operations		commercial grade differential GPS with sub-meter accuracy or better. Survey Vessel name/number: Taku/CF 3078 UK	

# Mission Bay

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Scripps Waverider Lighted Research Buoy 220	2288	OFF STA	PA
Scripps Waverider Lighted Research Buoy 100	2289.1	OFF STA	PA

### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector San Diego,	Naval Activity	U.S. Navy will be conducting hazardous operations conducted in the Fleet Training Areas (FLETA HOT, SOAR, and SHOBA WITH BOTH EXTENSIONS)	
Submerged Lands Act		until 1 January, 2026. Area A: HAZARDOUS OPERATIONS REQUEST (FLETA HOT FOR LIVE FIRE) 32.55000N -118.41667W 32.58333N -118.26667W	
(SLA) - Mission		32.58333N -117.66667W 31.91667N -117.66667W 31.91667N -118.41667W 32.55000N -118.41667W (TO POINT OF ORIGIN.) Area B: HAZARDOUS	
Bay/General/Naval		OPERATIONS REQUEST (SOAR FOR LIVE FIRE): 32.87833N -119.19944W 33.13444N -118.86806W 33.13444N -118.76722W 33.06444N -118.69667W	
Activity/Naval Gunnery		33.04222N -118.72583W 32.98139N -118.72528W 32.79444N -118.53917W 32.61528N -118.75000W 32.61528N -118.94917W (TO POINT OF ORIGIN.)	
Exercises		Area C: HAZARDOUS OPS REQUEST (SHOBA WITH BOTH EXTENSIONS FOR LIVE FIRE): 32.91667N -118.41667W 32.91667N -118.25000W 32.66667N	
		-118.25000W 32.66667N -118.58333W 32.75000N -118.58333W (TO POINT OF ORIGIN.) Area D: HAZARDOUS OPS REQUEST (PYRAMID COVE FOR	
		MOORED BUOYS) ANCHOR 1: 15FT, 32.79250N -118.42639W ANCHOR 2: 27FT, 32.79000N -118.41806W ANCHOR 3: 18FT, 32.79417N -118.41472W	
		ANCHOR 4: 23FT, 32.78722N -118.42306W ANCHOR 5: 25FT, 32.78639N -118.41667W ANCHOR 6: 42FT, 32.78500N -118.41278W ANCHOR 7: 179FT,	
		32.79111N -118.40750W ANCHOR 8: 202FT, 32.79000N -118.43306W Mariners are requested to transit the area with caution. The hazardous	
		operations include live fire. For more details or comments contact Darrel Rumsey at 619-545-1744 or Henry Rogel at 619-545-1757.	

# Morro Bay Channel

NAME	LLNR	STATUS	AID TYPE
Morro Bay Channel Lighted Buoy 3	3850	OFF STATION	FD
Morro Bay Channel Lighted Buoy 4	3855	OFF STATION	FD
Morro Bay Channel Lighted Buoy 6	3865	OFF STATION	FD

### **Temporary Changes**

NAME	LLNR	STATUS	AID TYPE
Morro Bay Channel Lighted Buoy 4A	3856	DISCONTINUED FOR DREDGING	FD
Morro Bay Channel Lighted Buoy 5	3860	DISCONTINUED FOR DREDGING	FD
Morro Bay Channel Lighted Buoy 6	3865	DISCONTINUED FOR DREDGING	FD
Morro Bay Channel Lighted Buoy 7	3870	DISCONTINUED FOR DREDGING	FD
Morro Bay Channel Lighted Buoy 8	3875	DISCONTINUED FOR DREDGING	FD

#### **Additional MSI Categories**

-			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Los Angeles, Submerged Land Act	Marine Construction	The Army Corps of Engineers will be conducting dredging operations in the entrance channel at Morro Bay Harbor from 12	
(SLA) - Morro Bay Channel/General/Marine		May 2025 to 9 June 2025. 200 ft. H/D YAQUINA (Call Sign AEPD) will monitor VHF-FM channels 13 and 16. Dredging will take	
Construction (Excluding Bridges)/Dredging		place 24 hours a day, 7 days a week. Buoys 4, 4A, 5, 6, 7, 8 have been temporarily disestablished until dredging operations are	
		complete. Mariners are requested to transit the area with caution. For more details or comments contact the Corps of	
		Engineers Los Angeles District at 213-452-4026	

# New York Slough

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Delta Diablo Outfall Lighted Buoy	6645.5	MISSING	PA
Pittsburg Marina East Basin Light 1	6605	LT IMCH	PA
New York Slough Koch West Light	6623	LT IMCH	PA
New York Slough Koch East Light	6624	LT EXT	PA
Delta Diablo Outfall Lighted Buoy	6645.5	LT EXT	PA

# Newport Bay

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Los Angeles, Submerged Land Act (SLA) - Newport Bay/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Anduril Industries will be conducting Autonomous Underwater Vehicle (AUV) operations from 1 January, 2025 until 31 December, 2025 in the vicinity of Dana Point at coordinates: Area 1: 33.43306N -117.66611W 33.29278N -117.84000W 33.20944N -117.69583W 33.37667N -117.66611W 33.40611N -117.63361W Area 2: 33.45055N -117.70194W 33.42750N -117.67333W 33.40917N -117.69611W 33.45917N -117.74611W Area 3: 33.40611N -117.63361W 33.29361N -117.55667W 33.22000N -117.44000W 33.17944N -117.47111W 33.32694N -117.67556W 33.37667N -117.66638W Vessel PACIFIC ALLIANCE will be on scene and monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments, contact Cam Green at 949-512-1312.	
Sector Los Angeles, Submerged Land Act (SLA) - Newport Bay/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	Ventura County Commercial Fishermen's Association member vessels will be operating within a 35-mile radius of San Nicholas Island until 31 December, 2025. Vessels can be expected in this area anytime wind and sea state is at a Beauford Scale of 4 or less. Gear will be marked with a flagged highflyer, radar reflector, lights and buoys. Vessels will be monitoring VHF-FM Chan. 11 & 16. Mariners are requested to transit the area with caution and to give CPA of 1/2 mile. For more detail or comments, contact 805-448-4455.	

# <u>Noyo River</u>

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Noyo River Entrance Lighted Buoy 3	8090	OFF STATION	FD

# **Oakland Inner Harbor**

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Oakland Inner Harbor Turn Basin Light B	4684	STRUCT DMGD	FD
Oakland Inner Harbor Turn Basin Light B	4684	MISSING	FD

# **Oakland Outer Harbor**

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Oakland Outer Harbor Light 13	4655	MISSING/TRLB	FD

# <u>Oceanside</u>

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Oceanside Breakwater Light 1			2295	LT EXT/STRUCT DMGD	FD	
Additional MSI Categories						
TITLE	SUBCATEGORY			DESCRIPTION		LOCATION
Sector San Diego, Submerged Lands Act	Marine	Manson Construction	Co. will be conduct	ting dredging operations from 14 April, 2025	until 15 June, 2025 at Oceanside Harbor,	
(SLA) - Oceanside/General/Marine	Construction	Main Channel and Ent	rance Channel at 3	3.20972N -117.4W. Material will be transporte	ed through floating pipeline, submerged	
Construction (Excluding Bridges)/Dredging	(Excluding Bridges)	pipeline and shore pip	eline to the dispos	al area at North Coast Village, Surfrider Way	and Oceanside Pier. Dredge HR MORRIS,	
		DB VALHALLA, Dredge	e TENDER PUP, Dre	dge TENDER CUB and Survey Boat RUSTLER v	will be monitoring VHF-FM Chan. 16 & 67.	
		Mariners are requested	d to transit the are	a with caution. For more details or comments	, contact Steve Marquez at 562-756-6689.	

# Port Hueneme

### **Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Port Hueneme West Jetty Light 3	3615	WATCHING PROPERLY	FD	2025-05-08

# **Redwood Creek**

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Redwood Creek Light 11	5225	STRUCT DEST/TRLB	FD

# **<u>Richardson Bay</u>**

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Richardson Bay Daybeacon 8	4401	DAYMK DMGD	PA

# **Richmond Harbor Channel**

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Richmond Harbor Channel Light 4	5685	MISSING/TRLB	FD
Richmond Harbor Channel Light 8	5710	MISSING/TRLB	FD
Richmond Harbor Channel Light 9	5725	MISSING/TRLB	FD

#### **Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Point Potrero Reach Range Rear Light	5741	WATCHING PROPERLY	FD	2025-05-13

#### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Francisco Bay - Richmond Harbor	Advanced Notice of	The U.S. Coast Guard has established Richmond Harbor Channel Lighted Buoy 5A in position 37° 54' 26.570N, 122° 23'	Lat:
Channel/ATON/Advanced Notice of Change	Change	30.590W, across the channel from Buoy 6. Direct all questions or comments to smb-d11alameda-	37° 54' 30"
		signalmanagement@uscg.mil .	Lon:
			-122° 24' 01"

# **Richmond-San Rafael Bridge East Channel**

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Richmond-San Rafael Bridge East Channel Fog Signal (2)	5780	SS INOP	PA

# Sacramento River

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Georgiana Slough Fish Barrier Warning Buoy 9	7650.1	MISSING	PA
Georgiana Slough Fish Barrier Warning Buoy 10	7650.2	MISSING	PA
Georgiana Slough Fish Barrier Warning Buoy 7	7650.3	MISSING	PA
Georgiana Slough Fish Barrier Warning Buoy 8	7650.40000000001	MISSING	PA
Georgiana Slough Fish Barrier Warning Buoy 2	7650.5	LT EXT	PA
Georgiana Slough Fish Barrier Warning Buoy 1	7650.6	LT EXT	PA

### **Additional MSI Categories**

SUBCATEGORY

Sacramento River Deep Water Ship Channel - Sacramento River/General/Bridges/Rehabilitation	Bridges	SACRAMENTO RIVER-ISLETON BRIDGE: From November 18, 2024, through July 14, 2025, the double leaf bascule bridge will be operating a single leaf during rehabilitation work. One leaf of the bridge will open on signal if at least 4-hour notice is given to the drawtender at the Rio Vista bridge across the Sacramento River at mile 12.8. During single leaf operations, from the end of the closed leaf to the tip of the open leaf, the bridge provides approximately 88 feet of horizontal clearance. For further information contact the Coast Guard Bridge Office by telephone at 510-219-4366 or by email at D11Bridges@uscg.mil.	Lat: 38° 10' 19" Lon: -121° 35' 38"
Sacramento River Deep Water Ship Channel - Sacramento River/General/Bridges/Construction	Bridges	SACRAMENTO RIVER-REPLACEMENT BUTTE CITY BRIDGE: Bridge construction continues Monday through Friday during daylight hours until September 25, 2026. The temporary trestle, along with falsework, is being removed from the bridge site. A temporary navigation span during construction is just west of the old bridge's pivot pier, 435 feet west of new bridge abutment, and is lighted at night with a green center channel light on the upriver and downriver sides of the old bridge. The temporary navigation span provides at least 32 feet horizontal clearance. Vertical clearance is 35 feet from low steel of the old bridge above MLLW. A barge with crane is on scene, and is lighted at night with red fixed lights at its corners. For further information contact the Coast Guard Bridge Office at 571-607-2206 or by email at D11Bridges@uscg.mil.	Lat: 39° 27' 26" Lon: -121° 59' 43"
Sacramento River Deep Water Ship Channel - Sacramento River/General/Bridges/Rehabilitation	Bridges	SACRAMENTO RIVER-PAINTERSVILLE BRIDGE: Caltrans is conducting major mechanical and electrical rehabilitation on the bridge. During the rehabilitation project, the bridge will provide single leaf operations. Therefore, one leaf of the bridge will open on signal if at least a 4-hour notice is given to the drawtender of the Rio Vista bridge across the Sacramento River at mile 12.8. During rehabilitation, when one leaf is open and the other closed, the bridge provides ~81 feet of horizontal clearance from the tip of the opened leaf to the end of the closed leaf. It is now anticipated the work will be completed by August 1, 2025 due to a 3-week late start of the rehabilitation of the lsleton bridge, caused by commercial waterway users contract commitments. For further information contact the Coast Guard Bridge Office by email at D11Bridges@uscg.mil or by telephone at 510-219-4366.	Lat: 38° 19' 07" Lon: -121° 34' 40"
Sacramento River Deep Water Ship Channel - Sacramento River/General/Bridges/Temp Deviation	Bridges	SACRAMENTO RIVER-TOWER BRIDGE: The lift span of the bridge will be secured in the closed-to-navigation position from 7:30 AM to 12 Noon on June 21, 2025, for a community event. When closed the bridge provides 30' of vertical clearance at mean high water. Vessels able to transit the bridge while closed can continue to do so at any time. In the event of an emergency, the span can open on signal if at least one-hour notice is given to the drawtender. For further information contact the Coast Guard Bridge Office at 571-607-5820 or D11Bridges@uscg.mil.	Lat: 38° 34' 50" Lon: -121° 30' 30"
Sacramento River Deep Water Ship Channel - Sacramento River/General/Hazards To Navigation/Hazards	Hazards To Navigation	ATON/PATON Discrepancies From: 2025-05-08 To: 2025-11-04 Location: 38-35.146N 121-30.356W Discrepancy Information: A partially submerged white foam buoy has been reported in the Sacramento River 120' South of the I Street Bridge in the middle of the East channel. Mariners are advised to proceed with caution and report to the USCG any sightings of this buoy.	
Sacramento River Deep Water Ship Channel - Sacramento River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	CAL-NEVA Construction Services will be conducting marine construction and diving operations on the Sacramento River near 38° 14' 26" N, 121° 30' 59" W, from 2 June 2025 to 17 June 2025. Operations will be conducted with derrick barge "DB Carquinez" along with a flat barge. The barges will be either spudded down or anchored using a four-point mooring system marked with 5ft crown buoys. The buoys will be lighted at night with flashing white strobes. All vessels and equipment will be monitoring VHF-FM CH 8, CH 13 and CH 14. Mariners are requested to transit the area with caution. For more details or comments contact Kevin Malone at 916-417-7777	

# Sacramento River Deep Water Ship Channel

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Sacramento River Deep Water Ship Channel Light 10	7210	MISSING/TRLB	FD
Sacramento River Deep Water Ship Channel Light 14	7230	MISSING/TRLB	FD
Sacramento River Deep Water Ship Channel Light 15	7235	MISSING/TRLB	FD
Sacramento River Deep Water Ship Channel Light 16	7240	STRUCT DEST/TRLB	FD
Sacramento River Deep Water Ship Channel Light 20	7260	MISSING/TRLB	FD
Sacramento River Deep Water Ship Channel Light 47	7395	MISSING/TRLB	FD

# Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Suisun Bay - Sacramento River Deep Water Ship Channel/General/Bridges/Rehabilitation	Bridges	AMERICAN RIVER-CAPITAL CITY HWY (Route 51) BRIDGE: Caltrans is conducting rehabilitation of the bridge until 31 Mar, 2026. Work will be conducted during daylight hours, 7 am to 5:30 pm, Monday through Friday, and will include the use of barges, work boats, tugboats, turbidity curtains, and access piers. During the workday, barges can be moved for the safety of navigation with one hour notice to the contractor via VHF-FM CH 16 or by cell at 916-532-8208. Barges will be unmanned and moored at their work locations overnight. Each corner of each barge will be lighted at night with steady burning red lights. At least 25 feet of horizontal clearance for navigation will be available at all times. Mariners are requested to transit the area with caution. For further information, contact the Coast Guard Bridge Office at 510-774-1204 or to request a depiction of the temporary impacts to navigation at the bridge email D11Bridges@uscg.mil.	Lat: 38° 35' 15" Lon: -121° 26' 50"
Suisun Bay - Sacramento River Deep Water Ship Channel/General/Bridges/Rehabilitation	Bridges	SACRAMENTO RIVER-RIO VISTA BRIDGE-DECK REPLACEMENT Starting March 3, 2025, temporary platforms will be installed beneath the lift span in order to facilitate bridge deck replacement. During the project, vertical clearance of the bridge will be reduced by 4 feet. Once the platforms are in place, the bridge will temporarily provide 13.8 feet of vertical clearance in the closed position and 140.8 feet of vertical clearance in the fully open to navigation position at Mean High Water. The upstream and downstream lower edges of the temporary platform will be lighted at night with steady burning red lights. In order to replace the deck, the lift span will be secured in the closed to navigation position from 9 pm on Friday to 4 am on Monday during the following dates; March 28 through March 31; April 11 through April 14; April 25 through April 28; May 9 through May 12; June 6 through June 9; June 20 through June 23, 2025. This schedule is dependent on weather and 55-hour closures may last past June 23, 2025. To request an opening of the bridge, vessels are still required to provide a 4-hour advance notice. For further information contact the Coast Guard Bridge Office by email at D11Bridges@uscg.mil.	38° 09' 32" Lon: -121° 41' 03"

# San Bruno Shoal

# San Diego Bay

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
San Diego Bay Channel Lighted Buoy 22	1830	LT EXT	FD

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Navy San Diego Bay Mooring Buoy 19	1720	LT EXT	PA
Harbor Island East Basin Channel Buoy 8	1785	LT EXT	PA
Sweetwater Channel Light 4	2054	LT EXT	PA
Coronado Cays Channel Light 7	2090	STRUCT DEST/TRUB	PA
Coronado Cays Channel Light 11	2105	LT EXT	PA
Coronado Cays Channel Light 13	2110	LT EXT	PA
Chula Vista Channel Shoal Light B	2159.1	STRUCT DEST/LT EXT	PA
Chula Vista Channel Light 21	2255	DAYMK MISSING	PA
Coronado Cays Channel Daybeacon 3	2070	STRUCT DEST	PA
Chula Vista Channel Light 18	2240	LT EXT	PA

### **Temporary Changes**

NAME	LLNR	STATUS	AID TYPE	
San Diego Bay Approach Lighted Buoy 3	1490	DISCONTINUED	FD	
San Diego Bay Channel Lighted Buoy 16A	1625	DISCONTINUED	FD	

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Approaches To San Diego Bay - San Diego Bay/General/Bridges/Lighting and Other Signals	Bridges	SAN DIEGO BAY CORONADO BRIDGE-The red lights on piers 18 and 19 are reported extinguished. Estimated time of repair is unknown. For further information contact the Coast Guard Bridge Office at 510-219-4366.	Lat: 32° 41' 16" Lon: -117° 09' 21"
Approaches To San Diego Bay - San Diego Bay/General/Bridges/Maintenance	Bridges	SAN DIEGO BAY-CORONADO BAY BRIDGE: Scaffolding installed between piers 11-12, 12-13, and 13-14, reduces vertical clearance by no more than 8'. The upstream and downstream lower edges of the scaffolding are lighted at night with red lights. For more details or comments contact the Coast Guard Bridge Office at 510-437-3461.	Lat: 32° 41' 16" Lon: -117° 09' 21"
Approaches To San Diego Bay - San Diego Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	R.E. Staite Engineering, Inc. will be conducting marine construction from 1 April, 2024 until 30 September, 2025 at the Drydock and adjacent area in San Diego Bay at the NASSCO waterfront facility 32-41-15N 117-08-24W. Vessels DB POINT LOMA, DB WILLIAM F, DB PALOMAR, RES 180, SCOW HAROLD M, SCOW CLARENCE D, SCOW ROB P, SCOW MIKE J, P/B JEANIE R, C/B JOHN DRAKE, RES SURVEY BOAT, TUG CUYAMACA, and various barges (80', 110' and 120') will be performing dredging and construction operations and will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact R.E. Staite Engineering at 619-233-0175.	Lat: 32° 41' 15" Lon: -117° 08' 24"
Approaches To San Diego Bay - San Diego Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	R.E. Staite Engineering, Inc. will be conducting marine construction from 1 April, 2024 until 31 July, 2025 at BAE Systems San Diego facility, Pier 1, Pier 3 and Building 13 Wharf at 32-41-24N 117-08-41W. Vessel Spud Crane Barge RES 150, P/B JEANIE R, support barges, and skiffs will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact R.E. Staite Engineering, Inc. at 619-538-2761 or restaite@restaite.net.	Lat: 32° 41' 24" Lon: -117° 08' 41"
Approaches To San Diego Bay - San Diego Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	R.E. Staite Engineering Inc. will be conducting marine construction for the repair and replacement of the existing Pier 302 at Naval Base Pt. Loma from 2 January, 2024 until 09 June, 2025 at 32-42-08N 117-14-09W. DB WILLIAM F, PB JEANIE R, PB JOHN DRAKE, RES 180 Barge, spud/crane barge and support barge RES 110 will be monitoring VHF-FM Chan. 16. Mariners are requested to transit at their slowest safe speed to minimize wake transit the area with caution. For more details or comments contact Tory Wagoner at 619-629-9733 or restaite@restaite.net.	Lat: 32° 42' 08" Lon: -117° 14' 09"
Approaches To San Diego Bay - San Diego Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Manson Contruction Co. will be conducting marine construction involving a floating derrick crane (Manson DB VALKRIE, Call sign: WCZ5436) on the Mooring Wharf retrofit project, directly South of Mole Pier. Operation will begin on or about 19 May 2025 and will finish on or prior to 6 June 2025. Operations will run 8 hrs. a day 7:00 am – 3:30 pm local, Monday through Saturday. The DB VALKYRIE will use spuds for anchorage. DB VALKYRIE will be working alongside a diver team to install the underwater pile cap. Mariners are requested to use cation when transiting near the area. DB VALKYRIE can be contacted via radio VHF-FM Ch. 8, 13, and 16.	
Approaches To San Diego Bay - San Diego Bay/General/Marine Events/Boat Parade	Marine Events	Safe Harbor Sunroad will be hosting San Diego International Boat Show (SDIBS) from 19-22 June, 2025 at Safe Harbor Sunroad Marina Docks K, L & M at position 32.72639N -117.18861W. Vessels will be monitoring VHF-FM Chan. 68. Frequency of vessels coming in and out of the marina during set up and tear down may be higher than usual. Addition of temporary docks for build outs within the Marina/event space. Any added docks will have proper lighting for safety requirements. Mariners are requested to transit the area with caution. For more details or comments, contact Bernard Kida at 323-252-0539.	
Approaches To San Diego Bay - San Diego Bay/General/Marine Events/Regatta (Race)	Marine Events	The Cortez Racing Association (CRA) will be sponsoring the Beer Can Series Regatta every Wednesday from May 21 – July 30, 2025, from 5 PM to 8 PM each day. The regatta will involve approximately 110 sailing vessels ranging in length from 16 – 70 feet, racing on a course in North San Diego Bay in the vicinity of Harbor Island. Mariners are requested to use due caution when transiting this area. For more details or comments, contact Toralf Strand at 603-918-8060.	

Threatened And Endangered Species Advisory)

U.S. Fish and Wildlife services has installed a12-ft x 12-ft mesh and benthic barrier until 31 December, 2025 in the San Diego Bay National Wildlife Refuge for one year. The location of the barrier in San Diego Bay is near 32.62316N -117.127056W. Approximately 5-ft x 6-ft patch of Caulerpa prolifera in the San Diego Bay National Wildlife Refuge. The benthic barrier would consist of plastic tarp, rebar-reinforced stakes, and sandbags. In addition, rock salt would be applied at an estimated rate of 8.9 to 50 kg/m<sup>2</sup> in order to eradicate the Caulerpa prolifera infestation within the South San Diego Bay. The barriers would be installed for a period of up to one year. Mariners are requested to transit the area with caution. For more details or comments, contact Andrew Yuen at 760-535-7065.

# San Diego North Island Shallow Water Habitat

#### **Federal Discrepancies** AID TYPE NAME LLNR STATUS San Diego North Island Shallow Water Habitat Light D 1619 STRUCT DEST FD

# San Francisco Bay

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Southampton Shoal Light	5480	LT IMCH	FD
San Francisco Bay North Channel Buoy 15	5635	LT EXT	FD

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Paradise Cay Light 3	5518.2	LT EXT	PA
Corte Madera Channel Light 12	5565	LT EXT	PA

#### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Golden Gate Bridge - San Francisco Bay/General/Bridges/Modification		platform in the main span of the bridge, reduces vertical clearance at the bridge by 14 feet, and the bridge owner's contractor is in the process of removing it from the structure. Work is being conducted Monday through Saturday, 7 am-5 pm and 11 pm-5 am. For conditions at the bridge, mariners can contact the contractor at 415-716-0384. For more details or comments contact the Coast Guard	Lon:

# San Francisco Bay North Channel

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Oyster Cove Marina Light 3	5035	DAYMK DMGD	PA
Oyster Cove Marina Light 5	5045	DAYMK DMGD	PA
San Francisco Bay Anchorage 9 Lighted Mooring Buoy A	4827.1	LT EXT	PA
San Francisco Bay Anchorage 9 Lighted Mooring Buoy B	4828.1	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Francisco Oakland Bay Bridge West Crossing - San Francisco Bay North Channel/General/Bridges/Inspection	Bridges	be on or near the surface. Heavy equipment is on the vessel's deck. Excessive wake may cause injury to deck crew as well as	Lat: 37° 47' 57" Lon: -122° 22' 36"
San Francisco Oakland Bay Bridge West Crossing - San Francisco Bay North Channel/General/Bridges/Lighting and Other Signals	Bridges	SAN FRANCISCO BAY-RICHMOND/SAN RAFAEL BRIDGE-All red pier lights on the eastern pier of the west navigation span are extinguished. The red aircraft warning light atop the east tower of the west navigation span is extinguished. For further information contact the Coast Guard Bridge Office via phone at 510-219-4366 or via email at D11Bridges@uscg.mil.	Lat: 37° 56' 07" Lon: -122° 26' 48"
San Francisco Oakland Bay Bridge West Crossing - San Francisco Bay North Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Construction	Manson Construction Co. will be conducting marine construction to the wharf at Alcatraz Island at 37-49-36N 122-25-15W. Construction will begin on 23 January, 2023 and be completed on 04 October, 2025. During construction DB HAGAR will be utilizing divers during low tide. Tug WESTAR will be assisting DB HAGAR and monitoring VHF-FM Chan. 13 and 16. Mariners are requested to transit the area with caution. For more details or comments contact Matt Lehmann at 510-529-1583.	37° 49' 36"
San Francisco Oakland Bay Bridge West Crossing - San Francisco Bay North Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	The Dutra Group will be conducing marine operations from 4 November, 2024, until 31 April, 2025 at the Port of Oakland Berth 10 and adjacent Berth 20 at 37.81989N 122.30851W. The CB KELSO, TM-9 equipped with a 230-to-330-ton crawler crane, along with a tender workboat, material supply barges, and miscellaneous work skiffs will be monitoring VHF-FM Chan. 9, 16, 68A or 80. Mariners are requested to transit the area with caution. For more details or comments, contact Jason Tse at 415-300-5336.	

Power Engineering Construction Co. will be conducting pile driving operations from 24 March, 2025 until 28 May, 2025 near Pier 45, San Francisco Monday through Friday 6:00am until 6:00pm at 37.80972N 122.41583W. Derrick barges DB ALAMEDA and a flat material barge will be spudded down and monitoring VHF-FM Chan. 69 & 71. Mariners are requested to transit the area with caution. For more details or comments, contact Bennett Clegg at 415-559-0089.

# San Joaquin River

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
San Joaquin River Light 8	6685	STRUCT DMGD/TRLB	FD
San Joaquin River Light 39	6830	STRUCT DMGD	FD
San Joaquin River Light 44	6850	LT EXT	FD

#### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New York Slough - San Joaquin River/General/Bridges/Construction	5	SAN JOAQUIN RIVER REPLACEMENT HILLS FERRY ROAD BRIDGE-Work has begun to replace the bridge. Work will take place during daylight hours, Monday through Friday, through January 2027. A temporary bridge will span the river during the project and will provide a lower vertical clearance than the existing bridge and the replacement bridge. For on-scene conditions mariners can contact Stanislaus County at 209-777-2885 or the contractor at 415-720-6577. For further information contact the Coast Guard Bridge Office at 510-219-4366.	Lat: 37° 20' 58" Lon: -120° 58' 32"
New York Slough - San Joaquin River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	HONKER CUT-8-MILE ROAD BRIDGE: San Joaquin County will secure the drawspan in the closed-to-navigation position from October 1, 2024 until June 27, 2025, to conduct repair/rehabilitation work. When closed the bridge provides 6' of vertical clearance at mean high water. Vessels that can transit the bridge while closed can continue to do so at any time. For further information, contact the Coast Guard Bridge Office at (571) 607-5820 or via email at D11Bridges@uscg.mil.	Lat: 38° 03' 34" Lon: -121° 27' 34"

# San Leandro Bay

#### **Federal Discrepancies**

	NAME	LLNR	STATUS	AID TYPE	
S	an Leandro Bay Airport Channel Daybeacon 6	4740	STRUCT DEST/TRUB	FD	

Additional MSI Categories			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Francisco Oakland Bay Bridge West Crossing - San Leandro Bay/General/Bridges/Public Notice	5	SAN LEANDRO BAY-BAY FARM ISLAND HIGHWAY AND PEDESTRIAN BRIDGES: The pier protection system at the bridges have deteriorated and may not offer adequate protection for the bridges as well as vessels transiting the bridges. Mariners are urged to transit both bridges with caution. For more details or comments contact the Coast Guard Bridge Office via telephone at 571- 607-2207 or email at D11Bridges@uscg.mil.	Lat: 37° 44' 56" Lon: -122° 14' 11"

# San Leandro Marina Channel

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
San Leandro Marina Channel Directional Light	4829	LT EXT	FD
San Leandro Marina Channel Light 1	4830	LT EXT/SS INOP	FD

# San Nicolas Island

### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Los Angeles, Territorial Sea - San Nicolas Island/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Boeing will be conducting autonomous underwater vehicle survey until 31 December, 2025 within the following positions: Area 1: 33.707N -118.332W 33.663N -118.36W 33.687N -118.411W 33.73N -118.38W Area 2: 33.44267N -118.44865W 33.42597N -118.39972W 33.42657N -118.35533W 33.48736N -118.30997W 33.52635N -118.39197W 33.46963N -118.44865W Host vessel AMERICAN ISLANDER will be within 1,000 yards, the UUV will have a very low surface profile. Mariners are requested to transit the area with caution and to maintain 1 nautical mile range separation from the host vessel. AMERICAN ISLANDER will be monitoring VHF-FM Chan. 13, 14 & 16. For more details or comments, contact Joe Beauchesne at 714-642-3781.	
Sector Los Angeles, Territorial Sea - San Nicolas Island/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for SpaceX Starlink g11-16 from 2:42 pm PDT on 20 May, 2025 until 4:52 pm PDT on 26 May, 2025. Hazardous operation areas are bounded by the following coordinates: Hazard Area: 34.66666N,-120.65000W 34.48333N,-120.26666W 33.01666N,-119.13333W 32.61666N,-118.85000W 32.58333N,-118.88333W 34.53333N,-120.63333W 34.66666N,-120.65000W (TO BEGINNING) Mariners are requested to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.	

# San Pablo Bay

NAME	LLNR	STATUS	AID TYPE
Oleum Wharf West Lights (4)	5960	LT EXT	PA
Oleum Wharf East Lights (4)	5965	LT EXT	PA

San Rafael Rock Quarry Mooring Buoy	r C		5877.2	MISSING	PA	
Additional MSI Catego	ries					
TITLE	SUBCATEGORY	DESCRIPTION			LOCATION	
San Francisco Bay - San Pablo Bay/General/Marine Construction (Excluding Bridges)/Survey	Marine Construction (Excluding Bridges)	The Woolpert Company will be conducting hydrographic surv CA. The survey personnel and equipment spread will consist or marine surveyor/technician/environmental monitor, a vessel r	of one commercial surv	ey boat approximately 25 fee	t in length, with a	

# San Pedro Bay

differential GPS with sub-meter accuracy or better. Survey Vessel name/number: Rapid/CF 8890 UR

### **Private Discrepancies**

Operations

NAME	LLNR	STATUS	AID TYPE
Long Beach Harbor Bait Barge LMB "NB"	2847	OFF STA	PA
Long Beach Harbor Harley Marine Mooring Buoy "H"	2860	LT EXT	PA
Long Beach Harbor Bait Barge Lighted Mooring Buoy "FI"	2875	MISSING	PA
Long Beach Harbor Mooring Buoy S-1	2856	LT EXT	PA
Long Beach Harbor Manson Lighted Mooring Buoy M-1	2866	LT EXT	PA
Long Beach Harbor Manson Lighted Mooring Buoy M-3	2867.200000000003	LT EXT	PA
Long Beach Harbor Manson Lighted Mooring Buoy M-4	2870.1	LT EXT	PA

# Santa Barbara Harbor

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Santa Barbara Harbor Lighted Bell Buoy SB	3755	LT EXT	FD

# Santa Catalina Island

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Ship Rock Light	2635	LT EXT	FD
Isthmus Cove Harbor Reefs Light	2641	STRUCT DMGD	FD
Santa Catalina Island West End Light	2670	LT EXT	FD

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Quarry South Outer Lighted Mooring Buoy	2606.200000000003	LT EXT	PA
Quarry North Outer Lighted Mooring Buoy	2606	MISSING	PA

# Santa Cruz

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Monterey Bay Lighted Bell Buoy 4	3965	LT EXT	FD

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Santa Cruz Municipal Wharf Signal	4115	STRUCT DEST	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector San Francisco, Submerged Land Act (SLA) - Santa Cruz/General/Bridges/Lighting and Other Signals	Bridges	SANTA CRUZ HARBOR EATON-MURRAY ST BRIDGE-The downstream, southside, east green center channel light on the Eaton-Murray Street bridge across Santa Cruz Harbor is reported extinguished. For further information contact the Coast Guard Bridge Office at 571-607-3871.	Lat: 36° 58' 05" Lon: -122° 00' 10"
Sector San Francisco, Submerged Land Act (SLA) - Santa Cruz/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	The Santa Cruz Harbor federal navigation channel is shallow, with shoaling extending across the entrance. Breaking waves across the entrance may occur at all tides. Mariners are advised to use extreme caution when transiting the entrance and to check the latest sounding in-advance. The latest sounding is available on the Port District's website www.santacruzharbor.org. For more details or comments, contact Santa Cruz Harbor at 831-475-6161.	

# <u>Santa Monica Bay</u>

NAME	LLNR	STATUS	AID TYPE

Redondo Beach West Jetty Light 3	3330 STRUCT DEST	FD
Private Discrepancies		
NAME	LIND	

NAME	LLNR	STATUS	AID TYPE
King Harbor Channel Buoy 1	3337	OFF STA	PA
King Harbor Channel Buoy 2	3338	OFF STA	PA
REDONDO HARBOR LIGHT	3339.200000000003	LT EXT	PA

# **Sausalito Channel**

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Sausalito Channel Light 2	4385	STRUCT DEST	FD

# Sector Humboldt Bay, Submerged Land Act (SLA)

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Humboldt Bay Entrance Lighted Whistle Buoy HB	490	REDUCED INT	FD
NOAA Environmental Lighted Buoy 46006	510	ADRIFT	FD

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Scripps Waverider Lighted Research Buoy 094	478	OFF STA	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Humboldt Bay, Submerged Land Act (SLA)/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	The Humboldt Bat Pilots have imposed a draft restriction of 33 feet based on a +6.0 foot tide due to shoaling at the entrance of Humboldt Bay. For any questions or concerns contact The Humboldt Bar Pilots Association (707)834-4939.	
Sector Humboldt Bay, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The Corps of Engineers will be conducting dredging operations from 19 May, 2025 until 5 June, 2025 in the Federal Navigation Channels of Humboldt Harbor and Bay. Hopper Dredge ESSAYONS will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments, contact 503-808-5035 or 503-808-4990.	
Sector Humboldt Bay, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	The U.S. Coast Guard is conducting a Waterways Analysis and Management System (WAMS) study of Trinidad Head to Crescent City Harbor. The study focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This study seeks to obtain data on the effectiveness of the system of Aids to Navigation, as well as other waterway safety concerns. Any interested company or individual wishing to provide comments or participate in a user survey may do so via link at: https://www.research.net/r/9TTRNKV or contact LT Rubymar Sebastian at smb-d11alameda-dpw@uscg.mil or via phone at (571)-613- 2930 by August 05, 2025.	

# Sector Los Angeles, Submerged Land Act (SLA)

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Morro Bay West Breakwater Light	240	SS INOP	FD

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Long Beach Harbor Lighted Mooring Buoy PT	2872	LT EXT	PA
El Segundo NRG Energy Buoy 4ES	3390	OFF STA	PA
Hyperion Lighted Gong Buoy 10 ES	3420	LT EXT	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
_	(Excluding Bridges)	CPS Coastal Permits, Inc. will be conducting marine construction from 16 November, 2024 until 30 December, 2025 near Long Beach at position 33.764379N 118.11991W. Removal of 21,360 square feet of existing floating docks and installation of approximately 21,151 square feet of new floating docks at approximately the same location and configuration as the existing structures. All existing gangways and pilings are to be reused. A 35 ft. work boat, (4) 24 ft. barges, (1) 16x2 barge, and (2) 14 ft. boats will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments, contact Greg Buchanan at 714-822-5214.	
5	(Excluding Bridges)	AQUEOS will be conducting Pipeline surveying between the period of 19 May, 2025 to 31 May, 2025 in the vicinity of Platform Elly to Shoreline. The Motor Vessel Surveyor; official number 537794; call sign WDK 8802; will perform underwater pipeline inspection work. The operations will include the vessel using an underwater remote operated vehicle (ROV) "flying" the pipeline to complete the inspections indicated below. The vessel will be working in a "live boat mode" not anchored. The vessel will be following the pipeline's path and operations will be conducted on a 12 hour per day basis, generally during daylight hours. The vessel will be monitoring channel 16 and cell phone (805) 901-2671. The vessel's general description is the following: 100' LOA; black hull and white/red superstructure; typical Utility Boat configuration with deck-mounted crane.	

Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	SubCom LLC will be conducting Cable installation between the period of 05 May, 2025 to 21 May, 2025 in the vicinity of Coastal and Marine waters offshore of Dockweiler State Beach, Los Angeles. M/V BLAIR C (Call sign WDH583), M/V MARLEY C (Call sign WDM676), M/V GLORIA MARIE (Call sign WU2569), M/V Pt VICENTE (Call sign WDL8035), and M/V Pt FERMIN (Call sign WDL8036) will be monitoring VHF channels 13 and 16. Working vessels are requesting passing arrangements and 1 nautical mile CPA. For questions or concerns, contact (347) 751-7015.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Jilk Heavy Construction will be replacing timber piles on the Green Pleasure Pier in Avalon, California (Latitude 33.3442° N, Longitude 118.3245°W), conducting pile driving operations from a 50'x40' crane barge from 28 April through 23 May 2025. This work will be conducted during daylight hours, Monday through Friday with weekend and tide work as required. Crews will start work around 7:00 am and complete work before 7:00 pm Local. The site superintendent will be on scene monitoring VHF-FM CH.72. Mariners are requested to use caution when transiting the area. For further comments or details contact AnnieMarie Incontro at 310-345-2334.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	AQUEOS will be conducting Diving Operations & Surveying between the period of 10 May, 2025 to 22 May, 2025 in the vicinity of off shore Ventura, CA. The Barge DB SALTA VERDE; official number 622241; call sign WDF 9705; will perform underwater diving operations. The operations will include the barge and support tugs & crew boat & survey vessel to complete work. The barge will be in a 4-point moor 24 hours per day, diving will be conducted during daylight hours up to 24HRS hours per day. Vessels are advised to use caution when transiting the area. The Barge/Tug will be monitoring channel 16 and cell phone (805) 455-8708. The Barge's general description is: 185' LOA; black hull with a crawler crane on deck.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	SubCom LLC will be conducting cable installation between the period of 19 May, 2025 to 07 July, 2025 in the vicinity of Coastal and Marine waters offshore of Dockweiler State Beach, Los Angeles continuing offshore south of Santa Cruz Island and Santa Rosa Island. M/V RESOLUTE (Call sign V7FF3), M/V SWIFT RESPONDER (Call sign WDN7364), M/V GLORIA MARIE (Call sign WU2569), M/V Pt VICENTE (Call sign WDL8035), and M/V Pt FERMIN (Call sign WDL8036) will be monitoring VHF channels 13 and 16. Working vessels are requesting passing arrangements and 01 nautical mile CPA. For questions or concerns, contact (347) 751-7015.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Rincon Consultants Inc. IDE will be conducting dive operations on the Charles E. Meyer Desalination Plant (Plant) submerged infrastructure components as part of the Plant's operations and maintenance program. Offshore work is anticipated for up to 8 days beginning 21-28 May, 2025, during daylight hours. Diving operations will involve commercial divers using hand tools and small pneumatic tools to perform cleaning and an inspection of the intake pump structures. The inspection and maintenance dives will require a team of four divers to be supported by the M/V Pacific Harvester that is homeported in Santa Barbara Harbor and is 74 feet in length. The vessel will anchor at a depth of approximately 35 feet just east of Stearns Wharf and will be monitoring VHF Channel 16. Mariners are urged to transit with caution throughout the area.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	The U.S. Coast Guard is conducting a Waterways Analysis and Management System (WAMS) study of Point Conception to Point Sur, Estero Bay, Morro Bay Channel, and Port San Luis. The study focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This study seeks to obtain data on the effectiveness of the system of Aids to Navigation, as well as other waterway safety concerns. Any interested company or individual wishing to provide comments or participate in a user survey may do so via link at: https://www.research.net/r/DVXSR7B or contact LT Rubymar Sebastian at smb-d11alameda-dpw@uscg.mil or via phone at (571)-613-2930 by August 16, 2025.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for VSFB Western Range No. 2509, W8540 from 11:31 PM (local), 20th May to 6:38 AM (local), 22nd May 2025. Hazardous operation areas are bounded by the following coordinates: Hazard Area C: 34.80000N -120.61667W 34.91667N -120.71667W 34.86667N -120.75000W 34.76667N -120.63333W 34.80000N -120.61667W (TO BEGINNING) Mariners are requested to remain clear of this area for the duration of operations. For more details or comments contact VSFB at 2ROPSDOSMailbox@us.af.mil or on VHF-FM Chan. 06 or 16.	
Sector Los Angeles, Territorial Sea - Sector Los Angeles, Submerged Land Act (SLA)/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration		The California State University Long Beach Shark Lab will be deploying two acoustic omni-directional receivers on temporary seafloor mooring in LA Harbor – Seaplane Lagoon with the North receiver at 33.74806N -118.24861W and South receiver at 33.74111N -118.24861W. Receivers will be deployed for 1 year and will be downloaded, maintained, and redeployed at the same location monthly. Acoustic receiver locations will be marked with small surface floats. A 17 ft. grey Boston Whaler or 22 ft. TwinVee will be monitoring VHF-FM Chan. 16 & 68. Mariners are requested to transit the area with caution. For more details or comments, contact Dr. Chris Lowe at 562-212-7104.	

# Sector Los Angeles, Territorial Sea

### **Federal Discrepancies**

NAME	LLNR	STATUS		AID TYPE
Anacapa Island Light	185	LT EXT	FD	
Private Discrepancies				
NAME		LIND	CTATUC	

NAME	LLNK	STATUS	AID TYPE
Scripps SB Channel CCE-2 Research Buoy	199	OFF STA	PA
Catalina Sea Ranch SE Buoy	2764.4	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Sector Los Angeles, Territorial	Marine	Golden State Wind LLC will be deploying two temporary Metocean buoys in the BOEM Lease Area (OCS-0564), approximately 30 miles from	
Sea/General/Marine	Construction	shore at the closest point and 53 miles northwest of Morro Bay at 35.60333N 121.86028W and 35.53389N 121.81333W. The buoys will be lit	
Construction (Excluding Bridges)/Survey Operations	(Excluding Bridges)	with yellow flashing lights (FI (5) Y 20s for the northern buoy and FI (4) Y 20s for the southern buoy), radar reflectors, and retroreflective coatings. The northern LiDAR buoy is equipped with AIS. The vessel MICHAEL UHL (Official Number 544092) will be towing the buoys to the	
		site and deploying them in the above locations as weather allows by 31 December, 2025. The Michael Uhl will be broadcasting AIS while on these deployment operations and will be monitoring VHF-FM Chan.13 & 16. Mariners are requested to transit the area with caution and are	
		urged to transit at their slowest safe speed, to minimize wake, and proceed with caution after passing arrangements have been made. For more details or comments contact Rachel Mahler at 805-680-8138 or Rachel.Mahler@oceanwinds.com.	

Point Dume To Purisima Point/General/Other	Miscellaneous	Ocea Barb posit with mark will b the s seco as er 7 and
Sector Los Angeles, Territorial Sea/General/Safety Zones/Space Launches & Recovery	Safety Zones	Haza (loca -119 areas
Sector Los Angeles, Territorial Sea/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	Ocea Barb posit with mark will b buoy the c

an Rainforest will be establishing an Aquafarm, starting on 30 March, 2023 until Decmeber, 2025 located located 4.3 NM South of Santa bara. The site is bound within four yellow boundary marker buoys with a flashing yellow light every 2 seconds (FI Y2s) in the following itions: 34-19-58.53N 119-42-45.72W 34-20-10.12N 119-42-45.72W 34-20-11.23N 119-42-07.24W 34-19-59.64N 119-42-07.92W In line the outer boundary buoys are small unlit floats that are marking the anchors associated with the Aquaculture area, the total buoys king the anchors are 12 on the long axis of each side and 2 between the corner buoys on the short axis. Within the boundary markers be 188 buoys/floats, see Enclosure AQUACULTURE ESTABLISHMENT.pdf enclosure below. The interior buoys of the aquaculture are in shape of a rectangle with the outer edge marked with yellow buoys, every other buoy has a flashing yellow light flashing every 2 onds (FI Y2s). Within the rectangle are 135 small unlit floats marking the cultivation lines. Mariners are advised to remain clear of this area ntanglement with associated equipment may occur. Vessel DANNY C will be conducting the deployment and monitoring VHF-FM Chan. nd 16. For more details or comments contact Ocean Rainforest Inc at 805-722-9601 or eliza@oceanrainforest.com. ardous operations for SpaceX CRS-32 reentry, including splashdown in the Pacific Ocean, will occur between 23 May 2025, 12:00 AM al) and 11:59 PM (local). Hazardous operation area is bounded by the following coordinates: Hazard Area LOS ANGELES: 33.871045N 9.1526W 33.678N -118.922W 33.486N -119.1526W 33.678N -119.3757 (TO BEGINNING) Mariners are advised to remain clear of these as for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16. ean Rainforest will be establishing an Aquafarm, starting on 30 March, 2023 until 31 December, 2025 located 4.3 NM South of Santa bara. The site is bound within four yellow boundary marker buoys with a flashing yellow light every 2 seconds (FI Y2s) in the following itions: 34-19-58.53N 119-42-45.72W 34-20-10.12N 119-42-45.72W 34-20-11.23N 119-42-07.24W 34-19-59.64N 119-42-07.92W In line the outer boundary buoys are small unlit floats that are marking the anchors associated with the Aquaculture area, the total buoys rking the anchors are 12 on the long axis of each side and 2 between the corner buoys on the short axis. Within the boundary markers be 188 buoys/floats. The interior buoys of the aquaculture are in the shape of a rectangle with the outer edge marked with yellow ys, every other buoy has a flashing yellow light flashing every 2 seconds (FI Y2s). Within the rectangle are 135 small unlit floats marking cultivation lines. Mariners are advised to remain clear of this area as entanglement with associated equipment may occur. For more details or comments contact Ocean Rainforest Inc at 805-722-9601 or eliza@oceanrainforest.com.

# Sector San Diego, Exclusive Economic Zone (EEZ)

#### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
NOAA Environmental Lighted Buoy 46047	82	OFF STATION	FD

#### Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
NOAA Environmental Lighted Buoy 46047	82	REBUILT/RECOVERED	FD	2025-05-13

#### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Ocean Beach Pier Fog Sound Signal	20	SS INOP	PA
Scripps Waverider Lighted Research Buoy 092	158	OFF STA	PA

#### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector San Diego, Exclusive Economic Zone (EEZ)/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for Space X g17-1 from 09:14 pm (local) 24 May to 1:37 pm (local) May 30, 2025. Hazardous operation areas are bounded by the following coordinates: 32.26666 N, -121.13333 W 32.30000 N, -121.18333 W 34.61666 N, -120.68333 W 34.66666 N, -120.6666 W 32.26666 N, -121.13333 W (TO BEGINNING) Mariners are advised to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.	
Sector San Diego, Exclusive Economic Zone (EEZ)/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations, including the trunk hazard ascending, will be conducted for SpaceX CRS-32 reentry with a splashdown in the Pacific Ocean from 23 May, 2025 12:00 AM (local) to 11:59 PM (local) 23 May, 2025. Hazardous operation areas are bounded by the following coordinates: Trunk Hazard Area: 19.8000 N, -134.8000W 17.1000 N, -131.8000W 28.3000 N, -121.9000W 29.9000 N, -124.4000W (TO BEGINNING)	

# Sector San Diego, Territorial Sea

NAME	LLNR	STATUS	AID TYPE
Scripps "CORDC" Lighted Research Buoy	2289.4	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
·····	Construction (Excluding Bridges)	Anduril will be conducting underwater operations from 10 March, 2025 until 21 May, 2025 near San Diego at positions: 33.37528N -117.85306W 33.42028N -117.64111W 33.27889N -117.46139W 33.01972N -117.29306W 32.70944N -117.26833W 32.67083N -117.51556W M/V BOLD HORIZON will be monitoring VHF-FM Chan. 16 & 68. Mariners are requested to transit the area with caution. For more details or comments, contact 949-796-0703.	
		The Scripps Institution of Oceanography research vessel ROBERT GORDON SPROUL (Call Sign WSQ-2674) will conduct surface to floor oceanographic operations on 21 May 2025 in vicinity of: 32.651667 -117.376944 32.70944 -117.439722 32.68 -117.3934 32.7229 -117.3666 32.7601 -117.5775 32.6483 -117.4967 The exact timing and location of each station will depend on operational concerns and weather conditions. During over-the-side operations, vessel will be restricted in ability to maneuver; ROBERT GORDON SPROUL is requesting a wide berth. R/V ROBERT GORDON SPROUL will monitor VHF-FM channels 16 & 13. Mariners are requested to use caution when transiting the area. For further comments or details contact Heather Galiher at 858- 226-8761.	)

Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Marine Events/Regatta (Race)	Marine Events	San Diego Yacht Club will be sponsoring the Etchells North American Championship from May 16 – May 28, 2025. The event will be held from 9:30 AM to 5:30 PM and will involve a sailboat regatta starting at 32-39.5N/117-11.7W and 32-38.0N/117-10.7W then extending windward. Mariners are requested to use due caution when transiting the area during the event. For more details or comments, contact Jeff Johnson at 619-758-6310
Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Marine Events/Swim	Marine Events	The Havasu Stingrays Swim Team will be sponsoring the Coach Mike Memorial Lake Swim on Wednesday, June 4, 2025, from 8 AM to 10:30 AM. The event will involve approximately 30 participants swimming on a course starting at Rotary Community Park, proceeding north through the Bridgewater Channel, turning around at the northern entrance to the channel, and returning to the finish at Rotary Community Park. Mariners are requested to use due caution when transiting near the event area. For more details or comments, contact Rick Wheeler at 503-708-3230.
Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for SpaceX g11-16 from 2:42pm (PDT) on 20 May, 2025 until 4:54 pm (PDT) on 26 May, 2025. Hazardous operation areas are bounded by the following coordinates: Hazard Area: 30.78333N, -117.43333 30.60000N, -117.11666 30.46666N, -116.98333 30.18333N, -116.90000 30.10000N, -117.06666 30.31666N, -117.33333 30.78333N, -117.43333 (TO BEGINNING) Mariners are requested to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.
Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for Space X g11-16 from 2:42pm (PDT)on 20 May, 2025 until 5:00 pm (PDT) on 26 May,         2025. Hazardous operation areas are bounded by the following coordinates: Hazard Area: 28.96666N,-116.36666         29.20000N,-116.80000 29.53333N,-117.10000 29.76666N,-117.18333 30.05000N,-117.16666 30.18333N,-116.95000         30.18333N,-116.60000 30.08333N,-116.46666 29.70000N,-116.10000 29.30000N,-115.93333 28.96666N,-116.36666 (TO         BEGINNING) Mariners are requested to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.
Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for Space X g17-1 from 9:14 AM (local) 24 May, to 1:38 PM (local) May 30, 2025. Hazardous operation areas are bounded by the following coordinates: 29.25000 N, -121.95000 W 29.56666 N, -122.00000 W 29.95000 N, -121.73333 W 29.71666 N, -121.56666 W 29.21666 N, -121.76666 W 29.25000 N, -121.95000 W (TO BEGINNING) Mariners are advised to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.
Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations will be conducted for Space X g17-1 from 9:14 AM (local) May 24 to 1:57 PM (local) May 30, 2025. Hazardous operation areas are bounded by the following coordinates: 29.26666 N, -121.95000 W 29.11666 N, -121.43333 W 28.48333 N, -121.46666 W 28.28333 N, -121.98333 W 28.73333 N, -122.31666 W 29.26666 N, -121.95000 W (TO BEGINNING) Mariners are advised to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.
Sector San Diego, Exclusive Economic Zone (EEZ) - Sector San Diego, Territorial Sea/General/Safety Zones/Space Launches & Recovery	Safety Zones	Hazardous operations for SpaceX CRS-32 reentry, including splashdown in the Pacific Ocean, will occur between 23 May 2025, 12:00 AM (local) and 11:59 PM (local). Hazardous operation area is bounded by the following coordinates: Hazard Area OCEANSIDE: 33.2043N -117.748W 33.0119N -117.52W 32.8201N -117.748W 33.0119N -117.9737W (TO BEGINNING) Mariners are advised to remain clear of these areas for the duration of operations. For more details or comments contact Space X at rc@spacex.com or on VHF-FM Chan. 05, 06 or 16.

# Sector San Francisco, Submerged Land Act (SLA)

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
NOAA Environmental Lighted Buoy 46059	382	ADRIFT	FD
Southeast Reef Southern End Lighted Gong Buoy 1S	4125	SS INOP	FD
Pillar Point Harbor Entrance Lighted Gong Buoy 1	4130	SS INOP/STRUCT DMGD	FD
Pillar Point Harbor Entrance Light	4145	SS INOP	FD
Drakes Bay Lighted Whistle Buoy 1	4200	LT EXT	FD

# **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector San Francisco, Territorial Sea - Sector	Hazards To	U.S. Coast Guard Sector San Francisco has determined that debris from the recent collapse of the Santa Cruz Wharf presents a	
San Francisco, Submerged Land Act	Navigation	danger to mariners and other waterway users. Mariners are to exercise caution and avoid, if possible, the waters of the Santa Cruz	
(SLA)/General/Hazards To		Harbor in the area at coordinates: HAZARD AREA A: 36.96068N -122.01737W 36.96187N -122.01187W 36.95978N -122.01197W	
Navigation/Obstructions		36.95992N -122.01643W HAZARD AREA B: 36.95752N -122.00015W Further reports of debris and obstructions should be	
		reported to Sector San Francisco Command Center at 415-399-7300.	

# Sector San Francisco, Territorial Sea

NAME		LLNR	ST	TATUS AID		YPE	
NOAA Environmental Lighted Buoy 46042			7 MISSING			FD	
Pillar Point Harbor Approach Lighted Buoy PP			)	TMK MISSING		FD	
Private Discrepancies							
NAME			LLNR	s	TATUS	AID TYP	ΡE
Monterey Bay (MBARI) Lighted Buoy (M1)			288	MISSING		A	
Temporary Changes							
NAME	LLNR		STATU	JS		AID TYPE	
igeon Point Light	320	Other			FD		
Additional MSI Categories							
TITLE SUBCATEGORY		DESCRIF	NOIT				LOCAT

Sector San Francisco, Territorial Sea/General/Hazards To Navigation/Wrecks	Hazards To Navigation	U.S. Coast Guard Sector San Francisco has deemed the M/V CHALEUR to be a threat to public health, welfare, and the environment. M/V CHALEUR is currently partially sunk in Little Potato Slough off Empire Tract Road in San Joaquin County at 38.057778N -121.50056W. As such, U.S. Coast Guard Sector San Francisco is intending to obtain authorization from U.S. Coast Guard leadership to destroy the vessel. Any potential owner/interested party please contact U.S. Coast Guard Sector San Francisco at 510-928-9939 immediately upon receipt of this notice. Mariners are requested to transit the area with caution.
Sector San Francisco, Territorial Sea/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	The Monterey Bay Aquarium Research Institute (MBARI) will be conducting 24/7 autonomous, unmanned maritime vehicle operations of two Liquid Robotics, Inc. Wave Gliders (www.liquidr.com), from 8 January, 2025 until 31 December, 2025. Deployment of the vehicles will be in the vicinity of Moss Landing, they will operate continuously between 36.3N -122.98306W and 37.21667N -122.98306W. Operations consist of scientific ocean data collection. Wave Glider carries no fuel, lubricants, or hydrocarbons, is wave powered, remotely attended from MBARI, moving at speeds of 1kt, and designed to give way or part if encountered by a vessel. It is approximately 8' x 2' (surfboard size), copper in color, with a contact plaque and mast extending 1 meter above the water surface supporting a flag. Mariners are requested to transit the area with caution. For more details or comments, contact MBARI at 831-775-1700, waveglider@listserver.mbari.org , or Liquid Robotics 24/7 WGOC Operations at 888-574-4574 or 1-408-636-4205.
Sector San Francisco, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	CAL-NEVA Construction services will start the in-channel construction of the barriers at Grant Line Canal in position 37-49-12N, 121-26-54W, from 14 May 2025 to 4 June 2025. Operations will be conducted with derrick barge "DB Steadfast" along with a flat barge. The barges will be either spudded down or anchored using a four-point mooring system marked with 5ft crown buoys. The buoys will be lighted at night with flashing white strobes. All vessels and equipment will be monitoring VHF-FM CH 8, CH 13 and CH 14. Mariners are requested to transit the area with caution. For more details or comments contact Kevin Malone at 916-417-7777.

# Shelter Island Yacht Basin

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Shelter Island Cove Lighted Buoy 6	1597	LT EXT	PA

# South Beach Harbor

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
South Beach Harbor North Entrance Light 2	4576	LT EXT	PA
South Beach Harbor North Entrance Light 1	4577	LT EXT	PA
South Beach Harbor South Entrance Light 1	4578	LT EXT	PA

# Southampton Shoal Channel

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Southampton Shoal Outfall Lighted Buoy 1	5661	LT EXT	PA
Southampton Shoal Outfall Lighted Buoy 2	5662	LT EXT	PA

# **Stockton Channel**

### Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Stockton Channel Light 8	6940	WATCHING PROPERLY	FD	2025-05-14

# <u>Suisun Bay</u>

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE	
Suisun Bay Channel Light 24A	6557	STRUCT DEST/TRLB	FD	

### **Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Suisun Bay Plains Products Pier Light (A)	6356	LT EXT	PA
Suisun Bay Plains Products Pier Light (B)	6357	LT EXT	PA
Suisun Bay Plains Products Pier Light (C)	6358	LT IMCH	PA
Suisun Bay Plains Products Pier Light (D)	6359	LT EXT	PA
Avon Turning Basin North Light	6363	LT EXT	PA
Avon Wharf West Lights	6365	LT IMCH	PA

# <u>Unknown</u>

NAME	LLNR	STATUS	AID TYPE
San Francisco Bay Anchorage 6 Lighted Mooring Buoy A	4480	MISSING	PA
San Francisco Bay Anchorage 6 Lighted Mooring Buoy B	4480.1	MISSING	PA

Emeryville Marina Light 4	5375	LT EXT	PA
Coyote Point Light 1	5140	STRUCT DMGD	PA
Coyote Point Light 2	5145	STRUCT DMGD	PA

# <u>Ventura Marina</u>

### **Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Los Angeles, Submerged Land Act (SLA) - Ventura Marina/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Furgo USA Marine Inc. will be conducting a Bathymetric and Geophysical survey until 31 May, 2025 offshore Ventura and bounded by the following positions: 34.25987N -119.27217W 34.25911N -119.29723W 34.23841N -119.29374W 34.24895N -119.26785W M/V JULIE ANN will have limited maneuverability during operations and will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments, contact Cindy Pratt at 805-650- 7000.	
Sector Los Angeles, Submerged Land Act (SLA) - Ventura Marina/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Furgo USA Marine Inc. will be conducting bathymetric survey from 31 March, 2025 until 1 August, 2025 offshore Ventura during daylight hours at positions: 34.25987N -119.27217W 34.25911N -119.29723W 34.23841N -119.29374W 34.24895N -119.26785W M/V JULIEANN will have limited maneuverability during operations and will be monitoring VHF-FM-Chan. 16. Mariners are requested to transit the area with caution. For more details or comments, contact Cindy Pratt at 805-650-7000.	
Sector Los Angeles, Submerged Land Act (SLA) - Ventura Marina/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Furgo will be conducting a bathymetric survey from 31 March, 2025 until 1 August, 2025 offshore Ventura at positions: 34.25987N -119.27217W 34.25911N -119.29723W 34.23841N -119.29374W 34.24895N -119.26785W M/V JULIE ANN will have limited maneuverability during operations and will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments, contact Cindy Pratt at 805-650-7000.	

# <u>Zuniga Jetty</u>

### **Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Zuniga Jetty Light X	1530	LT EXT	FD

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Diego Bay - Zuniga Jetty/General/Hazards To Navigation/Wrecks	Hazards To Navigation	The Coast Guard has received a report of a capsized 25-foot vessel IVO Zuniga Jetty, located at 32-40N 117-13W. Mariners are requested to transit the area with caution. For more details or information, contact the Sector San Diego JHOC at 619-278-7033.	
San Diego Bay - Zuniga Jetty/General/Hazards To Navigation/Wrecks	Hazards To Navigation	The Coast Guard has received a report of a submerged sailing vessel, with a mast visible above water, east of Zuniga Jetty at approximately 32° 40' 21.5112", -117° 13' 22.659". Mariners are requested to transit the area with caution. For more details or information, contact the Sector San Diego JHOC at 619-278-7033.	