

Local Notice to Mariners for District 13 10/01/2025

Aberdeen

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Grays Harbor - Aberdeen/General/Bridges/Public Notice	Bridges	The U.S. Coast Guard has issued a Public Notice (PN-02-25) and is soliciting for comments exclusively related to navigation. Maritime transportation system stakeholders (vessels and facilities) are highly encouraged to carefully review this notice and provide comments regarding the proposed bridge's ability to meet the needs of navigation, including mariner requirements for horizontal navigation clearances and vertical navigation clearances. The Coast Guard is particularly interested in receiving comments from maritime stakeholders with current and or future vertical navigation clearance requirements of greater than 18.9 feet. The Public Notice can be found at the following link: https://www.navcen.uscg.gov/bridge-notices . Comments will be received for the record at the office of: Commander (dpw), Northwest Coast Guard District, 915 2nd Ave, Rm 3510, Seattle, WA, or via email at D13-SMB-D13BRIDGES@uscg.mil. Comments should be sent to arrive on or before 19 September 2025.	Lat: 46° 59' 05" Lon: -123° 48' 19"

Admiralty Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Strait of Juan De Fuca - Admiralty Inlet/General/Marine Events/Regatta (Race)	Marine Events	04 OCT 2025, 0900-1800. Regatta begins and ends Apple Cove Point near Kingston. North to Foulweather Bluff buoy R2. East to Scatchet Head Buoy G1.	

Astoria

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tansy Point - Astoria/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V BAYPORT may be conducting dredging activities on the Columbia River at Upper Sands, RM 14+15 to 17+20, during times of bad weather at the MCR, through 10 Oct 2025. Mariners should transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. BAYPORT monitors channels 13, 16 and 66 and may be assisted by M/V John M and M/V Aggie. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 46° 12' 19" Lon: -123° 47' 60"
Tansy Point - Astoria/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Bergerson Construction, Inc. will continue pier repair operations at Pier 2 West on the Columbia River in the vicinity of River Mile 13, position 46-11-21.23 N, 123-51-48.93 W) through 15 Nov 2025. Work will be performed Monday through Friday, from 0700 – 1800 daily. A 60' x 120' crane barge and support vessels will be staged off of the pier face and will be monitoring VHF-FM channel 17. Onsite personnel will be working under the pier on floating platforms and scaffolding and Mariners are requested to use caution and reduce wake when transiting the area. White flashing lights will be used to demarcate the barge. For additional information, contact Greg Morrill with Bergerson Construction, Inc. at (503) 325-7130.	Lat: 46° 11' 21" Lon: -123° 51' 49"

Baker Bay West Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baker Bay West Channel Entrance Jetty Light 1	14415	STRUCT DMGD/REDUCED INT	FD

Bonneville Pool

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bonneville Pool Light 14	11820	LT EXT	FD
Bonneville Pool Light 22	11855	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bonneville Pool Light 35	11925	WATCHING PROPERLY	FD	2025-09-29

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Bonneville Pool/General/Miscellaneous	Miscellaneous	The USACE Portland District has scheduled the annual navigation lock maintenance closure for 2025. During this time, the Locks and Dams on the Columbia River in the Portland District have scheduled routine inspections and maintenance, as well as some non-routine work. For the three (3) navigation locks, the closure schedules are as follows: Bonneville (RM 146.1) – 0001 on 02 Mar 2026 to 2359 on 14 Mar 2026 The Dalles (RM 191.5) – 0001 on 01 Mar 2026 to 2359 on 21 Mar 2026 John Day (RM 215.6) – 0001 on 01 Mar 2026 to 2359 on 21 Mar 2026 For additional information regarding Bonneville, The Dalles and John Day lock maintenance closures, contact Portland District at (503) 808-4510. The Walla Walla District lock maintenance schedule is published separately – mariners can contact the Walla Walla District at (509) 527-7364.	Lat: 45° 36' 54" Lon: -121° 08' 21"

Boundary Pass

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Boundary Pass/General/Marine Events/Regatta (Race)	Marine Events	04 OCT 2025, 0700-1800. Sailing regatta circumnavigating Waldron Island via President Channel and Boundary Pass.	
Boundary Pass/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	Effective 14 Jul – 30 Nov 2025, the Enhancing Cetacean Habitat and Observation (ECHO) Program voluntary ship slowdown through Haro Strait and Boundary Pass is in effect for all inbound and outbound commercial and government vessels to reduce underwater noise for at-risk whales. If it is safe and operationally feasible to do so, commercial and government vessels are requested to not exceed the following speeds through the water: 11 knots – Bulk,ers, tankers, general cargo vessels, and government vessels; and, 14.5 knots – Vehicle carriers, cruise ships, and container vessels. This voluntary slowdown takes place between 48-24-22.78 N, 123-12-15.26 W, and 48°46'39.28"N 123°1'36.84"W. Speed transition zones are in place within the established traffic system at both approaches to the slowdown area. The north transition zone are those waters between north of Boat Pass, Saturna Island and Rosenfeld Rock and the south transition zone are those waters between buoy VH at the Victoria pilot station, and Sea Bird Point at the southeast corner of Discovery Island. There are also two optional slow down areas, one rounding turn point and the other between Turn point, Saturna Island and Alden Point, Patos Island. This initiative will remain in effect 24 hours per day until 2359 PDT on 30 Nov 2025, depending on southern resident killer whale presence in the fall. The ECHO Program is led by the Vancouver Fraser Port Authority in collaboration with government agencies, Indigenous communities, industry partners and environmental groups. For more detailed information, refer to the following internet web address: https://www.portvancouver.com/echo/	

Camas Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Camas Slough Range Front Light	11455	LT EXT/STRUCT DMGD	FD
Camas Slough Range Front Light	11455	LT EXT/STRUCT DMGD	FD

Cap Sante Waterway.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cap Sante Waterway Daybeacon 4	19005	STRUCT DMGD/TRUB	FD
Cap Sante Waterway Daybeacon 4	19005	STRUCT DMGD/TRUB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cap Sante Waterway Daybeacon 4	19005	TRUB	FD

Cape Horn

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Horn Range Front Light	11615	DBD DMGD	FD
Cape Horn Range Rear Light	11620	DAYMK MISSING	FD

Cascade Rapids

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cascade Rapids Upper Range Rear Light	11810	DAYMK IMCH	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Cascade Rapids Upper Range Front Light 15	11805	RELIGHTED	FD	2025-09-25

Chetco River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Chetco River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The Port of Brookings will be conducting dredging inside Basin 2 of Brookings Harbor starting on 01 October. Access to the dredging area will be restricted. For more information, contact Gary at the Port of Brookings at 541-373-0280 or gary@portofbrookingsharbor.com .	Lat: 42° 02' 41" Lon: -124° 15' 54"

Columbia

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	WSDOT will be painting and making repairs on the I-82 Highway Bridge (LLNR 12752) across the Columbia River at river mile 290.5. Construction will occur from 25 Sep 23 to 31 Oct 25, with working hours 24 hours a day, 7 days a week, Monday through Sunday. A containment system will be attached to the bridge 24-hours a day, 7 days per week. The containment structure for painting the existing steel portion below the deck will be installed and will reduce the vertical clearance by 10 feet, however, only half the bridge span will have containment at any given time. The I-82 Highway Bridge provides 85.0 feet of clearance at midspan. The containment system will prevent any falling debris once it is constructed. The traveler support system repairs will be above the bridge deck and all paint work will be underneath the bridge deck. Mariners are advised to use caution while transiting the area. For additional information, please contact Alex Sanguino at (509) 222-2403, email sanguia@wsdot.wa.gov, or Andres Mendoza at (509) 222-2440, email mendoza@wsdot.wa.gov.	Lat: 45° 55' 54" Lon: -119° 19' 43"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Lighting and Other Signals	Bridges	One of the pier lights on the SE end of the bridge is reported extinguished on the Paso-Kennnewick Highway Bridge (LLNR 13052.5) aka Blue Bridge.	Lat: 46° 13' 26" Lon: -119° 08' 10"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	The lift span of the Hood River Highway Bridge (BRDG UID 29951) (LLNR 11933) at Columbia River mile 169.8 is unable to open until further notice. The bridge lift span is experiencing mechanical failure. The Port of Hood River does not have an estimated time for repairs. The Hood River Highway Bridge provides 67 feet of vertical clearance with the lift span in the closed (down) position. Vessels able to safely pass under the bridge without a lift may do so at any time. For more information contact the Port of Hood River, Kevin M. Greenwood, at (541) 386-1138 or email kgreenwood@portofhoodriver.com.	Lat: 45° 43' 07" Lon: -121° 29' 41"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Lighting and Other Signals	Bridges	The Kalan Railroad Bridge, LLNR 13027, has been reported with navigational lighting extinguished.	Lat: 46° 10' 44" Lon: -119° 01' 03"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Lighting and Other Signals	Bridges	On the north channel span, 6 of the 14 Red Pier Lights are extinguished. Mariners should use caution when transiting at night.	Lat: 46° 12' 55" Lon: -123° 51' 43"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Advanced American Construction will be replacing the pile dikes located near Sand Island on the Columbia River RM 4 to 6.5 (Washington side of channel). The work includes pile driving, pile removal, and in water rock placement. The vessel Schweiger and Derrick Barge DB888 will be on station from approximately 16 Jun – 30 Nov 2025 working 0700 to 1730 Monday through Sunday. Onsite equipment will monitor VHF-FM channels 13 & 16 during working hours. During non-working hours, floating equipment will remain on station with steady white lights on all four corners. Mariners are requested to reduce speed and avoid work area. Please contact Travis Waggener at 541-912-9026 or email at travisw@callaac.com for additional information.	Lat: 46° 15' 28" Lon: -123° 58' 33"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	The 2025 seasonal operations are underway on the South Jetty Rehabilitation project for the Portland District U.S. Army Corps of Engineers. J.E. McAmis, Inc. is placing stone and continuing to move the jetty road forward, and equipment is working on or atop the jetty in an area with water on both sides of the jetty structure working west. For questions or additional information please contact the Project Manager, Aaron Anderson, at (503) 791-2161 or email AAnderson@jemcamis.com. More information may be found at the USACE Portland District web site: http://www.nwp.usace.army.mil/jetties/	Lat: 46° 14' 02" Lon: -124° 04' 25"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V ESSAYONS may be conducting dredging activities on the Columbia River on Tongue Point Channel, RM 18+20 to 21+10, between 30 Sep - 15 Oct, as a foul weather backup location. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 46° 13' 33" Lon: -123° 44' 21"

Columbia River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	WSDOT and Garco Construction will be replacing the decking and repairing piers and crossbeams of the I-90 Highway Bridge across the Columbia River at RM 420 at Vantage WA. Work will start on 4 Mar 2024 and is anticipated to be complete in Nov of 2027. Typical work schedule will be Monday – Friday, 0700 – 1730 with occasional night work. A containment system will be installed on the east span reducing the vertical navigation clearance by 10ft. With all construction projects there is a hazard of falling debris, the containment system is designed to prevent any debris from falling into the water. However, mariners are advised to use caution while transiting the area. For the initial phase the main navigation channel will not have containment installed and provides 73.5 feet of vertical navigation clearance at High Pool Elevation of 571.5 feet. Subsequent phases will have containment installed over the main navigation channel, and updates will be posted in future editions of the LNM. For additional information, contact Justin Ludwig at (208) 704-0122 and email JustinL@garco.com.	Lat: 46° 56' 32" Lon: -119° 58' 23"
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Other	Marine Events	11OCT25: 0600-1800. A fishing tournament will be taking place at the Boardman Marina and the John Day and McNary Pools. Fisherman will be launching out of Boardman Marina; approximately 10 recreational fishing vessels.	Lat: 45° 50' 45" Lon: -119° 42' 43"

Coos Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Guano Rock Lighted Whistle Buoy 4	8765	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Columbia River, Submerged Land Act (SLA) - Coos Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V YAQUINA may be conducting dredging activities in Coos Bay on the Jarvis Ranges (RM 05+43 to RM 08+00) and North Bend Turn (RM 09+05 to RM 10+10) from 09 - 30 Sep 2025. Disposal will be at ODMDS Site-F. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	
---	---	---	--

Coos River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Coos Bay - Coos River/General/Bridges/Temp Deviation	Bridges	Oregon Department of Transportation will be conducting painting rehabilitation work on the Chandler Bridge (LLNR 9125) from 0600 on 01 Aug to 2359 on 30 Nov 2025. The Chandler Bridge crosses the Coos River at waterway mile 2.2 near Eastside, OR. The draw will be available to open. Five feet of containment will be installed below the bridge reducing the vertical clearance to 21 feet above high water. For more information contact Sam Dunnivant at sam.k.dunnivant@odot.gov.	Lat: 43° 21' 58" Lon: -124° 09' 11"

Dabob Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hood Canal - Dabob Bay/General/Miscellaneous	Miscellaneous	The University of Washington, in coordination with the US Navy, has deployed an environmental research buoy in approximate location 47-41-32 N / 122-51-54 W, at the south end of Dabob Bay. The buoy will remain in place for one year until 25 Sep 2026. The buoy is yellow in color and lighted with a yellow flashing light, FL Y (5) 20s. For more information on this buoy, contact the Navy Range Control at (360) 396-2313.	Lat: 47° 41' 32" Lon: -122° 51' 54"

Depoe Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Depoe Bay Sound Signal	9790	SS INOP	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Depoe Bay Regulated Navigation Area Warning Sign	9805	WATCHING PROPERLY	FD	2025-09-18

Desdemona Sands

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Desdemona Sands/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V ESSAYONS may be conducting dredging activities on the Columbia River on Upper Desdemona Channel, RM 07+00 to 09+35, between 30 Sep - 14 Oct, as a foul weather backup location. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 46° 12' 46" Lon: -123° 57' 07"

Duwamish Waterway East

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elliott Bay - Duwamish Waterway East/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Pacific Pile & Marine will conduct marine construction activities for King County on the Duwamish Waterway from 01 Oct 2025 to 15 Feb 2026. The project will include Dredging, Material Placement, Debris Removal & Sheet Pile Driving between Duwamish River mile 3 to 4. Vessels on scene will include multiple construction and material barges and towing vessels Halle H, Gretchen H, Jennifer H, Big Eagle, Ginny H, Lois H, Carolyn J, Diane H, and Maia H. Work hours will be 0630 – 1700 on Monday – Friday. All vessels will monitor VHF-FM channel 16. There will be cautionary buoys and turbidity curtains around active work areas. Mariners are requested to reduce speed to 7 knots or less to minimize wake and keep at least 100 feet from all work areas. For more information, contact Matt Huston or Ben Nguyen at (206) 331-3873 or email MattH@pacificpile.com or benn@pacificpile.com.	Lat: 47° 32' 06" Lon: -122° 19' 25"

East Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - East Passage/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Redside Construction will be conducting marine construction and demolition activities at the Dockton Marina on Maury Island from 11 Aug – 15 Oct 2025. The work site is in approximate position 47-22-20, 122-27-17W, inside Quartermaster Harbor. Redside will have a 40ft x 100ft barge on scene. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For more information, please contact the project superintendent Jeremy Helser at cell (360) 250-4328 or Sam Berry at (206) 940-0564.	Lat: 47° 22' 20" Lon: -122° 27' 17"

Puget Sound - East Passage/General/Miscellaneous	Miscellaneous	Redside Construction will be conducting marine construction and demolition activities at the Dockton Marina on Maury Island from 11 Aug – 15 Oct 2025. The work site is in approximate position 47-22-20, 122-27-17W, inside Quartermaster Harbor. Redside will have a 40ft x 100ft barge on scene. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For more information, please contact the project superintendent Jeremy Helser at cell (360) 250-4328 or Sam Berry at (206) 940-0564.	Lat: 47° 22' 20" Lon: -122° 27' 17"
---	---------------	---	--

Ediz Hook

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ediz Hook Light	16280	LT EXT	FD

Elliott Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Elliott Bay/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation that governs the operating schedule for the 1st Avenue Bridge (LLNR 16887) across the Duwamish Waterway, mile 2.5, in Seattle, WA. This deviation authorizes the draws to not open to mariners during evening maintenance. The temporary draw closure will be from 1800 to 0600 from 21 Nov 2025 to 20 May 2026. The subject bridges provide 32 feet for 100 feet center span and 22 feet side spans of vertical clearance in the closed-to-navigation position above high water. No alternate route is available on the Duwamish Waterway. The bridges shall operate in accordance with 33 CFR §117.1041 at all other times. For more information on this event contact Garrett Hutton at (206) 440-4626 or garrett.hutton@wsdot.wa.gov.	Lat: 47° 32' 32" Lon: -122° 20' 04"
Puget Sound - Elliott Bay/General/Miscellaneous	Miscellaneous	The Port of Seattle will deploy hydrophones in Elliott Bay on 16 – 17 Jul 2025 for the purpose of collecting ambient underwater noise data. The hydrophones will be fully submerged and rest on the seafloor, and will be connected to shore stations via an ethernet cable. They will remain in place for two years, through 2027. One location is near Jack Block Park in approximate position 47.585935 N, 122.36836 W. The hydrophones will be deployed using Seattle Police boats. For more information on this project, contact Danielle Butsick at (206)-549-2945 or butsick.d@portseattle.org.	Lat: 47° 35' 09" Lon: -122° 22' 06"
Puget Sound - Elliott Bay/General/Miscellaneous	Miscellaneous	The Port of Seattle will deploy hydrophones in Elliott Bay on 16 – 17 Jul 2025 for the purpose of collecting ambient underwater noise data. The hydrophones will be fully submerged and rest on the seafloor, and will be connected to shore stations via an ethernet cable. They will remain in place for two years, through 2027. One location is near the Seattle Aquarium in approximate position 47.607123 N, 122.344051 W. The hydrophones will be deployed using Seattle Police boats. For more information on this project, contact Danielle Butsick at (206)-549-2945 or butsick.d@portseattle.org.	Lat: 47° 36' 26" Lon: -122° 20' 39"
Puget Sound - Elliott Bay/General/Miscellaneous	Miscellaneous	The Muckleshoot Tribe will conduct commercial gillnet fishing operations in catch area 10A (Elliott Bay east of a line drawn from Pier 91 to Duwamish Head Light (LLNR 16910)), and catch area 80B (the Duwamish River) on the following weekly basis: 0800 on Sunday 14 Sep to 1200 on Friday 19 Sep, 0800 on Sunday 21 Sep to 1200 on Friday 26 Sep, 0800 on Sunday 28 Sep to 1200 on Friday 04 Oct, and continuing this Sunday to Friday schedule until further notice. These fisheries may cause significant congestion on the waterway, and mariners are advised to use caution while transiting the area. For more information, contact Coast Guard Sector Puget Sound Waterways at (206) 217-6051 or the Muckleshoot Tribal Enforcement at (253) 876-2927.	

Franklin D Roosevelt Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Franklin D. Roosevelt Lake Light H	14190	LT EXT	FD

Garibaldi Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tillamook Bay - Garibaldi Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Trade West Construction is moving jetty material to a material offloading facility for use on the Tillamook Bay South Jetty repairs. Jetty stone will be transported from the Port of Garibaldi, approximate location 45-33-14 N, 123-54-54 W, to a Material Offload Facility on Kincheloe Point on the Bay Ocean Peninsula in approximate location 45-33-07 N, 123-56-09 W. The tugboat and support vessel involved in this operation will monitor VHF-FM channels 8 and 10. Mariners are asked to maintain at least 100 feet from all tug and barge operations. Please keep crab pots clear of the navigational channel leading into Crab Harbor. Pots obstructing barge movement will be respectfully relocated. Additionally, stone material will be transported and placed on the jetty. Mariners are strongly advised to keep a safe distance from the repair work on the jetty. This project is expected to continue into the Fall of 2025. For more information, contact Keyanee Faught at (435) 669-7976 or email keyanee@gmail.com.	

Grays Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grays Harbor South Reach Light 16	15635	DAYMK MISSING/STRUCT DMGD	FD
Grays Harbor South Reach Light 16	15635	DAYMK MISSING/STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Columbia River, Submerged Land Act (SLA) - Grays Harbor/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard will be testing a reduced sound intensity of Grays Harbor South Jetty Sound Signal (LLNR 15591) when the seasonal aid is commissioned on or about 01 Jun 2025. Mariners are encouraged to share comments on the impact of this change and the effectiveness of this aid to navigation once it is commissioned. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil.	Lat: 46° 54' 21" Lon: -124° 08' 47"
Sector Columbia River, Submerged Land Act (SLA) - Grays Harbor/General/Hazards To Navigation/Wrecks	Hazards To Navigation	Sunken pleasure craft - Mariners are advised that a sunken pleasure craft sank in the vicinity of the mouth of the Hoquiam River, North of Rennie Island. Mariners are encouraged to exercise caution and report any possible observations to the Sector Columbia River Command Center via CH-16 VHF-FM.	

Grays Harbor North Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Damon Point Light	15940	DAYMK MISSING/STRUCT DMGD	FD
Damon Point Light	15940	DAYMK MISSING/STRUCT DMGD	FD

HaroStrait

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Strait of Juan De Fuca - HaroStrait/General/Miscellaneous	Miscellaneous	The University of Washington will deploy Distributed Acoustic Sensor (DAS) cable and Hydrophone Array in Haro Strait off the western side of San Juan Island from 10 – 12 Oct 25 in order to monitor Southern Resident Killer Whale activity. The deployment will occur after current Tribal fishing activity. The R/V Rachel Carson will conduct the deployment of the array in approximate position 48-33-21.1 N, 123-11-06.2 W. The DAS Cable will run from San Juan Island west to point 48-33-22.97 N, 123-11-09.6 W and then south to the terminus at 48-32-53.77 N, 123-11-06.18 W. The R/V Rachel Carson can be hailed on VHF-FM channels 13 and 16. For more information on this project, contact Ryan Swanson at (206) 305-1747, or rswanson@esassoc.com.	

Hood Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Admiralty Inlet - Hood Canal/General/Miscellaneous	Miscellaneous	The University of Washington, in coordination with the US Navy, has deployed an environmental research buoy in approximate location 47-39-54 N / 122-52-25 W in Hood Canal at the entrance to Dabob Bay. The buoy will remain in place for one year until 25 Sep 2026. The buoy is yellow in color and lighted with a yellow flashing light, FL Y (5) 20s. For more information on this buoy, contact the Navy Range Control at (360) 396-2313.	Lat: 47° 39' 54" Lon: -122° 52' 26"

Lake Celilo

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Celilo Daybeacon 27	12230	STRUCT DMGD	FD
Lake Celilo Daybeacon 27	12230	STRUCT DMGD	FD
Lake Celilo Buoy 45	12360	MISSING	FD

Lake Umatilla

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Umatilla Light 50	12645	DAYMK IMCH/LT IMCH	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Lake Umatilla Light 9	12440	RELIGHTED	FD	2025-09-18

Lake Union

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shilshole Bay - Lake Union/General/Marine Events/Other	Marine Events	30 AUG 0900-1200, 13 SEP 0900-1200, 30 SEP 1700-2000, 26 OCT 1500-1800. Approximately 800 paddle-craft and small vessels gathering in 100 yd x 100yd area for on-water concert in Waterway 8 of Lake Union.	Lat: 47° 37' 55" Lon: -122° 19' 45"

Shilshole Bay - Lake Union/General/Marine Events/Other	Marine Events	13 SEP 2025, 0900-1200; 30 SEP 2025, 1700-2000; 26 OCT 2025, 1500-1800. On water concert for paddle craft on Lake Union near Kite Hill of Gas Works Park. Approximately 100-yard by 100-yard area.	Lat: 47° 38' 41" Lon: -122° 20' 14"
Shilshole Bay - Lake Union/General/Marine Events/Other	Marine Events	30 SEP 2025, 1700-2000; 26 OCT 2025, 1500-1800. On water concert for paddle craft on Lake Union near Lake Union Park. Approximately 100-yard by 100-yard area.	Lat: 47° 37' 39" Lon: -122° 20' 18"
Shilshole Bay - Lake Union/General/Marine Events/Regatta (Race)	Marine Events	05 OCT 2025, 0600-1500. Annual rowing regatta held on Lake Union in Seattle, WA. This regatta features a variety of boat classes, including Collegiate 2-, 4+, and 8+, allowing athletes to compete in multiple races across different categories. It is USRowing sanctioned and the racecourse spans 4,000 meters. Participants range from high school, collegiate, and masters rowers, with divisions for novice, adaptive, and open gender events. Crews launch from boathouse around the lake and spectators watch from Gas Works Park.	
Shilshole Bay - Lake Union/General/Miscellaneous	Miscellaneous	The Muckleshoot Tribe are conducting their commercial gillnet fishing operations in the Upper Ship Canal and Lake Union. Fishing operations in the Upper Ship Canal and Lake Union are authorized from a line straight across from the Ballard Oil Company to the east corner of the Maritime Industrial Center dock, east to a line running due south from Webster Point Light 21 (LLNR 18270). Fishing will occur on a weekly basis: 0800 on Sunday 14 Sep to 1200 on Friday 19 Sep, 0800 on Sunday 21 Sep to 1200 on Friday 26 Sep, 0800 on Sunday 28 Sep to 1200 on Friday 04 Oct, and continuing this Sunday to Friday schedule until further notice These fisheries are expected to cause congestion on the waterway, and mariners are advised to use caution while transiting the area. For more information, contact Coast Guard Sector Puget Sound Waterways Management at (206) 217-6051 or the Muckleshoot Tribal Enforcement at (253) 876-2927.	

Lake Washington

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Union Bay Reach - Lake Washington/General/Bridges/Maintenance	Bridges	WSDOT is a year into a multi-year project (ending late 2027) to maintain Pavement, Deck, Joints & Drainage Project on the Interstate 5 Highway Bridge (LLNR 18230) across the Lake Washington Ship Canal in Seattle, WA, at mile 4.2. The project has installed suspended scaffolding below the upper deck of the I-5 Highway Bridge. Mariners are advised that the scaffolding has reduced vertical navigation clearance by ~3 feet. Mariners are advised to use caution and pay attention to overhead work while transiting the area. For additional information, or to discuss the reduction of clearance, contact Mike Cummings at (206) 743-2140 or michael.cummings@atkn.com.	Lat: 47° 39' 11" Lon: -122° 19' 21"
Union Bay Reach - Lake Washington/General/Bridges/Construction	Bridges	Work on the I-405 Brickyard to 527 Improvement project will continue along the shore of the Sammamish River, directly east of the I-405/SR522 Interchange. Activities will include excavation near the water edge, pile removal, and large-scale bridge construction activities that will reduce overhead clearance in select areas. Work will continue the first new bridge beginning on March 17th, 2025, and will last through October 31st, 2025. Beginning in April 2025, overhead clearance will be temporarily reduced to 25', extending 7' from the North Bank of the Sammamish and 36' extending 7' from the South Bank of the Sammamish for a length of 85'. Beginning in May 2025, overhead clearance across the Sammamish will be permanently reduced to a minimum of 34.75' across the full width of the river. This work will be to set new precast girder elements across the Sammamish for the first of three new bridges. The typical work schedule is M-F, from 0700 to 1700. Work may occur on Saturdays, Sundays, and nights depending on the construction schedule. No work is to be performed in the water. For more information, contact The Construction Hotline at 425-354-3232 or email info@405Brickyard.com.	Lat: 47° 45' 24" Lon: -122° 11' 06"
Union Bay Reach - Lake Washington/General/Bridges/Construction	Bridges	The dates/times have changed for the construction project on the I-90 Highway Bridge (East Channel) (BRDG UID 31114) across Lake Washington. The revised work schedule will be from Sep 18 – Oct 5, 2025, and the work will be 24-hours per day seven days per week, but unforeseen delays could extend the completion date. Containment will be installed to protect for fall hazards to mariners, and the containment will not reduce the bridge's vertical clearance. For more information contact Nathan Walker at (253) 355-4403 or nathan@ceccantiinc.com.	Lat: 47° 34' 44" Lon: -122° 11' 59"
Union Bay Reach - Lake Washington/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation from the normal operating schedule that governs the Montlake Street Bridge across the Lake Washington Ship Canal, mile 5.2. The Montlake Street Bridge need not open the draw for marine vessels during heavy road traffic for the 2025 University of Washington football games on the following dates and times: September 27, 2025 – 0930 to 1300 and 1530 to 1800. October 10, 2025 – from 1500 to 1830 and from 2100 to 2330. October 25, 2025 – TBD. November 15, 2025 – TBD. November 29, 2025 – TBD. This deviation will allow the Montlake Bridge to remain in the closed-to-navigation position before and after each game. The Montlake Bridge in the closed-to-navigation position provides 30 feet of vertical clearance throughout the navigation channel, and 46 feet of vertical clearance throughout the center 60 feet of the bridge; vertical clearance references to the Mean Water Level of Lake Washington. Vessels which do not require a bridge opening may continue to transit beneath this bridge during the closure. The bridge will be required to open, if needed, for vessels engaged in emergency response operations during this closure period. The Coast Guard will publish any updates or changes to this operating schedule in future LNM publications once game times are announced. For more information on these events contact Colleen Kelly at kellyc@wsdot.wa.gov.	Lat: 47° 38' 50" Lon: -122° 18' 17"
Union Bay Reach - Lake Washington/General/Marine Events/Regatta (Race)	Marine Events	11 OCT 2025, 1000-1500. Rowing race on Lake Washington which circumnavigates Mercer Island.	
Union Bay Reach - Lake Washington/General/Miscellaneous	Miscellaneous	The Muckleshoot Tribe are conducting their commercial Coho gillnet fishing operations in Lake Washington, north of the 520 Highway Bridge. Fishing will occur on a weekly basis: 0800 on Sunday 21 Sep to 1200 on Friday 26 Sep, 0800 on Sunday 28 Sep to 1200 on Friday 04 Oct, and continuing this Sunday to Friday schedule until further notice These fisheries are expected to cause congestion on the waterway, and mariners are advised to use caution while transiting the area. For more information, contact Coast Guard Sector Puget Sound Waterways Management at (206) 217-6051 or the Muckleshoot Tribal Enforcement at (253) 876-2927.	

Little Goose Reservoir

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Little Goose Reservoir Light 23	13805	WATCHING PROPERLY	FD	2025-09-23

Lopez Sound

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Buckeye Shoal Lighted Bell Buoy 14	19485	RELIGHTED	FD	2025-09-23

Lower Monumental

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Snake - Lower Monumental/General/Bridges/Lighting and Other Signals	Bridges	THE NAVIGATIONAL LIGHTING ON THE JOSO RAILROAD BRIDGE (LLNR 13607) HAS BEEN REPORTED EXTINGUISHED.	Lat: 46° 35' 36" Lon: -118° 13' 43"
Snake - Lower Monumental/General/Bridges/Lighting and Other Signals	Bridges	THE NAVIGATIONAL LIGHTING ON THE LYONS FERRY HIGHWAY BRIDGE (LLNR 13612) HAS BEEN REPORTED EXTINGUISHED.	Lat: 46° 35' 25" Lon: -118° 13' 10"

Martin Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Martin Island Bluff Lighted Buoy 60	10965	LT EXT	FD
Martin Island Dike Light 63	10975	LT EXT/DAYMK MISSING/STRUCT DMGD	FD

Multnomah Falls

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Multnomah Falls Bar Range Rear Light	11670	Status Unreported	FD

North Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sand Island Lower Dike Light 1	14610	DAYMK MISSING/STRUCT DMGD	FD
Sand Island Lower Dike Light 1	14610	DAYMK MISSING/STRUCT DMGD	FD
Chinook Dike Light 7	14625	DAYMK MISSING	FD

Port Angeles

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ediz Hook - Port Angeles/General/Marine Events/Regatta (Race)	Marine Events	19 OCT 2025, 1000-1500. Rowing regatta in Port Angeles Harbor. The 12 km participants start near Hollywood Beach, proceed east toward Rayonier Beach Buoy A, north to round Buoy B, west to the permanent "Apollo 11" buoy that holds the southwest corner of a log boom, then proceed north to the opening between the Ediz Hook beach and the log boom. The next mark will be another large yellow buoy like Buoys A and C. It will be near a large radio tower. After rounding the Radio Tower Mark, competitors will head back to Buoy A, rounding it to starboard, and then to the finish line. The 5 km course starts just off of Hollywood Beach, proceeds counterclockwise around Buoys A, B, and C, leaving them all to port, then proceeding back to Buoy A, rounding it to starboard and then back to Hollywood Beach and the finish line.	

Port Madison And Port Orchard

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Port Madison And Port Orchard/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	The Naval Undersea Warfare Center (NUWC) at Keyport, WA is continuing operations in vicinity of NUWC between University Point, the Brownsville Marina and Keyport through 23 Dec 2025. Operations will normally be conducted Monday through Friday during daylight hours. Operations will involve semisubmersible and submersible vehicles escorted by a small naval craft with a flashing red light. The small craft will monitor VHF-FM channels 12 and 16. The call sign for the small craft will be "Keyport Range Control". All craft transiting the area are requested to exercise caution and maintain a sharp lookout for possible semi-submerged vehicles while the range is in operation. Questions can be directed to Keyport Range Control on VHF-FM channels 12 and 16 or by contacting the Pacific Northwest Range Management and Ops Division, Range Control Branch, at (360) 396-2313.	

Possession Sound

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
-------	-------------	-------------	----------

Puget Sound - Possession Sound/General/Marine Events/Regatta (Race)	Marine Events	27 SEP - 22 NOV 2025, Saturdays biweekly, 1200-1530. Biweekly sailing regatta around Possession Sound.	
---	---------------	--	--

Puget Sound

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Edmonds Fishing Reef Buoys (2)	16720	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Admiralty Inlet - Puget Sound/General/Marine Events/Fireworks	Marine Events	04 JUL 2025, 2100-2300. Fireworks display launched from barge in Quartermaster Harbor. Observe a 450-yard radius safety zone around launch platform at position 47.39865 N, 122.44959 W.	Lat: 47° 23' 55" Lon: -122° 26' 59"
Admiralty Inlet - Puget Sound/General/Miscellaneous	Miscellaneous	NOAA's Pacific Marine Environmental Laboratory has placed a lighted research buoy in the Puget Sound approximately 1.5 nm north of Meadow Point in position 47-43-17.3 N, 122-23-56.4 W. The buoy is yellow, 4' across, and marked with a flashing amber four second light.	Lat: 47° 43' 17" Lon: -122° 23' 56"
Admiralty Inlet - Puget Sound/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	The Quiet Sound voluntary commercial vessel slowdown in Admiralty Inlet aims to reduce underwater noise in known Southern Resident killer whale feeding areas. The 2025-26 slowdown will begin at 0001 PST on 14 Sep 2025 and will remain in effect 24 hours per day until 2359 PST on 11 Jan 2026. More information can be found at: https://quietsound.org/admiralty-inlet-slowdown . When in effect, the slowdown requests all inbound and outbound commercial vessels transiting through the slowdown zone not exceed the following speeds through water when safe and operationally feasible: 10 knots – Tugs (when running light, i.e. not towing, pushing or responding to an emergency) 11 knots – Bulkers and tankers 14.5 knots – Vehicle carriers, cruise ships, and container vessels. The voluntary vessel slowdown takes place in the inbound and outbound lanes of the shipping lanes within these boundaries: Northwest: a line drawn from Pt Hudson (48-07-02.150N, 122-44-56.065W) to Admiralty Head (48-09-15.181N, 122-40-46.211W) Northeast: a line drawn from Randall Pt (47-58-59.653N, 122-21-10.336W) to Mukilteo Light (47-56-53.452N, 122-18-28.955W) South: a line drawn from Apple Cove Pt (47-48-55.926N, 122-28.51.186W) to Edwards Pt (47-48-12.024N, 122-23-41.726W) Note that the slowdown area excludes Hood Canal, and speed transition zones are in place about 5 nautical miles prior to entering the slowdown area. As an additional noise pollution reduction effort, commercial vessels are also requested to turn off ultrasonic anti-fouling systems while in the specified area as those systems occupy frequencies that killer whales use to hunt and communicate. Any directions from Vessel Traffic Service Puget Sound take precedence and supersede these measures. The voluntary slowdown is led by the Quiet Sound program at Washington Maritime Blue, in cooperation with government agencies, tribal governments, industry partners and conservation groups. For more detailed information related to this slowdown and the Quiet Sound program, including a map of the slowdown area, please refer to the following web address: https://quietsound.org/admiralty-inlet-slowdown .	

Quillayute River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Pudget Sound, Submerged Land Act (SLA) - Quillayute River/General/Hazards To Navigation/Obstructions	Hazards To Navigation	There is a large, submerged log stuck in Quillayute River navigational channel approximately 100 yards downriver of the Quileute Marina entrance. The log may be marked with an orange or red float. Mariners should use extreme caution.	Lat: 47° 54' 35" Lon: -124° 38' 21"

Rich Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Rich Passage/General/Marine Events/Regatta (Race)	Marine Events	04 OCT 2025, 0900-1400. Predicted navigation race from Sinclair Inlet, north to Illahee, out Rich Passage and back to Point White.	

SalmonBay.

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shilshole Bay - SalmonBay/General/Miscellaneous	Miscellaneous	The Hiram M. Chittenden (Ballard) Locks will close the large lock chamber for annual maintenance, scheduled November 10, 2025 to November 26, 2025. Marine traffic will be able to use the Auxiliary (small) Lock chamber for navigation, subject to vessel LOA - less than 110 feet, beam – 26 feet or less and draft no greater than 14 feet. For all the information on the locks operations and maintenance, visit https://www.nws.usace.army.mil/Missions/Civil-Works/Locks-and-Dams/Chittenden-Locks/Closures/	Lat: 47° 39' 56" Lon: -122° 23' 49"
Shilshole Bay - SalmonBay/General/Miscellaneous	Miscellaneous	U.S. Army Corps of Engineers officials are taking proactive steps to conserve water during this year's unprecedented drought conditions. Current projections indicate lake levels could fall below 20 feet as early as August due to exceptionally low water inflows with further declines expected into September and/or October. One of the most immediate operational changes impacts recreational boaters. To maximize lockage efficiency and reduce water loss, the Corps is increasing the number of vessels per lockage cycle. As a result, recreational vessels may experience delays of up to one hour as lock operators wait to group additional boats together or pair them with commercial vessels. For specific questions, mariners may contact the lockmasters at (206) 297-9821.	Lat: 47° 39' 56" Lon: -122° 23' 50"

Shilshole Bay - SalmonBay/General/Miscellaneous	Miscellaneous	The Hiram M. Chittenden Locks will close the large lock chamber to conduct annual maintenance from 0600 on 03 Nov – 1600 on 24 Nov 2025. Marine traffic will continue to use the Auxiliary (small) lock chamber. Further information is posted on USACE website: https://www.nws.usace.army.mil/Missions/Civil-Works/Locks-and-Dams/Chittenden-Locks/Closures/ . Mariners can also call the Lockmaster at (206) 297-9745.	Lat: 47° 39' 56" Lon: -122° 23' 47"
--	---------------	---	--

Sector Columbia River, Exclusive Economic Zone (EEZ).

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
NOAA Environmental Lighted Buoy 46002	765.1	Status Unreported	FD
DART Tsunami Warning Lighted Buoy 46407	765.2	MISSING	FD
DART Tsunami Warning Lighted Buoy 46404	765.4	ADRIFT	FD

Sector Columbia River, Submerged Land Act (SLA).

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
OSU Cape Arago Research Lighted Buoy	612	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Territorial Sea - Sector Columbia River, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V BAYPORT will be conducting dredging activities on the Columbia River Entrance, RM -02-20 – 02+00, between 18 Aug - 15 Oct 2025. Mariners should transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. BAYPORT monitors channels 13, 16 and 66 and may be assisted by M/V John M and M/V Aggie. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 46° 15' 22" Lon: -124° 04' 17"
Sector Columbia River, Territorial Sea - Sector Columbia River, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V ESSAYONS will be conducting dredging activities on the Columbia River Entrance, RM -02-00 to 02+00, between 30 Sep - 15 Oct. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 46° 14' 34" Lon: -124° 05' 58"
Sector Columbia River, Territorial Sea - Sector Columbia River, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	PacWave has removed the Ocean Sentinel Research Buoy (MMSI: 33813021) from the PacWave North Test Site, located approximately 2.5 nautical miles WNW of Yaquina Head. The buoy was previously moored using a multi-point anchor spread. While the Ocean Sentinel has been removed, four mooring lines remain in place. Each single-point mooring line is now individually marked with a 40-inch spherical steel surface float. Three of the floats are painted yellow and one is painted orange. Mariners are advised that these surface floats mark the positions of subsurface mooring lines and anchors, which are distributed within an approximately 400-yard diameter area. Mariners are requested to maintain a minimum 500-yard separation from the float field and use caution when operating in the area. The approximate anchor positions are as follows: North Anchor: 44° 41.472'N, 124° 08.099'W West Anchor: 44° 41.393'N, 124° 08.209'W Southwest Anchor: 44° 41.306'N, 124° 08.123'W Southeast Anchor: 44° 41.305'N, 124° 08.075'W East Anchor: 44° 41.389'N, 124° 08.022'W These moorings will remain in place until fall 2025. For additional information, contact brett.hembrough@oregonstate.edu or 541-737-9023.	Lat: 44° 41' 23" Lon: -124° 08' 07"

Sector Columbia River, Territorial Sea

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Exclusive Economic Zone (EEZ) - Sector Columbia River, Territorial Sea/General/Miscellaneous	Miscellaneous	Oregon State University – PacWave has deployed a network of site monitoring equipment throughout the PacWave South wave energy test site, approximate 7 NM WSW of Yaquina Bay Entrance. The equipment will be in place from Dec 2024 through Dec 2025. The study consists of up to 12 surface buoys and 2 seafloor mounted instruments. Some of the buoys are low profile and may be difficult to see in elevated sea states. All buoys have a yellow hull and are lighted with flashing amber lights. Mariners are requested to avoid the test site if possible and/or use caution when navigating or operating in the vicinity. For additional information contact brett.hembrough@oregonstate.edu or (541) 737-9023. If there is an emergency or concerns regarding this equipment, please call PACWAVE's 24/7 Watch Desk at 541-819-4096	

Sector Puget Sound, Submerged Land Act (SLA).

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Pudget Sound, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Olympic Coast National Marine Sanctuary will be conducting oceanographic research between Makah Bay and Cape Elizabeth from 05 May – 01 Oct 2025. The R/V Storm Petrel will have deployed 10 moorings with surface expressions and 2 subsurface moorings by 16 May at the locations listed below. For the 10 moorings with surface expressions, the gear consists of a 12-inch low-drag surface float (Polyform LD-2) with an 18-foot-long aluminum halibut pole with radar reflector and an 8-meter-long Amsteel line attached to sub-surface gear. Two subsurface moorings have been deployed as of 06May2025. OC-02 is an acoustic mooring deployed at a depth of 94 meters with a height off bottom of 6.2 meters. PPS is an environmental DNA collection mooring deployed at a depth of 42 meters with a height off bottom of 15 meters. For additional information, please contact the Vessel Operations Coordinator, LTJG Jack Gerrior, at (781) 217-1696. SURFACE MOORINGS Site Latitude Longitude MB015 48-19-31.380N 124-40-36.600W MB042 48-19-26.280N 124-44-7.380W CA015 48-9-58.680N 124-45-24.600W CA042 48-9-57.660N 124-49-24.120W TH015 47-52-34.020N 124-37-10.080W TH042 47-52-34.140N 124-44-0.300W KL015 47-36-3.000N 124-25-42.240W KL027 47-35-40.440N 124-29-49.440W CE015 47-21-24.420N 124-20-53.280W CE042 47-21-11.280N 124-29-19.440W SUB-SURFACE MOORINGS OC-02 48-29-04.000N 125-00-00.0W PP 47-52-34.140N 124-44-00.0W	

Shilshole Bay.

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	10 AUG - 26 OCT 2025, 1200-1500 every other Sunday. Sailing races between Scatchet Head and Meadow Point.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	11/15/2025, 12/13/2025, 1/10/2026, 2/21/2026, 3/21/2026, 1100-1700. Sailing regatta in Shilshole Bay between Richmond Beach and Tyee Shoal.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	24-26 OCT 2025, 1100-1800 each day. Three days of sailing races in Shilshole Bay and Puget Sound between Point Jefferson and Alki Point.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025 1000-1700. Sailing regatta starting near Shilshole Bay Marina and racing around Shilshole Bay. The long course is 21.897 NM, the medium course is 14.763 NM and the short course is 10.724 NM.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	11-12 OCT 2025, 1000-1600 each day. 2 day buoy regatta in the vicinity of Shilshole Bay, East of all shipping lanes with race courses set between West Point and Richmond beach.	

SinclairInlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Rich Passage - SinclairInlet/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025, 1000-1800. Sailing regatta in Sinclair Inlet.	

Skagit Bay.

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
DeceptionPass - Skagit Bay/General/Bridges/Lighting and Other Signals	Bridges	The SR 536 Division Street Bridge (LLNR 18783) on the Skagit River mile 12.5, has been reported with all navigation lights extinguished.	Lat: 48° 25' 17" Lon: -122° 20' 23"

Snake River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Wallula - Snake River/General/Bridges/Lighting and Other Signals	Bridges	The navigational lighting panel for the East Pasco Railroad Bridge (LLNR 13112) (BRDG UID 30020) crossing the Snake River at RM 1.5, between Burbank, WA, has recently been upgraded and is now illuminated. The light panel is physically at RM 2.2 on the north bank, upriver side under the SR-12 Highway Bridge. The light panel was constructed upriver of the East Pasco Railroad Bridge to aid mariners with the draw position while approaching down river bound after making a turn toward the bridge. The bridge panel operates in accordance with 33 CFR § 117.1058; for the exact lighting scheme and operations of the bridge draw, please use this link (https://www.ecfr.gov/current/title-33/section-117.1058). This light panel has been extinguished for a few years and mariners requiring the draw to open for passage under the bridge are encouraged to review the operation rule.	Lat: 46° 12' 24" Lon: -119° 01' 48"
Lake Wallula - Snake River/General/Miscellaneous	Miscellaneous	The USACE Walla Walla District has scheduled the annual navigation lock maintenance closure for 2026. During this time, the Locks and Dams on the Columbia and Snake Rivers have scheduled routine inspections and maintenance, as well as some non-routine work. For the five (5) navigation locks in the Walla Walla District, the closure schedules are as follows: McNary (RM 292) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Ice Harbor (RM 9.7) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Lower Monumental (RM 41.6) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Little Goose (RM 70.3) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Lower Granite (RM 107.3) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 For additional information regarding McNary, Ice Harbor, Lower Monumental, Little Goose and Lower Granite lock maintenance closures, contact Walla Walla District, Operations Division, at (509) 527-7364. The Portland District lock maintenance schedule is published separately – mariners can contact Portland District at (503) 808-4510.	Lat: 46° 15' 04" Lon: -118° 52' 53"

Snohomish River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Navsta Pier Light A	18540	LT IMCH	PA
Navsta Pier Light B	18541	LT IMCH	PA
Port Of Everett Jetty Island Light C	18549	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Possession Sound - Snohomish River/General/Bridges/Construction	Bridges	Burlington Northern Santa Fe Railway Company will be staging material and vessels to begin pre-construction activities on the BNSF Bridge 37.0 (LLNR 18591.1) crossing Snohomish River at mile 3.5, near Everett, WA. BNSF Railway will be removing and constructing the north fender of Bridge 37.0 on 15 Oct 2025 and completing the bridge work on 31 Dec 2025. The working hours will be 0700 – 1700 daily. The draw will continue to operate per 33 CFR 117.1059 during the construction efforts. Vessels are requested to transit the bridge area at lowest speed with no wake. Tug and barge vessels may be in the area as support vessels. Please check the Local Notice to Mariners for construction schedule changes. Alternate routes are via Ebey Slough and Steamboat Slough. For additional information contact Matt Wells at (253) 405-6074.	Lat: 48° 01' 01" Lon: -122° 11' 21"

Spokane River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Franklin D Roosevelt Lake - Spokane River/General/Bridges/Public Notice	Bridges	The U.S. Coast Guard has issued a Public Notice (PN-03-25) and is soliciting for comments exclusively related to navigation of a proposed replacement of the US-2 Bridge, across the Priest River at river mile 0.4, in Priest River, ID. Maritime transportation system stakeholders (vessels and facilities) are highly encouraged to carefully review this notice and provide comments regarding the proposed bridge's ability to meet the needs of navigation, including mariner requirements for horizontal navigation clearances and vertical navigation clearances. The Coast Guard is particularly interested in receiving comments from maritime stakeholders with current and or future vertical navigation clearance requirements of greater than 9.0 feet. The Public Notice can be found at the following link: https://www.navcen.uscg.gov/bridge-notice . Comments will be received for the record at the office of: Commander (dpw), Northwest Coast Guard District, 915 2nd Ave, Rm 3510, Seattle, WA, or via email at D13-SMB-D13BRIDGES@uscg.mil. Comments should be sent to arrive on or before 16 Oct 2025.	Lat: 48° 10' 50" Lon: -116° 53' 38"

Strait Of Georgia

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Birch Bay Mooring Basin Light 2	19912	DAYMK IMCH	PA
Birch Bay Mooring Basin Daybeacon 3	19913	DAYMK IMCH	PA
Birch Bay Mooring Basin Daybeacon 4	19914	DAYMK IMCH	PA

Strait of Juan De Fuca

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Puget Sound, Submerged Land Act (SLA) - Strait of Juan De Fuca/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	The NAS Whidbey Island Small Arms Safety Range located off the western shore of Whidbey Island will be active on the following schedule: 23 SEP 25 0800 to 2300 24 SEP 25 0800 to 1500 25 SEP 25 0800 to 1500 26 SEP 25 0800 to 1500 29 SEP 25 0800 to 1500 02 OCT 25 0800 to 1500 03 OCT 25 0800 to 1500 Red flashing lights (at nighttime) mark the onshore Northern and southern firing boundaries out to 2000 yards from the shoreline during live fire operations. For more information contact the Safety Officer at 360-257-3825 or VHF-FM channel 82A (1082).	
Sector Pudget Sound, Submerged Land Act (SLA) - StraitofJuanDeFuca/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	As of 01 Jun 2025, the Enhancing Cetacean Habitat and Observation (ECHO) Program voluntary route alteration is in effect for all tugs transiting the Canadian inshore area of the Strait of Juan de Fuca. If it is safe and operationally feasible to do so, tugs are requested to move south of the known killer whale feeding area and navigate either through the outbound shipping lane or the inbound route alteration zone, while maintaining a buffer distance of 1,000 meters from the Traffic Separation Scheme. The inbound route alteration zone is 1,500 meters wide and occurs in the area between 123-52-21.192 W, 48-18-37.332 N and 124-31-33.378 W, 48-28-53.316 N. The ECHO Program voluntary route alteration initiative aims to reduce underwater noise in known southern resident killer whale feeding areas along the northern edge of the Strait of Juan de Fuca. This initiative will remain in effect 24 hours a day through 30 Nov 2025. For more detailed information related to the ECHO program, visit the following internet address: https://www.portvancouver.com/environment/healthy-ecosystem/echo .	
Sector Pudget Sound, Submerged Land Act (SLA) - StraitofJuanDeFuca/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	Effective 01 Jun 2025, the Enhancing Cetacean Habitat and Observation (ECHO) Program voluntary ship slowdown in the vicinity of Swiftsure Bank is in effect for all inbound and outbound commercial and government vessels. If it is safe and operationally feasible to do so, commercial and government vessels are requested to not exceed the following speeds through the water: 11 knots – Bulklers, tankers, general cargo vessels, and government vessels; and, 14.5 knots – Vehicle carriers, cruise ships, and container vessels. The voluntary ship slowdown includes an area beginning 5 NM prior to entering the Traffic Separation Scheme on the western and southwestern entrance, until the 124-40-00 W longitudinal line (radio call in point 1). Speed transition zones are in place about 5 nautical miles prior to entering the slowdown area. The ECHO Program ship slowdown at Swiftsure Bank aims to reduce underwater noise in known southern resident killer whale feeding areas. This initiative will remain in effect 24 hours per day until 2359 PDT on 31 Oct 2025. The voluntary slowdowns at Swiftsure Bank and in Haro Strait and Boundary Pass are led by the Vancouver Fraser Port Authority's ECHO (Enhancing Cetacean Habitat and Observation) program, in cooperation with government agencies, Indigenous communities, industry partners and environmental groups. For more detailed information related to this slowdown and the ECHO program, refer to the following internet address: https://www.portvancouver.com/environment/healthy-ecosystem/echo .	

Tacoma Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025, 0930-1500. Starting line to be placed in the vicinity of Browns Pt. Lighthouse. Fleet will proceed west toward Neill Pt. (47 19.706' N 122 29.475' W) located at the South End of Vashon Island. After rounding temporary buoy at Neill Pt. fleet will proceed to finish line located at entrance of Thea Foss Waterway. Race has 5 hour time limit.	
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	04 OCT 2025, 0900-1600. Sailboat race around the waters within Commencement Bay routing boats around temporary inflatable tetrahedron race marks.	
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025, 0800-1400. Outrigger paddle races in Commencement Bay between Jack Hyde Park and Cummings Park. Racers expected to remain within 250 feet of shoreline.	

The Narrows

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Nantasket Roads Southern Approach - The Narrows/General/Marine Events/Regatta (Race)	Marine Events	11 OCT 2025, 1300-1700. Open water human powered craft: Paddlers experienced with tides and open water conditions. Start and finish outside the entrance of Gig Harbor (Private dock across from Lighthouse). Paddle south towards the Narrows Bridge with buoy turn returning to start/finish line. Three course lengths: 12 miles - Pt. Fosdick and return. 6 miles - Pt Evans and return. 3 miles - along shoreline and return. Race start times: 12 mile 13:00; 6 mile 13:05; 3 mile 13:10. Courses swept and cleared by 16:30.	
--	---------------	---	--

Tillamook Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Tillamook Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Trade West Construction is moving jetty material to a material offloading facility for use on the Tillamook Bay South Jetty repairs. Jetty stone will be transported from the Port of Garibaldi, approximate location 45-33-14 N, 123-54-54 W, to a Material Offload Facility on Kincheloe Point on the Bay Ocean Peninsula in approximate location 45-33-07 N, 123-56-09 W. The tugboat and support vessel involved in this operation will monitor VHF-FM channels 8 and 10. Mariners are asked to maintain at least 100 feet from all tug and barge operations. Please keep crab pots clear of the navigational channel leading into Crab Harbor. Pots obstructing barge movement will be respectfully relocated. Additionally, stone material will be transported and placed on the jetty. Mariners are strongly advised to keep a safe distance from the repair work on the jetty. This project is expected to continue into the Fall of 2025. For more information, contact Keyanee Faught at (435) 669-7976 or email keyaneeef@gmail.com.	

Umpqua River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Leeds Island Range Front Light	9346	LT EXT	FD
Leeds Island Range Front Light	9346	LT EXT	FD

Union Bay Reach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Union Bay Reach Buoy 18	18260	DAYMK IMCH	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Union - Union Bay Reach/General/Marine Events/Other	Marine Events	30 SEP 2025, 1700-2000; 26 OCT 2025, 1500-1800. On water concert for paddle craft on Union Bay. Approximately 100-yard by 100-yard area.	Lat: 47° 39' 03" Lon: -122° 17' 33"

Vancouver

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lower Vancouver Anchorage Lighted Buoy V	11207	BUOY DMGD/LT IMCH	PA

Vancouver To Bonneville

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Vancouver To Bonneville/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	HME Construction will conduct pile driving operations at the Port of Vancouver’s Terminal 1 dock replacement from 29 Sep 2025 through 28 Feb 2026. Work is expected to occur Mon – Sat, 0700 – 1700 daily at approximate location 45-37-17 N, 122-40-31 W. The tug Husky and the crane barge 2250 will be on scene and monitoring VHF-FM channels 13, 14 and 67. Mariners are asked to reduce wake due to crane and manlift operations. For more information, contact Gabe Andre at (360) 607-8283.	Lat: 45° 37' 17" Lon: -122° 40' 31"
North Portland Harbor - Vancouver To Bonneville/General/Miscellaneous	Miscellaneous	David Evans and Associates will be conducting hydrographic surveys in support of NOAA on the Columbia and Willamette Rivers through February 2026. From 16 Sep – 15 Oct, operations will occur between Knapp Landing (RM 95) and the Bonneville Dam (RM 145). Survey vessels BRENNAN, SEAHAWK, and BROUGHTON will operate daily during daylight hours, seven days per week. All vessels will be equipped with AIS and will monitor VHF channels 13 and 16. For more information, contact Jason Creech at (804) 806-4440 or jasc@deainc.com.	Lat: 45° 35' 60" Lon: -122° 35' 02"

Warrendale

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Warrendale Lower Range Rear Light	11720	LT EXT	FD

Westport

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Westport Dike Light 58	10475	LT EXT/STRUCT DMGD	FD
Westport Dike Light 58	10475	LT EXT/STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Westport/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The Dredge Oregon will perform maintenance dredging on the Columbia River at the Puget Island Sump near Driscoll Range, at RM 44 from 15 Sep - 18 Oct 2025. Dredge Oregon, along with workboats Clackamas, Ivanhoff, and Williams monitor VHF 13 and 16. Mariners are requested to contact the dredge to make passing arrangements and proceed with minimum wake. Dredge personnel may also be reached by phone at (503) 369-1505 or (503) 789-7238.	Lat: 46° 08' 43" Lon: -123° 21' 51"

Willamette River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stevens Point Buoy 5	14990	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Willamette River/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation to the operating schedule that governs the Broadway Bridge (LLNR 14955.2), river mile 11.7 across the Willamette River at Portland, OR. This deviation accommodates repairs and scheduled maintenance. This deviation authorizes the subject bridge to operate in single leaf mode from 0001 on 13 Oct 2025 until 1800 on 11 Apr 2026. During single leaf mode (one half opening), tug assists will be available to river users upon a four-hour advanced request, via the Hawthorne Bridge, to help them pass through the draw. The Broadway Bridge provides 69 feet of vertical clearance; however, seven feet of containment will be installed below the draw and the vertical clearance will be reduced to 62 feet in the closed-to-navigation position. The horizontal clearance of the Broadway Bridge is 250 feet; when in single leaf, the horizontal clearance will be 110 feet. The vertical clearance is referenced above Columbia River Datum 0.0. Vessels which do not require a bridge opening may continue to transit beneath the bridge during this closure time. The bridge will not be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. For more information contact Mark Knieriem at (971) 269-7997 or Mark@ott-sakai.com.	Lat: 45° 31' 55" Lon: -122° 40' 27"
Columbia River - Willamette River/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation to the operating schedule that governs the Broadway Bridge (LLNR 14955.2), mile 11.7, Burnside Bridge (LLNR 14955.4), mile 12.4, and the Morrison Bridge (LLNR 14955.5), mile 12.8, crossing the Willamette River at Portland, Oregon. This deviation is necessary to accommodate the Portland Marathon Run event. This deviation allows the three subject bridges to remain in the closed-to-navigation position to allow safe and timely movement of event participants from 0630 until 1400 on 05 OCT 2025. The vertical clearances for these bridges in the closed-to-navigation position are: 90 feet for the Broadway Bridge, 64 feet for the Burnside Bridge and 69 feet for the Morrison Bridge (all clearances are referenced to the vertical clearance above Columbia River Datum 0.0.) Vessels which do not require a bridge opening may continue to transit beneath these bridges during this closure period. The bridges will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the effective period of this temporary deviation. For additional information contact Matt Studer at matt.d.studer@multco.us.	Lat: 45° 31' 23" Lon: -122° 40' 04"

Yaquina Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Yaquina Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V YAQUINA may be conducting dredging activities at the Yaquina Bay Entrance (RM 00-50 to RM 00+40) and Harbor (RM 01+10 to 02+20 from 30 Sep - 15 Oct 2025. Disposal will be at YBOS(N) & YBOS(S). USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 44° 36' 36" Lon: -124° 04' 56"
Sector Columbia River, Submerged Land Act (SLA) - Yaquina Bay/General/Miscellaneous	Miscellaneous	NOAA's National Ocean Service (NOS) Center for Operational Oceanographic Products and Services (CO-OPS) will be temporarily deploying oceanographic equipment in the waters of Yaquina Bay and River beginning on 28 May 2025. The stations will be occupied through 28 August 2025 at which time all equipment, including the moorings and anchors, are intended to be recovered. Two current measuring surface buoys will be deployed that have yellow surface hulls: 44-37-18.59 N, 124-03-33.30 W, west of the US 101 bridge 44-37-19.88 N, 124-01-50.81 W, near turning basin Bottom mounted stations will not have any presence on the surface, however most equipment is not trawl-resistant and may cause damage to fishing gear: 44-36-00.50 N, 124-00-40.79 W, north of Welser Point 44-36-01.80 N, 123-56-30.12 W, one mile below Toledo If equipment is brought to the surface, please notify NOAA by calling 1-800-FOR-NOAA (367-6622). For more information contact the NOAA CO-OPS Project Lead: Katie Kirk (katie.kirk@noaa.gov).	Lat: 44° 37' 18" Lon: -124° 03' 33"