Local Notice to Mariners for District 13 10/08/2025

Aberdeen

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Grays Harbor - Aberdeen/General/Bridges/Public Notice	5		-123° 48' 19"

Astoria

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tansy Point - Astoria/General/Marine	Marine	The M/V BAYPORT may be conducting dredging activities on the Columbia River at Upper Sands, RM 14+15 to 17+20, during times	Lat:
Construction (Excluding	Construction	of bad weather at the MCR, through 10 Oct 2025. Mariners should transit at their slowest safe speed to minimize wake when in the	46° 12' 19"
Bridges)/Dredging	(Excluding Bridges)	vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. BAYPORT	Lon:
		monitors channels 13, 16 and 66 and may be assisted by M/V John M and M/V Aggie. Vessel(s) and/or equipment may encroach	-123° 47'
		into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site	60"
		conditions, such as gill net fishing, weather and other factors.	
Tansy Point - Astoria/General/Marine	Marine	Bergerson Construction, Inc. will continue pier repair operations at Pier 2 West on the Columbia River in the vicinity of River Mile 13,	Lat:
Construction (Excluding	Construction	position 46-11-21.23 N, 123-51-48.93 W) through 15 Nov 2025. Work will be performed Monday through Friday, from 0700 – 1800	46° 11' 21"
Bridges)/Facilities, Barriers, Manmade	(Excluding Bridges)	daily. A 60' x 120' crane barge and support vessels will be staged off of the pier face and will be monitoring VHF-FM channel 17.	Lon:
Reefs, Riprap, Jetties/Dikes		Onsite personnel will be working under the pier on floating platforms and scaffolding and Mariners are requested to use caution	-123° 51'
		and reduce wake when transiting the area. White flashing lights will be used to demarcate the barge. For additional information,	49"
		contact Greg Morrill with Bergerson Construction, Inc. at (503) 325-7130.	

Baker Bay West Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baker Bay West Channel Entrance Jetty Light 1	14415	STRUCT DMGD/REDUCED INT	FD

Bonneville Pool

Federal Discrepancies

•			
NAME	LLNR	STATUS	AID TYPE
Bonneville Pool Light 22	11855	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bonneville Pool Light 14	11820	RELIGHTED	FD	2025-10-01
Bonneville Pool Light 35	11925	WATCHING PROPERLY	FD	2025-09-29

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Bonneville	Miscellaneous	The USACE Portland District has scheduled the annual navigation lock maintenance closure for 2025. During this time, the Locks and Dams on	Lat:
Pool/General/Miscellaneous		the Columbia River in the Portland District have scheduled routine inspections and maintenance, as well as some non-routine work. For the	45° 36' 54"
		three (3) navigation locks, the closure schedules are as follows: Bonneville (RM 146.1) – 0001 on 02 Mar 2026 to 2359 on 14 Mar 2026 The Dalles	Lon:
		(RM 191.5) – 0001 on 01 Mar 2026 to 2359 on 21 Mar 2026 John Day (RM 215.6) – 0001 on 01 Mar 2026 to 2359 on 21 Mar 2026 For additional	-121° 08'
		information regarding Bonneville, The Dalles and John Day lock maintenance closures, contact Portland District at (503) 808-4510. The Walla	21"
		Walla District lock maintenance schedule is published separately – mariners can contact the Walla Walla District at (509) 527-7364.	

Boundary Pass

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Boundary Threatened And Pass/General/Threatened And Endangered **Endangered Species Advisory** (TESS Advisory)/Marine Wildlife Migration

Species Advisory (TESS Advisory)

Effective 14 Jul – 30 Nov 2025, the Enhancing Cetacean Habitat and Observation (ECHO) Program voluntary ship slowdown through Haro Strait and Boundary Pass is in effect for all inbound and outbound commercial and government vessels to reduce underwater noise for at-risk whales. If it is safe and operationally feasible to do so, commercial and government vessels are requested to not exceed the following speeds through the water: 11 knots – Bulkers, tankers, general cargo vessels, and government vessels; and, 14.5 knots – Vehicle carriers, cruise ships, and container vessels. This voluntary slowdown takes place between 48-24-22.78 N, 123-12-15.26 W, and 48°46'39.28"N 123°1'36.84"W. Speed transition zones are in place within the established traffic system at both approaches to the slowdown area. The north transition zone are those waters between north of Boat Pass, Saturna Island and Rosenfeld Rock and the south transition zone are those waters between buoy VH at the Victoria pilot station, and Sea Bird Point at the southeast corner of Discovery Island. There are also two optional slow down areas, one rounding turn point and the other between Turn point, Saturna Island and Alden Point, Patos Island. This initiative will remain in effect 24 hours per day until 2359 PDT on 30 Nov 2025, depending on southern resident killer whale presence in the fall. The ECHO Program is led by the Vancouver Fraser Port Authority in collaboration with government agencies, Indigenous communities, industry partners and environmental groups. For more detailed information, refer to the following internet web address: https://www.portvancouver.com/echo/

Camas Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Camas Slough Range Front Light	11455	LT EXT/STRUCT DMGD	FD

Cap Sante Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cap Sante Waterway Daybeacon 4	19005	STRUCT DMGD/TRUB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cap Sante Waterway Daybeacon 4	19005	TRUB	FD

Cape Horn

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Horn Range Front Light	11615	DBD DMGD	FD
Cape Horn Range Rear Light	11620	DAYMK MISSING	FD

Carr Inlet

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carr Inlet Research Lighted Buoy	17335	LT EXT	PA

Cascade Rapids

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cascade Rapids Upper Range Rear Light	11810	DAYMK IMCH	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Cascade Rapids Upper Range Front Light 15	11805	RELIGHTED	FD	2025-09-25

Chetco River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) -	Marine Construction	The Port of Brookings will be conducting dredging inside Basin 2 of Brookings Harbor starting on 01 October.	Lat:
Chetco River/General/Marine Construction (Excluding	(Excluding Bridges)	Access to the dredging area will be restricted. For more information, contact Gary at the Port of Brookings at	42° 02' 41"
Bridges)/Dredging		541-373-0280 or gary@portofbrookingsharbor.com.	Lon:
			-124° 15'
			54"

Columbia

Federal Discrepancies Corrected

·				
NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Sand Island Lower Dike Light 1	14610	REBUILT/REMAINS	FD	2025-10-04

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	WSDOT will be painting and making repairs on the I-82 Highway Bridge (LLNR 12752) across the Columbia River at river mile 290.5. Construction will occur from 25 Sep 23 to 31 Oct 25, with working hours 24 hours a day, 7 days a week, Monday through Sunday. A containment system will be attached to the bridge 24-hours a day, 7 days per week. The containment structure for painting the existing steel portion below the deck will be installed and will reduce the vertical clearance by 10 feet, however, only half the bridge span will have containment at any given time. The I-82 Highway Bridge provides 85.0 feet of clearance at midspan. The containment system will prevent any falling debris once it is constructed. The traveler support system repairs will be above the bridge deck and all paint work will be underneath the bridge deck. Mariners are advised to use caution while transiting the area. For additional information, please contact Alex Sanguino at (509) 222-2403, email sanguia@wsdot.wa.gov, or Andres Mendoza at (509) 222-2440, email mendoza@wsdot.wa.gov.	Lat: 45° 55' 54" Lon: -119° 19' 43"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Lighting and Other Signals	Bridges	One of the pier lights on the SE end of the bridge is reported extinguished on the Paso-Kennnewick Highway Bridge (LLNR 13052.5) aka Blue Bridge.	Lat: 46° 13' 26" Lon: -119° 08' 10"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	The lift span of the Hood River Highway Bridge (BRDG UID 29951) (LLNR 11933) at Columbia River mile 169.8 is unable to open until further notice. The bridge lift span is experiencing mechanical failure. The Port of Hood River does not have an estimated time for repairs. The Hood River Highway Bridge provides 67 feet of vertical clearance with the lift span in the closed (down) position. Vessels able to safely pass under the bridge without a lift may do so at any time. For more information contact the Port of Hood River, Kevin M. Greenwood, at (541) 386-1138 or email kgreenwood@portofhoodriver.com.	Lat: 45° 43' 07" Lon: -121° 29' 41"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Lighting and Other Signals	Bridges	The Kalan Railroad Bridge, LLNR 13027, has been reported with navigational lighting extinguished.	Lat: 46° 10' 44" Lon: -119° 01' 03"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Lighting and Other Signals	Bridges	On the north channel span, 6 of the 14 Red Pier Lights are extinguished. Mariners should use caution when transiting at night.	Lat: 46° 12' 55" Lon: -123° 51' 43"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Advanced American Construction will be replacing the pile dikes located near Sand Island on the Columbia River RM 4 to 6.5 (Washington side of channel). The work includes pile driving, pile removal, and in water rock placement. The vessel Schweiger and Derrick Barge DB888 will be on station from approximately 16 Jun – 30 Nov 2025 working 0700 to 1730 Monday through Sunday. Onsite equipment will monitor VHF-FM channels 13 & During working hours. During non-working hours, floating equipment will remain on station with steady white lights on all four corners. Mariners are requested to reduce speed and avoid work area. Please contact Travis Waggener at 541-912-9026 or email at travisw@callaac.com for additional information.	Lat: 46° 15' 28" Lon: -123° 58' 33"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	The 2025 seasonal operations are underway on the South Jetty Rehabilitation project for the Portland District U.S. Army Corps of Engineers. J.E. McAmis, Inc. is placing stone and continuing to move the jetty road forward, and equipment is working on or atop the jetty in an area with water on both sides of the jetty structure working west. For questions or additional information please contact the Project Manager, Aaron Anderson, at (503) 791-2161 or email AAnderson@jemcamis.com. More information may be found at the USACE Portland District web site: http://www.nwp.usace.army.mil/jetties/	Lat: 46° 14' 02" Lon: -124° 04' 25"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V ESSAYONS may be conducting dredging activities on the Columbia River on Tongue Point Channel, RM 18+20 to 21+10, between 30 Sep - 15 Oct, as a foul weather backup location. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	Lat: 46° 13' 33" Lon: -123° 44' 21"

Columbia River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Bridges/Repairs, Painting, Or Fender Replacement		WSDOT and Garco Construction will be replacing the decking and repairing piers and crossbeams of the I-90 Highway Bridge across the Columbia River at RM 420 at Vantage WA. Work will start on 4 Mar 2024 and is anticipated to be complete in Nov of 2027. Typical work schedule will be Monday – Friday, 0700 – 1730 with occasional night work. A containment system will be installed on the east span reducing the vertical navigation clearance by 10ft. With all construction projects there is a hazard of falling debris, the containment system is designed to prevent any debris from falling into the water. However, mariners are advised to use caution while transiting the area. For the initial phase the main navigation channel will not have containment installed and provides 73.5 feet of vertical navigation clearance at High Pool Elevation of 571.5 feet. Subsequent phases will have containment installed over the main navigation channel, and updates will be posted in future editions of the LNM. For additional information, contact Justin Ludwig at (208) 704-0122 and email JustinL@garco.com.	Lat: 46° 56' 32" Lon: -119° 58' 23"
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Boat Parade	Marine Events	*** December 5 - 6, 2025 *** Lighted boat parade occurring on the Columbia River, Tri-Cities, WA area from 6 pm - 9 pm on each night. The single file parade is comprised of boats decorated with light displays.	
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Other	Marine Events	11OCT25: 0600-1800. A fishing tournament will be taking place at the Boardman Marina and the John Day and McNary Pools. Fisherman will be launching out of Boardman Marina; approximately 10 recreational fishing vessels.	Lat: 45° 50' 45" Lon: -119° 42' 43"

Sector Columbia River, Submerged Land Safety Zones	*** December 5th and 6th, 2025*** City of Richland will be launching fireworks at the dock at Howard Amon Park from 8 pm to 8:30 pm	Lat:
Act (SLA) - Columbia	on each night of the dates listed above. A Safety Zone will be enforced for this event IAW 33 CFR 165.1315.	46° 16' 29"
River/General/Safety Zones/Temporary		Lon:
Regulated Navigation Zones		-119° 16'
		10"

Colvos Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Colvos	Miscellaneous	The Washington DFW and the Northwest Indian Fisheries Commission will be conducting commercial salmon test fisheries during the	Lat:
Passage/General/Miscellaneous		following dates: October 08, 15, 22, 29 and November 05, 12, 19 2025. Fisheries will be conducted from the F/V Tradition within 1 NM of	47° 27' 22"
		Command Point in Colvos Passage, between the hours of 0700 – 1700. Additionally, Washington DFW has authorized commercial purse seine	Lon:
		fisheries in Colvos Passage on the following dates: October 13, 20, 27 and November 03, between the hours of 0700 – 1800; and commercial	-122° 31'
		gill net fisheries on October 14, 16, 19, 22, 26, 29 and November 02, 05, between the hours of 1600 and 0900. Mariners are requested to use	37"
		caution when navigating around fishing vessels. Vessels will monitor and can be hailed on VHF-FM channels 16 and 13. For more information,	
		please contact Kwasi Addae at (360) 902-2677 or kwasi.addae@dfw.wa.gov.	

Coos Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Guano Rock Lighted Whistle Buoy 4	8765	OFF STATION	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Guano Rock Lighted Whistle Buoy 4	8765	RELIGHTED	FD	2025-10-06

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged	Marine	The M/V YAQUINA may be conducting dredging activities in Coos Bay on the Jarvis Ranges (RM 05+43 to RM 08+00) and North Bend	
Land Act (SLA) - Coos	Construction	Turn (RM 09+05 to RM 10+10) from 07 - 14 Oct 2025. Disposal will be at ODMDS Site-F. USACE requests mariners transit at their	
Bay/General/Marine Construction	(Excluding Bridges)	slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been	
(Excluding Bridges)/Dredging		made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and	
		ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	

Coos River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Coos Bay - Coos River/General/Bridges/Temp Deviation		Oregon Department of Transportation will be conducting painting rehabilitation work on the Chandler Bridge (LLNR 9125) from 0600 on 01 Aug to 2359 on 30 Nov 2025. The Chandler Bridge crosses the Coos River at waterway mile 2.2 near Eastside, OR. The draw will be available to open. Five feet of containment will be installed below the bridge reducing the vertical clearance to 21 feet above high water. For more information contact Sam Dunnavant at sam.k.dunnavant@odot.gov.	Lat: 43° 21' 58" Lon: -124° 09' 11"

Cottonwood Island

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Crims Island To St Helens - Cottonwood	Marine Construction	The Dredge Oregon will perform maintenance dredging on the Columbia River at Lower Dobelbower Bar, between RM 69 to RM	Lat:
Island/General/Marine Construction	(Excluding Bridges)	70 from 20 Oct - 18 Nov 2025. Dredging operations will occur on the Oregon side outside of the channel. Dredge Oregon, along	46° 04' 47"
(Excluding Bridges)/Dredging		with workboats Clackamas, Ivanhoff, and Williams monitor VHF 13 and 16. Mariners are requested to contact the dredge to make	Lon:
		passing arrangements and proceed with minimum wake. Dredge personnel may also be reached by phone at (503) 369-1505 or	-122° 53'
		(503) 789-7238.	57"

Dabob Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hood Canal - Dabob Bay/General/Miscellaneous		The University of Washington, in coordination with the US Navy, has deployed an environmental research buoy in approximate location 47-41-32 N / 122-51-54 W, at the south end of Dabob Bay. The buoy will remain in place for one year until 25 Sep 2026. The buoy is yellow in	Lat: 47° 41' 32"
bay, deficial, wiscenaricous		color and lighted with a yellow flashing light, FL Y (5) 20s. For more information on this buoy, contact the Navy Range Control at (360) 396-	Lon:
		2313.	-122° 51' 54"

<u>Depoe Bay</u>

NAME	LLNR	STATUS	AID TYPE
Depoe Bay Sound Signal	9790	SS INOP	FD

Desdemona Sands

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Desdemona	Marine Construction	The M/V ESSAYONS may be conducting dredging activities on the Columbia River on Upper Desdemona Channel, RM 07+00 to	Lat:
Sands/General/Marine Construction	(Excluding Bridges)	09+35, between 30 Sep - 14 Oct, as a foul weather backup location. USACE requests mariners transit at their slowest safe speed to	46° 12' 46"
(Excluding Bridges)/Dredging		minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM	Lon:
		channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for	-123° 57'
		dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	07"

Duwamish Waterway East

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elliott Bay - Duwamish	Marine	Pacific Pile & Dry Marine will conduct marine construction activities for King County on the Duwamish Waterway from 01 Oct 2025 to 15 Feb	Lat:
Waterway East/General/Marine	Construction	2026. The project will include Dredging, Material Placement, Debris Removal & Debris Plie Driving between Duwamish River mile 3 to 4.	47° 32' 06"
Construction (Excluding	(Excluding Bridges)	Vessels on scene will include multiple construction and material barges and towing vessels Halle H, Gretchen H, Jennifer H, Big Eagle, Ginny H,	Lon:
Bridges)/Dredging		Lois H, Carolyn J, Diane H, and Maia H. Work hours will be 0630 – 1700 on Monday – Friday. All vessels will monitor VHF-FM channel 16. There	-122° 19'
		will be cautionary buoys and turbidity curtains around active work areas. Mariners are requested to reduce speed to 7 knots or less to	25"
		minimize wake and keep at least 100 feet from all work areas. For more information, contact Matt Huston or Ben Nguyen at (206) 331-3873 or	
		email MattH@pacificpile.com or benn@pacificpile.com.	

East Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - East	Marine	Redside Construction will be conducting marine construction and demolition activities at the Dockton Marina on Maury Island	Lat:
Passage/General/Marine Construction	Construction	from 11 Aug – 15 Oct 2025. The work site is in approximate position 47-22-20, 122-27-17W, inside Quartermaster Harbor. Redside	47° 22' 20"
(Excluding Bridges)/Facilities, Barriers,	(Excluding	will have a 40ft x 100ft barge on scene. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed	Lon:
Manmade Reefs, Riprap, Jetties/Dikes	Bridges)	with caution after passing arrangements have been made. For more information, please contact the project superintendent Jeremy Helser at cell (360) 250-4328 or Sam Berry at (206) 940-0564.	-122° 27' 17"
Puget Sound - East Passage/General/Miscellaneous	Miscellaneous	Redside Construction will be conducting marine construction and demolition activities at the Dockton Marina on Maury Island from 11 Aug – 15 Oct 2025. The work site is in approximate position 47-22-20, 122-27-17W, inside Quartermaster Harbor. Redside will have a 40ft x 100ft barge on scene. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For more information, please contact the project superintendent Jeremy Helser at cell (360) 250-4328 or Sam Berry at (206) 940-0564.	Lat: 47° 22' 20" Lon: -122° 27' 17"
Puget Sound - East Miscellaneous Passage/General/Miscellaneous		from the F/V Lisa Marie within 1 NM of Point Beals in East Passage, between the hours of 0700 – 1700. Washington DFW has also authorized commercial purse seine fisheries in East Passage on the following dates: October 13, 20, 27 and November 03, between	Lon:

Ediz Hook

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ediz Hook Light	16280	LT EXT	FD

Elliott Bay

TITLE	SUBCATEGORY	DESCRIPTION	LOCATIO
Puget Sound - Elliott Bay/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation that governs the operating schedule for the 1st Avenue Bridge (LLNR 16887) across the Duwamish Waterway, mile 2.5, in Seattle, WA. This deviation authorizes the draws to not open to mariners during evening maintenance. The temporary draw closure will be from 1800 to 0600 from 21 Nov 2025 to 20 May 2026. The subject bridges provide 32 feet for 100 feet center span and 22 feet side spans of vertical clearance in the closed-to-navigation position above high water. No alternate route is available on the Duwamish Waterway. The bridges shall operate in accordance with 33 CFR §117.1041 at all other times. For more information on this event contact Garrett Hutton at (206) 440-4626 or garrett.hutton@wsdot.wa.gov.	Lat: 47° 32' 32 Lon: -122° 20' 04"
Puget Sound - Elliott Bay/General/Miscellaneous	Miscellaneous	The Muckleshoot Tribe will conduct commercial gillnet fishing operations in catch area 10A (Elliott Bay east of a line drawn from Pier 91 to Duwamish Head Light (LLNR 16910)), and catch area 80B (the Duwamish River) on the following weekly basis: 0800 on Sunday 14 Sep to 1200 on Friday 19 Sep, 0800 on Sunday 21 Sep to 1200 on Friday 26 Sep, 0800 on Sunday 28 Sep to 1200 on Friday 04 Oct, and continuing this Sunday to Friday schedule until further notice. These fisheries may cause significant congestion on the waterway, and mariners are advised to use caution while transiting the area. For more information, contact Coast Guard Sector Puget Sound Waterways at (206) 217-6051 or the Muckleshoot Tribal Enforcement at (253) 876-2927.	

Puget Sound - Elliott	Miscellaneous	The Port of Seattle will deploy hydrophones in Elliott Bay on 16 – 17 Jul 2025 for the purpose of collecting ambient underwater noise data. The	Lat:
Bay/General/Miscellaneous		hydrophones will be fully submerged and rest on the seafloor, and will be connected to shore stations via an ethernet cable. They will remain in place for two years, through 2027. One location is near Jack Block Park in approximate position 47.585935 N, 122.36836 W. The hydrophones	47° 35' 09" Lon:
		will be deployed using Seattle Police boats. For more information on this project, contact Danielle Butsick at (206)-549-2945 or butsick.d@portseattle.org.	-122° 22' 06"
Puget Sound - Elliott Bay/General/Miscellaneous	Miscellaneous	place for two years, through 2027. One location is near the Seattle Aquarium in approximate position 47.607123 N, 122.344051 W. The	Lat: 47° 36' 26" Lon:
		hydrophones will be deployed using Seattle Police boats. For more information on this project, contact Danielle Butsick at (206)-549-2945 or	-122° 20'
		butsick.d@portseattle.org.	39"

Franklin D Roosevelt Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Franklin D. Roosevelt Lake Light H	14190	LT EXT	FD

Garibaldi Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tillamook Bay - Garibaldi	Marine	Trade West Construction is moving jetty material to a material offloading facility for use on the Tillamook Bay South Jetty repairs. Jetty	
Channel/General/Marine	Construction	stone will be transported from the Port of Garibaldi, approximate location 45-33-14 N, 123-54-54 W, to a Material Offload Facility on	
Construction (Excluding	(Excluding	Kincheloe Point on the Bay Ocean Peninsula in approximate location 45-33-07 N, 123-56-09 W. The tugboat and support vessel involved	
Bridges)/Facilities, Barriers, Manmade	Bridges)	in this operation will monitor VHF-FM channels 8 and 10. Mariners are asked to maintain at least 100 feet from all tug and barge	
Reefs, Riprap, Jetties/Dikes		operations. Please keep crab pots clear of the navigational channel leading into Crab Harbor. Pots obstructing barge movement will be	
		respectfully relocated. Additionally, stone material will be transported and placed on the jetty. Mariners are strongly advised to keep a	
		safe distance from the repair work on the jetty. This project is expected to continue into the Fall of 2025. For more information, contact	
		Keyanee Faught at (435) 669-7976 or email keyaneef@gmail.com.	

Grays Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grays Harbor South Reach Light 16	15635	DAYMK MISSING/STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) -	Hazards To	Sunken pleasure craft - Mariners are advised that a sunken pleasure craft sank in the vicinity of the mouth of the	
Grays Harbor/General/Hazards To Navigation/Wrecks	Navigation	Hoquiam River, North of Rennie Island. Mariners are encouraged to exercise caution and report any possible	
		observations to the Sector Columbia River Command Center via CH-16 VHF-FM.	

Grays Harbor North Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Damon Point Light	15940	DAYMK MISSING/STRUCT DMGD	FD

HaroStrait

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION	
Strait of Juan De Fuca - HaroStrait/General/Marine Events/Regatta (Race)	Marine Events	08-09 NOV 2025, 0700-1800 each day. The race starts at Lydia Shoal and goes counter- clockwise around San Juan County, past Orcas Island and out to Stewart Island then into Roche Harbor, the next day boats leave Roche Harbor and continue along San Juan Island and Lopez back along Rosario Strait to the Lydia Shoal finish.		
Strait of Juan De Fuca - HaroStrait/General/Miscellaneous		The University of Washington will deploy Distributed Acoustic Sensor (DAS) cable and Hydrophone Array in Haro Strait off the western side of San Juan Island from 10 – 12 Oct 25 in order to monitor Southern Resident Killer Whale activity. The deployment will occur after current Tribal fishing activity. The R/V Rachel Carson will conduct the deployment of the array in approximate position 48-33-21.1 N, 123-11-06.2 W. The DAS Cable will run from San Juan Island west to point 48-33-22.97 N, 123-11-09.6 W and then south to the terminus at 48-32-53.77 N, 123-11-06.18 W. The R/V Rachel Carson can be hailed on VHF-FM channels 13 and 16. For more information on this project, contact Ryan Swanson at (206) 305-1747, or rswanson@esassoc.com.		

Hood Canal

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Admiralty Inlet - Hood Canal/General/Miscellaneous	Miscellaneous	The University of Washington, in coordination with the US Navy, has deployed an environmental research buoy in approximate location 47-39-54 N / 122-52-25 W in Hood Canal at the entrance to Dabob Bay. The buoy will remain in place for one year until 25 Sep 2026. The buoy is yellow in color and lighted with a yellow flashing light, FL Y (5) 20s. For more information on this buoy, contact the Navy Range Control at (360) 396-2313.	Lat: 47° 39' 54" Lon: -122° 52' 26"
Admiralty Inlet - Hood Canal/General/Miscellaneous	Miscellaneous	Washington DFW has authorized commercial purse seine fisheries in the Hood Canal on the following dates: October 13, 20, 27 and November 03, 10, 18, between the hours of 0700 – 1800; and commercial gill net fisheries will occur on the following dates: October 14, 16, 21, 23, 26, 29, and November 02, 05, 11, 13, 17, 20, between the hours of 1600 and 0900. Mariners are requested to use caution when navigating around fishing vessels. For more information, please contact Kwasi Addae at (360) 902-2677 or kwasi.addae@dfw.wa.gov.	Lat: 47° 50' 36" Lon: -122° 39' 37"

Lake Celilo

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Celilo Daybeacon 27	12230	STRUCT DMGD	FD

Lake Umatilla

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Umatilla Light 50	12645	DAYMK IMCH/LT IMCH	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Lake Umatilla/General/Bridges/Inspection	Bridges	WSDOT will be performing a regular scheduled biannual inspection of the southbound I-82 Highway Bridge (LLNR 12752), which crosses the Columbia River at mile 290.5, between the hours of 0700 to 1700 on 03 – 06 November 25. The bridge will be inspected deploying three under-bridge inspection trucks (UBITs) from top of bridge deck. UBITs have a flashing amber strobe light mounted to the bottom of each bucket and will answer marine traffic using a VHF-FM radio. For more information, contact Mitchell Stone at 360-789-0384 or stonemi@wsdot.wa.gov.	Lat: 45° 55' 54" Lon: -119° 19' 43"
Columbia River - Lake Umatilla/General/Miscellaneous	Miscellaneous	The McNary navigation lock will be removed from service on 16 Oct 2025 from 0800 – 1700. This outage will support the construction of the new upstream lock derrick crane. For more information, contact the Chief Operator at (541) 922-2231.	Lat: 45° 56' 26" Lon: -119° 17' 56"
Columbia River - Lake Umatilla/General/Miscellaneous	Miscellaneous	The McNary navigation lock will be removed from service on 09 and 10 Oct 2025 from 0630 – 1700. This outage will support the construction of the new upstream lock derrick crane. For more information, contact the Chief Operator at (541) 922-2231.	Lat: 45° 56' 26" Lon: -119° 17' 56"

Lake Union

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shilshole Bay - Lake Union/General/Marine Events/Regatta (Race)	Marine Events	02 NOV 2025, 0700-1400. Annual 3-mile rowing regatta for individuals from rowing clubs, high schools and colleges racing in various rowing shells from singles to eight-person shells with coxswain. Safety zone restricting non-participants from Lake Union Lighted buoy 11 to Webster Point for regatta duration.	
Shilshole Bay - Lake Union/General/Marine Events/Other	Marine Events	30 AUG 0900-1200, 13 SEP 0900-1200, 30 SEP 1700-2000, 26 OCT 1500-1800. Approximately 800 paddle-craft and small vessels gathering in 100 yd x 100yd area for on-water concert in Waterway 8 of Lake Union.	Lat: 47° 37' 55" Lon: -122° 19' 45"
Shilshole Bay - Lake Union/General/Marine Events/Other	Marine Events	13 SEP 2025, 0900-1200; 30 SEP 2025, 1700-2000; 26 OCT 2025, 1500-1800. On water concert for paddle craft on Lake Union near Kite Hill of Gas Works Park. Approximately 100-yard by 100-yard area.	Lat: 47° 38' 41" Lon: -122° 20' 14"
Shilshole Bay - Lake Union/General/Marine Events/Other	Marine Events	30 SEP 2025, 1700-2000; 26 OCT 2025, 1500-1800. On water concert for paddle craft on Lake Union near Lake Union Park. Approximately 100-yard by 100-yard area.	Lat: 47° 37' 39" Lon: -122° 20' 18"
Shilshole Bay - Lake Union/General/Miscellaneous	Miscellaneous	The Muckleshoot Tribe are conducting their commercial gillnet fishing operations in the Upper Ship Canal and Lake Union. Fishing operations in the Upper Ship Canal and Lake Union are authorized from a line straight across from the Ballard Oil Company to the east corner of the Maritime Industrial Center dock, east to a line running due south from Webster Point Light 21 (LLNR 18270). Fishing will occur on a weekly basis: 0800 on Sunday 14 Sep to 1200 on Friday 19 Sep, 0800 on Sunday 21 Sep to 1200 on Friday 26 Sep, 0800 on Sunday 28 Sep to 1200 on Friday 04 Oct, and continuing this Sunday to Friday schedule until further notice These fisheries are expected to cause congestion on the waterway, and mariners are advised to use caution while transiting the area. For more information, contact Coast Guard Sector Puget Sound Waterways Management at (206) 217-6051 or the Muckleshoot Tribal Enforcement at (253) 876-2927.	

Lake Washington

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Union Bay Reach - Lake Washington/General/Bridges/Maintenance	Bridges	WSDOT is a year into a multi-year project (ending late 2027) to maintain Pavement, Deck, Joints & Drainage Project on the Interstate 5 Highway Bridge (LLNR 18230) across the Lake Washington Ship Canal in Seattle, WA, at mile 4.2. The project has installed suspended scaffolding below the upper deck of the I-5 Highway Bridge. Mariners are advised that the scaffolding has reduced vertical navigation clearance by ~3 feet. Mariners are advised to use caution and pay attention to overhead work while transiting the area. For additional information, or to discuss the reduction of clearance, contact Mike Cummings at (206) 743-2140 or michael.cummings@atkn.com.	Lat: 47° 39' 11" Lon: -122° 19' 21"
Union Bay Reach - Lake Washington/General/Bridges/Construction		Work on the I-405 Brickyard to 527 Improvement project will continue along the shore of the Sammamish River, directly east of the I-405/SR522 Interchange. Activities will include excavation near the water edge, pile removal, and large-scale bridge construction activities that will reduce overhead clearance in select areas. Work will continue the first new bridge beginning on March 17th, 2025, and will last through October 31st, 2025. Beginning in April 2025, overhead clearance will be temporarily reduced to 25′, extending 7′ from the North Bank of the Sammamish and 36′ extending 7′ from the South Bank of the Sammamish for a length of 85′. Beginning in May 2025, overhead clearance across the Sammamish will be permanently reduced to a minimum of 34.75′ across the full width of the river. This work will be to set new precast girder elements across the Sammamish for the first of three new bridges. The typical work schedule is M-F, from 0700 to 1700. Work may occur on Saturdays, Sundays, and nights depending on the construction schedule. No work is to be performed in the water. For more information, contact The Construction Hotline at 425-354-3232 or email info@405Brickyard.com.	47° 45' 24"
Union Bay Reach - Lake Washington/General/Bridges/Temp Deviation		The Coast Guard has approved a temporary deviation from the normal operating schedule that governs the Montlake Street Bridge across the Lake Washington Ship Canal, mile 5.2. The Montlake Street Bridge need not open the draw for marine vessels during heavy road traffic for the 2025 University of Washington football games on the following dates and times: September 27, 2025 – 0930 to 1300 and 1530 to 1800. October 10, 2025 – from 1500 to 1830 and from 2100 to 2330. October 25, 2025 – TBD. November 15, 2025 – TBD. November 29, 2025 – TBD. This deviation will allow the Montlake Bridge to remain in the closed-to-navigation position before and after each game. The Montlake Bridge in the closed-to-navigation provides 30 feet of vertical clearance throughout the navigation channel, and 46 feet of vertical clearance throughout the center 60 feet of the bridge; vertical clearance references to the Mean Water Level of Lake Washington. Vessels which do not require a bridge opening may continue to transit beneath this bridge during the closure. The bridge will be required to open, if needed, for vessels engaged in emergency response operations during this closure period. The Coast Guard will publish any updates or changes to this operating schedule in future LNM publications once game times are announced. For more information on these events contact Colleen Kelly at kellyc@wsdot.wa.gov.	Lat: 47° 38' 50" Lon: -122° 18' 17"
Union Bay Reach - Lake Washington/General/Marine Events/Regatta (Race)	Marine Events	11 OCT 2025, 1000-1500. Rowing race on Lake Washington which circumnavigates Mercer Island.	
Union Bay Reach - Lake Washington/General/Miscellaneous	Miscellaneous	The Muckleshoot Tribe are conducting their commercial Coho gillnet fishing operations in Lake Washington, north of the 520 Highway Bridge. Fishing will occur on a weekly basis: 0800 on Sunday 21 Sep to 1200 on Friday 26 Sep, 0800 on Sunday 28 Sep to 1200 on Friday 04 Oct, and continuing this Sunday to Friday schedule until further notice These fisheries are expected to cause congestion on the waterway, and mariners are advised to use caution while transiting the area. For more information, contact Coast Guard Sector Puget Sound Waterways Management at (206) 217-6051 or the Muckleshoot Tribal Enforcement at (253) 876-2927.	

Longview

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Crims Island To St Helens -	Marine Construction	HME will be dredging for USACE in vicinity of the Lewis and Clark Highway Bridge in Longview, WA, from 08 – 25 Oct HME will	Lat:
Longview/General/Marine Construction	(Excluding Bridges)	utilize the Clamshell Dredge Sea Vulture, Assist Boat Douglas, Crew Boat Piggy, Tug Terilyn and dump scow WJ Marston.	46° 06' 20"
(Excluding Bridges)/Dredging		Operations will run 24 hours a day, seven days a week. Vessels will monitor VHF Channel 16 and operate on channel 67. HME	Lon:
		requests that mariners use extreme caution in work areas and transit at their slowest safe speed to minimize wake and proceed	-122° 57'
		with caution after passing arrangements have been made.	44"

Lower Monumental

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Snake - Lower Monumental/General/Bridges/Lighting and Other Signals	Bridges	THE NAVIGATIONAL LIGHTING ON THE JOSO RAILROAD BRIDGE (LLNR 13607) HAS BEEN REPORTED EXTINGUISHED.	Lat: 46° 35' 36" Lon: -118° 13' 43"
Snake - Lower Monumental/General/Bridges/Lighting and Other Signals	Bridges	THE NAVIGATIONAL LIGHTING ON THE LYONS FERRY HIGHWAY BRIDGE (LLNR 13612) HAS BEEN REPORTED EXTINGUISHED.	Lat: 46° 35' 25" Lon: -118° 13' 10"

Martin Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Martin Island Bluff Lighted Buoy 60	10965	LT EXT	FD
Martin Island Dike Light 63	10975	DAYMK MISSING/STRUCT DMGD	FD

Multnomah Falls

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Multnomah Falls Bar Range Rear Light	11670	Status Unreported	FD

North Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chinook Dike Light 7	14625	DAYMK MISSING	FD

Port Angeles

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ediz Hook - Port	Marine Events	19 OCT 2025, 1000-1500. Rowing regatta in Port Angeles Harbor. The 12 km participants start near Hollywood Beach, proceed east toward	
Angeles/General/Marine		Rayonier Beach Buoy A, north to round Buoy B, west to the permanent "Apollo 11" buoy that holds the southwest corner of a log boom, then	
Events/Regatta (Race)		proceed north to the opening between the Ediz Hook beach and the log boom. The next mark will be another large yellow buoy like Buoys A and	
		C. It will be near a large radio tower. After rounding the Radio Tower Mark, competitors will head back to Buoy A, rounding it to starboard, and	
		then to the finish line. The 5 km course starts just off of Hollywood Beach, proceeds counterclockwise around Buoys A, B, and C, leaving them all	
		to port, then proceeding back to Buoy A, rounding it to starboard and then back to Hollywood Beach and the finish line.	

Port Madison And Port Orchard

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Port Madison And Port Orchard/General/Naval		The Naval Undersea Warfare Center (NUWC) at Keyport, WA is continuing operations in vicinity of NUWC between University Point, the Brownsville Marina and Keyport through 23 Dec 2025. Operations will normally be conducted Monday through Friday during daylight hours.	
Activity/Naval Testing		Operations will involve semisubmersible and submersible vehicles escorted by a small naval craft with a flashing red light. The small craft will	
(Surface/Underwater)		monitor VHF-FM channels 12 and 16. The call sign for the small craft will be "Keyport Range Control". All craft transiting the area are	
		requested to exercise caution and maintain a sharp lookout for possible semi-submerged vehicles while the range is in operation. Questions can be directed to Keyport Range Control on VHF-FM channels 12 and 16 or by contacting the Pacific Northwest Range Management and Ops Division, Range Control Branch, at (360) 396-2313.	

Possession Sound

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Possession Sound/General/Marine Events/Regatta (Race)	Marine Events	27 SEP - 22 NOV 2025, Saturdays biweekly, 1200-1530. Biweekly sailing regatta around Possession Sound.	

Puget Sound

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Edmonds Fishing Reef Buoys (2)	16720	MISSING	PA

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Admiralty Inlet - Puget Sound/General/Bridges/Lighting and Other Signals Bridges Bridges Bridges		The Chambers Creek Railroad Bridge (LLNR 17268) both center drawspan lights are extinguished.	Lat: 47° 11' 14" Lon:
Other Signals			-122° 35'
Admiralty Inlet - Puget Sound/General/Marine Events/Fireworks	Marine Events	04 JUL 2025, 2100-2300. Fireworks display launched from barge in Quartermaster Harbor. Observe a 450-yard radius safety zone around launch platform at position 47.39865 N, 122.44959 W.	Lat: 47° 23' 55" Lon: -122° 26' 59"
Admiralty Inlet - Puget Sound/General/Miscellaneous			Lat: 47° 43' 17" Lon: -122° 23' 56"
Admiralty Inlet - Puget Sound/General/Miscellaneous	Miscellaneous	The Washington Department of Fish and Wildlife and the Northwest Indian Fisheries Commission will be conducting commercial salmon test fisheries during the following dates: 08, 15, 22, 29 October and 05, 12, 19 November 2025. Fisheries will be conducted from the FV Harbor Gem and R/V DFW 547 within 1 NM of Apple Cove Point, between the hours of 0700 – 1700. Mariners are requested to maintain appropriate distance and reduce wake as much as possible. Vessels will monitor and can be hailed on VHF-FM channels 16 and 13. For more information, please contact Kwasi Addee at (360) 902-2677 or kwasi addae@ndfw.wa.gov.	Lat: 47° 49' 02" Lon: -122° 28'

Admiralty Inlet - Puget	Threatened And	The Quiet Sound voluntary commercial vessel slowdown in Admiralty Inlet aims to reduce underwater noise in known Southern Resident	
Sound/General/Threatened And	Endangered	killer whale feeding areas. The 2025-26 slowdown will begin at 0001 PST on 14 Sep 2025 and will remain in effect 24 hours per day until	
Endangered Species Advisory (TESS	Species Advisory	2359 PST on 11 Jan 2026. More information can be found at: https://quietsound.org/admiralty-inlet-slowdown. When in effect, the	
Advisory)/Marine Wildlife Migration	(TESS Advisory)	slowdown requests all inbound and outbound commercial vessels transiting through the slowdown zone not exceed the following speeds	
		through water when safe and operationally feasible: 10 knots – Tugs (when running light, i.e. not towing, pushing or responding to an	
		emergency) 11 knots – Bulkers and tankers 14.5 knots – Vehicle carriers, cruise ships, and container vessels. The voluntary vessel	
		slowdown takes place in the inbound and outbound lanes of the shipping lanes within these boundaries: Northwest: a line drawn from Pt	
		Hudson (48-07-02.150N, 122-44-56.065W) to Admiralty Head (48-09-15.181N, 122-40-46.211W) Northeast: a line drawn from Randall Pt	
		(47-58-59.653N, 122-21-10.336W) to Mukilteo Light (47-56-53.452N, 122-18-28.955W) South: a line drawn from Apple Cove Pt (47-48-	
		55.926N, 122-28.51.186W) to Edwards Pt (47-48-12.024N, 122-23-41.726W) Note that the slowdown area excludes Hood Canal, and	
		speed transition zones are in place about 5 nautical miles prior to entering the slowdown area. As an additional noise pollution reduction	
		effort, commercial vessels are also requested to turn off ultrasonic anti-fouling systems while in the specified area as those systems	
		occupy frequencies that killer whales use to hunt and communicate. Any directions from Vessel Traffic Service Puget Sound take	
		precedence and supersede these measures. The voluntary slowdown is led by the Quiet Sound program at Washington Maritime Blue, in	
		cooperation with government agencies, tribal governments, industry partners and conservation groups. For more detailed information	
		related to this slowdown and the Quiet Sound program, including a map of the slowdown area, please refer to the following web address:	
		https://quietsound.org/admiralty-inlet-slowdown.	

Quillayute River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Pudget Sound, Submerged Land	Hazards To	There is a large, submerged log stuck in Quillayute River navigational channel approximately 100 yards downriver of the Quileute	Lat:
Act (SLA) - Quillayute	Navigation	Marina entrance. The log may be marked with an orange or red float. Mariners should use extreme caution.	47° 54' 35"
River/General/Hazards To			Lon:
Navigation/Obstructions			-124° 38'
			21"
Sector Puget Sound, Submerged Land	Marine	Duwamish Services will be conducting dredging for USACE in the Quillayute River Inner Channel and Boat Harbor for approximately	
Act (SLA) - Quillayute	Construction	30 days. Dredging will occur 7 days per week (Monday-Sunday), 24-hours per day, weather permitting, from a floating hydraulic	
River/General/Marine Construction	(Excluding Bridges)	dredge and a tender vessel and work skiff. If dredge equipment obstructs the channel, it will be moved upon approach of a vessel to	
(Excluding Bridges)/Dredging		allow for safe vessel passage. Mariners should take care when transiting the area, travel at reasonable speeds, and be aware of	
		marker buoys indicating the location of the submerged hydraulic dredge discharge pipe. The dredge crew will monitor VHF	
		channels 16 and 69 during active dredging operations. For more information, contact Tyler Southworth at (509) 856-7700	

<u>SalmonBay</u>

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shilshole Bay - SalmonBay/General/Miscellaneous		U.S. Army Corps of Engineers officials are taking proactive steps to conserve water during this year's unprecedented drought conditions. Current projections indicate lake levels could fall below 20 feet as early as August due to exceptionally low water inflows with further declines expected into September and/or October. One of the most immediate operational changes impacts recreational boaters. To maximize lockage efficiency and reduce water loss, the Corps is increasing the number of vessels per lockage cycle. As a result, recreational vessels may experience delays of up to one hour as lock operators wait to group additional boats together or pair them with commercial vessels. For specific questions, mariners may contact the lockmasters at (206) 297-9821.	Lat: 47° 39' 56" Lon: -122° 23' 50"
Shilshole Bay - SalmonBay/General/Miscellaneous		The Hiram M. Chittenden Locks will close the large lock chamber to conduct annual maintenance from 0600 on 03 Nov – 1600 on 24 Nov 2025. Marine traffic will continue to use the Auxiliary (small) lock chamber. Further information is posted on USACE website: https://www.nws.usace.army.mil/Missions/Civil-Works/Locks-and-Dams/Chittenden-Locks/Closures/. Mariners can also call the Lockmaster at (206) 297-9745.	Lat: 47° 39' 56" Lon: -122° 23' 47"

Sector Columbia River, Exclusive Economic Zone (EEZ)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
DART Tsunami Warning Lighted Buoy 46404	765.4	ADRIFT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
OSU Grays Canyon Research Lighted Buoy	727	MISSING	PA
OSU Westport Offshore Research Lighted Buoy	728	MISSING	PA
OSU Westport Shelf Research Lighted Buoy	728.5	MISSING	PA
OSU Copalis Head Research Lighted Buoy	730	MISSING	PA

Sector Columbia River, Submerged Land Act (SLA)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
OSU Cape Arago Research Lighted Buoy	612	MISSING	PA
OSU Waldport Offshore Research Lighted Buoy	651	MISSING	PA
OSU Nye Beach Research Lighted Buoy	653	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Territorial Sea - Sector	Marine	The M/V BAYPORT will be conducting dredging activities on the Columbia River Entrance, RM -02-20 – 02+00, between 18 Aug	Lat:
Columbia River, Submerged Land Act	Construction	- 15 Oct 2025. Mariners should transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and	46° 15' 22"
(SLA)/General/Marine Construction (Excluding	(Excluding Bridges)	proceed with caution after passing arrangements have been made on VHF-FM channel 13. BAYPORT monitors channels 13, 16	Lon:
Bridges)/Dredging		and 66 and may be assisted by M/V John M and M/V Aggie. Vessel(s) and/or equipment may encroach into the channel.	-124° 04'
		Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	17"
Sector Columbia River, Territorial Sea - Sector	Marine	The M/V ESSAYONS will be conducting dredging activities on the Columbia River Entrance, RM -02-00 to 02+00, between 30	Lat:
Columbia River, Submerged Land Act	Construction	Sep - 15 Oct. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge	46° 14' 34"
(SLA)/General/Marine Construction (Excluding	(Excluding Bridges)	and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment	Lon:
Bridges)/Dredging		may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to	-124° 05'
		unforeseen on-site conditions, such as gill net fishing, weather and other factors.	58"
Sector Columbia River, Territorial Sea - Sector	Miscellaneous	All surface floats and anchors related to the Ocean Sentinel buoy have been removed from the PacWave North Test Site, which	Lat:
Columbia River, Submerged Land Act		is located approximately 2.5 nautical miles WNW of Yaquina Head. For additional information on this project and the PacWave	44° 41' 23"
(SLA)/General/Miscellaneous		test sites, contact brett.hembrough@oregonstate.edu or 541-737-9023.	Lon:
			-124° 08'
			07"

Sector Columbia River, Territorial Sea

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Exclusive Economic Zone (EEZ) - Sector Columbia River, Territorial Sea/General/Miscellaneous	Miscellaneous	Oregon State University – PacWave has deployed a network of site monitoring equipment throughout the PacWave South wave energy test site, approximate 7 NM WSW of Yaquina Bay Entrance. The equipment will be in place from Dec 2024 through Dec 2025. The study consists of up to 12 surface buoys and 2 seafloor mounted instruments. Some of the buoys are low profile and may be difficult to see in elevated sea states. All buoys have a yellow hull and are lighted with flashing amber lights. Mariners are requested to avoid the test site if possible and/or use caution when navigating or operating in the vicinity. For additional information contact brett.hembrough@oregonstate.edu or (541) 737-9023. If there is an emergency or concerns regarding this equipment, please call PACWAVE's 24/7 Watch Desk at 541-819-4096	
Sector Columbia River, Exclusive Economic Zone (EEZ) - Sector Columbia River, Territorial Sea/General/Miscellaneous	Miscellaneous	NOAA Fisheries has deployed a subsurface mooring with passive acoustic recorders to monitor marine mammal presence in approximate location: 47-06-53N, 124-15-47W in 29 m of water. Vessels conducting in-water work are requested to avoid this location by at least 1000 yards to avoid entanglement of gear. For more information, contact Brad Hanson at 206-300-0282.	
Sector Columbia River, Exclusive Economic Zone (EEZ) - Sector Columbia River, Territorial Sea/General/Miscellaneous	Miscellaneous	NOAA Fisheries has deployed a subsurface mooring with passive acoustic recorders to monitor marine mammal presence in approximate location: 46-57-50 N, 124-18-07 W, 40 m of water. Vessels conducting in-water work are requested to avoid this location by at least 1000 yards to avoid entanglement of gear. For more information, contact Brad Hanson at 206-300-0282.	Lat: 46° 57' 50" Lon: -124° 18' 07"
Sector Columbia River, Exclusive Economic Zone (EEZ) - Sector Columbia River, Territorial Sea/General/Miscellaneous	Miscellaneous	NOAA Fisheries has deployed a subsurface mooring with passive acoustic recorders to monitor marine mammal presence in approximate location: 46-19-37N, 124-11-52W in 41 m of water. Vessels conducting in-water work are requested to avoid this location by at least 1000 yards to avoid entanglement of gear. For more information, contact Brad Hanson at 206-300-0282.	Lat: 46° 19' 37" Lon: -124° 11' 52"

Sector Puget Sound, Submerged Land Act (SLA)

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Puget Sound, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Oregon State University's Marine Mammal Institute will be conducting acoustic research along the outer coast of Washington from 13 – 17 Oct, from 0600 – 2000 daily. The R/V Zephyr will be deploying, retrieving, and servicing acoustic moorings that are located approximately 7-8 miles offshore, from Ilwaco to Neah Bay, with an extension of moorings approximately 20 miles offshore of Neah Bay. The R/V Zephyr will be monitoring VHF channels 13, 16 and 22A. Mariners are requested to minimize wake and keep a hazard radius of at least 600 feet during operations. For additional information, contact Santiago Dominguez (OSU) at 409-261-8094, Josh Stewart (OSU) at 917-566-3226, or Hannah Sawyer at 864-633-9051.	
Sector Puget Sound, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	NOAA Fisheries has deployed a subsurface mooring with passive acoustic recorders to monitor marine mammal presence in approximate location: 48-10-30 N, 125-37-09 W, in 184 m of water. Vessels conducting in-water work are requested to avoid this location by at least 1000 yards to avoid entanglement of gear. For more information, contact Brad Hanson at 206-300-0282.	Lat: 48° 10' 30" Lon: -125° 37' 09"

Shilshole Bay

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)		11/15/2025, 12/13/2025, 1/10/2026, 2/21/2026, 3/21/2026, 1100-1700. Sailing regatta in Shilshole Bay between Richmond Beach and Tyee Shoal.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	24-26 OCT 2025, 1100-1800 each day. Three days of sailing races in Shilshole Bay and Puget Sound between Point Jefferson and Alki Point.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)		18 OCT 2025 1000-1700. Sailing regatta starting near Shilshole Bay Marina and racing around Shilshole Bay. The long course is 21.897 NM, the medium course is 14.763 NM and the short course is 10.724 NM.	

Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	11-12 OCT 2025, 1000-1600 each day. 2 day buoy regatta in the vicinity of Shilshole Bay, East of all shipping lanes with race courses set between West Point and Richmond beach.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	01 NOV 2025, 1100-1900. This is a multi-race event. The Race Committee will attempt to run 3 races. Courses will be run in the vicinity of Shilshole Bay between West Point and Spring Beach.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	10 AUG - 26 OCT 2025, 1200-1500 every other Sunday. Sailing races between Scatchet Head and Meadow Point.	

SinclairInlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Rich Passage - SinclairInlet/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025, 1000-1800. Sailing regatta in Sinclair Inlet.	

Skagit Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
DeceptionPass - Skagit Bay/General/Bridges/Lighting and	Bridges	The SR 536 Division Street Bridge (LLNR 18783) on the Skagit River mile 12.5, has been reported with all	Lat:
Other Signals		navigation lights extinguished.	48° 25' 17"
			Lon:
			-122° 20' 23"

Snake River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Wallula - Snake River/General/Bridges/Lighting and Other Signals	Bridges	The navigational lighting panel for the East Pasco Railroad Bridge (LLNR 13112) (BRDG UID 30020) crossing the Snake River at RM 1.5, between Burbank, WA, has recently been upgraded and is now illuminated. The light panel is physically at RM 2.2 on the north bank, upriver side under the SR-12 Highway Bridge. The light panel was constructed upriver of the East Pasco Railroad Bridge to aid mariners with the draw position while approaching down river bound after making a turn toward the bridge. The bridge panel operates in accordance with 33 CFR § 117.1058; for the exact lighting scheme and operations of the bridge draw, please use this link (https://www.ecfr.gov/current/title-33/section-117.1058). This light panel has been extinguished for a few years and mariners requiring the draw to open for passage under the bridge are encouraged to review the operation rule.	-119° 01'
Lake Wallula - Snake River/General/Miscellaneous	Miscellaneous	The USACE Walla Walla District has scheduled the annual navigation lock maintenance closure for 2026. During this time, the Locks and Dams on the Columbia and Snake Rivers have scheduled routine inspections and maintenance, as well as some non-routine work. For the five (5) navigation locks in the Walla Walla District, the closure schedules are as follows: McNary (RM 292) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Ice Harbor (RM 9.7) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Lower Monumental (RM 41.6) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Little Goose (RM 70.3) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 Lower Granite (RM 107.3) – 0001 on 21 Feb 2026 to 2359 on 28 Mar 2026 For additional information regarding McNary, Ice Harbor, Lower Monumental, Little Goose and Lower Granite lock maintenance closures, contact Walla Walla District, Operations Division, at (509) 527-7364. The Portland District lock maintenance schedule is published separately – mariners can contact Portland District at (503) 808-4510.	46° 15' 04" Lon: -118° 52'

Snohomish River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Navsta Pier Light A	18540	LT IMCH	PA
Navsta Pier Light B	18541	LT IMCH	PA
Port Of Everett Jetty Island Light C	18549	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Possession Sound - Snohomish River/General/Bridges/Construction	J	Burlington Northern Santa Fe Railway Company will be staging material and vessels to begin pre-construction activities on the BNSF Bridge 37.0 (LLNR 18591.1) crossing Snohomish River at mile 3.5, near Everett, WA. BNSF Railway will be removing and constructing the north fender of Bridge 37.0 on 15 Oct 2025 and completing the bridge work on 31 Dec 2025. The working hours will be 0700 – 1700 daily. The draw will continue to operate per 33 CFR 117.1059 during the construction efforts. Vessels are requested to transit the bridge area at lowest speed with no wake. Tug and barge vessels may be in the area as support vessels. Please check the Local Notice to Mariners for construction schedule changes. Alternate routes are via Ebey Slough and Steamboat Slough. For additional information contact Matt Wells at (253) 405-6074.	Lon:

Spokane River

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Franklin D Roosevelt Lake -	Bridges	The U.S. Coast Guard has issued a Public Notice (PN-03-25) and is soliciting for comments exclusively related to navigation of a proposed	Lat:
Spokane		replacement of the US-2 Bridge, across the Priest River at river mile 0.4, in Priest River, ID. Maritime transportation system stakeholders (vessels	48° 10' 50"
River/General/Bridges/Public		and facilities) are highly encouraged to carefully review this notice and provide comments regarding the proposed bridge's ability to meet the	Lon:
Notice		needs of navigation, including mariner requirements for horizontal navigation clearances and vertical navigation clearances. The Coast Guard is	-116° 53'
		particularly interested in receiving comments from maritime stakeholders with current and or future vertical navigation clearance requirements	38"
		of greater than 9.0 feet. The Public Notice can be found at the following link: https://www.navcen.uscg.gov/bridge-notices. Comments will be	
		received for the record at the office of: Commander (dpw), Northwest Coast Guard District, 915 2nd Ave, Rm 3510, Seattle, WA, or via email at	
		D13-SMB-D13BRIDGES@uscg.mil. Comments should be sent to arrive on or before 16 Oct 2025.	

Strait Of Georgia

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Birch Bay Mooring Basin Light 2	19912	DAYMK IMCH	PA
Birch Bay Mooring Basin Daybeacon 3	19913	DAYMK IMCH	PA
Birch Bay Mooring Basin Daybeacon 4	19914	DAYMK IMCH	PA

Strait of Juan De Fuca

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Puget Sound, Submerged Land Act (SLA) - Strait of Juan De Fuca/General/Miscellaneous	Miscellaneous	NOAA Fisheries has deployed a subsurface mooring with passive acoustic recorders to monitor marine mammal presence in approximate location: 48-29-30N, 124-47-00W, in 285 m of water. Vessels conducting in-water work are requested to avoid this location by at least 1000 yards to avoid entanglement of gear. For more information, contact Brad Hanson at 206-300-0282.	Lat: 48° 29' 30" Lon: -124° 46' 60"
Sector Puget Sound, Submerged Land Act (SLA) - Strait of Juan De Fuca/General/Miscellaneous	Miscellaneous	NOAA Fisheries has deployed a subsurface mooring with passive acoustic recorders to monitor marine mammal presence in approximate location: 48-29-30 N, 124-53-58 W, in 97 m of water. Vessels conducting in-water work are requested to avoid this location by at least 1000 yards to avoid entanglement of gear. For more information, contact Brad Hanson at 206-300-0282.	Lat: 48° 29' 30" Lon: -124° 53' 58"
Sector Puget Sound, Submerged Land Act (SLA) - Strait of Juan De Fuca/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	The NAS Whidbey Island Small Arms Safety Range located off the western shore of Whidbey Island will be active on the following schedule: 07 OCT 25 0800 to 2300 08 OCT 25 0800 to 1500 09 OCT 25 0800 to 1500 14 OCT 25 0800 to 2300 16 OCT 25 0800 to 2300 17 OCT 25 0800 to 1500 Red flashing lights (at nighttime) mark the onshore Northern and southern firing boundaries out to 2000 yards from the shoreline during live fire operations. For more information contact the Safety Officer at 360-257-3825 or VHF-FM channel 82A (1082).	
Sector Pudget Sound, Submerged Land Act (SLA) - StraitofJuanDeFuca/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	As of 01 Jun 2025, the Enhancing Cetacean Habitat and Observation (ECHO) Program voluntary route alteration is in effect for all tugs transiting the Canadian inshore area of the Strait of Juan de Fuca. If it is safe and operationally feasible to do so, tugs are requested to move south of the known killer whale feeding area and navigate either through the outbound shipping lane or the inbound route alteration zone, while maintaining a buffer distance of 1,000 meters from the Traffic Separation Scheme. The inbound route alteration zone is 1,500 meters wide and occurs in the area between 123-52-21.192 W, 48-18-37.332 N and 124-31-33.378 W, 48-28-53.316 N. The ECHO Program voluntary route alteration initiative and to reduce underwater noise in known southern resident killer whale feeding areas along the northern edge of the Strait of Juan de Fuca. This initiative will remain in effect 24 hours a day through 30 Nov 2025. For more detailed information related to the ECHO program, visit the following internet address: https://www.portvancouver.com/environment/healthy-ecosystem/echo.	
Sector Pudget Sound, Submerged Land Act (SLA) - StraitofJuanDeFuca/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration	Threatened And Endangered Species Advisory (TESS Advisory)	Effective 01 Jun 2025, the Enhancing Cetacean Habitat and Observation (ECHO) Program voluntary ship slowdown in the vicinity of Swiftsure Bank is in effect for all inbound and outbound commercial and government vessels. If it is safe and operationally feasible to do so, commercial and government vessels are requested to not exceed the following speeds through the water: 11 knots – Bulkers, tankers, general cargo vessels, and government vessels; and, 14.5 knots – Vehicle carriers, cruise ships, and container vessels. The voluntary ship slowdown includes an area beginning 5 NM prior to entering the Traffic Separation Scheme on the western and southwestern entrance, until the 124-40-00 W longitudinal line (radio call in point 1). Speed transition zones are in place about 5 nautical miles prior to entering the slowdown area. The ECHO Program ship slowdown at Swiftsure Bank aims to reduce underwater noise in known southern resident killer whale feeding areas. This initiative will remain in effect 24 hours per day until 2359 PDT on 31 Oct 2025. The voluntary slowdowns at Swiftsure Bank and in Haro Strait and Boundary Pass are led by the Vancouver Fraser Port Authority's ECHO (Enhancing Cetacean Habitat and Observation) program, in cooperation with government agencies, Indigenous communities, industry partners and environmental groups. For more detailed information related to this slowdown and the ECHO program, refer to the following internet address: https://www.portvancouver.com/environment/healthy-ecosystem/echo.	

Tacoma Harbor

Additional MSI Categories					
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION		
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025, 0800-1400. Outrigger paddle races in Commencement Bay between Jack Hyde Park and Cummings Park. Racers expected to remain within 250 feet of shoreline.			
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	18 OCT 2025, 0930-1500. Starting line to be placed in the vicinity of Browns Pt. Lighthouse. Fleet will proceed west toward Neill Pt. (47 19.706' N 122 29.475' W) located at the South End of Vashon Island. After rounding temporary buoy at Neill Pt. fleet will proceed to finish line located at entrance of Thea Foss Waterway. Race has 5 hour time limit.			
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)		01 NOV 2025, 0930-1600. Medium Distance Sailboat Race. Starting line will be placed at Browns Point. Fleet will proceed east and round the Blair Permanent Marker. Fleet will proceed to Quartermaster Harbor and round the Manzanita Red marker and then return east toward the finish line at the entrance to Thea Foss Waterway. Time limit for the race is 6 hours.			

The Narrows

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Nantasket Roads Southern Approach -	Marine Events	11 OCT 2025, 1300-1700. Open water human powered craft: Paddlers experienced with tides and open water conditions. Start and finish	
The Narrows/General/Marine		outside the entrance of Gig Harbor (Private dock across from Lighthouse). Paddle south towards the Narrows Bridge with buoy turn	
Events/Regatta (Race)		returning to start/finish line. Three course lengths: 12 miles - Pt. Fosdick and return. 6 miles - Pt Evans and return. 3 miles - along	
		shoreline and return. Race start times: 12 mile 13:00; 6 mile 13:05; 3 mile 13:10. Courses swept and cleared by 16:30.	

Tillamook Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged	Marine	Trade West Construction is moving jetty material to a material offloading facility for use on the Tillamook Bay South Jetty repairs. Jetty	
Land Act (SLA) - Tillamook	Construction	stone will be transported from the Port of Garibaldi, approximate location 45-33-14 N, 123-54-54 W, to a Material Offload Facility on	
Bay/General/Marine Construction	(Excluding	Kincheloe Point on the Bay Ocean Peninsula in approximate location 45-33-07 N, 123-56-09 W. The tugboat and support vessel involved	
(Excluding Bridges)/Facilities, Barriers,	Bridges)	in this operation will monitor VHF-FM channels 8 and 10. Mariners are asked to maintain at least 100 feet from all tug and barge	
Manmade Reefs, Riprap, Jetties/Dikes		operations. Please keep crab pots clear of the navigational channel leading into Crab Harbor. Pots obstructing barge movement will be	
		respectfully relocated. Additionally, stone material will be transported and placed on the jetty. Mariners are strongly advised to keep a	
		safe distance from the repair work on the jetty. This project is expected to continue into the Fall of 2025. For more information, contact	
		Keyanee Faught at (435) 669-7976 or email keyaneef@gmail.com.	

Umpqua River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Leeds Island Range Front Light	9346	LT EXT	FD

Union Bay Reach

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Union Bay Reach Buoy 18	18260	WATCHING PROPERLY	FD	2025-10-01

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Union - Union Bay Reach/General/Marine Events/Other		30 SEP 2025, 1700-2000; 26 OCT 2025, 1500-1800. On water concert for paddle craft on Union Bay. Approximately 100-yard by 100-yard area.	Lat: 47° 39' 03"
			Lon: -122° 17' 33"

Vancouver

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lower Vancouver Anchorage Lighted Buoy V	11207	BUOY DMGD/LT IMCH	PA

Vancouver To Bonneville

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Vancouver To Bonneville/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes		HME Construction will conduct pile driving operations at the Port of Vancouver's Terminal 1 dock replacement from 29 Sep 2025 through 28 Feb 2026. Work is expected to occur Mon – Sat, 0700 – 1700 daily at approximate location 45-37-17 N, 122-40-31 W. The tug Husky and the crane barge 2250 will be on scene and monitoring VHF-FM channels 13, 14 and 67. Mariners are asked to reduce wake due to crane and manlift operations. For more information, contact Gabe Andre at (360) 607-8283.	Lat: 45° 37' 17" Lon: -122° 40' 31"
North Portland Harbor - Vancouver To Bonneville/General/Miscellaneous	Miscellaneous	David Evans and Associates will be conducting hydrographic surveys in support of NOAA on the Columbia and Willamette Rivers through February 2026. From 16 Sep – 15 Oct, operations will occur between Knapp Landing (RM 95) and the Bonneville Dam (RM 145). Survey vessels BRENNAN, SEAHAWK, and BROUGHTON will operate daily during daylight hours, seven days per week. All vessels will be equipped with AlS and will monitor VHF channels 13 and 16. For more information, contact Jason Creech at (804) 806-4440 or jasc@deainc.com.	Lat: 45° 35' 60" Lon: -122° 35' 02"

Warrendale

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Warrendale Lower Range Rear Light	11720	LT EXT	FD

Westport

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Westport Dike Light 58	10475	LT EXT/STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River -	Marine Construction	The Dredge Oregon will perform maintenance dredging on the Columbia River at the Puget Island Sump near Driscoll Range, at	Lat:
Westport/General/Marine Construction	(Excluding Bridges)	RM 44 from 15 Sep - 18 Oct 2025. Dredge Oregon, along with workboats Clackamas, Ivanhoff, and Williams monitor VHF 13 and	46° 08' 43"
(Excluding Bridges)/Dredging		16. Mariners are requested to contact the dredge to make passing arrangements and proceed with minimum wake. Dredge	Lon:
		personnel may also be reached by phone at (503) 369-1505 or (503) 789-7238.	-123° 21'
			51"

Willamette River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stevens Point Buoy 5	14990	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Willamette River/General/Bridges/Temp Deviation		The Coast Guard has approved a temporary deviation to the operating schedule that governs the Broadway Bridge (LLNR 14955.2), river mile 11.7 across the Willamette River at Portland, OR. This deviation accommodates repairs and scheduled maintenance. This deviation authorizes the subject bridge to operate in single leaf mode from 0001 on 13 Oct 2025 until 1800 on 11 Apr 2026. During single leaf mode (one half opening), tug assists will be available to river users upon a four-hour advanced request, via the Hawthorne Bridge, to help them pass through the draw. The Broadway Bridge provides 69 feet of vertical clearance; however, seven feet of containment will be installed below the draw and the vertical clearance will be reduced to 62 feet in the closed-to-navigation position. The horizontal clearance of the Broadway Bridge is 250 feet; when in single leaf, the horizontal clearance will be 110 feet. The vertical clearance is referenced above Columbia River Datum 0.0. Vessels which do not require a bridge opening may continue to transit beneath the bridge during this closure time. The bridge will not be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. For more information contact Mark Knieriem at (971) 269-7997 or Mark@ott-sakai.com.	45° 31' 55" Lon: -122° 40' 27"
Columbia River - Willamette River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	THE BROADWAY HIGHWAY BRIDGE (LLNR 14955.2) AT RM 11.7 OVER THE WILLAMETTE RIVER IS OPERATING IN SINGLE LEAF ONLY MODE DUE TO A CASUALTY UNTIL FURTHER NOTICE. MARINERS NEEDING TUG ASSISTANCE TO PASS THROUGH THE SINGLE LEAF OPENING SHOULD CONTACT THE HAWTHORN BRIDGE OPERATOR.	Lat: 45° 31' 55" Lon: -122° 40' 27"

Yaquina Bay

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged	Marine	The M/V YAQUINA may be conducting dredging activities at the Yaquina Bay Entrance (RM 00-50 to RM 00+40) and Harbor (RM 01+10	Lat:
Land Act (SLA) - Yaquina	Construction	to 02+20 from 30 Sep - 15 Oct 2025. Disposal will be at YBOS(N) & Disposal Will be at YBOS(S). USACE requests mariners transit at their slowest safe	44° 36' 36"
Bay/General/Marine Construction	(Excluding	speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on	Lon:
(Excluding Bridges)/Dredging	Bridges)	VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	-124° 04' 56"
Sector Columbia River, Submerged Land Act (SLA) - Yaquina Bay/General/Miscellaneous	Miscellaneous	NOAA's National Ocean Service (NOS) Center for Operational Oceanographic Products and Services (CO-OPS) will be temporarily deploying oceanographic equipment in the waters of Yaquina Bay and River beginning on 28 May 2025. The stations will be occupied through 28 August 2025 at which time all equipment, including the moorings and anchors, are intended to be recovered. Two current measuring surface buoys will be deployed that have yellow surface hulls: 44-37-18.59 N, 124-03-33.30 W, west of the US 101 bridge 44-37-19.88 N, 124-01-50.81 W, near turning basin Bottom mounted stations will not have any presence on the surface, however most equipment is not trawl-resistant and may cause damage to fishing gear: 44-36-00.50 N, 124-00-40.79 W, north of Welser Point 44-36-01.80 N, 123-56-30.12 W, one mile below Toledo If equipment is brought to the surface, please notify NOAA by calling 1-800-FOR-NOAA (367-6622). For more information contact the NOAA CO-OPS Project Lead: Katie Kirk (@noaa.gov).	Lat: 44° 37' 18" Lon: -124° 03' 33"