

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS

District: 17 Week: 36/22

-Navigation Information Service (NIS)-Watchstander, 24 hours a day at (703) 313-5900 ~Navcen Internet Address~ https://www.navcen.uscg.gov -Local Notice to Marinershttps://www.navcen.uscg.gov/-pageName=InmMain

Issued by: Commander (DPW) Telephone: (907) 463-2269 (0800-1600) Seventeenth Coast Guard District After Hours: (907) 463-2000 (1600-0800) PO Box 25517, Juneau, AK 99802-5517

Questions, comments, or additional information on this Local Notice to Mariners should be sent to the address above or by E-mail to: SMB-D17Juneau-LNM@uscg.mil. You can get the U.S. Coast Guard 17th District Local Notice to Mariners via the Internet directly from the U.S. Coast Guard Navigation

Center web site at https://www.navcen.uscg.gov/-pageName=InmDistrict®ion=17.

REFERENCES: Light List, Vol. VI, Pacific Coast and Pacific Islands (COMDTPUB P16502.6).
U.S. Coast Pilot 8, Pacific Coast Alaska: Dixon Entrance to Cape Spencer, 44th Edition.
U.S. Coast Pilot 9, Pacific and Arctic Coasts Alaska: Cape Spencer to Beaufort Sea, 39th Edition.

BROADCAST NOTICE TO MARINERS

Navigation information previously promulgated by CG Sector Juneau Broadcast Notice to Mariners through J115-22 and CG Sector Anchorage Broadcast Notice to Mariners through A087-22 that are still in effect are included in this notice.

Chart Corrections https://nauticalcharts.noaa.gov/charts/chart-updates.html

Dates of Latest Editions, Nautical Charts, and Miscellaneous Maps https://nauticalcharts.noaa.gov/charts/list-of-latest-editions.html

Light List/ Summary of Corrections https://www.navcen.uscg.gov/-pageName=lightListCorrections

NOAA Chart Viewer (Posting of all up to date NOAA charts for viewing on Internet browser to be used for ready reference or planning) https://nauticalcharts.noaa.gov/

NOAA Booklet Charts https://nauticalcharts.noaa.gov/charts/noaa-raster-charts.html#booklet-charts

Coast Pilots, along with corrections, are available at: https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html

NOAA Weather Buoy Sites http://www.ndbc.noaa.gov/

Tides online https://tidesandcurrents.noaa.gov/

Tides, Currents, PORTS https://tidesandcurrents.noaa.gov/noaacurrents/Stations-q=693

Weather http://www.nws.noaa.gov/om/marine/alaska.htm

Vessel Traffic System Prince William Sound (VTSPWS) Users Manual https://homeportr.uscg.mil/Lists/Content/DispForm.aspx-ID=2205&Source=https:

ABBREVIATIONS

A through H I through O

I - Interrupted

PRIV - Private Aid Q - Quick

P through Z

ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway

ICW - Intracoastal Waterway

Al - Alternating B - Buoy BKW - Breakwater

bl - Blast

BNM - Broadcast Notice to Mariner

bu - Blue C - Canadian CHAN - Channel CGD - Coast Guard District

C/O - Cut Off CONT - Contour CRK - Creek

CONST - Construction DAYMK/Daymk - Daymark DBN/Dbn - Daybeacon DBD/DAYBD - Dayboard

DEFAC - Defaced DEST - Destroyed DISCON - Discontinued DMGD/DAMGD - Damaged

ec - eclipse EST - Established Aid

ev - every EVAL - Evaluation EXT - Extinguished

F - Fixed fl - flash

FI - Flashing G - Green

GIWW - Gulf Intracoastal Waterway

HAZ - Hazard to Navigation HBR - Harbor

HOR - Horizontal Clearance HT - Height

IMCH - Improper Characteristic

INL - Inlet INOP - Not Operating INT - Intensity ISL - Islet

Iso - Isophase kHz - Kilohertz LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude

LNM - Local Notice to Mariners

LT - Light

LT CONT - Light Continuous LTR - Letter

LWB - Lighted Whistle Buoy LWP - Left Watching Properly MHz - Megahertz

MISS/MSNG - Missing Mo - Morse Code

MRASS - Marine Radio Activated Sound Signal

MSLD - Misleading N/C - Not Charted

NGA - National Geospatial-Intelligence Agency

NO/NUM - Number

NOS - National Ocean Service

NW - Notice Writer **OBSCU - Obscured OBST** - Obstruction **OBSTR** - Obstruction Oc - Occulting

ODAS - Anchored Oceanographic Data Buoy

R - Red

RACON - Radar Transponder Beacon

Ra ref - Radar reflector RBN - Radio Beacon REBUILT - Aid Rebuilt RECOVERED - Aid Recovered

RED - Red Buoy REFL - Reflective RRL - Range Rear Light RELIGHTED - Aid Relit

RELOC - Relocated RESET ON STATION - Aid Reset on Station

RFL - Range Front Light

RIV - River

RRASS - Remote Radio Activated Sound Signal

s - seconds SEC - Section SHL - Shoaling si - silent SIG - Signal SND - Sound

SPM - Single Point Mooring Buoy

SS - Sound Signal STA - Station STRUCT - Structure St M - Statute Mile

TEMP - Temporary Aid Change

TMK - Topmark

TRLB - Temporarily Replaced by Lighted Buoy TRLT - Temporarily Replaced by Light

TRUB - Temporarily Replaced by Unlighted Buoy

USACE - Army Corps of Engineers

W - White Y - Yellow

Additional Abbreviations Specific to this LNM Edition: None

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

353 **ALASKA**

The Coast Guard's VHF-FM Remote Fixed Facility (RFF) reception capabilities on the following site is degraded and calls on VHF-FM Channel 16 may not be received by the responsible Coast Guard Sector Communication Center within the stated coverage area: CAPE GULL – Northwest Afognak Island, Cape Douglas, and Shelikof Strait to Cape Uyak.

If unable to reach the Coast Guard on VHF-FM Channel 16, mariners that are equipped with capable radios can contact the Coast Guard through Communications Detachment Kodiak via high frequency (HF) 4125Khz. Mariners can also contact the Coast Guard via cellular or satellite phone by calling JRCC Juneau at 907-463-2000, Sector Juneau Command Center at (907) 463-2980 or Sector Anchorage Command Center at (907) 428-4100. Mariners are reminded that Western and Northern Alaskan have no VHF-FM coverage. Contact in areas without VHF/FM coverage to the Coast Guard is via Communications Detachment Kodiak on HF or JRCC Juneau by phone. Mariners are requested to relay any unanswered calls for assistance to the Coast Guard.

LNM: 36/22

ALASKA - SOUTHCENTRAL - KODIAK/GULF OF ALASKA 354

HAZARDOUS OPERATIONS: Rocket launch P138 is scheduled from the Pacific Spaceport Complex located at Narrow Cape, Kodiak Island, Alaska, 2200-0130 UTC which is 1400-1730 Alaska Time on September 19th, 2022. If the launch does not occur on September 19th, 2022, then it will be rescheduled for the following day during the same time window. This process will be continued through September 26th, 2022 (local). If the launch does not occur by the end of the time window on September 26th, 2022 (local), then it will be completely rescheduled and the new test dates/times will be advertised. Exclusion Area consists of a polygon defined by lines connecting the following points:

POINT	LATITUDE	LONGITUDE
Point A:	57°15.806'N	152°30.838'W
Point B:	57°28.459'N	152°31.795'W
Point C:	57°29.265'N	152°11.957'W
Point D:	56°40.696'N	152°03.287'W
Point E:	55°10.160'N	151°51.796'W
Point F:	53°39.607'N	151°41.136'W
Point G:	52°09.039'N	151°31.208'W
Point H:	51°45.816'N	151°30.037'W

Page 2 of 29 Coast Guard District 17 Point I: 51°44.545'N 151°59.959'W
Point J: 52°16.191'N 152°11.000'W
Point K: 53°56.068'N 152°17.071'W
Point L: 55°35.941'N 152°23.658'W

Mariners are advised to remain clear of these areas during the duration of operations. Chartlets indicating the exclusion zone are included as an enclosure to this LNM. Questions/concerns should be directed to the PSCA Operations Director, Shannon Edwards at (907) 771-8036, or cell (509) 713-4368 or by email to shannon.edwards@akaerospace.com or the PSCA Ground Safety Officer, Paul Pena, at (907) 743-3525, or cell (907) 942- 4485 or by email to ppena.ctr@akaerospace.com.

LNM: 36/22

ALASKA – SOUTHWESTERN – BERING SEA

355

356

The following subsurface data moorings have been recovered:

TYPE/NAME: POSITION:
22BSM-2A 56°51.960′N, 164°03.690′W
22BSPR-2A 56°51.542′N, 164°02.415′W
19SHP-1A 54°50.970′N, 158°59.890′W

The following subsurface data moorings have been established:

 TYPE/NAME:
 POSITION:
 WATER DEPTH:
 TOP FLOAT DEPTH:

 22SH-1A
 56°51.041′N, 158°59.784′W
 233 feet
 200 feet

 22BS-2C
 56°52.456′N, 164°03.954′W
 240 feet
 33 feet

 22KUITAEFPR-4A
 57°53.958′N, 165°42.148′W
 200 feet
 Surface

Questions/concerns should be directed to David Strausz at 206-526-4510 or by email to david.strausz@noaa.gov.

LNM: 36/22

ALASKA – GULF OF ALASKA – KODIAK ISLAND – CHINIAK BAY

The following subsurface data moorings have been recovered:

TYPE/NAME: POSITION: 19CB-1A 57°43.223′N, 152°17.531′W 21CB-1A Approx 57°43′N, 152°17′W

The following subsurface data mooring has been established:

TYPE/NAME: POSITION: WATER DEPTH: TOP FLOAT DEPTH: 22CB-1A 57°43.300′N, 152°17.052′W 633 feet 584 feet

Questions/concerns should be directed to David Strausz at 206-526-4510 or by email to david.strausz@noaa.gov.

LNM: 36/22

357 ALASKA – SOUTHWESTERN – ALEUTIAN ISLANDS – DUTCH HARBOR

Resolve Marine will be operating an orange deck barge taking core samples for eventual dredging in the area entering Iliuliuk Bay and Dutch Harbor outside of the spit beginning September 9th, 2022 for approximately 10 days. Vessel and barge will be in various positions approximately ½ mile south of Iliuliuk Bay Entrance LBB 2 (LLNR 27455). The vessel MAKUSHIN BAY will be standing by VHF/FM Channel 16 or can be reached via cell phone at 907-359-4586 or email abuffington@resolvemarine.com.

LNM: 36/22

358 ALASKA – SOUTHCENTRAL – COOPER RIVER DELTA

The Coast Guard will be seasonally decommissioning the Copper River Delta Lights around September 12th, 2022 due to operational necessity. This includes the following aids:

Softuk Bar Channel LT S (LLNR 25455)

Kokenhenic Bar Channel LT K (LLNR 25460)

Grass Island Bar Channel LT G (LLNR 25465)

Peter Dahl Bar Channel LT P (LLNR 25470)

Mariners should transit the area with caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 36/22

359 ALASKA – SOUTHCENTRAL – KODIAK/GULF OF ALASKA

CORRECTION (Dates have changed)

HAZARDOUS OPERATIONS: Rocket launch P137 is scheduled from the Pacific Spaceport Complex located at Narrow Cape, Kodiak Island, Alaska, 2200-0130 UTC which is 1400-1730 Alaska time on September 12th, 2022. If the launch does not occur on September 12th, 2022, then it will be rescheduled for the following day during the same time window. If the launch does not occur by the end of the time window on September 13, 2022 (local), then it will be completely rescheduled and the new test dates/times will be advertised. Exclusion Area consists of a polygon defined by lines connecting the following points:

POINT LATITUDE LONGITUDE

Point A: 57°15.806'N 152°30.838'W Point B: 57°28.459'N 152°31.795'W Point C: 57°29.265'N 152°11.957'W Point D: 56°40.696'N 152°03.287'W

Page 3 of 29 Coast Guard District 17

Point E:	55°10.160'N	151°51.796'W
Point F:	53°39.607'N	151°41.136'W
Point G:	52°09.039'N	151°31.208'W
Point H:	51°45.816'N	151°30.037'W
Point I:	51°44.545'N	151°59.959'W
Point J:	52°16.191'N	152°11.000'W
Point K:	53°56.068'N	152°17.071'W
Point L:	55°35.941'N	152°23.658'W

360

361

Mariners are advised to remain clear of these areas during the duration of operations. Chartlets indicating the exclusion zone are included as an enclosure to this LNM. Questions/concerns should be directed to the PSCA Operations Director, Shannon Edwards at (907) 771-8036, or cell (509) 713-4368 or by email to shannon.edwards@akaerospace.com or the PSCA Ground Safety Officer, Paul Pena, at (907) 743-3525, or cell (907) 942- 4485 or by email to ppena.ctr@akaerospace.com.

LNM: 36/22

ALASKA - SOUTHEAST - NECKER ISLANDS - HOT SPRINGS BAY

A 32' Sailboat has been reported sunk in Hot Springs Bay in approximate position 56°50.252'N, 135°23.574'W in approximately 84 feet of water. The sailboat has an estimated mast height of up to 50'. Mariners are requested to transit the area with caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil. LNM: 36/22

ALASKA - WESTERN - BERING SEA - NORTON SOUND

The Oculus Coastal Glider, previously conducting an oceanographic survey in the northern Bering Sea from August 4th to September 15th, 2022, has recently been moved out of it's survey area by wind and current. The glider is an autonomous underwater vehicle, 9' long, pearl izumi yellow in color and marked "NOAA, PMEL, Oculus Coastal Glider". The glider has limited maneuverability and is currently transiting from the Bering Strait towards approximate position 67°20.474′N, 166°58.367′W. Mariners are requested to transit the area with caution and, if seen, to remain greater than 500 meters away from the research equipment. The platform maintains a red antenna with reflector light. Questions should be directed to Program Coordinator, Heather Tabisola at (206) 526-6662 or by email to heather tabisola@noaa.gov.

LNM: 36/22

367 ALASKA – SOUTHEAST – YAKUTAT BAY

Khantaak Island LT (LLNR 25440) has been relocated to position 59°33′29.514″N, 139°47′04.143″W. Mariners are requested to transit the area with caution. Chart and Light List corrections will be issued once the verification process has been completed. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 35/22

369 ALASKA – SOUTHEAST – LYNN CANAL

OBSTRUCTION TO NAVIGATION: A partially submerged object has been observed in position 58°32.407′N, 135°08.508′W and appears to be anchored. The object may submerge completely due to tide. Mariners are requested to transit the area with extreme caution and report any sightings to the Coast Guard Sector Juneau Command Center at 907-463-2980 or on VHF/FM channel 16.

LNM: 35/22

372 ALASKA – SOUTHEAST – DUNCAN CANAL – BUTTERWORTH ISLAND

OBSTRUCTION TO NAVIGATION: A 94 foot tug has been reported sunk in the vicinity of Butterworth Island in approximate position 56°32.586′N, 133°03.855′W. Vessels transiting in the vicinity are requested to remain clear of the reported wreck. Questions/concerns should be directed to the Coast Guard Sector Juneau Command Center at 907-463-2980 or on VHF/FM channel 16.

LNM: 34/22

383 ALASKA – SOUTHWEST – ALEUTIAN ISLANDS

SAILDRONE, INC. is conducting bathymetric research surveys along the western Aleutian Island coastline in the Bering Sea, Aleutian Basin, and northern Pacific Ocean between August 1st, 2022 and October 1st, 2022. The survey will be conducted by one Uncrewed Surface Vehicle (USVs), called "SAILDRONE SURVEYOR", which is 22 meters in length, 14 meters tall, orange in color with a tricolor, running lights, stern light and marked "SAILDRONE SURVEYOR". The saildrone has transited from San Francisco, CA and is expected to transit northbound through Unimak Pass on or after Aug. 2nd and arrive in Dutch Harbor, ALASKA between Aug. 3rd - 6th 2022. The saildrone will then be repeatedly deployed from Dutch Harbor, ALASKA between August 8th to October 1st 2022 to conduct survey routes throughout the western Aleutian Island chain, returning to Dutch Harbor periodically every three (3) weeks. SAILDRONE SURVEYOR is a primarily wind powered Uncrewed Surface Vehicle also equipped with an inboard engine, and will have limited maneuverability during survey operations. The Northwest, Northeast, Southwest, and Southeast corner points of the vehicle's survey areas expected to be covered within the vehicle's initial deployment from Dutch Harbor are listed below.

Mariners are requested to transit areas with caution and to remain greater than 500 meters away from the research equipment. Enclosure (X) of this Local Notice to Mariners provides a photo and a description of the Saildrone. Questions regarding saildrone operations should be directed to Saildrone Mission Control, missioncontrol@saildrone.com or 510-722-6070.

LNM: 30/22

ALASKA – SOUTHWEST – BECHEVIN BAY

The following buoys have been relocated to better mark the navigable channel: LLNR 27255 Bechevin Bay B 1 to 55°05′29.188″N, 163°29′20.353″W

384

LLNR 27257 Bechevin Bay B 1A to 55°04′19.158″N, 163°28′49.437″W LLNR 27260 Bechevin Bay B 2 to 55°05′25.109″N, 163°29′38.348″W LLNR 27265 Bechevin Bay B 3 to 55°04′05.750″N, 163°28′40.821″W LLNR 27270 Bechevin Bay B 4 to 55°04′02.762″N, 163°28′58.433″W

Mariners are requested to transit the area with caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil

LNM: 30/22

ALASKA – SOUTHCENTRAL - ALEUTIAN PENINSULA

385

396

398

A subsurface cable will be installed between Mill Bay, Kodiak Island, approximately 58°00′N, 152°05′W, and Dutch Harbor, Unalaska Island, approximately 54°00′N, 166°20′W. The cable laying operations will be conducted 24 hours a day, 7 days a week, from July 18th through October 15th, 2022, subject to weather and sea state, by the M/V IT INTREPID and the M/V IT INTEGRITY. The M/V IT INTREPID is 380 feet in length, blue with a white superstructure. The M/V IT INTEGRITY is 236 feet in length, blue hull with a white superstructure. Both vessels will be monitoring VHF/FM channel 16. Mariners are requested to maintain a 1,000 meter CPA when cable laying operations are being conducted. Additional information including a chartlet and photos of the vessels is included in an enclosure to this LNM. Questions/concerns should be directed to Alaska Maritime Agencies at 907-562-8808 or by email to ancops@alaskamaritime.com.

LNM: 30/22

ALASKA - SOUTHCENTAL - COOK INLET NAVIGATION CHANNEL

The U.S. Army Corps of Engineers (USACE), Alaska District conducted a project condition survey for Cook Inlet Navigation Channel on May 13th, 2022 in which the following controlling depths in feet (FT) mean lower low water (MLLW) were recorded:

Left Outside Quarter 61°12'30.93"N, 150°03'53.57"W, -41.1 FT MLLW

Left Inside Quarter 61°11'42.60"N, 150°06'46.85"W, -42.7 FT MLLW

Right Inside Quarter 61°11'41.18"N, 150°06'44.88"W, -44.0 FT MLLW

Right Outside Quarter 61°11'59.68"N, 150°05'15.80"W, -43.2 FT MLLW

A chartlet of the controlling depths as well as survey data are available on the U.S. Army Corps of Engineers (USACE) Navigation Portal website at: http://navigation.usace.army.mil/Survey/Hydro. The Cook Inlet Navigation Channel was dredged during the summer of 2014 to a project depth of -38 FT MLLW. At this time, no maintenance dredging is scheduled for this channel during 2022. The next project condition survey for this channel is tentatively scheduled for October 2022. BE ADVISED: The information depicted on maps, charts, drawings, navigation notices, etc., for the subject project, represents the results of a survey conducted on the date(s) indicated and can only be considered to represent the general condition existing at that time. The survey data was collected under a USACE contract for the purpose of characterizing the condition of the navigation channel, and the area for placement of dredged material for future channel maintenance operations. As such, the information is only valid for its intended use. This information can be used to supplement existing published navigation charts. The user is responsible for the results of any application of the survey data for other than its intended purpose and should consider the contents, timeframe of data collection, and accuracy specifications for survey data

collection/processing. Additionally, bathymetry in Cook Inlet is subject to drastic and continuing change. Prudent mariners should not rely solely upon this information. Questions/concerns should be directed to Jeremy Allen, Operations Project Manager at 907-753-2753 or by email to jeremy.m.allen@usace.army.mil.

LNM: 25/22

ALASKA - SOUTHWESTERN - BERING SEA - KUSKOKWIM RIVER

The following navigational aids have been relocated:

LLNR 27844 KUSKOKWIM RIVER BUOY 12, Relocated to 59-57-18.378N 162-19-23.651

LLNR 27844.5 KUSKOKWIM RIVER BUOY 15, Relocated to 59-58-39.086N 162-24-02.216W

LLNR 27844.7 KUSKOKWIM RIVER BUOY 16, Relocated to 60-00-52.239N 162-26-22.711W

LLNR 27845.2 KUSKOKWIM RIVER BUOY 18, Relocated to 60-03-59.635N 162-28-59.282W

LLNR 27845.7 KUSKOKWIM RIVER BUOY 20, Relocated to 60-06-36.701N 162-28-25.104W

LLNR 27846.2 KUSKOKWIM RIVER BUOY 22, Relocated to 60-09-15.386N 162-24-30.342W

LLNR 27846.5 KUSKOKWIM RIVER BUOY 23, Relocated to 60-11-26.138N 162-21-12.820W

LLNR 27847 KUSKOKWIM RIVER BUOY 25, Relocated to 60-13-22.253N 162-20-43.274W

LLNR 27847.5 KUSKOKWIM RIVER BUOY 27, Relocated to 60-14-56.426N 162-23-23.656W

LLNR 27847.7 KUSKOKWIM RIVER BUOY 28, Relocated to 60-16-33.849N 162-27-29.991W

LLNR 27848 KUSKOKWIM RIVER BUOY 29, Relocated to 60-17-11.047N 162-29-12.737W LLNR 27848.2 KUSKOKWIM RIVER BUOY 30, Relocated to 60-18-58.850N 162-30-41.426W

LLNR 27484.7 KUSKOKWIM RIVER BUOY 32, Relocated to 60-20-13.346N 162-30-35.670W

LLNR 27489.2 KUSKOKWIM RIVER BUOY 34, Relocated to 60-20-53.018N 162-29-33.210W

LLNR 27849.7 KUSKOKWIM RIVER BUOY 36, Relocated to 60-21-15.735N 162-27-59.543W

LLNR 27850.5 KUSKOKWIM RIVER BUOY 39, Relocated to 60-21-28.905N 162-20-54.684W

LLNR 27851.2 KUSKOKWIM RIVER BUOY 42, Relocated to 60-23-40.224N 162-21-31.857W

LLNR 27852 KUSKOKWIM RIVER BUOY 45, Relocated to 60-25-31.231N 162-21-50.513W

LLNR 27853 KUSKOKWIM RIVER BUOY 49, Relocated to 60-28-25.992N 162-17-24.609W

LLNR 27853.2 KUSKOKWIM RIVER BUOY 50, Relocated to 60-30-37.368N 162-18-04.015W

LLNR 27853.2 KUSKOKWIM RIVER BUOY 50, Relocated to 60-30-37.368N 162-18-04.015W LLNR 27854.5 KUSKOKWIM RIVER BUOY 55, Relocated to 60-31-52.149N 162-16-49.344W

LLNR 27855 KUSKOKWIM RIVER BUOY 57, Relocated to 60-33-01.410N 162-14-47.906W

Chart/Light List corrections will be issued once the verification process has been completed. Questions/concerns should be directed to Todd Buck

with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

NM· 24/22

409 ALASKA – SOUTHEAST – GASTINEAU CHANNEL – MENDENHALL BAR

The Mendenhall Bar Channel buoys have been commissioned for the 2022 season. This includes Mendenhall Bar Channel B 7A (LLNR 23733) through Mendenhall Bar Channel B 13A (LLNR 23735.8). Due to shifting shoals many of the buoys have been relocated. The updated positions for the relocated buoys will be published in a subsequent LNM and the Light List will be updated. Mariners are advised to transit the area with extreme caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscq.mil.

LNM: 20/22

ALASKA – WESTERN AND NORTHWESTERN – BERING SEA TO BEAUFORT SEA

Saildrone, INC. is conducting oceanographic surveys in collaboration with the Farallon Institute and the University of Washington in the Bering Sea, Chukchi Sea, and Beaufort Sea along the Alaskan seaboard between May 17th and October 1st, 2022. The survey will be conducted by two (2) Uncrewed Surface Vehicles (USVs), called "Saildrones", each 23 ft in length, 16 ft tall, orange in color with a white all-round light and marked "SAILDRONE", and use wind/solar power. Both Saildrones will be deployed from Dutch Harbor, Alaska between May 17th and May 27th 2022. Saildrones will have limited maneuverability during survey operations. Mariners are requested to transit operating areas with caution and to maintain a minimum CPA of 500 meters. Additional information including a photo of a saildrone and a chartlet depicting areas of operations is included as an enclosure to this LNM. Questions/concerns should be directed to Saildrone Mission Control, missioncontrol@saildrone.com or (510) 722-6070.

LNM: 20/22

411 ALASKA – SOUTHWESTERN – ALEUTIAN ISLANDS

Six former in-water ranges within Naval Defensive Sea Area Kiska Island have been identified as potentially containing munitions and explosives of concern (MEC). The boundaries of the six former in-water ranges are identified as black, dotted lines on the NOAA Navigational Charts with text as follows: "Unexploded ordnance (reported 2013, see note)." Mariners are cautioned against anchoring, dredging or trawling within these areas. Mariners should follow the 3Rs – Recognize, Retreat, and Report (https://www.denix.osd.mil/uxo/home/). Recognize possible munitions such as mines, torpedoes, depth charges, artillery shells, bombs, and missiles. Mariners should avoid military and former military ranges and disposal areas, and explosive hazard areas identified on Navigational Charts. Retreat by staying as far away as possible, not bringing munitions onboard or into port, minimizing disturbance (i.e., not touching or bumping munitions), and safely jettison, if possible. Report immediately to the U.S. Coast Guard District 17 Command Center at 907-463-2000 if encountering possible munitions and provide vessel position, activity being conducted (anchoring, fishing, dredging), description of munition item, and action taken (i.e., munition stowed or jettisoned). For additional information: Call U.S. Army Technical Center for Explosives Safety at 918-420-8919 or see the US Army's UXO Safety Education website: https://www.denix.osd.mil/mmrp/index.html. Also see the Navy's website for specific documents related to the Aleutian Islands: https://www.navfac.navy.mil/navfac_worldwide/pacific/fecs/northwest/about_us/northwest_documents.html

LNM: 20/22

433 ALASKA – SOUTHEAST – KATLIAN BAY

Blasting will be conducted for construction of the Katlian Bay road from Starrigavan Bay to Katlian Bay through December 1, 2022. Blasting will begin in approximate position 57°08′09″N, 135°22′12″W and end in approximate position 57°09′43″N, 135°17′18″W, with a danger radius of 1000′. Blasting may take place during daylight hours 7 days per week. Blasting will be preceded by a series of long audible signals 5 minutes prior to blasting, a series of short audible signals 1 minute prior to blasting, and one long audible signal when the blast is complete. Mariners are advised to avoid transiting within the danger radius when blasting is taking place. Blasting personnel will maintain lookouts for watercraft within the danger radius before the blast is initiated. Questions/concerns should be directed to Joe Williams at 907-747-3838 or by email at jwilliams@keex.net.

LNM: 13/22

461 ALASKA

410

The U.S. Coast Guard Navigation Center is going to transition the Navigation Center website to a new, enhanced version in the first quarter of 2022. As part of this transition, URLs will be updated across the site including URLs linked to PDFs. Therefore, once the transition is complete, legacy site URLS will no longer function, including bookmarked URLs and URLs used in automatic downloading of data and/or products. Outdated URLs will automatically redirect to the home page of the site, and from there you will be able to easily navigate to your preferred page.

Below are a few of the "old"/new URL pairs listed for your convenience. Please note that the new URLs will not be active until we launch the new website. Of course, once it is launched, the new URLs will be available for re-bookmarking. As a reminder, these are top level URLs that may contain additional links that you use.

This notice will be updated when the final launch date is determined and another notice will be issued to notify you when the site goes live. Questions/concerns may be directed to the NAVCENWebTEAM@uscg.mil.

Local Notices to Mariners (LNMs)

Current URLs: https://www.navcen.uscg.gov/?pageName=InmMain

Replacement: https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district

Light Lists Annual Publication

Current URLs: https://navcen.uscg.gov/?pageName=lightLists

Replacement: https://www.navcen.uscg.gov/light-list-annual-publication

Light List - Weekly

Current URLs: https://navcen.uscg.gov/?pageName=lightListWeeklyUpdates

Replacement: https://www.navcen.uscg.gov/weekly-light-lists

Light List - Corrections

478

Current URLs: https://navcen.uscg.gov/?pageName=lightListCorrections Replacement: https://www.navcen.uscg.gov/light-list-summary-of-corrections

LNM: 06/22

ALASKA – U.S. COAST GUARD MEDIUM FREQUENCY (MF) AND HIGH FREQUENCY (HF) DISTRESS WATCHKEEPING

Mariners are advised that calls to the U.S. Coast Guard on the international radiotelephone distress frequency 2182 kHz or the Digital Selective Calling (DSC) frequency 2187.5 kHz may not be heard or may be severely degraded. Instead of using 2182 kHz for distress calls, mariners may use high frequency (HF) radiotelephone or DSC in the 4, 6, 8, and 12 MHz distress or calling bands. On February 7th, 2022, the U.S. Coast Guard will discontinue monitoring high frequency (HF) voice for all existing regions with the exception of Kodiak, Alaska, and Guam. All existing regions will also continue monitoring high frequency (HF) DSC in the 4, 6, 8, and 12 MHz distress or calling bands. Mariners may also use cellular, satellite or other methods of communications to speak directly to the nearest Coast Guard Command Center. Additional information concerning U.S. Coast Guard HF watchkeeping is posted on the U.S. Coast Guard's Navigation Center website

(https://www.navcen.uscg.gov/?pageName=cgcommsCall). The three U.S. Coast Guard Command Centers (CC) located in Alaska are: CG Sector Juneau CC, 907-463-2980; CG Sector Anchorage CC, 907-428-4100; CG District 17 CC, 907-463-2000. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 50/21

514 ALASKA – SOUTHCENTRAL – KODIAK ISLAND

A Waverider buoy approximately 29 nautical miles southeast of the City of Kodiak, Alaska in position 57° 28.8′ N, 151° 42.0′ W, has been decommissioned. The mooring remains on site and is marked with a cluster of unlit white floats. The mooring will be removed as operations permit. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscq.mil.

I NM: 40/21

520 ALASKA – SOUTHEAST – BEHM CANAL – MOSER BAY

The Moser Bay Coast Guard Mooring Buoy (LLNR 22329) is missing and may be submerged and attached/entangled with a sunken vessel in the vicinity of its charted position. Mariners should transit the area with extreme caution because it may be suspended subsurface at an unknown depth. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 38/21

522 ALASKA – SOUTHEAST – KLAG BAY

Klag Bay Entrance DBN 1 (LLNR 25335) has been rebuilt in position 57°36′42.318″N, 136°06′08.130″W and is watching properly. Chart and Light List corrections will be issued once the verification process has been completed. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 37/21

529 ALASKA

551

554

The outbreak of respiratory illness caused by the COVID-19 virus may affect mariners and maritime commerce transiting to or near Alaska. Additional interim guidance for ships on managing suspected coronavirus disease concerns is available at https://www.cdc.gov/quarantine/maritime/recommendations-for-ships.html. Additional maritime specific information can be obtained through Coast Guard Marine Safety Information Bulletins which can be found at https://www.dco.uscg.mil/Featured-Content/Mariners/Marine-Safety-Information-Bulletins-MSIB/. Mariners with questions/concerns while transiting to or near Alaska should contact the Coast Guard Sector Anchorage Command Center at (907) 428-4100 or the Coast Guard Sector Juneau Command Center at (907) 463-2980.

LNM: 34/21

ALASKA – WESTERN – YUKON RIVER

OBSTRUCTION TO NAVIGATION: A 6' by 6' by 15' metal tower is partially submerged in the Yukon River in position 62°35.55'N, 164°54.48'W. Mariners are requested to transit the area with caution and make sighting reports to the Coast Guard Sector Anchorage Command Center at (907) 428-4100 with any updated positions.

LNM: 28/21

ALASKA – SOUTHCENTRAL – PRINCE WILLIAM SOUND – BARRY ARM

The State of Alaska issued an updated press release on July 9th, 2021, indicating that a potential landslide caused tsunami may occur in Barry Arm in Northwestern Prince William Sound. It is uncertain if and when this might occur, but if it occurs localized wave heights could be very hazardous. The geologic makeup of the area is similar to Alaskan locations where two previous landslide caused tsunamis occurred, in Lituya Bay (1958) and Icy Bay (2015), both causing extremely large but localized tsunamis. Mariners should maintain vigilance when in the vicinity of Barry

Arm or nearby waters and be prepared to depart the area if any unusual geologic activity is observed. Studies are being conducted and the situation is being monitored to allow for a better understanding of the potential results of a slide. Additional information is available at the following website: https://dqgs.alaska.gov/hazards/barry-arm-landslide.html

LNM: 28/21

ALASKA – BRISTOL BAY – NORTHEAST KVICHAK BAY – NAKNEK RIVER

A potential obstruction to navigation exists in the Naknek River in position: 58°42.772'N, 157°02.045'W. A large metal ramp has been reported to be visible during low tide and completely submerged during high tide. All mariners should utilize caution and avoid transiting in close proximity to the object. Questions/concerns should be directed to Sector Anchorage Command Center at (907) 428-4100.

NM: 27/21

ALASKA – ALEUTIAN ISLANDS – UNALASKA – CAPTAIN'S BAY

Bailey Ledge LT (LLNR 27505) in Captain's Bay has been temporarily replaced with an unlit red buoy in position 53°51.603'N, 166°33.103'W. Mariners are requested to transit the area with caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 23/21

627 ****CANCELLATION OF NOAA PAPER AND RASTER NAUTICAL CHARTS****

The National Oceanic and Atmospheric Administration (NOAA) is undertaking a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months notice of the intent to cancel a specific chart is provided in a "Last Edition" notice. The final cancellation of a chart is made in a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction." A comprehensive list of all canceled NOAA charts is available at: http://www.charts.noaa.gov/MCD/Dole.shtml.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: https://www.nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html

An online NOAA Custom Chart application at: https://devgis.charttools.noaa.gov/pod is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

LNM: 09/21

628 ALASKA – COOK INLET

The BAKER OIL PLATFORM warning lights (LLNR 26361) in position 60°49'45.390"N, 151°29'00.010"W and the DILLION OIL PLATFORM warning lights (LLNR 26361.5) in position 60°44'07.340"N, 151°30'42.610"W are experiencing intermittent outages. Mariners are requested to transit the area with caution. Questions/concerns should be directed to Sector Anchorage Waterways Management at anchorage.waterways@uscg.mil or (907) 428-4189.

LNM: 08/21

661 ALASKA

557

573

The Coast Guard will be using AIS Broadcasts to relay some marine information, primarily ATON Discrepancies, VHF/FM Hi-site outages, active subsistence whaling, Gunnery and Pyrotechnics Exercises, and similar Notices directly relating to safe navigation. The Coast Guard's access to AIS transmitters is limited so not all areas might be covered at any given time and the locations of the active transmitters will be determined by the priority of the messages being broadcast from them. All information broadcast by AIS will also be published by the more conventional methods of BNM and LNM. Feedback is desired and should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 43/20

782 ALASKA – SOUTHEAST – DIXON ENTRANCE

Tree Point LT (LLNR 21840) has been relocated to a new steel structure approximately 100 yards Southeast of the existing lighthouse structure. The approximate position for the new light is 54°48′10″N, 130°56′04″W. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscq.mil.

LNM: 11/20

ALASKA - SOUTHEAST - TONGASS NARROWS

OBSTRUCTION TO NAVIGATION: A 24' Bayliner has sunk in 22 feet of water in approximate position 55°20.79'N, 131°40.36W, approximately 50 yards offshore from Bar Harbor. The vessel is marked by an orange float. Mariners are requested to use caution when transiting the area. Questions/concerns should be directed to the Coast Guard Sector Juneau Command Center at (907) 463-2980 or on VHF/FM channel 16.

LNM: 48/19

ALASKA - GULF OF ALASKA

836

918 NOAA DLB 46085 (LLNR 984.15) has been replaced with a 3-meter buoy and relocated to 55°53′18.000″N, 142°50′48.000″W. Chart and Light List corrections have been issued. The previous 6-meter buoy was not recovered and remains in position 55°52′05.000″N, 142°33′31.000″W. Mariners are requested to transit the area with caution until the previous buoy is recovered. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 33/19

930 ALASKA – SOUTHCENTRAL – SHELIKOF STRAIT – KINAK BAY

An uncharted rock has been reported in Kinak Bay in position 58°03.8′N, 154°25.3′W at a depth of approximately 3 fathoms. Mariners are advised to transit the area with extreme caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 28/19

ALASKA - SOUTHCENTRAL - PRINCE WILLIAM SOUND - UNAKWIK INLET

An uncharted and dangerous rock has been reported in Unakwik Inlet in approximate position 61°08.045′N, 147°32.665′W. Mariners should transit the area with caution. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 25/19

ALASKA – SOUTHEAST – WRANGELL NARROWS

937

939

946

970

OSTRUCTION TO NAVIGATION: The P/C HEATHER ANN has sunk in Wrangell Narrows on the East side of the channel approximately 330 yards South of Wrangell Narrows Channel LT 16 (LLNR 22955). The most recent reported position was 56°37.25′N, 132°57.64′W. The P/C HEATHER ANN is a 52′ wood vessel and may be awash and barely visible at higher tides, exposed at lower tides, or relocated by the extreme current in the area. The vessel was marked with a single orange float. Mariners are requested to transit the area with extreme caution and report any changes in position to the Coast Guard Sector Juneau on VHF/FM channel 16 or by phone to (907) 463-2980.

LNM: 25/19

ALASKA – SOUTHEAST – FRESHWATER BAY

An uncharted rock shoal has been reported in Cedar Cove centered in approximate position 57°52.405′N, 135°03.694′W with an approximate 75 foot radius. The rocks were approximately 1 foot below a 0′ tide. The location of the reported shoal has a charted depth of 12 fathoms. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscq.mil.

LNM: 24/19

964 ALASKA – SOUTHEAST – FARRAGUT BAY – FRANCIS ANCHORAGE

Uncharted shoaling was observed in Francis Anchorage on February 14th, 2019 in position 57°08.95′N, 133°10.03′W. The charted depth for this location is 15 fathoms and the observed depths rapidly shallowed from 120 feet and ranged from 8 to 10 feet. The navigational charts for Francis Anchorage are based on pre-1900 Partial Bottom Coverage Surveys and in 1976 'shoaling to bare' was reported further into the anchorage. Mariners should transit this area with extreme caution and be aware of areas that may not be adequately charted. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 08/19

ALASKA - SOUTHCENTRAL - PRINCE WILLIAM SOUND - ESTHER ISLAND

OBSTRUCTION TO NAVIGATION: The 32' F/V SONG II has been reported sunk in position 60°47.76'N, 148°03.31'W. Mariners are requested to transit the area with caution and report any sightings to the Coast Guard Sector Anchorage Command Center at (907) 428-4100 or on VHF/FM channel 16.

LNM: 34/18

971 ALASKA - CENTRAL – BETHEL

OBSTRUCTION: The barge SHANKS ARK has been reported sunken and abandoned in Steamboat Slough on the Kuskokwim River, approximate position 60°47'15"N, 161°41'52"W. A portion of the vessel remains visible above the level of high-tide, but the majority of the vessel remains below the waterline. The vessel is marked by an all-round white light and one ball dayshape when Steamboat Slough is ice free but the markers are removed during freeze up as no hazards exists. The Coast Guard has actively monitored the proper marking of the vessel by the vessel's owner and operator since September 10, 2016. Coast Guard pollution investigators confirmed the vessel does not pose a substantial pollution threat to the environment. Mariners are requested to transit the area with caution and report any discrepancies with the vessel's marking to the Coast Guard. Questions/concerns should be directed to LT David Parker, Sector Anchorage Waterways Management, at (907) 428-4189.

LNM: 11/17

972 ALASKA – ALEUTIAN ISLANDS – AKUTAN ISLAND – AKUTAN HARBOR

UNKNOWN MARINE ANOMALY: An unknown marine anomaly was discovered during underwater survey operations in Akutan Harbor in position 54°07.70889'N, 165°46.38298W on the sea floor at a depth of 138 feet. This anomaly has not been positively identified. Mariners are requested to transit the area with caution. Questions/concerns should be directed to LT David Parker with the Coast Guard Sector Anchorage Waterways Management Branch at (907) 428-4189 or by email to david.n.parker@uscg.mil.

LNM: 03/18

ALASKA – SOUTHWESTERN – ALEUTIAN PENINSULA – BECHEVIN BAY

Shoaling has been reported at the bar along the Northern entrance to Bechevin Bay by a vessel with a draft of 10 feet that reported briefly grounding in seas running 6-8 feet. Mariners should take into account their vessel's draft, charted depth of water, tides and sea state when determining an appropriate under-keel clearance for a safe transit of this waterway. Mariners are requested to report any future groundings or significant variations from charted depth to the Coast Guard Sector Anchorage Command Center at (907) 428-4100 or on VHF/FM channel 16.

LNM: 17/18

ALASKA – SOUTHEAST – ICY STRAIT – NORTH INIAN PASSAGE

The currents in North Inian Passage and Glacier Bay have been observed at up to 3 knots above the NOAA published current predictions. Mariners should exercise caution when transiting the area. Questions/concerns should be directed to LT Bart Buesseler at (907) 271-3327 or by email to bart.o.buesseler@noaa.gov.

LNM: 36/17

ALASKA – SOUTHEAST

977

983

The U.S. Coast Guard has VHF Digital Selective Calling (DSC) capability with limited coverage in Southeast Alaska. The initial coverage areas are Ketchikan, Juneau and Yakutat. Mariners are reminded to ensure that they have properly connected their GPS units to their DSC equipped marine VHF radios and registered for their Maritime Mobile Service Identity (MMSI) to utilize the DSC distress function. Additional information is available through the Alaska Outdoors Forum at

http://forums.outdoorsdirectory.com/showthread.php/142083-Digital-Selective-Calling-(DSC) or by contacting Mike Folkerts with the Coast Guard District 17 Boating Safety Office at (907) 463-2297 or by email to Michael.r.folkerts@uscg.mil.

LNM: 15/15

984 ALASKA – SOUTHCENTRAL

The U.S. Coast Guard has VHF Digital Selective Calling (DSC) capability with limited coverage in Southcentral Alaska. The initial coverage areas are Upper Cook Inlet, Kodiak and Valdez Arm. Mariners are reminded to ensure that they have properly connected their GPS units to their DSC equipped marine VHF radios and registered for their Maritime Mobile Service Identity (MMSI) to utilize the DSC distress function. Additional information is available through the Alaska Outdoors Forum at http://forums.outdoorsdirectory.com/showthread.php/142083-Digital-Selective-Calling-(DSC) or by contacting Mike Folkerts with the Coast Guard District 17 Boating Safety Office at (907) 463-2297 or by email to Michael.r.folkerts@uscq.mil.

LNM: 15/15

986 ALASKA

The Alaska Marine Safety Education Association (AMSEA) will be offering AMSEA Marine Safety Instructor Training and AMSEA Drill Conductor Courses in various locations within Alaska. The specific locations, dates, and course information can be found in an enclosure to this LNM. For more information contact AMSEA at (907) 747-3287 or view their website at www.amsea.org.

LNM: 12/14

988 ALASKA – ALEUTIAN ISLANDS – ADAK – SWEEPER COVE

The East side of the Pier 5 Dock located in Sweeper Cove is closed to moorage without prior approval from the Adak Harbormaster due to loose and missing pilings. Questions/concerns should be directed to Jim Fleming at (907) 277-7527 or the Port of Adak office at (907) 592-0185. The Adak harbormaster can also be contacted on VHF/FM channel 16.

LNM: 20/13

990 ALASKA – SUBSURFACE AND SURFACE BUOYS

Locations of all subsurface and surface oceanographic moorings that have been reported to the U.S. Coast Guard District 17 Waterways Branch are included in an enclosure to the Local Notice to Mariners. The name, type, location, depth, water depth, and a Point of Contact for all data buoys, surface and subsurface, shall be reported as quickly as is practical if they are placed within the navigable waters (within 200 nm) of the United States. Data buoys placed in the Arctic region but outside of 200 nm of the United States may be reported and will be included in this compilation (for informational purposes only). This notification process is for inclusion in the Local Notice to Mariners to provide navigational information to mariners and does not supersede any permission or permitting requirements. Any notifications, corrections, additions, deletions, or comments for the Alaska region (Coast Guard District 17) or the Arctic region should submitted via e-mail to D17-PF-D17-LNM@uscg.mil or to Todd Buck, USCG D17(dpw), at (907) 463-2269 or by email to todd.r.buck@uscg.mil. This compilation is as current as the Local Notice to Mariners (LNM) as included in an enclosure. The referenced LNM may have additional information and indicates the last time an entry was updated.

LNM: 38/11

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
984	NOAA Data Lighted Buoy 46001	ADRIFT	16013	1444 00	50/21	
1020	Cape Decision Light	LT EXT	17386	J111-22	35/22	
1045	Star Rock Bell Buoy SR	OFF STA	17303	J097-20	37/20	
1150	Seal Rocks Light	DAYMK MISSING	16682		44/21	
1260	Cape Greig Light	LT EXT/DAYMK DMGD	16338	A100-21	37/21	
1285	Cape Mohican Light	LT EXT	16530	A076-22	33/22	
21840	Tree Point Light	REDUCED INT	17434	J082-22	26/22	
21850	Cape Chacon Light	DAYMK DMGD	17420	J095-22	31/22	
22105	Scrub Island Light 7	STRUCT DEST	17435	J093-22	30/22	
22300	Guard Island Light	REDUCED INT	17428	J096-22	31/22	
22329	Moser Bay Coast Guard Lighted Mooring Buoy	MISSING	17423	J104-21	38/21	
22435	Meyers Chuck Buoy 3	OFF STA	17423	J114-22	36/22	
22490	Nesbitt Reef Light	LT EXT	17383	J104-22	34/22	
22670	Blake Channel Light 1	STRUCT DEST/LT EXT	17385	J124-20	48/20	
22863	Wrangell Narrows Daybeacon 4	STRUCT DEST	17375	J113-21	41/21	
22880	Wrangell Narrows Tow Channel Buoy	OFF STA	17375	J102-21	38/21	
22916	3TC Wrangell Narrows Daybeacon 10A	STRUCT DEST	17375	J128-21	47/21	
23210	Wrangell Narrows North Entrance	REDUCED INT	17375	J086-21	35/21	
23260	Lighted Bell Buoy WN Cape Fanshaw Light	STRUCT DEST	17365	J081-22	26/22	
23305.1	Keku Strait Entrance Light	STRUCT DEST	17368	J069-19	38/19	
23305.7	Keku Strait Daybeacon 10	MISSING	17368	J148-13	32/13	
23305.7	Keku Strait Daybeacon 13	STRUCT DEST	17368	J146-15 J103-15	23/15	
23305.9	Keku Strait Daybeacon 25	STRUCT DEST	17368	J03-13 J071-20	28/20	
	•				•	
23307	Keku Strait Daybeacon 30	STRUCT DEST	17368	J075-20	29/20	
23307.05	Keku Strait Daybeacon 31	STRUCT DEST	17372	J072-20	28/20	
23307.7	Keku Strait Daybeacon 39	STRUCT DEST	17368	J074-21	26/21	
23350	Portage Pass Light 10	LT EXT	17368	J041-22	12/22	
23355	Portage Pass Daybeacon 11	STRUCT DEST	17368	J077-18	26/18	
23370	West Rock Light	LT EXT	17378	J127-21	47/21	
23390	Calder Rocks Lighted Whistle Buoy 6	LT EXT	17378	J097-22	32/22	
23440	Cape Decision Light	LT EXT	17386	J111-22	35/22	
23510	Point Ellis Light	LT EXT	17376	J028-21	08/21	
23515	Washington Bay Light	DAYMK DMGD	17370	J078-22	26/22	
23632	Holkham Bay Buoy 2	OFF STA	17311	J094-22	31/22	
23690	Lawson Creek Bar Light 3	DAYMK MISSING	17315	J056-22	17/22	
23800	Gibby Rock Light 2	DAYMK DMGD	17315	J026-22	08/22	
23885	Chilkoot Inlet East Light	DAYMK DMGD	17317	J066-22	21/22	
24260	Elfin Cove Daybeacon 5	STRUCT DEST	17302	J017-18	36/19	
24675	Cape Lynch Light	LT EXT	17404	J024-22	07/22	
24790	Dry Pass Daybeacon 3	STRUCT DEST	17387	J072-18	23/18	
24900	Elovoi Island Rock Daybeacon 1	DAYMK MISSING/STRUCT DMGD	17326	J0117-21	42/21	
24948	Indian River Flats Lighted Buoy 2	LT EXT	17327	J032-20	09/20	
25060	Big Gavanski Island Light 3	LT EXT	17324	J103-22	34/22	
25355	Dippy Island Rock Daybeacon 3	STRUCT DEST	17321	J112-22	35/22	
25460	Kokenhenic Bar Channel Light K	STRUCT DEST	16013	A083-22	35/22	
25535	Johnstone Point Light	LT IMCH	16709	A073-22	31/22	
25982	NOAA Data Lighted Buoy 46076	OFF STA	16700	A060-20	23/20	

26080	Chugach Passage Lighted Buoy 3	OFF STA	16646	A081-21	29/21	
26095	Perl Rock Light	DAYMK DMGD	16606	A051-22	27/22	
26410	Fire Island Range Front Light	LT EXT	16665	A072-22	31/22	
26415	Fire Island Range Rear Light	LT EXT	16665	A072-22	31/22	
26475	Entrance Point Shoal Lighted Buoy 5	LT EXT	16594	A069-22	31/22	
26900	Geese Channel Buoy 3	SINKING	16590	A141-21	48/21	
26910	Aiaktalik Island Light 5	DAYMK DMGD	16590	A133-20	49/20	
26925	Lazy Bay Light 2	DAYMK DMGD	16591	A132-20	49/20	
27000	Northeast Arm Light 1	STRUCT DEST	16594	A143-21	50/21	
27025	Dry Spruce Island Rock Light 7	LT EXT	16594	A008-22	06/22	
27061	Chignik Boat Harbor Entrance Light 1	LT EXT		A061-22	29/22	
27110	Humboldt Harbor Breakwater Light 3	LT EXT		A082-21	29/21	
27145	Arch Point Light 2	DAYMK DMGD	16540	A077-21	29/21	
27155	Goloi Sandspit Light 3	STRUCT DMGD	16540	A110-21	39/21	
27250	Bechevin Bay Entrance Buoy BB	MISSING	16520	A130-21	43/21	
27290	Bechevin Bay Buoy 8	OFF STA		A062-22	29/22	
27300	Chunak Point Daybeacon 2	STRUCT DEST	16520	A093-20	33/20	
27345	St. Catherine Cove Daybeacon 4	STRUCT DEST	16520	A094-20	33/20	
27440	Akutan Point Light 2	DAYMK DMGD	16531	A059-22	29/22	
27505	Bailey Ledge Light	LT EXT/STRUCT DMGD	16529	A122-20	43/20	
27542	Sweeper Cove Range Front Light	NIGHT LT BURNING DAY		A049-22	25/22	
27872	Okwega Pass Light OP	LT EXT	16240	A074-22	32/22	
27963	Nome Harbor Entrance Light 1	LT EXT	16206	A087-22	36/22	
DISCREPANCIES	(FEDERAL AIDS) CORRECTED					
LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
1195	Whirlpool Point Light	WATCHING PROPERLY	16013	A086-22	31/22	36/22
26410	Fire Island Range Front Light	N/A	16665	A072-22	08/22	30/32
26915	Whirlpool Point Light	WATCHING PROPERLY	16013	A086-22	31/22	36/22
DISCREPANCIES	(PRIVATE AIDS)					
LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
22201	Bar Harbor Breakwater East Light	STRUCT DEST	17430	J202-15	47/15	
22202	Bar Harbor Breakwater Middle Light	STRUCT DEST	17430	J203-15	47/15	
22203	Bar Harbor Breakwater West Light	STRUCT DEST	17430	J204-15	47/15	
23908	Port Chilkoot Mooring Dolphin Lights (2)	LT EXT	17317	J175-14	38/14	
25822	Port Valdez Servs Dock Lights (2)	OFF STA	16707	A067-19	24/19	
25893	Whittier Passenger Dock Lights (2)	LT EXT	16706	A031-10	20/10	
26010	Seward Marine Dock Light	LT EXT	16682		20/22	
DISCREPANCIES	(PRIVATE AIDS) CORRECTED					

None

PLATFORM DISCREPANCIES

LLNR

Name Status Position BNM Ref. LNM St LNM End

Status

Chart No.

BNM Ref.

None

PLATFORM DISCREPANCIES CORRECTED

Aid Name

LNM St LNM End

Name Status Position BNM Ref. LNM St LNM End

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
23355	Portage Pass Daybeacon 11	TRUB	17368	J093-18	30/18	
23790	Horse Shoal Light 1	DISCONTINUED	17315	J102-19	51/19	
24957	Mitchell Rock Daybeacon	DISCONTINUED	17327	J022-17	04/17	
25025.5	Japonski Island Daybeacon 2	DISCONTINUED	17327	J196-16	49/16	
25647	NOAA Data Lighted Buoy 46081	DISCONTINUED	16705	A126-19	46/19	
25805	Port Valdez Coast Guard Mooring Buoy	DISCONTINUED	16707	A095-18	33/18	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
LLIVIX	Alu Nallic	Status	CHAIL NO.	DIMITING.	LINI'I JU	LINI'I LIIU

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED


Name Status	Position	BNM Ref. LNM St	LNM End
-------------	----------	-----------------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.



(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

l6145 1st Ed. 01-JUL-14 Last LNM: 27/14 NAD 83 36/22

ChartTitle: Alaska - West Coast. Delong Mountain Terminal

Main Panel 2581 ALASKA - WEST COAST. DELONG MOUNTAIN TERMINAL. Page/Side: A

LAST EDITION No new editions of chart 16145 will be published. It will be canceled on 30-Nov-22. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled

16161 <i>Chart</i>		larbor and Approaches		NAD 83		36/22
	Main Panel 257	3 KOTZEBUE HARBO	R AND APPROACHES.	Page/Side: N/A	NOC	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16161 will be published. or larger scale Electronic able. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled	NOS 	
16190 <i>Chart</i>	•	it North;Little Diomede		NAD 83		36/22
	Main Panel 238	50 BERING STRAIT NO	RTH Page/Side: -		NOC	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16190 will be published. or larger scale Electronic able. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled	NOS 	
16304	3rd E	d. 01-APR-13	Last LNM: 38/21	NAD 83		36/22
Chart	Title: Kuskokwim	Bay to Bethel				
	Main Panel 293	34 KUSKOKWIM RIVER	KUSKOKWIM BAY TO	BETHEL. Page/Side: N		
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16304 will be published. or larger scale Electronic ible. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled	NOS 	
16305 <i>Chart</i>		-Cape Newenham and I	Last LNM: 52/14 Hagemeister Strait AND HAGEMEISTER ST	NAD 83		36/22
				3	NOS	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16305 will be published. or larger scale Electronic able. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
16315 <i>Chart</i>	-	-Togiak Bay and Walrus	Last LNM: 12/15 s Islands VALRUS ISLANDS. Pag	NAD 83		36/22
	Maii i alici 200	JO TOOIAN DAT AND T	TALITOO IOLANDO. 1 ag	c/olde. A	NOS	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16315 will be published. or larger scale Electronicable. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
16338 Chart	-	-Ugashik Bay to Egegik	•	NAD 83		36/22
	Main Panei 286	OU BRISTOL BAY UGA	SHIK BAY TO EGEGIK I	BAT. Page/Side: A	NOS	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16338 will be published. or larger scale Electronic able. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
16570 <i>Chart</i>	12th I Title: Portage and	Ed. 01-FEB-15 d Wide Bays, Alaska Pe	Last LNM: 09/15 en.	NAD 83		36/22
	Main Panel 254	15 PORTAGE AND WID	E BAYS. Page/Side: A			
	LACT EDITION	No now addition f -	ا عادالعادية مما النبر ١٤٤٦٥	Th will be senseded	NOS	
	LASI EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Secti	t 16570 will be published. or larger scale Electronic ible. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		

16575 <i>ChartT</i>	3rd E itle: Dakavak B		APR-15 nalishagvak	Last LNM: 15/15 ;Alinchak Bay	NAD 83		36/22
	Main Panel 28	67 DAKAVA	K BAY TO C	APE UNALISHAGVAK	. Page/Side: A		
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Char	Comparable on Sige is availab Sigerts" in Sectio	or larger scale Electronic ble. See "Cancellation of	NOAA Paper and Raster ils. A list of all canceled	NOS 	
16576 <i>ChartT</i>	5th E itle: Shelikof St Main Panel 28	rait-Cape Nul		Last LNM: 32/19 kavak Bay DAKAVAK BAY. Page	NAD 83 e/Side: A		36/22
				-		NOS	
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Char	Comparable on Sige is availab Sigerts" in Sectio	or larger scale Electronic ble. See "Cancellation of	NOAA Paper and Raster ils. A list of all canceled		
16587 ChartT	3rd E itle: Semidi Isla		AUG-14 nity	Last LNM: 09/20	NAD 83		36/22
	Main Panel 25	41 SEMIDI IS	LANDS AND	O VICINITY. Page/Side	e: A		
						NOS	
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Char	Comparable on Sige is availab Sigerits in Sectio		Navigational Chart NOAA Paper and Raster ils. A list of all canceled		
40500	4045	F-1					00/00
16590 ChartT	ا 12th <i>itle:</i> Kodiak Isla Main Panel 25	nd Sitkinak S		Last LNM: 07/20 itak Bay ID ALITAK BAY. Page	NAD 83 e/Side: A		36/22
				ŭ		NOS	
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Char	Comparable on Sige is availab Sigerts" in Sectio	or larger scale Electronic ble. See "Cancellation of	NOAA Paper and Raster ils. A list of all canceled		
16591 ChartT	10th -itle: Alitak Bay-	Cape Alitak t			NAD 83		36/22
	Main Panei 25	49 PART OF	ALIIAN BA	Y CAPE ALITAK TO W	OSER BAY. Page/Side:	NOS	
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Cha	Comparable on Sige is availab Sige in Sectio		Navigational Chart NOAA Paper and Raster ils. A list of all canceled		
16592 ChartT		nd Gull Point		Last LNM: 18/17 k Bay;Sitkalidak Passa	•		36/22
	wam Panei 25	OU GULL POI	INT TO KAG	UYAK BAY. Page/Sid	e. A	NOS	
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Char	Comparable on age is availab rts" in Sectio	or larger scale Electronic ble. See "Cancellation of	NOAA Paper and Raster ils. A list of all canceled		
16597 ChartT	10th l itle: Uganik and	l Uyak Bays	APR-15	Last LNM: 32/19 BAYS. Page/Side: A	NAD 83		36/22
	maii i alici 25	U UUANNA	WID O I AIL	JA 10. 1 age/olde. A		NOS	
	LAST EDITION	30-Nov-22. (ENC) covera Nautical Cha	Comparable on age is availab on sectio	or larger scale Electronic ble. See "Cancellation of	NOAA Paper and Raster ils. A list of all canceled		
16598 ChartT	11th ∣ itle: Cape Ikolik		APR-15 uk	Last LNM: 04/17	NAD 83		36/22

	Main Panel 256	60 CAPE IKOLIK TO C	APE KULIUK. Page/Side	e: A		
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16598 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	
16599 Chart ī	•	nchorages, Kodiak Isla	Last LNM: 04/17 and Karluk Anchorage;L AND ANCHORAGES LA	• •	: A	36/22
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16599 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	
16603 <i>Chart</i>	•	Alaska Peninsula	Last LNM: 11/15	NAD 83		36/22
	Main Panel 256	65 KUKAK BAY. Page	/Side: A		NOC	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16603 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	
16604 Chart	12th E Title: Shuyak and	Ed. 01-JUL-14 d Afagnak Islands and	Last LNM: 41/21 adjacent waters	NAD 83		36/22
	Main Panel 256	66 SHUYAK & AFOGN	AK ISL & ADJACENT W	ATERS. Page/Side: A		
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16604 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	
16605 <i>Chart</i>	-	ait and Bluefox Bay	Last LNM: 23/14	NAD 83		36/22
	Main Panel 256	67 SHUYAK STRAIT A	ND BLUEFOX BAY. Pag	je/Side: A	NOC	
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16605 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	
16606 Chart	12th E Title: Barren Islaı		Last LNM: 16/15	NAD 83		36/22
	Main Panel 256	88 BARREN ISLANDS	. Page/Side: A			
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16606 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	
16608 Chart	5th Ed Title: Shelikof Str	d. 01-MAR-15 rait-Cape Douglas to C	Last LNM: 13/15 ape Nukshak	NAD 83		36/22
	Main Panel 256	9 CAPE DOUGLAS TO	CAPE NUKSHAK. Pag	je/Side: A		
	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is avail Nautical Charts" in Sect	rt 16608 will be published e or larger scale Electronic able. See "Cancellation of ion I of this LNM for deta ://www.charts.noaa.gov/l	: Navigational Chart NOAA Paper and Raster ils. A list of all canceled	NOS 	-
16648 <i>Chart</i> 7	6th Ed Title: Kamishak E Main Panel 257	Bay;Iliamna Bay	Last LNM: 17/15	NAD 83		36/22

Page 16 of 29 Coast Guard District 17

Main Panel 2577 KAMISHAK BAY COOK INLET. Page/Side: A

NOS

	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availant Nautical Charts" in Sect	t 16648 will be published. e or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details: ://www.charts.noaa.gov/M	Navigational Chart IOAA Paper and Raster s. A list of all canceled		
		to Gore Point	Last LNM: 16/15 ORE POINT. Page/Side: A	NAD 83 A	NOC	36/22
I	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect	t 16681 will be published. e or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details ://www.charts.noaa.gov/M	Navigational Chart IOAA Paper and Raster s. A list of all canceled	NOS 	
16683	12th I	Ed. 01-JAN-11 aton to Cape Resurrect	Last LNM: 39/17	NAD 83		36/22
	•	•	TO CAPE RESURRECTION	N. Page/Side: N/A		
l	LAST EDITION	30-Nov-22. Comparable (ENC) coverage is availant Nautical Charts" in Sect	t 16683 will be published. e or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details ://www.charts.noaa.gov/M	Navigational Chart IOAA Paper and Raster s. A list of all canceled	NOS 	
		am Sound-western ent	Last LNM: 43/15 rance OUND WESTERN ENTR	NAD 83		36/22
		No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect	t 16701 will be published. or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details: //www.charts.noaa.gov/M	It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled	NOS 	
		Ed. 01-OCT-09 assage to Whale Bay	Last LNM: 43/15	NAD 83		36/22
l		O LATOUCHE DACCA	OF TO WILLIE DAY Do-	a /Cida - N/A		
I		No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect	GE TO WHALE BAY. Paget 16702 will be published. For larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M	It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled	NOS 	
16704	LAST EDITION 14th i	No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https	t 16702 will be published. or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details	It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled	NOS 	 36/22
16704 ChartTit	LAST EDITION 14th I tle: Drier Bay, F	No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-FEB-15	t 16702 will be published. e or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details://www.charts.noaa.gov/M Last LNM: 09/15	It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled CD/Dole.shtml.	NOS	 36/22
16704 ChartTit	LAST EDITION 14th I tle: Drier Bay, F Main Panel 260	No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-FEB-15 Prince William Sound OD DRIER BAY. Page/S No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect	t 16702 will be published. e or larger scale Electronic I able. See "Cancellation of N ion I of this LNM for details://www.charts.noaa.gov/M Last LNM: 09/15	It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled CD/Dole.shtml. NAD 83 It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled	<u></u>	 36/22
16704 ChartTit I 16706 ChartTit	14th I tle: Drier Bay, F Main Panel 260 LAST EDITION 11th I	No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-FEB-15 Prince William Sound OD DRIER BAY. Page/S No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-MAR-15 anal incl. Port of Whittie	t 16702 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 09/15 Side: A t 16704 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 11/15	It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled CD/Dole.shtml. NAD 83 It will be canceled on Navigational Chart IOAA Paper and Raster S. A list of all canceled CD/Dole.shtml. NAD 83	<u></u>	 36/22 36/22
16704 ChartTit	14th I tle: Drier Bay, F Main Panel 260 LAST EDITION 11th I tle: Passage Ca Main Panel 260	No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-FEB-15 Prince William Sound 00 DRIER BAY. Page/S No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-MAR-15 anal incl. Port of Whitting PASSAGE CANAL IN No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect	t 16702 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 09/15 Side: A t 16704 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 11/15 er;Port of Whittier	It will be canceled on Navigational Chart IOAA Paper and Raster G. A list of all canceled CD/Dole.shtml. NAD 83 It will be canceled on Navigational Chart IOAA Paper and Raster G. A list of all canceled CD/Dole.shtml. NAD 83 IITTIER. Page/Side: A It will be canceled on Navigational Chart IOAA Paper and Raster G. A list of all canceled on Navigational Chart IOAA Paper and Raster G. A list of all canceled	<u></u>	
16704 ChartTit 16706 ChartTit	14th I tle: Drier Bay, F Main Panel 260 LAST EDITION 11th I tle: Passage Ca Main Panel 260 LAST EDITION 3rd E	No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-FEB-15 Prince William Sound OD DRIER BAY. Page/S No new editions of char 30-Nov-22. Comparable (ENC) coverage is availa Nautical Charts" in Sect NOAA charts is at https Ed. 01-MAR-15 anal incl. Port of Whitting Passage Canal (ENC) coverage is availand incl. Port of Whitting Passage Canal (ENC) coverage is availand incl. Port of Whitting Passage Canal (ENC) coverage is availand Nautical Charts" in Sect NOAA charts is at https d. 01-MAR-15 including College Fior	t 16702 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 09/15 Side: A t 16704 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 11/15 er;Port of Whittier INCLUDING PORT OF Whit 16706 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. t 16706 will be published. c or larger scale Electronic I able. See "Cancellation of Nion I of this LNM for details://www.charts.noaa.gov/M. Last LNM: 11/15	It will be canceled on Navigational Chart IOAA Paper and Raster 5. A list of all canceled CD/Dole.shtml. NAD 83 It will be canceled on Navigational Chart IOAA Paper and Raster 5. A list of all canceled CD/Dole.shtml. NAD 83 IITTIER. Page/Side: A It will be canceled on Navigational Chart IOAA Paper and Raster 5. A list of all canceled CD/Dole.shtml. IITTIER. Page/Side: A II will be canceled on Navigational Chart IOAA Paper and Raster 5. A list of all canceled CD/Dole.shtml. NAD 83	NOS 	

30-Nov-22. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

16713 4th Ed. ChartTitle: Naked Island t	01-JUL-10 o Columbia Bay	Last LNM: 24/14	NAD 83		36/22
Main Panel 2961	NAKED ISLAND TO C	OLUMBIA BAY. Page/S	Side: N/A	NOC	
30 (E Na	-Nov-22. Comparable (NC) coverage is availab outical Charts" in Sectio	16713 will be published. or larger scale Electronic Note. See "Cancellation of Non I of this LNM for details/www.charts.noaa.gov/Mo	Navigational Chart IOAA Paper and Raster s. A list of all canceled	NOS 	
16723 16th Ed. ChartTitle: Controller Bay		Last LNM: 43/20	NAD 83		36/22
Main Panei 2611	CONTROLLER BAY.	Page/Side: A		NOS	
30 (E Na	-Nov-22. Comparable (NC) coverage is availab outical Charts" in Sectio	16723 will be published. or larger scale Electronic Note. See "Cancellation of Note I of this LNM for details/www.charts.noaa.gov/Mote I of this LNM for detail	Navigational Chart IOAA Paper and Raster s. A list of all canceled		
16741 12th Ed. ChartTitle: Icy Bay	01-SEP-12	Last LNM: 38/12	NAD 83		36/22
Main Panel 2612	ICY BAY. Page/Side:	N/A		NOS	
30 (E Na	-Nov-22. Comparable (NC) coverage is availab outical Charts" in Sectio	16741 will be published. or larger scale Electronic Note. See "Cancellation of Non I of this LNM for details /www.charts.noaa.gov/Mo	Navigational Chart IOAA Paper and Raster s. A list of all canceled		
16761 17th Ed.	01-APR-15	Last LNM: 17/15	NAD 83		36/22
ChartTitle: Yakutat Bay;Y		o/Sido: A			
Main Panei 2014	YAKUTAT BAY. Pag	e/Side: A		NOS	
30 (E Na	-Nov-22. Comparable (NC) coverage is availab outical Charts" in Sectio	16761 will be published. For larger scale Electronic Note: See "Cancellation of Note I of this LNM for details (www.charts.noaa.gov/Motes).	Navigational Chart IOAA Paper and Raster s. A list of all canceled		
16762 10th Ed. ChartTitle: Lituya Bay;Lit	01-JUN-14 uya Bay Entrance	Last LNM: 23/14	NAD 83		36/22
Main Panel 2616	LITUYA BAY. Page/S	Side: A		NOS	
01 (E Na	-Feb-23. Comparable on NC) coverage is available of the coverage is available of the Coverage	16762 will be published. For larger scale Electronic Note. See "Cancellation of Non I of this LNM for details/www.charts.noaa.gov/Mo	Navigational Chart NOAA Paper and Raster A list of all canceled	 	
17301 9th Ed.	01-NOV-14	Last LNM: 53/19	NAD 83		36/22
ChartTitle: Cape Spencer Main Panel 2620	•	ICY POINT. Page/Side:	A	NOC	
01 (E Na	-Feb-23. Comparable on NC) coverage is available to Section Charts" in Section 1.	17301 will be published. or larger scale Electronic Noble. See "Cancellation of Noble I of this LNM for details/www.charts.noaa.gov/Mo	Navigational Chart NAA Paper and Raster A list of all canceled	NOS 	
17302 19th Ed. ChartTitle: Icy Strait and	01-MAY-15 Cross Sound;Inian Co	Last LNM: 40/20 ove;Elfin Cove	NAD 83		36/22
•	•	OSS SOUND. Page/Side	: A		
		17302 will be published. I or larger scale Electronic N		NOS 	

(ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

17303 11th Ed. 36/22 01-MAY-14 Last LNM: 30/16 **NAD 83** ChartTitle: Yakobi Island and Lisianski Inlet; Pelican Harbor Main Panel 2624 YAKOBI ISLAND AND LISIANSKI INLET. Page/Side: N/A NOS LAST EDITION No new editions of chart 17303 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17311 2nd Ed. 36/22 01-FEB-12 Last LNM: 39/19 **NAD 83** ChartTitle: Holkham Bay And Tracy Arm - Stephens Passage Main Panel 2940 HOLKHAM BAY AND TRACY ARM - STEPHENS PASSAGE. Page/Side: N/A LAST EDITION No new editions of chart 17311 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17312 3rd Ed. 36/22 01-OCT-12 Last LNM: 24/20 **NAD 83** ChartTitle: Hawk Inlet, Chatham Strait Main Panel 2986 HAWK INLET, CHATHAM STRAIT. Page/Side: N/A NOS LAST EDITION No new editions of chart 17312 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17313 9th Ed. 01-MAY-09 Last LNM: 26/09 **NAD 83** 36/22 ChartTitle: Port Snettisham Main Panel 2627 PORT SNETTISHAM. Page/Side: N/A NOS LAST EDITION No new editions of chart 17313 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17314 13th Fd 36/22 01-NOV-14 Last LNM: 46/14 **NAD 83** ChartTitle: Slocum and Limestone Inlets and Taku Harbor Main Panel 2628 SLOCUM AND LIMESTONE INLETS AND TAKU HARBOR. Page/Side: A LAST EDITION No new editions of chart 17314 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. Last LNM: 22/20 36/22 01-MAY-15 **NAD 83** ChartTitle: Lynn Canal-Point Sherman to Skagway; Lutak Inlet; Skagway and Nahku Bay; Portage Cove, Chilkoot Inlet Main Panel 2634 LYNN CANAL POINT SHERMAN TO SKAGWAY. Page/Side: A NOS LAST EDITION No new editions of chart 17317 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17318 36/22 8th Ed. 01-NOV-12 Last LNM: 29/21 **NAD 83** ChartTitle: Glacier Bay; Bartlett Cove Main Panel 2638 GLACIER BAY. Page/Side: N/A NOS LAST EDITION No new editions of chart 17318 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster

Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

17321 10th Ed. 36/22 01-MAY-14 Last LNM: 30/16 **NAD 83** ChartTitle: Cape Edward to Lisianski Strait, Chichagof Island Main Panel 2645 CAPE EDWARD TO LISIANSKI STRAIT. Page/Side: N/A NOS LAST EDITION No new editions of chart 17321 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17322 11th Ed. 36/22 01-MAY-14 Last LNM: 12/16 ChartTitle: Khaz Bay, Chichagof Island Elbow Passage Main Panel 2646 WEST COAST OF CHICHAGOF ISLAND KHAZ BAY. Page/Side: N/A NOS LAST EDITION No new editions of chart 17322 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17325 36/22 10th Ed. 01-MAR-15 Last LNM: 12/15 **NAD 83** ChartTitle: South and West Coasts of Kruzof Island Main Panel 2653 SOUTH AND WEST COASTS OF KRUZOF ISLAND. Page/Side: A NOS LAST EDITION No new editions of chart 17325 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17328 36/22 8th Ed. 01-NOV-11 Last LNM: 22/11 **NAD 83** ChartTitle: Snipe Bay to Crawfish Inlet, Baranof I. Main Panel 2659 BARANOF ISLAND SNIPE BAY TO CRAWFISH INLET. Page/Side: N/A NOS LAST EDITION No new editions of chart 17328 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17330 Last LNM: 10/15 36/22 01-MAR-15 **NAD 83** ChartTitle: West Coast of Baranof Island Cape Ommaney to Byron Bay Main Panel 2661 CAPE OMMANEY TO BYRON BAY. Page/Side: A NOS LAST EDITION No new editions of chart 17330 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17331 9th Ed. 01-MAR-13 Last LNM: 16/15 **NAD 83** 36/22 ChartTitle: Chatham Strait Ports Alexander, Conclusion, and Armstrong Main Panel 2663 PORTS ALEXANDER CONCLUSION AND ARMSTRONG. Page/Side: N/A NOS LAST EDITION No new editions of chart 17331 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 17333 10th Ed. 01-MAR-13 Last LNM: 17/13 **NAD 83** 36/22 ChartTitle: Ports Herbert, Walter, Lucy and Armstrong Main Panel 2664 PORTS HERBERT WALTER LUCY AND ARMSTRONG. Page/Side: N/A NOS LAST EDITION No new editions of chart 17333 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled

17335 9th E ChartTitle: Patterson I		Last LNM: 17/13	NAD 83		36/22
	No new editions of chart 01-Feb-23. Comparable o (ENC) coverage is availab Nautical Charts" in Section	· ·	will be canceled on ovigational Chart DAA Paper and Raster A list of all canceled	NOS 	
Strait;Herri	0.00	Frederick Sound;Surpris	e Hbr, and Murder Co	tham Strait;Red Bluff Bay, Chatham ove, Frederick Sound	36/22
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Section	17336 will be published. It r larger scale Electronic Na le. See "Cancellation of NC n I of this LNM for details. www.charts.noaa.gov/MCI	ovigational Chart DAA Paper and Raster A list of all canceled		
	Ed. 01-MAR-12 Chatham Strait Kelp Bay 1 WARM SPRING BAY C		, ,	NOS	36/22
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Section	17337 will be published. It r larger scale Electronic Na le. See "Cancellation of NC n I of this LNM for details. www.charts.noaa.gov/MCI	ovigational Chart DAA Paper and Raster A list of all canceled		
	Ed. 01-MAR-12 oonah Snd. to Chatham \$ 75 PERIL STRAIT HOON		NAD 83 AIT. Page/Side: N/A	NOS	36/22
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Section	17338 will be published. It r larger scale Electronic Na le. See "Cancellation of NC n I of this LNM for details. www.charts.noaa.gov/MCI	ovigational Chart DAA Paper and Raster A list of all canceled		
•	Ed. 01-APR-12 and Kootznahoo Inlet 76 HOOD BAY AND KOO	Last LNM: 38/19 TZNAHOO INLET. Page/	NAD 83 'Side: N/A		36/22
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Section	17339 will be published. It r larger scale Electronic Na le. See "Cancellation of NC n I of this LNM for details. www.charts.noaa.gov/MCI	avigational Chart DAA Paper and Raster A list of all canceled	NOS 	
	Ed. 01-APR-12 r Bay and Chaik Bay, Cha 78 WHITEWATER BAY A		NAD 83 ide: N/A		36/22
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Section	17341 will be published. It r larger scale Electronic Na le. See "Cancellation of NC n I of this LNM for details. www.charts.noaa.gov/MCI	ovigational Chart DAA Paper and Raster A list of all canceled	NOS 	
	Ed. 01-NOV-14 ay, Stephens Passage 81 GAMBIER BAY. Page	Last LNM: 46/14 /Side: A	NAD 83		36/22
LAST EDITION	(ENC) coverage is availab	17362 will be published. It r larger scale Electronic Na le. See "Cancellation of NC n I of this LNM for details.	vigational Chart DAA Paper and Raster	NOS 	

•	Ed. 01-MAY-14 Last LNM: 09/22 NAD 83 , Frederick Sound;Hobart and Windham Bays, Stephens P. 2 PYBUS BAY FREDERICK SOUND. Page/Side: N/A		36/22
	No new editions of chart 17363 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 	
	Ed. 01-JUN-14 Last LNM: 25/14 NAD 83 i and Eliza Hbrs.;Fanshaw Bay and Cleveland Passage 4 WOEWODSKI AND ELIZA HARBORS. Page/Side: A		36/22
LAST EDITION	No new editions of chart 17365 will be published. It will be canceled on 01-Feb-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 	
•	arragut, and Portage Bays, Frederick Sound		36/22
Wain Panei 26	86 THOMAS FARRAGUT AND PORTAGE BAYS. Page/Side: A	NOS	
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be		
	canceled on 01-Mar-23.	NOS	
LAST EDITION	No new editions of chart 17367 will be published. It will be canceled on 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.		
	d. 01-SEP-14 Last LNM: 09/22 NAD 83 -northern part, including Saginaw and Security Bays and Port Camder 87 KEKU STRAIT NORTHERN PART. Page/Side: A	ı;Kake Inset	36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	NOS	
LAST EDITION	No new editions of chart 17368 will be published. It will be canceled on 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 	
•	Ed. 01-APR-15 Last LNM: 15/15 NAD 83 Irs and Rowan Bay, Chatham Strait;Washington Bay, Chatham Strait 92 BAY OF PILLARS ROWAN AND WASHINGTON BAYS. Page/Side: A	A	36/22
		NOS	
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.		
LAST EDITION	No new editions of chart 17370 will be published. It will be canceled on 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 	
	Ed. 01-DEC-11 Last LNM: 50/09 NAD 83 -Monte Carlo Island to Entrance Island;The Summit;Devils Elbow 94 CONTINUATION OF KEKU STRAIT. Page/Side: N/A		36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	NOS 	
LAST EDITION	No new editions of chart 17372 will be published. It will be canceled on 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled	NOS 	

•	Ed. 01-DEC-09 larrows;Petersburg Harbo 98 CONTINUATION OF V		NAD 83 Page/Side: N/A		36/22
ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS 	
LAST EDITION	No new editions of chart 01-Mar-23. Comparable o (ENC) coverage is availab Nautical Charts" in Sectio	17375 will be published. I or larger scale Electronic N ole. See "Cancellation of N n I of this LNM for details. /www.charts.noaa.gov/MC	lavigational Chart OAA Paper and Raster . A list of all canceled	NOS 	
	Bay and Port Malmesbury		NAD 83		36/22
Main Panel 27	01 TEBENKOF BAY AND	PORT MALMESBURY.	Page/Side: N/A	NOC	
ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS	
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Sectio	17376 will be published. I or larger scale Electronic N ole. See "Cancellation of N n I of this LNM for details. /www.charts.noaa.gov/MC	lavigational Chart OAA Paper and Raster . A list of all canceled	NOS 	
17377 2nd I ChartTitle: Le Conte E		Last LNM: 18/14	NAD 83		36/22
Main Panel 29	36 ALASKA FREDERICK	SOUND AND LECONTE	BAY. Page/Side: 1		
ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS 	
	canceled on of Mai 25.			NOS	
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Sectio	17377 will be published. I or larger scale Electronic N ole. See "Cancellation of N n I of this LNM for details. /www.charts.noaa.gov/MC	lavigational Chart OAA Paper and Raster . A list of all canceled		
17378 15th ChartTitle: Port Prote	Ed. 01-MAY-14 ction, Prince of Wales Isla	Last LNM: 19/14 and	NAD 83		36/22
Main Panel 27	02 PRINCE OF WALES IS	SLAND PORT PROTECT	TION. Page/Side: N/A		
400				NOS	
ADD	canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS	
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Sectio	17378 will be published. I or larger scale Electronic N ole. See "Cancellation of N n I of this LNM for details. /www.charts.noaa.gov/MC	lavigational Chart OAA Paper and Raster . A list of all canceled		
17379 2nd I ChartTitle: Shakan Ba	• • • • • • • • • • • • • • • • • • • •	Last LNM: 17/14	NAD 83		36/22
Main Panel 29	99 SHAKEN BAY AND S	TRAIT; ALASKA. Page/S	Side: N/A		
ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS 	
				NOS	
LAST EDITION	(ENC) coverage is availab Nautical Charts" in Sectio	17379 will be published. I or larger scale Electronic N ble. See "Cancellation of N n I of this LNM for details. /www.charts.noaa.gov/MC	lavigational Chart OAA Paper and Raster . A list of all canceled		
•	Prince of Wales Island	Last LNM: 10/15	NAD 83		36/22
Main Panel 27	03 RED BAY PRINCE OF	F WALES ISLAND. Page	/Side: A		
ADD	Laurent of of Class Till	in the Last Edition Color	alaanii Tirootti la	NOS	
ADD	Lower Left of Chart: This	is the Last Edition of this	cnart. It will be		

		canceled on 01-Mar-23.				
	LAST EDITION	01-Mar-23. Comparable of	17381 will be published. It or larger scale Electronic Na ole. See "Cancellation of NC	avigational Chart	NOS 	
		Nautical Charts" in Section	on I of this LNM for details. /www.charts.noaa.gov/MC	A list of all canceled		
17383 ChartT	4th Editle: Snow Pass	• • • • • • • • • • • • • • • • • • • •	Last LNM: 21/16	NAD 83		36/22
	Maiii Failei 250	2 SNOW FASSAGE, AL	ASIA. Fage/Side. A		NOS	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this o	chart. It will be	 NOS	
	LAST EDITION	01-Mar-23. Comparable (ENC) coverage is available Nautical Charts" in Section	17383 will be published. It or larger scale Electronic Na ole. See "Cancellation of NC on I of this LNM for details. (/www.charts.noaa.gov/MC	avigational Chart DAA Paper and Raster A list of all canceled		
17386 ChartT	5th Ed itle: Sumner Str	d. 01-SEP-12 ait-Southern part	Last LNM: 36/19	NAD 83		36/22
	Main Panel 271	11 SUMNER STRAIT SC	OUTHERN PART. Page/Si	de: N/A	NOC	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this o	chart. It will be	NOS 	
	LACT EDITION		47006 311 131 1 7		NOS	
	LAST EDITION	01-Mar-23. Comparable (ENC) coverage is available Nautical Charts" in Section	17386 will be published. It or larger scale Electronic Nable. See "Cancellation of NC on I of this LNM for details./www.charts.noaa.gov/MC	avigational Chart DAA Paper and Raster A list of all canceled	_	
17387 ChartT		Shipley Bays and Part	Last LNM: 23/14 of El Capitan Passage;El EY BAYS AND PART OF			36/22
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this o	chart. It will be	NOS	
	LAST EDITION	01-Mar-23. Comparable (ENC) coverage is available Nautical Charts" in Section	17387 will be published. It or larger scale Electronic Na ole. See "Cancellation of NC on I of this LNM for details. //www.charts.noaa.gov/MC	avigational Chart DAA Paper and Raster A list of all canceled		
17401 ChartT	13th E itle: Lake Bay a⊓	Ed. 01-MAR-15 nd approaches, Clarence	Last LNM: 12/15 e Str.	NAD 83		36/22
	Main Panel 271	6 LAKE BAY AND APP	ROACHES CLARENCES	TRAIT. Page/Side: A		
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this o	chart. It will be	NOS 	
	LAST EDITION	01-Mar-23. Comparable (ENC) coverage is available Nautical Charts" in Section	17401 will be published. It or larger scale Electronic Na ble. See "Cancellation of NC on I of this LNM for details. //www.charts.noaa.gov/MC	avigational Chart DAA Paper and Raster A list of all canceled	NOS 	
17402 ChartT		ntrances to Sumner Stra		NAD 83		36/22
	Main Panel 271	I/ SOUTHERN ENTRAN	ICES TO SUMNER STRAI	I. Page/Side: N/A	NOS	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this o	chart. It will be	NOS	
	LAST EDITION	01-Mar-23. Comparable (ENC) coverage is available Nautical Charts" in Section	17402 will be published. It or larger scale Electronic Na ole. See "Cancellation of NC on I of this LNM for details. //www.charts.noaa.gov/MC	avigational Chart DAA Paper and Raster A list of all canceled	 	

	Ed. 01-MAY-14 Last LNM: 17/14 NAD 83 nlet and Sea Otter Sound;Edna Bay 18 DAVIDSON INLET AND SEA OTTER SOUND. Page/Side: N/A		36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	NOS 	-
LAST EDITION	No new editions of chart 17403 will be published. It will be canceled or 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Rast Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	er	-
	Ed. 01-OCT-13 Last LNM: 19/16 NAD 83 oval Channel to Cape Lynch 20 SAN CHRISTOVAL CHANNEL TO CAPE LYNCH. Page/Side: N/A		36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	NOS 	-
LAST EDITION	No new editions of chart 17404 will be published. It will be canceled or 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Rast Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	er	-
	Ed. 01-OCT-13 Last LNM: 46/19 NAD 83 inel to San Christoval Channel;North Entrance, Big Salt Lake;Shelte 21 ULLOA CHANNEL TO SAN CHRISTOVAL CHANNEL. Page/Side	, 0	36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	NOS 	-
LAST EDITION	No new editions of chart 17405 will be published. It will be canceled or 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Rast Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	er	-
	res, and Lululslands and adjacent waters		36/22
Main Panel 27	25 BAKER NOYES AND LULU ISLANDS AND ADJACENT WATERS.	. Page/Side: N/A NOS	
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	 NOS	-
LAST EDITION	No new editions of chart 17406 will be published. It will be canceled or 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Rast Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	n er	-
•	Ed. 01-DEC-14 Last LNM: 44/16 NAD 83 art of Tlevak Strait and Uloa Channel 26 NORTHERN PART OF TLEVAK STRAIT AND ULLOA CHANNEL.		36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be canceled on 01-Mar-23.	NOS 	-
LAST EDITION	No new editions of chart 17407 will be published. It will be canceled or 01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Rast Nautical Charts" in Section I of this LNM for details. A list of all canceler NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	er	-
	Ed. 01-MAR-15 Last LNM: 32/18 NAD 83 al-western part;Yes Bay 30 WESTERN PART OF BEHM CANAL. Page/Side: A		36/22
ADD	Lower Left of Chart: This is the Last Edition of this chart. It will be	NOS 	-
LAST EDITION	canceled on 01-Mar-23. No new editions of chart 17422 will be published. It will be canceled or	NOS 1	-

01-Mar-23. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

		,	,	,		
17423	15th l itle∶ Harbor Cha		Last LNM: 19/14	NAD 83	Ratz Harbor, Prince of Wales Island;Nal	36/22
Criaiti		agigedo Island;Tolstoi a				ıa
	Unrelated 2732	RATZ HARBOR PRING	CE OF WALES ISLAND.	Page/Side: N/A		
	ADD	Lawar Laft of Charts This	ia tha Last Edition of thi	مطالئينية تغييما	NOS	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	s is the Last Edition of thi	s chart. It will be	NOC	
	LAST EDITION	No new editions of chart	17423 will be published.	It will be canceled on	NOS 	
		01-Mar-23. Comparable (ENC) coverage is availal Nautical Charts" in Sectic NOAA charts is at https:/	or larger scale Electronic ble. See "Cancellation of on I of this LNM for detai	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
17424 ChartT	9th E	al-eastern part	Last LNM: 17/14	NAD 83		36/22
	Main Panel 27	37 EASTERN PART OF	BEHM CANAL. Page/Si	ide: N/A	NOC	
	ADD	Lower Left of Chart: This	is the Last Edition of thi	s chart. It will be	NOS 	
		canceled on 01-Mar-23.		5 5.1d. t. 10 11 50		
	LACT EDITION	No according to a fallent	17404	The could be a second and a second	NOS	
	LAST EDITION	No new editions of chart 01-Mar-23. Comparable (ENC) coverage is availal Nautical Charts" in Sectic NOAA charts is at https:/	or larger scale Electronic ble. See "Cancellation of on I of this LNM for detai	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
47405	741- 5	d 04 25 27 4 5		NAD 00		20/22
17425 ChartT	7th E ∂itle: Portland C	d. 01-MAY-15 anal-North of Hattie Islar	Last LNM: 21/15	NAD 83		36/22
On an cr		38 PORTLAND CANAL		AND. Page/Side: A		
				3	NOS	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	s is the Last Edition of thi	s chart. It will be		
	LAST EDITION	No new editions of chart 01-Mar-23. Comparable (ENC) coverage is availal Nautical Charts" in Sectio NOAA charts is at https:/	or larger scale Electronic ble. See "Cancellation of on I of this LNM for detai	Navigational Chart NOAA Paper and Raster Is. A list of all canceled	NOS 	
17426	16th	Ed. 01-JUN-14	Last LNM: 23/16	NAD 83		36/22
ChartT	itle: Kasaan Ba	y, Clarence Strait;Hollis				
	Main Panel 273	39 KASAAN BAY PRING	CE OF WALES ISLAND.	Page/Side: A		
	400			1 1 71 111	NOS	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of thi	s criart. It Will De		
					NOS	
	LAST EDITION	No new editions of chart 01-Mar-23. Comparable (ENC) coverage is availal Nautical Charts" in Sectio NOAA charts is at https:/	or larger scale Electronic ble. See "Cancellation of on I of this LNM for detai	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
17427	8th E	d. 01-MAY-15	Last LNM: 07/22	NAD 83		36/22
		anal - Dixon Entrance to		NAD 63		30/22
		42 PORTLAND CANAL I		HATTIE ISLAND. Page/	Side: A	
				· ·	NOS	
	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of thi	s chart. It will be		
					NOS	
	LAST EDITION	No new editions of chart 01-Mar-23. Comparable (ENC) coverage is availal Nautical Charts" in Sectio NOAA charts is at https:/	or larger scale Electronic ble. See "Cancellation of on I of this LNM for detai	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
17431	12th	Ed. 01-DEC-14	Last LNM: 34/20	NAD 83		36/22

		19 NORTH END OF COR		INLET. Page/Side: A	NOC		
А	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS 		
L	AST EDITION	No new editions of chart 01-Mar-23. Comparable of (ENC) coverage is available Nautical Charts" in Sectio NOAA charts is at https://	or larger scale Electronic I ble. See "Cancellation of N n I of this LNM for details	Navigational Chart NOAA Paper and Raster S. A list of all canceled	NOS 		
		d. 01-MAR-15 trait and Moira Sound 51 CLARENCE STRAIT A	Last LNM: 06/18	NAD 83 age/Side: A			36/22
А	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS 		
L	AST EDITION	No new editions of chart 01-Mar-23. Comparable of (ENC) coverage is availab Nautical Charts" in Sectio NOAA charts is at https://	or larger scale Electronic I ble. See "Cancellation of N n I of this LNM for details	Navigational Chart NOAA Paper and Raster S. A list of all canceled	NOS 		
		Clarence Strait Port Che		NAD 83 ngas Harbor, Annette I	sland;Metlakatla Harbo	or	36/22
M	Main Panel 284	19 PORT CHESTER. Pag	ge/Side: N/A		NOS		
А	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be			
L	AST EDITION	No new editions of chart 01-Mar-23. Comparable of (ENC) coverage is availab Nautical Charts" in Sectio NOAA charts is at https://	or larger scale Electronic I ble. See "Cancellation of N n I of this LNM for details	Navigational Chart NOAA Paper and Raster S. A list of all canceled	NOS 		
		trait, Cholmondeley Sou		NAD 83			36/22
M	Main Panel 275	8 CHOLMONDELEY SO	UND & SKOWL ARM. F	Page/Side: A	NOC		
А	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be	NOS 		
L	AST EDITION	No new editions of chart 01-Mar-23. Comparable c (ENC) coverage is availab Nautical Charts" in Sectio NOAA charts is at https://	or larger scale Electronic I ble. See "Cancellation of N n I of this LNM for details	Navigational Chart NOAA Paper and Raster S. A list of all canceled	NOS 		
		let to Nakat Bay	Last LNM: 07/22	NAD 83			36/22
IV	iain Panei 276	31 PORTLAND INLET TO	NAKAI BAY Page	Side: -	NOS		
А	ADD	Lower Left of Chart: This canceled on 01-Mar-23.	is the Last Edition of this	chart. It will be			
L	AST EDITION	No new editions of chart 01-Mar-23. Comparable of (ENC) coverage is availabt Nautical Charts" in Sectio NOAA charts is at https://	or larger scale Electronic I ble. See "Cancellation of N n I of this LNM for details	Navigational Chart NOAA Paper and Raster S. A list of all canceled	NOS 		
			OIL RIG	MOVEMENT			
	<u> </u>		Drill Rigs	Vessels Removed			
<u>Latitude</u> None	Longit	<u>tude</u> <u>Block</u>	Rigs/Vessel	<u>Chart</u>	<u>Type</u>	Status	
			Drill Rigs/\	essels Established			

Page 27 of 29 Coast Guard District 17

ChartTitle: N. end of Cordova Bay and Hetta Inlet

Latitude Longitude Block Rigs/Vessel Chart Type Status

None

368

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s) Project Date Ref. LNM

None

Advance Notice(s)

ALASKA – SOUTHCENTRAL – KENNEDY ENTRANCE

The Coast Guard will not be re-installing the dayboards on Perl Rock LT. The light will continue on the existing structure with the same nighttime flash characteristics. Comments/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at 907-463-2269 or by email to todd.r.buck@uscq.mil.

LNM: 35/22

690 ALASKA – SOUTHEAST – SITKA

The Coast Guard intends to rename and upgrade Japonski Island Buoy 2 (LLNR 25025.51) to Japonski Island Lighted Buoy 2 (LLNR 25025.51) with a red flash every 4 seconds (R 4s). Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 38/20

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s) <u>Closing</u> <u>Docket No.</u> <u>Ref. LNM</u>

None

Proposed Change Notice(s)

ALASKA - WESTERN - NORTON SOUND - GOLOVIN BAY

The Coast Guard is proposing adding navigational aids within Golovin Bay. These aids may include Lights, Daybeacons, or buoys. Mariners are requested to provide recommendations on locations that would facilitate safe navigation within Golovin Bay. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 26/18

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

430 ALASKA – SOUTHCENTRAL – PORT OF ANCHORAGE

The U.S. Army Corp of Engineers has contracted with Manson Construction Co. to conduct dredging operations in the Port of Anchorage and Cook Inlet Navigation Channel in approximate position 61°14.5′N, 149°53.3′W from April 1st through November 1st, 2022. Dredged material will be disposed of in approximate position 61°14.3′N, 149°56.5′W. Dredging will be conducted by the Dredge WESTPORT and the GLADYS M. Both vessels will be monitoring VHF/FM Channels 8, 13, 16, and 66. A temporary mooring buoy has been established in position 61°13.216′N, 149°56.175′W for the duration of the project. Questions/concerns should be directed to the project manager, Jeremy Cook, at 904-557-4356.

_NM: 14/22

441 ALASKA – COOK INLET – HOMER HARBOR and COAST GUARD BERTH

Alaska Marine Excavation, LLC. will be conducting dredging operations in the Homer Harbor Entrance and USCG Hickory berth starting April 15 2022 thru May 1st 2022 and resuming on September 1st 2022 thru October 11th, 2022. Dredging operations will continue 24 hours a day. The dredge COMMANDER is a 58' cutter head suction dredge, red and yellow in color, with a partially submerged pipeline. The pipeline will be marked where it exits the harbor on the beach and the pipeline's anchors will be marked by buoys. The dredge COMMANDER and tug Growler will be working on VHF/FM channel 79 and monitoring VHF/FM channels 13 and 16. Questions/concerns can also be directed to Brok Shafer with Alaska Marine Excavation, LLC at (907) 399-4549 or by email to brok@akmx.com.

LNM: 12/22

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) (2) (3) (4) (5) (6) (7) (8)
No. Name and Location Position Characteristic Height Range Structure Remarks

None

PUBLICATION CORRECTIONS

364 The following subsurface data moorings have been recovered:

U.S. Coast Pilot 9, Alaska: Cape Spencer to Beaufort Sea, 40th Edition, 2022, has been issued and is ready for free download and weekly updates at https://nautical charts.noaa.gov/publications/coast-pilot/index.html.

LNM: 35/22

ENCLOSURES

ALASKA - WESTERN AND NORTHWESTERN - BERING SEA TO BEAUFORT SEA

2022 Saildrone.pdf

Saildrone survey in the Bering Sea, Chukchi Sea, and Beaufort Sea.

LNM: 20/22

ALASKA - SOUTHWEST - ALEUTIAN ISLANDS

3022 Saildrone Aleutian.pdf

Unmanned saildrone surveying Aleutian Islands.

LNM: 30/22

ALASKA - SOUTHCENTRAL/ALEUTIAN PENINSULA

3022 Undersea Cable.pdf

A subsurface cable installation between Kodiak Island and Dutch Harbor.

LNM: 30/22

ALASKA

3622 Subsurface Buoys.pdf

Compilation of Subsurface and Surface oceanography moorings properly reported to U.S. Coast Guard District 17.

LNM: 36/22

ALASKA - SOUTHCENTRAL - KODIAK/GULF OF ALASKA

3622 P137 Rocket Launch.pdf

Rocket launch P137 is scheduled from the Pacific Spaceport Complex.

LNM: 36/22

ALASKA

3622 AMSEA.pdf

AMSEA Maritime Training

LNM: 36/22

ALASKA - SOUTHCENTRAL - KODIAK/GULF OF ALASKA

3422 P138 Rocket Launch.pdf

Rocket launch is scheduled from the Pacific Spaceport Complex.

LNM: 34/22

Michael D. Newell
Waterways Management Branch
Seventeenth Coast Guard District
OPERATIONAL EXCELLENCE THROUGH LEADERSHIP, TEAMWORK, AND INNOVATION.



RESEARCH EQUIPMENT IN WATER

Bering Sea, Chukchi Sea, and Beaufort Sea, Alaska May 17th to October 1st, 2022

SAILDRONE, INC. will operate two Uncrewed Surface Vehicles called "Saildrones", to study sea surface temperature in the Bering Sea, Chukchi Sea, and Beaufort Sea waters. They will be launched and recovered from Dutch Harbor, Alaska.

Research details can be found online at:

https://www.esr.org/research/MISST/

Vessels are requested to transit the area with caution, and remain greater than 500 meters away from the research equipment.

Saildrones are wind powered Uncrewed Surface Vehicles that carry important oceanographic and fisheries acoustics research instrumentation and are controlled from shore through satellite communications.

Color: Orange

• Light: white all-round light

Radar Reflector: Yes


Notation: "Saildrone"

Length: 23 ft & Width: 2 ft
Height: 16 ft above water line
Draft: 6 ft, Avg. speed: 3 kts

GPS / AIS / Cameras: Yes



SAILDRONE MISSION CONTROL (510) 722-6070 missioncontrol@saildrone.com



SCIENCE CONTACTS

Marisol Garcĩa-Reyes (Farallon Institute)

Mike Steele (UW)

(707) 363-9215 & (206) 543-8686



RESEARCH EQUIPMENT IN WATER

Bering Sea, Aleutian Basin, and northern Pacific Ocean, Alaska August 1st to October 1st, 2022

SAILDRONE, INC. will operate one Uncrewed Surface Vehicle called "SAILDRONE SURVEYOR", for bathymetric research along the western Aleutian Island coastline in the Bering Sea, Aleutian Basin, and northern Pacific Ocean. The vehicle will transit northbound through Unimak Pass on or after Aug. 2nd and arrive in Dutch Harbor, Alaska between Aug. 3rd - 6th 2022. SAILRONE SURVEYOR will be based out of Dutch Harbor, Alaska.

Vessels are requested to transit the area with caution, and remain greater than 500 meters away from the research equipment.

Saildrone Surveyor is a primarily wind powered Uncrewed Surface Vehicle also equipped with an inboard engine. Surveyor carries oceanographic and fisheries acoustics research instrumentation and is controlled from shore through satellite communications.

AIS: "SAILDRONE SURVEYOR"

MMSI: 338179262Color: Orange

Lights: Tricolor, Running lights/stern light

Radar Reflecting: Yes

Length: 22 m
Width: 1.8 m
Height: 14 m
Draft: 3.6 m

Average speed: 7 knots






SAILDRONE MISSION CONTROL

(510) 722-6070

missioncontrol@saildrone.com

Undersea Cable Installation

A subsurface cable will be installed between Mill Bay, Kodiak Island, approximately 58°00'N, 152°05'W, and Dutch Harbor, Unalaska Island, approximately 54°00'N, 166°20'W. The cable laying operations will be conducted 24 hours a day, 7 days a week, from July 18th through October 15th, 2022, subject to weather and sea state, by the M/V IT INTREPID and the M/V IT INTEGRITY. The M/V IT INTREPID is 380 feet in length, blue with a white superstructure. The M/V IT INTEGRITY is 236 feet in length, blue hull with a white superstructure. Both vessels will be monitoring VHF/FM channel 16. Mariners are requested to maintain a 1,000 meter CPA when cable laying operations are being conducted. Questions/concerns should be directed to Alaska Maritime Agencies at 907-562-8808 or by email to ancops@alaskamaritime.com.



Chartlet of approximate cable route





M/V IT INTREPID M/V IT INTEGRITY

This is the current compilation of all subsurface and surface oceanographic moorings that have been reported to the U.S. Coast Guard District 17 Waterways Branch. The name, type, location, depth, water depth, and a Point of Contact for all data buoys, surface and subsurface, shall be reported as quickly as is practical if they are placed within the navigable waters (within 200 nm) of the United States. Data buoys placed in the Arctic region but outside of 200 nm of the United States may be reported and will be included in this compilation (for informational purposes only). This notification process is for inclusion in the Local Notice to Mariners to provide navigational information to mariners and does not supersede any permission or permitting requirements. Any notifications, corrections, additions, deletions, or comments for the Alaska region (Coast Guard District 17) or the Arctic region should be submitted via e-mail to smb-d17juneau-lnm@uscg.mil or to Todd Buck, USCG D17(dpw), at 907-463-2269 or by email to todd.r.buck@uscg.mil. This compilation is as current as the Local Notice to Mariners (LNM) included in as an enclosure. The referenced LNM may have additional information and indicates the last time an entry was updated.

ALASKA – ARCTIC OCEAN

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
N/A	72°27.655'N, 157°23.774'W	780 feet	731 feet	39/10	Ethan Roth ehroth@ucsd.edu
N/A	72° 47.939'N, 158°23.941'W	1,066 feet	1,017 feet	39/10	Ethan Roth ehroth@ucsd.edu
N/A	72°07.275'N, 160"29.698'W	131 feet	115 feet	35/12	Thomas Weingartner 907-474-7993
N/A	72°09.747'N, 159°07.349'W	167 feet	85 feet	35/12	Thomas Weingartner 907-474-7993
N/A	72°10.875'N, 159°33.117'W	184 feet	95 feet	35/12	Thomas Weingartner 907-474-7993
N/A	72°41.745'N, 164°31.935'W	N/A	151 feet	35/12	N/A
N/A	72°31.517'N, 164°05.944'W	N/A	164 feet	35/12	N/A
N/A	72°16.850'N, 163°32.034'W	N/A	131 feet	35/12	N/A
HARP C2	72° 48.154'N, 158°25.384'W	1,062 feet	979 feet	48/15	Josh Jones 858-822-1836
HARP D	72° 36.925'N, 158°42.177'W	323 feet	237 feet	48/15	Josh Jones 858-822-1836
AIM16-1	75°06.003'N, 168°00.004'W	535 feet	142 feet	44/16	Dr. Humfrey Melling 250-363-6552
20CKP9A	72°28.210'N, 156°33.510'W	3,199 feet	1,280 feet	38/20	David Strausz 206-526-4510
NAP-20t	74°31.370'N, 161°55.880'W	5,528 feet	141 feet	42/20	Motoyo ITOH +81-46-867-9488
AMOS-VLF-1	77°29.600'N, 140°10.800'W	12,264 feet	230 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-C	76°24.800'N, 142°28.200'W	12,326 feet	131 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-NW	76°08.800'N, 145°17.000'W	12,441 feet	328 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-NE	75°46.400'N, 141°30.800'W	12,251 feet	328 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-B	75°30.000'N, 144°08.400'W	12,379 feet	328 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-SE	74°52.500'N, 143°05.200'W	12,241 feet	328 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-SW	75°13.000'N, 146°40.600'W	12,464 feet	328 feet	35/22	Craig Lee, craiglee@uw/edu
AMOS-A	74°35.300'N, 145°32.700'W	12,339 feet	131 feet	35/22	Craig Lee, craiglee@uw/edu

CANADA – BEAUFORT SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
ACW16-30	68°59.173'N, 105°53.030'W	242 feet	231 feet	44/16	Dr. Humfrey Melling 250-363-6552
CB12	70°33.770'N, 127°41.710'W	125 feet	116 feet	44/16	Dr. Humfrey Melling 250-363-6552
IBO16-1a	70°20.031'N, 133°44.369'W	180 feet	171 feet	44/16	Dr. Humfrey Melling 250-363-6552
IBO16-1b	70°20.035'N, 133°44.452'W	180 feet	171 feet	44/16	Dr. Humfrey Melling 250-363-6552
IBO16-2	70°59.359'N, 133°44.636'W	365 feet	146 feet	44/16	Dr. Humfrey Melling 250-363-6552
IBO16-9a	70°03.534'N, 133°42.918'W	116 feet	106 feet	44/16	Dr. Humfrey Melling 250-363-6552
IBO16-9b	70°03.501'N, 133°42.937'W	116 feet	106 feet	44/16	Dr. Humfrey Melling 250-363-6552
SIC16-11	69°46.483'N, 137°02.757'W	117 feet	107 feet	44/16	Dr. Humfrey Melling 250-363-6552
HI16	69°39.284'N, 138°55.279'W	134 feet	125 feet	44/16	Dr. Humfrey Melling 250-363-6552

ALASKA – BEAUFORT SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
N/A	71°35.980'N, 161°30.3221'W	151 feet	111 feet	48/14	David Leech 907-224-4319
AON-BS3	71°23.659'N, 152°03.046'W	482 feet	115 feet	49/14	Dr. Robert Pickart 508-289-2858
UPE120	71°12.338'N, 148°48.018'W	400 feet	374 feet	49/17	Steve Okkonen 907-283-3234
WAVE SS-1	70°29'16.8864"N, 147°30'00.3528"W	V UNK	Surface	29/18	Jeremy Kasper 907-371-6510
ODAS-1	70°24.889'N, 147°39.206'W	26 feet	24 feet	30/19	Carmen Lawrence 902-405-3336
ODAS-2	70°16.663'N, 147°35.493'W	19 feet	17 feet	30/19	Carmen Lawrence 902-405-3336
BCE-19	71°40.368'N, 154°59.923'W	344 feet	131 feet	42/19	Motoyo ITOH +81-46-867-9488
BCC-19	71°44.049'N, 155°09.624'W	951 feet	131 feet	42/19	Motoyo ITOH +81-46-867-9488
BCW-19	71°47.766'N, 155°20.777'W	554 feet	131 feet	42/19	Motoyo ITOH +81-46-867-9488
AL20-AU-BF2	71°45.220'N, 154°28.070'W	335 feet	308 feet	38/20	Catherine Berchok 206-526-6331
Prudhoe	70°50.085'N, 146°23.564'W	207 feet	191 feet	03/22	Steve Okkonen 907-283-3234

ALASKA – CHUKCHI SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
Unnamed	71°14.459'N, 164°18.067'W	138 feet	Surface	28/15	Noah Lawrence 206-526-6209
2015MARU_2	71°29.792'N, 163°11.449'W	144 feet	140 feet	40/15	Catherine Berchok 206-526-6331
CEM1-19	71°35.971'N, 161°30.419'W	154 feet	108 feet	35/19	Peter Shipton 907-224-4319
CEM2-19	71°35.979'N, 161°31.648'W	154 feet	108 feet	35/19	Peter Shipton 907-224-4319
19CKP-5A	71°12.212'N, 158°00.722'W	157 feet	131 feet	35/19	David Strausz 206-525-4510
19CKP-4A	71°02.591'N, 160°29.706'W	171 feet	138 feet	35/19	David Strausz 206-525-4510

ALASKA - CHUKCHI SEA (Continued)

ALASKA CHEK	CHI SEA (Continued)				
TYPE/NAME:	POSITION:	WATER DEPTH.	TOP FLOAT DEPTH:	Ref. LNM:	POC:
19CKP-3A	71°49.486'N, 166°03.560'W	151 feet	125 feet	35/19	David Strausz 206-525-4510
AL19-AU-IC3	71°49.728'N, 166°03.993'W	151 feet	121 feet	35/19	Catherine Berchok 206-526-6331
20CKP-12A	67°54.820'N, 168°11.830'W	195 feet	161 feet	38/20	David Strausz 206-526-4510
20CKITAER-12A	67°54.290'N, 168°11.510'W	196 feet	115 feet	38/20	David Strausz 206-526-4510
20CK-1A	70°00.000'N, 163°00.000'W	125 feet	112 feet	38/20	David Strausz 206-526-4510
20CKP-2A	71°13.180'N, 164.14.830'W	146 feet	128 feet	38/20	David Strausz 206-526-4510
AL20-AU-CL1	69°18.880'N, 167°36.650'W	167 feet	141 feet	38/20	Catherine Berchok 206-526-6331
AL20-AU-IC1	70°50.160'N, 163°07.100'W	148 feet	121 feet	38/20	Catherine Berchok 206-526-6331
AL21-AU-PH1	67°54.507'N, 168°11.926'W	171 feet	138 feet	49/21	Catherine Berchok 206-526-6331
AL21-AU-WT1	71°02.470'N, 160°30.330'W	164 feet	135 feet	49/21	Catherine Berchok 206-526-6331
AL21-AU-IC2	71°12.882'N, 164°14.911'W	144 feet	115 feet	49/21	Catherine Berchok 206-526-6331
W. Barrow Canyon	71°37.868'N, 157°19.576'W	230 feet	214 feet	03/22	Steve Okkonen 907-283-3234
WhoopDeeDo	71°25.327'N, 152°44.103'W	269 feet	253 feet	03/22	Steve Okkonen 907-283-3234
ALASKA – KOTZ	EBUE SOUND				
TYPE/NAME:	POSITION:	WATER DEPTH	TOP FLOAT DEPTH:	Ref. LNM:	POC:
OTZ-N	67°6.791'N, 163°46.328'W	37 feet	27 feet	48/14	Dr. Manuel Castellote 206-526-6866
OTZ-N OTZ-M	67°5.148'N, 163°48.282'W	58 feet	48 feet	48/14	Dr. Manuel Castellote 206-526-6866
OTZ-WI OTZ-S	· ·	60 feet	50 feet	48/14	Dr. Manuel Castellote 206-526-6866
OTZ-S OTZ-Ch	67°3.365'N, 163°48.699'W	51 feet	41 feet	48/14	Dr. Manuel Castellote 206-526-6866
O1Z-CII	66°14.346'N, 166°51.926'W	31 leet	41 1661	46/14	Dr. Manuel Castellote 200-320-0800
ALASKA – BERIN	IG STRAIT				
TYPE/NAME:	POSITION:	WATER DEDTH.	TOP FLOAT DEPTH:	Ref. LNM:	POC:
AOOS-AXYS	65°00.700'N, 169°27.23'W	WATER DEPTH:	Surface	30/15	Darcy Dugan 907-644-6718
NB-17t	65°03.884'N, 169°38.045'W	171 feet	89 feet	29/17	Makoto Sampei +81-138-40-8844
	*	187 feet	105 feet	29/17	
BS-17t	66°16.075'N, 168°54.098'W				Makoto Sampei +81-138-40-8844
A2-21	65°46.850'N, 168°34.090'W	187 feet	49 feet	29/21	Rebecca Woodgate 206-221-3268
A3-21	66°19.640'N, 168°56.990'W	194 feet	23 feet	29/21	Rebecca Woodgate 206-221-3268
A4-21	65°44.740'N, 168°15.770'W	164 feet	49 feet	29/21	Rebecca Woodgate 206-221-3268
ALASKA – NORT	ON SOUND				
TYPE/NAME:	POSITION:		TOP FLOAT DEPTH:	Ref. LNM:	POC:
Station-241	64°28.365'N, 165°28.525'W	66 feet	Surface	36/20	James Behrens 858-534-3032
	, , , , , , , , , , , , , , , , , , , ,		Surrave		
ALASKA – BERIN	ŕ		5.01.000		
	ŕ		TOP FLOAT DEPTH:	Ref. LNM:	POC:
ALASKA – BERIN TYPE/NAME:	IG SEA POSITION:			Ref. LNM: 25/19	POC: NOAAS FAIRWEATHER 401-378-4022
ALASKA – BERIN	POSITION: 58°28.015'N, 162°04.779'W	WATER DEPTH:	TOP FLOAT DEPTH:		
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W	WATER DEPTH: 126 feet	TOP FLOAT DEPTH: Surface	25/19	NOAAS FAIRWEATHER 401-378-4022
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W	WATER DEPTH: 126 feet 312 feet 233 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet	25/19 28/19 40/19	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet	25/19 28/19 40/19 40/19	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BS-8A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet	25/19 28/19 40/19 40/19 40/19	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BS-8A 19BSP-8A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 177 feet 30 feet	25/19 28/19 40/19 40/19 40/19 40/19	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BS-8A 19BSP-8A 20BSP-8A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-8A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510
TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510
TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BS-8A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 233 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet 102 feet 33 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510
TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A	POSITION: 58°28.015°N, 162°04.779°W 53°37.775°N, 167°23.945°W 59°54.220°N, 171°41.890°W 62°12.000°N, 174°40.470°W 61°11.760°N, 174°40.310°W 64°00.156°N, 167°56.043°W 63°59.950°N, 167°55.690°W 57°51.994°N, 168°52.828°W 57°52.103°N, 168°53.753°W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 233 feet 233 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BS-4A PUF-18	POSITION: 58°28.015°N, 162°04.779°W 53°37.775°N, 167°23.945°W 59°54.220°N, 171°41.890°W 62°12.000°N, 174°40.470°W 61°11.760°N, 174°40.310°W 64°00.156°N, 167°56.043°W 63°59.950°N, 167°55.690°W 57°51.994°N, 168°52.828°W 57°52.103°N, 168°53.753°W 56°15.340°N, 168°17.361°W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 233 feet 233 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet 102 feet 197 feet 505feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 167°36.900'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 123 feet 233 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 167°36.900'W 64°51.248'N, 168°27.938'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 233 feet 233 feet 144 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet 102 feet 107 feet 33 feet 197 feet 505feet 166 feet 115 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°56.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 167°36.900'W 64°51.248'N, 168°27.938'W 56°51.818'N, 164°03.693W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 241 feet 125 feet 125 feet 125 feet 126 feet 141 feet 150 feet 167 feet 144 feet 230 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22	NOAAS FAIR WEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 241 feet 125 feet 125 feet 125 feet 126 feet 127 feet 127 feet 144 feet 144 feet 156 feet 157 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 505 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22	NOAAS FAIR WEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-UM01	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°52.828'W 57°52.103'N, 168°13.736'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 241 feet 125 feet 125 feet 125 feet 233 feet 233 feet 231 feet 231 feet 231 feet 231 feet 167 feet 144 feet 230 feet 531 feet 328 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 505 feet 302 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22	NOAAS FAIR WEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-UM01 AL22-AU-BS10	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°13.753'W 58°24.700'N, 168°36.990'W 57°51.948'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 241 feet 125 feet 125 feet 125 feet 126 feet 127 feet 127 feet 128 feet 167 feet 144 feet 144 feet 144 feet 145 feet 145 feet 145 feet 146 feet 147 feet 148 feet 148 feet 149 feet 149 feet 140 feet 140 feet 141 feet 141 feet 141 feet 142 feet 143 feet 144 feet 145 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 210 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 328 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/21 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539
TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS11	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 167°36.900'W 64°51.248'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 233 feet 233 feet 231 feet 233 feet 233 feet 233 feet 231 feet 331 feet 167 feet 144 feet 230 feet 531 feet 328 feet 387 feet 135 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 328 feet 198 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539
TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-W01 AL22-AU-BS10 AL22-AU-BS11 22SH-1A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 167°36.900'W 64°51.248'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 125 feet 233 feet 230 feet 231 feet 331 feet 341 feet 144 feet 144 feet 145 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 302 feet 308 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4539 David Strausz 206-526-4539 David Strausz 206-526-4539
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.310'W 64°01.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°34.736'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°18.767'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 56°97.02'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 243 feet 241 feet 125 feet 125 feet 125 feet 126 feet 146 feet 147 feet 144 feet 148 feet 149 feet 140 feet 151 feet 145 feet 144 feet 151 feet 151 feet 152 feet 153 feet 154 feet 155 feet 155 feet 155 feet 155 feet 155 feet 155 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 308 feet 309 feet 301 feet 301 feet 301 feet 302 feet 302 feet 303 feet 303 feet 303 feet 303 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-4531 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°56.093'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°52.828'W 57°52.103'N, 168°51.373'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°17.361'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W	WATER DEPTH: 126 feet 312 feet 233 feet 233 feet 243 feet 241 feet 125 feet 125 feet 125 feet 126 feet 127 feet 127 feet 128 feet 167 feet 178 feet	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 302 feet 303 feet 303 feet 505 feet 305 feet 306 feet 307 feet 308 feet 308 feet 309 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4539 David Strausz 206-526-4539 David Strausz 206-526-4539
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 303 feet 400 feet 304 feet 305 feet 305 feet 306 feet 307 feet 308 feet 308 feet 309 feet 309 feet 301 feet 301 feet 301 feet 302 feet 302 feet 303 feet 303 feet 304 feet 305 feet 305 feet 305 feet 306 feet 307 feet 308 feet 309 feet 309 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 302 feet 303 feet 303 feet 505 feet 305 feet 306 feet 307 feet 308 feet 308 feet 309 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 19/21 19/21 43/21 43/21 43/21 20/22 25/22 25/22 25/22 36/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 303 feet 400 feet 304 feet 305 feet 305 feet 306 feet 307 feet 308 feet 308 feet 309 feet 309 feet 301 feet 301 feet 301 feet 302 feet 302 feet 303 feet 303 feet 304 feet 305 feet 305 feet 305 feet 306 feet 307 feet 308 feet 309 feet 309 feet	25/19 28/19 40/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A ALASKA – GULF	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 302 feet 308 feet Surface ANAK ISLAND) TOP FLOAT DEPTH:	25/19 28/19 40/19 40/19 40/19 38/20 38/20 19/21 19/21 43/21 43/21 43/21 20/22 25/22 25/22 25/22 36/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A 21BSP-4A PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A TYPE/NAME: TRBM-1 TRBM-2	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°55.690'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU POSITION: 54°42.606'N, 162°37.872'W	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 308 feet 308 feet 408 feet 200 feet 318 feet 108 feet 200 feet 318 feet 108 feet 200 feet 318 feet 3197 feet 328 feet 328 feet 328 feet 328 feet 328 feet 338 feet 338 feet 348 feet 3597 feet 3798 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 36/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-6331 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A ALASKA – GULF TYPE/NAME: TRBM-1 TRBM-2 ALASKA – SOUT	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°01.156'N, 167°56.043'W 63°59.950'N, 167°56.043'W 57°52.103'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 50°9.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU POSITION: 54°42.606'N, 162°37.872'W 54°37.151'N, 162°35.695'W HWESTERN – UNIMAK PASS	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 308 feet 108 feet 301 feet 302 feet 302 feet 303 feet 505 feet 304 feet 305 feet 306 feet 307 feet 308 feet 308 feet 309 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-4531 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Chris Wilson 206-526-6435 Chris Wilson 206-526-6435
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BSP-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A ALASKA – GULF TYPE/NAME: TRBM-1 TRBM-2 ALASKA – SOUTI	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°00.156'N, 167°56.043'W 63°59.950'N, 167°56.093'W 57°51.994'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 53°37.870'N, 167°24.272'W 56°09.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU POSITION: 54°42.606'N, 162°37.872'W 54°37.151'N, 162°35.695'W HWESTERN – UNIMAK PASS	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 302 feet 303 feet 505 feet 304 feet 305 feet 307 feet 308 feet 108 feet 308 feet 108 feet 309 feet 300 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 38/20 19/21 19/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22 36/22 36/22 36/22 Ref. LNM:	NOAAS FAIR WEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-4510 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4539 Companie Grassia 206-526-4539 Stephanie Grassia 206-526-4539 Companie Gra
ALASKA – BERIN TYPE/NAME: GPS Tide Buoy AL19-AU-BS6 19BS-5A 19BSP-5A 19BSP-8A 20BSP-8A 20BSP-14A 20BSIP-14A 21BS-4A PUF-18 PUF-19 AL21-AU-NM1 22BSP-2A AL22-AU-PC01 AL22-AU-BS10 AL22-AU-BS10 AL22-AU-BS11 22SH-1A 22BS-2C 22KUITAEFPR-4A ALASKA – GULF TYPE/NAME: TRBM-1 TRBM-2 ALASKA – SOUT	POSITION: 58°28.015'N, 162°04.779'W 53°37.775'N, 167°23.945'W 59°54.220'N, 171°41.890'W 62°12.000'N, 174°40.770'W 61°11.760'N, 174°40.470'W 62°11.540N, 174°40.310'W 64°01.156'N, 167°56.043'W 63°59.950'N, 167°56.043'W 57°52.103'N, 168°52.828'W 57°52.103'N, 168°53.753'W 56°15.340'N, 168°17.361'W 58°24.700'N, 168°17.361'W 58°24.700'N, 168°27.938'W 56°51.818'N, 164°03.693W 56°07.760'N, 168°18.767'W 50°9.702'N, 166°34.707'W 61°04.742'N, 170°16.562'W 56°51.041'N, 158°59.784'W 56°52.456'N, 164°03.954'W 57°53.958'N, 165°42.148'W OF ALASKA – SANAK TROU POSITION: 54°42.606'N, 162°37.872'W 54°37.151'N, 162°35.695'W HWESTERN – UNIMAK PASS	WATER DEPTH:	TOP FLOAT DEPTH: Surface 282 feet 30 feet 30 feet 177 feet 30 feet 102 feet 102 feet 102 feet 197 feet 505feet 166 feet 115 feet 203 feet 302 feet 302 feet 308 feet 108 feet 301 feet 302 feet 302 feet 303 feet 505 feet 304 feet 305 feet 306 feet 307 feet 308 feet 308 feet 309 feet	25/19 28/19 40/19 40/19 40/19 38/20 38/20 38/20 19/21 19/21 43/21 43/21 43/21 49/21 20/22 25/22 25/22 25/22 25/22 36/22 36/22 36/22	NOAAS FAIRWEATHER 401-378-4022 Catherine Berchok 206-526-6331 Geoff Lebon 206-526-6884 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Thomas Vanpelt 907-242-7725 Thomas Vanpelt 907-242-7725 Catherine Berchok 206-526-4531 David Strausz 206-526-4510 Stephanie Grassia 206-526-4539 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 David Strausz 206-526-4510 Chris Wilson 206-526-6435 Chris Wilson 206-526-6435

ALASKA - COOK INLET - KAMISHAK BAY

TYPE/NAME:	POSITION:	WATED DEDTU	TOP FLOAT DEPTH:	Dof I NM.	DOC:
LTPE/INAIVIE:	POSITION:	WAIEK DEFIEL	TOP FLOAT DEPTH:	Kel. Linivi:	POC:

ADCP-A 59°16'34.5168"N, 154°07'03.6837"W 16 feet 13 feet 03/18 Jason Crockett 907-315-6513 ADCP-B 59°15'24.7255"N, 154°02'45.7066"W 43 feet 39 feet 03/18 Jason Crockett 907-315-6513

ALASKA - GULF OF ALASKA - KODIAK ISLAND - CHINIAK BAY

TYPE/NAME: POSITION: WATER DEPTH: TOP FLOAT DEPTH: Ref. LNM: POC:

22CB-1A 57°43.300'N, 152°17.052'W 633 feet 584 feet 36/22 David Strausz 206-526-4510

ALASKA – GULF OF ALASKA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
UAF GAK4M	59°24.231'N, 149°00.731'W	656 feet	328 feet	45/16	Dr. Andrew McDonnell 907-474-7529
WAVE YB-1	59°27'22.248"N, 139°45'02.088"W	UNK	Surface	29/17	Jeremy Kasper 907-371-6510
WAVE YB-2	59°26'58.7349"N, 139°47'46.3194"W	V UNK	Surface	29/17	Jeremy Kasper 907-371-6510
GEO1-2019	59°00.850'N, 148°41.410'W	722 feet	Surface	29/19	Seth Danielson 907-474-7834
GEO2-2019	59°00.917'N, 148°41.604'W	722 feet	72 feet	29/19	Seth Danielson 907-474-7834
GEO3-2019	59°00.988'N, 148°41.797'W	722 feet	Surface	29/19	Seth Danielson 907-474-7834
GA20-AU-BT01	57°01.790'N, 152°59.620'W	269 feet	243 feet	40/20	Catherine Berchok 206-526-6331
AOOS-204	59°35.850'N, 151°49.746'W	111 feet	Surface	32/21	James Behrens 858-534-3032

ALASKA - GULF OF ALASKA - RESURRECTION BAY

TYPE/NAME:	POSITION:	TOP FLOAT DEPTH:	

GAKOA 59°54'39.55"N, 149°20'57.47"W 171 feet Surface 13/19 Natalie Monacci 907-474-7956 GAK1 59°51'11.952"N, 149°30'03.96"W 869 feet 66 feet 13/19 Peter Shipton 907-224-4319

ALASKA – PRINCE WILLIAM SOUND

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
PST1	60°39.100'N, 146°16.682'W	154 feet	138 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST2	60°39.338'N, 146° 17.353'W	226 feet	210 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST3	60° 39.568'N, 146° 18.040'W	390 feet	374 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST4	60° 39.798'N, 146° 18.726'W	427 feet	410 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST5	60° 40.028'N, 146°19.413'W	420 feet	404 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST6	60°40.257'N, 146°20.100'W	410 feet	394 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST7	60°40.487'N, 146°20.786'W	295 feet	279 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST8	60°40.717'N, 146°21.473'W	233 feet	217 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST9	60°40.947'N, 146°22.160'W	194 feet	177 feet	18/09	Mary Anne Bishop 907-424-5800 x228
PST10	60°41.176'N, 146°22.846'W	141 feet	125 feet	18/09	Mary Anne Bishop 907-424-5800 x228
LHRT1	60°22.6596'N, 147°51.147'W	225 feet	209 feet	11/14	Mary Anne Bishop 907-424-5800 x228
LHRT2	60°22.6482'N, 147°50.7522'W	364 feet	348 feet	11/14	Mary Anne Bishop 907-424-5800 x228
LHRT3	60°22.668'N, 147°50.5116'W	382 feet	366 feet	11/14	Mary Anne Bishop 907-424-5800 x228
WTRT1	60°44.253'N, 147°59.5596'W	504 feet	488 feet	11/14	Mary Anne Bishop 907-424-5800 x228
WTRT2	60°44.0994'N, 147°59.086'W	504 feet	488 feet	11/14	Mary Anne Bishop 907-424-5800 x228
WTRT3	60°43.938'N, 147°59.448'W	316 feet	300 feet	11/14	Mary Anne Bishop 907-424-5800 x228
PWSSC-15	60°36.791'N, 147°11.996'W		7 feet (Surfacing 2X per d	av) 15/16	R. W. Campbell 907-424-5800 x241
H01	60°20.550'N, 146°43.824'W	98 feet	66 feet	09/17	Mary Anne Bishop 907-424-5800 x228
HA	60°20.274'N, 146°43.248'W	591 feet	532 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H02	60°20.400'N, 146°44.520'W	879 feet	791 feet	09/17	Mary Anne Bishop 907-424-5800 x228
HB	60°20.094'N, 146°43.974'W	830 feet	747 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H03	60°20.250'N, 146°45.246'W	886 feet	797 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H04	60°20.112'N, 146°45.966'W	886 feet	797 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H05	60°19.968'N, 146°46.710'W	886 feet	797 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H06	60°19.812'N, 146°47.418'W	896 feet	806 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H07	60°19.668'N, 146°48.138'W	909 feet	818 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H08	60°19.470'N, 146°48.954'W	935 feet	842 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H09	60°19.320'N, 146°49.782'W	1007 feet	906 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H10	60°19.188'N, 146°50.508'W	1060 feet	954 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H11	60°19.008'N, 146°51.228'W	1135 feet	1022 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H12	60°18.888'N, 146°51.930'W	1194 feet	1075 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H13	60°18.738'N, 146°52.656'W	909 feet	818 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H14	60°18.588'N, 146°53.340'W	522 feet	470 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H15	60°18.468'N, 146°53.994'W	276 feet	244 feet	09/17	Mary Anne Bishop 907-424-5800 x228
HC	60°18.120'N, 146°53.568'W	449 feet	404 feet	09/17	Mary Anne Bishop 907-424-5800 x228
H16	60°18.540'N, 146°54.552'W	85 feet	53 feet	09/17	Mary Anne Bishop 907-424-5800 x228
HD	60°17.982'N, 146°54.336'W	151 feet	119 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M01	59°55.482'N, 147°48.630'W	295 feet	263 feet	09/17	Mary Anne Bishop 907-424-5800 x228
MA	59°55.146'N, 147°49.092'W	220 feet	188 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M02	59°55.848'N, 147°49.074'W	446 feet	401 feet	09/17	Mary Anne Bishop 907-424-5800 x228
MB	59°55.512'N, 147°49.512'W	420 feet	378 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M03	59°56.178'N, 147°49.518'W	509 feet	458 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M04	59°56.556'N, 147°49.956'W	577 feet	519 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M05	59°56.886'N, 147°50.382'W	640 feet	576 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M06	59°57.222'N, 147°50.826'W	705 feet	635 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M07	59°57.546'N, 147°51.234'W	741 feet	667 feet	09/17	Mary Anne Bishop 907-424-5800 x228

ALASKA - PRINCE WILLIAM SOUND (Continued)

TYPE/NAME:	POSITION:	WATER DERTH.	TOP FLOAT DEPTH:	Ref. LNM:	POC:
M08	59°57.864'N, 147°51.636'W	768 feet	691 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M09	59°58.152'N, 147°52.008'W	784 feet	706 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M10	59°58.536'N, 147°52.458'W	778 feet	700 feet	09/17	Mary Anne Bishop 907-424-5800 x228
MC	59°58.182'N, 147°52.872'W	745 feet	671 feet	09/17	Mary Anne Bishop 907-424-5800 x228
M11	59°58.842'N, 147°52.866'W	472 feet	425 feet	09/17	Mary Anne Bishop 907-424-5800 x228
MD	59°58.518'N, 147°53.352'W	614 feet	553 feet	09/17	Mary Anne Bishop 907-424-5800 x228
LP01	59°58.854'N, 148°01.920'W	112 feet	80 feet	09/17	Mary Anne Bishop 907-424-5800 x228
LPA	59°58.488'N, 148°02.286'W	98 feet	66 feet	09/17	Mary Anne Bishop 907-424-5800 x228
EP04	59°59.700'N, 148°06.072'W	276 feet	244 feet	09/17	Mary Anne Bishop 907-424-5800 x228
EPB	59°59.364'N, 148°06.492'W	246 feet	214 feet	09/17	Mary Anne Bishop 907-424-5800 x228
POWP05	60°02.778'N, 148°07.470'W	312 feet	280 feet	09/17	Mary Anne Bishop 907-424-5800 x228
LPB	59°58.758'N, 148°02.676'W	289 feet	257 feet	09/17	Mary Anne Bishop 907-424-5800 x228
EP03	59°59.472'N, 148°05.802'W	240 feet	208 feet	09/17	Mary Anne Bishop 907-424-5800 x228
EPA	59°59.064'N, 148°05.952'W	331 feet	299 feet	09/17	Mary Anne Bishop 907-424-5800 x228
PWA	60°02.394'N, 148°07.698'W	289 feet	257 feet	09/17	Mary Anne Bishop 907-424-5800 x228
LP02	59°59.082'N, 148°02.208'W	148 feet	116 feet	09/17	Mary Anne Bishop 907-424-5800 x228
POWP06	60°02.796'N, 148°07.902'W	177 feet	145 feet	09/17	Mary Anne Bishop 907-424-5800 x228
PWB	60°02.418'N, 148°08.208'W	266 feet	234 feet	09/17	Mary Anne Bishop 907-424-5800 x228
BP07	60°06.906'N, 148°14.118'W	174 feet	142 feet	09/17	· · · · · · · · · · · · · · · · · · ·
BPA	60°07.128'N, 148°13.458'W	167 feet	135 feet	09/17	Mary Anne Bishop 907-424-5800 x228 Mary Anne Bishop 907-424-5800 x228
Grav-1	60°41.370'N, 146°23.956'W	16 feet	Surface	16/17	· · · · · · · · · · · · · · · · · · ·
Grav-1	60°41.454'N, 146°23.496'W	75 feet	55 feet	16/17	Mary Anne Bishop 907-424-5800 x228 Mary Anne Bishop 907-424-5800 x228
Grav-3		146 feet	126 feet	16/17	, ,
Grav-4	60°40.925'N, 146°23.018'W	195 feet	176 feet	16/17	Mary Anne Bishop 907-424-5800 x228
Grav-5	60°40.696'N, 146°22.561'W 60°41.257'N, 146°24.580'W	7 feet	Surface	16/17	Mary Anne Bishop 907-424-5800 x228 Mary Anne Bishop 907-424-5800 x228
Grav-6	60°41.033'N, 146°24.109'W	53 feet	34 feet	16/17	Mary Anne Bishop 907-424-5800 x228 Mary Anne Bishop 907-424-5800 x228
Grav-7	· · · · · · · · · · · · · · · · · · ·	128 feet	108 feet	16/17	· · · · · · · · · · · · · · · · · · ·
Grav-8	60°40.811'N, 146°23.633'W	158 feet	138 feet	16/17	Mary Anne Bishop 907-424-5800 x228 Mary Anne Bishop 907-424-5800 x228
Grav-9	60°40.580'N, 146°23.148'W	212 feet	192 feet	16/17	Mary Anne Bishop 907-424-5800 x228
Grav-10	60°40.362'N, 146°22.692'W 60°40.970'N, 146°23.557'W	106 feet	86 feet	16/17	Mary Anne Bishop 907-424-5800 x228 Mary Anne Bishop 907-424-5800 x228
Grav-RT1	60°41.053'N, 146°24.004'W	59 feet	40 feet	16/17	Mary Anne Bishop 907-424-5800 x228
Grav-RT2	60°41.071'N, 146°23.896'W	72 feet	53 feet	16/17	Mary Anne Bishop 907-424-5800 x228
Grav-RT3	60°41.090'N, 146°23.765'W	74 feet	55 feet	16/17	Mary Anne Bishop 907-424-5800 x228
RH1	60°36.987'N, 146°37.412'W	213 feet	203 feet	28/18	Mary Anne Bishop 907-424-5800 x228
RH2	60°38.175'N, 146°29.837'W	223 feet	203 feet 223 feet	28/18	Mary Anne Bishop 907-424-5800 x228
NMS1	60°18.476'N, 147°40.044'W	131 feet	131 feet	28/18	Mary Anne Bishop 907-424-5800 x228
NMS2	60°18.280'N, 147°25.330'W	154 feet	154 feet	28/18	Mary Anne Bishop 907-424-5800 x228
NMS3	60°22.657'N, 147°08.341'W	118 feet	118 feet	28/18	Mary Anne Bishop 907-424-5800 x228
GISL1	60°51.782'N, 147°13.369'W	164 feet	154 feet	28/18	Mary Anne Bishop 907-424-5800 x228
MR1	59°58.586'N, 147°53.254'W	607 feet	597 feet	28/18	Mary Anne Bishop 907-424-5800 x228
MR2	59°58.655'N, 147°53.160'W	581 feet	571 feet	28/18	Mary Anne Bishop 907-424-5800 x228
MR3	59°58.738'N, 147°53.030'W	564 feet	554 feet	28/18	Mary Anne Bishop 907-424-5800 x228
HRT1	60°18.058'N, 146°54.282'W	112 feet	102 feet	28/18	Mary Anne Bishop 907-424-5800 x228
HRT2	60°18.135'N, 146°54.227'W	121 feet	111 feet	28/18	Mary Anne Bishop 907-424-5800 x228
HRT3	60°18.226'N, 146°54.145'W	151 feet	141 feet	28/18	Mary Anne Bishop 907-424-5800 x228
KIP1	60°18.121'N, 148°00.944'W	344 feet	324 feet	39/18	Mary Anne Bishop 907-424-5800 x228
KIP2	60°18.050'N, 147°55.640'W	344 feet	324 feet	39/18	Mary Anne Bishop 907-424-5800 x228
CP1	60°32.465'N, 146°08.652'W	106 feet	81 feet	39/18	Mary Anne Bishop 907-424-5800 x228
CP2	60°32.733'N, 146°06.749'W	151 feet	126 feet	39/18	Mary Anne Bishop 907-424-5800 x228
CEDAR1	60°33.568'N, 146°01.978"W	110 feet	85 feet	39/18	Mary Anne Bishop 907-424-5800 x228
JP1	60°29.366'N, 146°35.524'W	74 feet	71 feet	10/20	Mary Anne Bishop 907-424-5800 x228
PF1	60°48.720'N, 146°34.464'W	131 feet	128 feet	10/20	Mary Anne Bishop 907-424-5800 x228
111	00 10.720 11, 170 JT.707 W	131 1001	120 1001	10/20	7 mile Dishop 707-727-3000 X220
ALASKA – GULF	OF ALASKA – YAKUTAT				
TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
Wave Buoy-1	59°270402'N 139°44 982'W	Unknown	Surface	41/19	Ieremy Kasner 907-371-6510

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
Wave Buoy-1	59°270402'N, 139°44.982'W	Unknown	Surface	41/19	Jeremy Kasper 907-371-6510
Wave Buoy-2	59°25.998'N, 139°48.366'W	Unknown	Surface	41/19	Jeremy Kasper 907-371-6510

ALASKA – SOUTHEAST

TYDEALANC	POCITION	WATER DEPTH	TOD ELOAT DEDTH	D CINDA	POC
TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
Icy Strait	58° 14.6112'N, 136° 7.28972'W	614 feet	594 feet	35/09	Dave Carlile 907-465-4216
Icy Strait	58° 14.5037'N, 136° 7.27185'W	541 feet	521 feet	35/09	Dave Carlile 907-465-4216
Icy Strait	58° 14.3962'N, 136° 7.25398'W	522 feet	502 feet	35/09	Dave Carlile 907-465-4216
Icy Strait	58° 14.2887'N, 136° 7.23611'W	358 feet	338 feet	35/09	Dave Carlile 907-465-4216
Icy Strait	58° 14.1812'N, 136° 7.21824'W	266 feet	246 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 9.6115'N, 134° 33.78278'W	1814 feet	1795 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 9.6209'N, 134° 33.97584'W	1820 feet	1800 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 9.6303'N, 134° 34.1689'W	1811 feet	1791 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 9.6397'N, 134° 34.36195'W	1811 feet	1791 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 9.6491'N, 134° 34.55501'W	1798 feet	1778 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 8.6362'N, 134° 25.56783'W	1916 feet	417 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 8.655'N, 134° 25.95379'W	1930 feet	1910 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 8.6644'N, 134° 26.14676'W	1932 feet	1912 feet	35/09	Dave Carlile 907-465-4216

ALASKA - SOUTHEAST (Continued)

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
Chatham Strait	56° 8.6738'N, 134° 26.3397'W	1936 feet	1916 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 8.6832'N, 134° 26.53272'W	1932 feet	1912 feet	35/09	Dave Carlile 907-465-4216
Chatham Strait	56° 8.6926'N, 134° 26.7257'W	1932 feet	1912 feet	35/09	Dave Carlile 907-465-4216
Frederick Sound	57° 3.34'N, 134° 15.64'W	1180 feet	928 feet	35/09	Dave Carlile 907-465-4216
Frederick Sound	57° 3.1874'N, 134° 15.35938'W	1155 feet	1135 feet	35/09	Dave Carlile 907-465-4216
Frederick Sound	57° 3.1111'N, 134° 15.21907'W	1155 feet	1135 feet	35/09	Dave Carlile 907-465-4216
Frederick Sound	57° 3.0348'N, 134° 15.07877'W	1155 feet	1135 feet	35/09	Dave Carlile 907-465-4216
Frederick Sound	57° 2.9584'N, 134° 14.93847'W	1158 feet	1138 feet	35/09	Dave Carlile 907-465-4216
Ommaney	56° 5.1769'N, 134° 46.8910'W	1191 feet	1171 feet	33/10	Dave Carlile 907-465-4216
Ommaney	56° 5.0755'N, 134° 46.8249'W	1200 feet	1180 feet	33/10	Dave Carlile 907-465-4216
Ommaney	56° 4.9741'N, 134° 46.7587' W	1200 feet	1180 feet	33/10	Dave Carlile 907-465-4216
Ommaney	55° 59.6327' N, 134°57.3717' W	1214 feet	1194 feet	33/10	Dave Carlile 907-465-4216
Ommaney	55° 59.5313'N, 134° 57.3057'W	1191 feet	1171 feet	33/10	Dave Carlile 907-465-4216
Ommaney	55° 59.4298'N, 134° 57.2397'W	1191 feet	1171 feet	33/10	Dave Carlile 907-465-4216
Ommaney	55° 59.3284'N, 134° 57.1737'W	1220 feet	1200 feet	33/10	Dave Carlile 907-465-4216
Frederick Sound	57° 2.8821'N, 134° 14.79818'W	1158 feet	1138 feet	35/09	Dave Carlile 907-465-4216
Ommaney	56° 5.4812' N, 134° 47.0895' W	1181 feet	912 feet	33/10	Dave Carlile 907-465-4216
Ommaney	56° 5.3798'N, 134° 47.0233'W	1191 feet	1171 feet	33/10	Dave Carlile 907-465-4216
Ommaney	56° 5.2783'N, 134° 46.9572'W	1191 feet	1171 feet	33/10	Dave Carlile 907-465-4216
Ommaney	55° 59.2270'N, 134° 57.1077'W	1220 feet	1200 feet	33/10	Dave Carlile 907-465-4216
Ommaney	55° 59.1256'N, 134° 57.0417' W	1220 feet	1200 feet	33/10	Dave Carlile 907-465-4216
20CSP-4A	58°07.363'N, 136°35.604'W	1,099 feet	1,060 feet	06/20	David Strausz 206-526-4510

ALASKA – NORTH PACIFIC OCEAN

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
HARP-CB	58°40.409'N, 148°00.546'W	2,877 feet	2,779 feet	49/14	Josh Jones 858-822-1836
HARP-PT	56°14.635'N, 142°45.431'W	3,238 feet	3,140 feet	49/14	Josh Jones 858-822-1836
MFM-A	49°58.60'N, 144°14.77'W	13,540 feet	49 feet	24/15	Gabriella Chavez 858-822-4938
MFM-B	50°19.82'N, 144°23.90'W	13,599 feet	49 feet	24/15	Gabriella Chavez 858-822-4938
GHPM-1	50°04.79'N, 144°48.18'W	13, 842 feet	483 feet	24/15	Gabriella Chavez 858-822-4938






Pacific Spaceport Complex Alaska (PSCA) will be conducting a launch designated P137 from Launch Pad LP-3C at Narrow Cape, Kodiak, Alaska, with a launch azimuth of 176°. Daily launch operations are scheduled between 2200-0130 UTC September 12th through September 14th. In local time 1400-1730 AKDT September 12th through September 13th, 2022 (local). Mariners are requested to remain clear of the Hazard Areas during the scheduled launch operations. Questions/concerns should be directed to the PSCA Operations Director, Shannon Edwards at (907) 771-8036, or cell (509) 713-4368 or by email to shannon.edwards@akaerospace.com or the PSCA Ground Safety (96774Pa3672Ecnar at ll (907) 942-4485 or by email to ppena.ctr@akaerospace.com.

Total Hazard Area (Degrees Decimal Minutes):

Point A:	57°15.806'N, 152°30.838'W
Point B:	57°28.459'N, 152°31.795'W
Point C:	57°29.265'N, 152°11.957'W
Point D:	56°40.696'N, 152°03.287'W
Point E:	55°10.160'N, 151°51.796'W
Point F:	53°39.607'N, 151°41.136'W
Point G:	52°09.039'N, 151°31.208'W
Point H:	51°45.816'N, 151°30.037'W
Point I:	51°44.545'N, 151°59.959'W
Point J:	52°16.191'N, 152°11.000'W
Point K:	53°56.068'N, 152°17.071'W
Point L:	55°35.941'N, 152°23.658'W

Graphical depiction of Up-Range Hazard Area:



Graphical depiction of NOTMAR Hazard Area:





Alaska Marine Safety Education Association

2924 Halibut Point Road, Sitka, Alaska 99835-9668 phone 907-747-3287 / fax 907-747-3259 / www.amsea.org

For Immediate Release

Date Issued: September 6, 2022 Kill Date: September 15, 2022

AMSEA Workshops of Interest to Mariners in District 17

The Alaska Marine Safety Education Association is offering a number of classes in U.S. Coast Guard District 17 that may be of interest to mariners. Many of these workshops are offered at reduced cost to commercial fishermen, thanks to support from the U.S. Coast Guard, the National Institute for Occupational Safety and Health, the Alaska Department of Commerce, Community and Economic Development, and AMSEA members.

Register online at www.amsea.org or call (907) 747-3287. All class participants must wear a cloth face mask, maintain six feet of physical distance from other participants, and follow any other required COVID-19 safety procedures.

Marine Safety Instructor Training

The MSIT is an intensive train-the-trainer course that prepares individuals to effectively teach cold-water survival procedures, use of marine safety equipment, and vessel safety drills. Upon completion of the course, participants will be prepared to teach AMSEA's U.S. Coast Guard accepted Fishing Vessel Drill Conductor training, pending authorization from the Coast Guard. Topics covered during the course include:

- Preparation for emergencies
- Cold-water near drowning
- Hypothermia
- Cold-water survival
- Survival equipment, procedures & onboard drills
- Risk Assessment
- Ergonomics
- Methods of instructions

Start Date	End Date	Location	State
9/19/2022	9/24/2022	Sitka	AK






Pacific Spaceport Complex Alaska (PSCA) will be conducting a launch designated P138 from Launch Pad LP-3C at Narrow Cape, Kodiak, Alaska, with a launch azimuth of 176°. Daily launch operations are scheduled between 2200-0130 UTC September 19th through September 27th. In local time 1400-1730 AKDT September 19th through September 26th, 2022 (local). Mariners are requested to remain clear of the Hazard Areas during the scheduled launch operations. Questions/concerns should be directed to the PSCA Operations Director, Shannon Edwards at (907) 771-8036, or cell (509) 713-4368 or by email to shannon.edwards@akaerospace.com or the PSCA Ground Safety Officer, Paul Pena, at (907) 743-3525, or cell (907) 942-4485 or by email to ppena.ctr@akaerospace.com.

Total Hazard Area (Degrees Decimal Minutes):

Point A:	57°15.806'N, 152°30.838'W
Point B:	57°28.459'N, 152°31.795'W
Point C:	57°29.265'N, 152°11.957'W
Point D:	56°40.696'N, 152°03.287'W
Point E:	55°10.160'N, 151°51.796'W
Point F:	53°39.607'N, 151°41.136'W
Point G:	52°09.039'N, 151°31.208'W
Point H:	51°45.816'N, 151°30.037'W
Point I:	51°44.545'N, 151°59.959'W
Point J:	52°16.191'N, 152°11.000'W
Point K:	53°56.068'N, 152°17.071'W
Point L:	55°35.941'N, 152°23.658'W

Graphical depiction of Up-Range Hazard Area:



Graphical depiction of NOTMAR Hazard Area:

